



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
001	BDT00000056	.. 80	0 .. 1	<b>Entity identification</b> <i>Path:</i> Order response/Business document identification information/Entity identification	4	<b>BGM</b>	<b>C106</b>	<b>1004</b>	R	an..35	1 <i>Path:</i> ORDRSP.BGM.C106.1004(0020:020:01)
002	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order response/Revision number	4	<b>BGM</b>	<b>C106</b>	<b>1060</b>	O	an..6	X <i>Path:</i> ORDRSP.BGM.C106.1060(0020:020:03)
003	BDT00000050		0 .. 1	<b>Business document status code</b> <i>Path:</i> Order response/Business document status code	4	<b>BGM</b>		<b>1225</b>	R	an..3	4 <i>Path:</i> ORDRSP.BGM.1225(0020:030)
004	BDT00000698	.. 80	1 .. 1	<b>Received order document status code content</b> <i>Path:</i> Order response/Received order document status code/Received order document status code content	4	<b>BGM</b>		<b>1225</b>	R	an..3	4 <i>Path:</i> ORDRSP.BGM.1225(0020:030)
005	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order response/Business document creation date time	5	<b>DTM</b>	<b>C507</b>	<b>2380</b>	R	an..35	19930830 <i>Path:</i> ORDRSP.DTM.C507.2380(0030:010:02)
006	BDTG00000291		0 .. 1	<b>Requested delivery date time</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery date time	5	<b>DTM</b>	<b>C507</b>	<b>2380</b>	R	an..35	19930830 <i>Path:</i> ORDRSP.DTM.C507.2380(0030:010:02)
007	BDTG00000297		0 .. 1	<b>Requested ship date time</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested ship date time	5	<b>DTM</b>	<b>C507</b>	<b>2380</b>	R	an..35	19930830 <i>Path:</i> ORDRSP.DTM.C507.2380(0030:010:02)
008	BDTG00000290		0 .. 1	<b>Requested date time for pick up</b> <i>Path:</i> Order response/Requested modification of delivery date information/Requested date time for pick up	5	<b>DTM</b>	<b>C507</b>	<b>2380</b>	R	an..35	19930830 <i>Path:</i> ORDRSP.DTM.C507.2380(0030:010:02)
009	BDT00000670	.. 70	1 .. 1	<b>Notation content</b> <i>Path:</i> Order response/Notation/Notation content	8	<b>FTX</b>	<b>C108</b>	<b>4440</b>	M	an..512	A <i>Path:</i> ORDRSP.FTX.C108.4440(0070:040:01)
010	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Notation/Language code/ Language code content	8	<b>FTX</b>		<b>3453</b>	D	an..3	EN <i>Path:</i> ORDRSP.FTX.3453(0070:050)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
011	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order response/Referenced order document information/Entity identification	9	RFF	C506	1154	R	an..70	12 <i>Path:</i> ORDRSP.SG1.RFF.C506.1154(0100:010:02)
012	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order response/Referenced sales order document information/Entity identification	9	RFF	C506	1154	R	an..70	12 <i>Path:</i> ORDRSP.SG1.RFF.C506.1154(0100:010:02)
013	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order response/Referenced order document information/Revision number	9	RFF	C506	1060	O	an..6	X <i>Path:</i> ORDRSP.SG1.RFF.C506.1060(0100:010:05)
014	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Order response/Referenced sales order document information/Revision number	9	RFF	C506	1060	O	an..6	X <i>Path:</i> ORDRSP.SG1.RFF.C506.1060(0100:010:05)
015	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order response/Referenced order document information/Business document creation date time	10	DTM	C507	2380	R	an..35	19930825 <i>Path:</i> ORDRSP.SG1.DTM.C507.2380(0110:010:02)
016	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order response/Referenced sales order document information/Business document creation date time	10	DTM	C507	2380	R	an..35	19930825 <i>Path:</i> ORDRSP.SG1.DTM.C507.2380(0110:010:02)
017	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Order response/Buyer party information/Global location number, GLN	11	NAD	C082	3039	M	an..35	4012345500000 <i>Path:</i> ORDRSP.SG3.NAD.C082.3039(0160:020:01)
018	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Order response/Seller party information/Global location number, GLN	11	NAD	C082	3039	M	an..35	4012345500000 <i>Path:</i> ORDRSP.SG3.NAD.C082.3039(0160:020:01)
019	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order response/Bill to party information/Global location number GLN	11	NAD	C082	3039	M	an..35	4012345500000 <i>Path:</i> ORDRSP.SG3.NAD.C082.3039(0160:020:01)
020	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order response/Ship to party information/Global	11	NAD	C082	3039	M	an..35	4012345500000 <i>Path:</i> ORDRSP.SG3.NAD.C082.3039(0160:020:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
021	BDT00000063	13 .. 13	0 .. 1	location number GLN <b>Global location number GLN</b> <i>Path:</i> Order response/Pick up from party information/ Global location number GLN	11	NAD	C082	3039	M	an..35	4012345500000 <i>Path:</i> ORDRSP.SG3.NAD.C082.3039(0160:020:01)
022	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Buyer party information/Address information/Party name	11	NAD	C080	3036	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C080.3036(0160:040:01)
023	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Seller party information/Address information/Party name	11	NAD	C080	3036	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C080.3036(0160:040:01)
024	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Bill to party information/Address information/Party name	11	NAD	C080	3036	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C080.3036(0160:040:01)
025	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Ship to party information/ Address information/Party name	11	NAD	C080	3036	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C080.3036(0160:040:01)
026	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Pick up from party information/ Address information/Party name	11	NAD	C080	3036	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C080.3036(0160:040:01)
027	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Buyer party information/Address information/Post office box number	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042(0160:050:01)
028	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Buyer party information/Address information/Street address one	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042(0160:050:01)
029	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Seller party information/Address information/Post office box number	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042(0160:050:01)
030	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Seller party information/Address	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042(0160:050:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
031	BDT00000113	.. 80	0 .. 1	information/Street address one <b>Post office box number</b> <i>Path:</i> Order response/Bill to party information/Address information/Post office box number	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042(0160:050:01)
032	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Bill to party information/Address information/Street address one	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042(0160:050:01)
033	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Ship to party information/Address information/Post office box number	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042(0160:050:01)
034	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Ship to party information/Address information/Street address one	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042(0160:050:01)
035	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Pick up from party information/Address information/Post office box number	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042(0160:050:01)
036	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Pick up from party information/Address information/Street address one	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042(0160:050:01)
037	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Buyer party information/Address information/Street address two	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042#2(0160:050:02)
038	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Seller party information/Address information/Street address two	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042#2(0160:050:02)
039	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Bill to party information/Address information/Street address two	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042#2(0160:050:02)
040	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Ship to party information/	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042#2(0160:050:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
041	BDT00000130	.. 200	0 .. 1	Address information/Street address two <b>Street address two</b> <i>Path:</i> Order response/Pick up from party information/ Address information/Street address two	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042#2(0160:050:02)
042	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Buyer party information/Address information/Street address three	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042#3(0160:050:03)
043	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Seller party information/Address information/Street address three	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042#3(0160:050:03)
044	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Bill to party information/Address information/Street address three	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042#3(0160:050:03)
045	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Ship to party information/ Address information/Street address three	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042#3(0160:050:03)
046	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Pick up from party information/ Address information/Street address three	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042#3(0160:050:03)
047	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Buyer party information/Address information/City name	11	NAD		3164	D	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.3164(0160:060)
048	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Seller party information/Address information/City name	11	NAD		3164	D	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.3164(0160:060)
049	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Bill to party information/Address information/City name	11	NAD		3164	D	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.3164(0160:060)
050	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Ship to party information/	11	NAD		3164	D	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.3164(0160:060)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
051	BDT00000020	.. 200	0 .. 1	Address information/City name <b>City name</b> <i>Path:</i> Order response/Pick up from party information/ Address information/City name	11	NAD	3164	D	an..35	A	<i>Path:</i> ORDRSP.SG3.NAD.3164(0160:060)
052	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Buyer party information/Address information/County code	11	NAD	C819 3229	O	an..9	A	<i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
053	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Buyer party information/Address information/Province identity	11	NAD	C819 3229	O	an..9	A	<i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
054	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Buyer party information/Address information/State	11	NAD	C819 3229	O	an..9	A	<i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
055	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Seller party information/Address information/County code	11	NAD	C819 3229	O	an..9	A	<i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
056	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Seller party information/Address information/Province identity	11	NAD	C819 3229	O	an..9	A	<i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
057	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Seller party information/Address information/State	11	NAD	C819 3229	O	an..9	A	<i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
058	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Bill to party information/Address information/County code	11	NAD	C819 3229	O	an..9	A	<i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
059	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Bill to party information/Address information/Province identity	11	NAD	C819 3229	O	an..9	A	<i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
060	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Bill to party information/Address	11	NAD	C819 3229	O	an..9	A	<i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
061	BDT00000034	.. 80	0 .. 1	information/State <b>County code</b> Path: Order response/Ship to party information/ Address information/County code	11	NAD	C819	3229	O	an..9	A Path: ORDRSP.SG3.NAD.C819.3229(0160:070:01)
062	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> Path: Order response/Ship to party information/ Address information/Province identity	11	NAD	C819	3229	O	an..9	A Path: ORDRSP.SG3.NAD.C819.3229(0160:070:01)
063	BDT00000127	.. 80	0 .. 1	<b>State</b> Path: Order response/Ship to party information/ Address information/State	11	NAD	C819	3229	O	an..9	A Path: ORDRSP.SG3.NAD.C819.3229(0160:070:01)
064	BDT00000034	.. 80	0 .. 1	<b>County code</b> Path: Order response/Pick up from party information/ Address information/County code	11	NAD	C819	3229	O	an..9	A Path: ORDRSP.SG3.NAD.C819.3229(0160:070:01)
065	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> Path: Order response/Pick up from party information/ Address information/Province identity	11	NAD	C819	3229	O	an..9	A Path: ORDRSP.SG3.NAD.C819.3229(0160:070:01)
066	BDT00000127	.. 80	0 .. 1	<b>State</b> Path: Order response/Pick up from party information/ Address information/State	11	NAD	C819	3229	O	an..9	A Path: ORDRSP.SG3.NAD.C819.3229(0160:070:01)
067	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> Path: Order response/Buyer party information/Address information/Postal code	11	NAD		3251	D	an..17	A Path: ORDRSP.SG3.NAD.3251(0160:080)
068	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> Path: Order response/Seller party information/Address information/Postal code	11	NAD		3251	D	an..17	A Path: ORDRSP.SG3.NAD.3251(0160:080)
069	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> Path: Order response/Bill to party information/Address information/Postal code	11	NAD		3251	D	an..17	A Path: ORDRSP.SG3.NAD.3251(0160:080)
070	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> Path: Order response/Ship to party information/	11	NAD		3251	D	an..17	A Path: ORDRSP.SG3.NAD.3251(0160:080)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used





## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
071	BDT00000114	.. 80	0 .. 1	Address information/Postal code <b>Postal code</b> <i>Path:</i> Order response/Pick up from party information/ Address information/Postal code	11	NAD		3251	D	an..17	A
											<i>Path:</i> ORDRSP.SG3.NAD.3251(0160:080)
072	BDTG00000179		0 .. 1	<b>Country code</b> <i>Path:</i> Order response/Buyer party information/Address information/Country code	11	NAD		3207	D	an..3	GB
											<i>Path:</i> ORDRSP.SG3.NAD.3207(0160:090)
073	BDTG00000179		0 .. 1	<b>Country code</b> <i>Path:</i> Order response/Seller party information/Address information/Country code	11	NAD		3207	D	an..3	GB
											<i>Path:</i> ORDRSP.SG3.NAD.3207(0160:090)
074	BDTG00000179		0 .. 1	<b>Country code</b> <i>Path:</i> Order response/Bill to party information/Address information/Country code	11	NAD		3207	D	an..3	GB
											<i>Path:</i> ORDRSP.SG3.NAD.3207(0160:090)
075	BDTG00000179		0 .. 1	<b>Country code</b> <i>Path:</i> Order response/Ship to party information/ Address information/Country code	11	NAD		3207	D	an..3	GB
											<i>Path:</i> ORDRSP.SG3.NAD.3207(0160:090)
076	BDTG00000179		0 .. 1	<b>Country code</b> <i>Path:</i> Order response/Pick up from party information/ Address information/Country code	11	NAD		3207	D	an..3	GB
											<i>Path:</i> ORDRSP.SG3.NAD.3207(0160:090)
077	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order response/Delivery terms information/ Delivery terms for location information/Global location number GLN	12	LOC	C517	3225	A	an..25	1
											<i>Path:</i> ORDRSP.SG3.LOC.C517.3225(0170:020:01)
078	BDT00000088	.. 80	0 .. 1	<b>Logistics location name</b> <i>Path:</i> Order response/Delivery terms information/ Delivery terms for location information/Logistics location name	12	LOC	C517	3224	O	an..256	1
											<i>Path:</i> ORDRSP.SG3.LOC.C517.3224(0170:020:04)
079	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/ Financial account information/Financial account	13	FII	C078	3194	R	an..35	L
											<i>Path:</i> ORDRSP.SG3.FII.C078.3194(0180:020:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used





## Mapping

Model: Order response; 0.1; Draft  
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
080	BDT00000059	.. 80	1 .. 1	number <b>Financial account number</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial account information/Financial account number	13	FII	C078	3194	R	an..35	L <i>Path:</i> ORDRSP.SG3.FII.C078.3194(0180:020:01)
081	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number	13	FII	C078	3194	R	an..35	L <i>Path:</i> ORDRSP.SG3.FII.C078.3194(0180:020:01)
082	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number	13	FII	C078	3194	R	an..35	L <i>Path:</i> ORDRSP.SG3.FII.C078.3194(0180:020:01)
083	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Financial account information/Financial account number	13	FII	C078	3194	R	an..35	L <i>Path:</i> ORDRSP.SG3.FII.C078.3194(0180:020:01)
084	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial account information/Financial account name	13	FII	C078	3192	O	an..35	L <i>Path:</i> ORDRSP.SG3.FII.C078.3192(0180:020:02)
085	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial account information/Financial account name	13	FII	C078	3192	O	an..35	L <i>Path:</i> ORDRSP.SG3.FII.C078.3192(0180:020:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
086	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial account information/Financial account name	13	<b>FII</b>	<b>C078</b>	<b>3192</b>	O	an..35	L <i>Path:</i> ORDRSP.SG3.FII.C078.3192(0180:020:02)
087	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial account information/Financial account name	13	<b>FII</b>	<b>C078</b>	<b>3192</b>	O	an..35	L <i>Path:</i> ORDRSP.SG3.FII.C078.3192(0180:020:02)
088	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Financial account information/Financial account name	13	<b>FII</b>	<b>C078</b>	<b>3192</b>	O	an..35	L <i>Path:</i> ORDRSP.SG3.FII.C078.3192(0180:020:02)
089	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial institution name	13	<b>FII</b>	<b>C088</b>	<b>3432</b>	O	an..70	L <i>Path:</i> ORDRSP.SG3.FII.C088.3432(0180:030:07)
090	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial institution name	13	<b>FII</b>	<b>C088</b>	<b>3432</b>	O	an..70	L <i>Path:</i> ORDRSP.SG3.FII.C088.3432(0180:030:07)
091	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial institution name	13	<b>FII</b>	<b>C088</b>	<b>3432</b>	O	an..70	L <i>Path:</i> ORDRSP.SG3.FII.C088.3432(0180:030:07)
092	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial institution name	13	<b>FII</b>	<b>C088</b>	<b>3432</b>	O	an..70	L <i>Path:</i> ORDRSP.SG3.FII.C088.3432(0180:030:07)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
093	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Order response/Pick up from party information/ Financial institution and financial account information/Financial institution name	13	FII	C088	3432	O	an..70	L <i>Path:</i> ORDRSP.SG3.FII.C088.3432(0180:030:07)
094	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/ Financial institution division name	13	FII	C088	3436	O	an..70	15 <i>Path:</i> ORDRSP.SG3.FII.C088.3436(0180:030:08)
095	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/ Financial institution division name	13	FII	C088	3436	O	an..70	15 <i>Path:</i> ORDRSP.SG3.FII.C088.3436(0180:030:08)
096	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/ Financial institution division name	13	FII	C088	3436	O	an..70	15 <i>Path:</i> ORDRSP.SG3.FII.C088.3436(0180:030:08)
097	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order response/Ship to party information/ Financial institution and financial account information/Financial institution division name	13	FII	C088	3436	O	an..70	15 <i>Path:</i> ORDRSP.SG3.FII.C088.3436(0180:030:08)
098	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Order response/Pick up from party information/ Financial institution and financial account information/Financial institution division name	13	FII	C088	3436	O	an..70	15 <i>Path:</i> ORDRSP.SG3.FII.C088.3436(0180:030:08)
099	BDTG00000577		0 .. unbounded	<b>Additional party identification information</b> <i>Path:</i> Order response/Buyer party information/ Additional party identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
100	BDTG00000585		1 .. 1	<b>Tax registration identification information</b> <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
101	BDTG00000375		0 .. unbounded	<b>Customs duty registration information</b> <i>Path:</i> Order response/Buyer party information/Customs duty registration information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
102	BDTG00000577		0 .. unbounded	<b>Additional party identification information</b> <i>Path:</i> Order response/Seller party information/Additional party identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
103	BDTG00000585		1 .. 1	<b>Tax registration identification information</b> <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
104	BDTG00000621		1 .. 1	<b>Customs registration identification information</b> <i>Path:</i> Order response/Seller party information/Customs duty registration information/Customs registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
105	BDTG00000577		0 .. unbounded	<b>Additional party identification</b> <i>Path:</i> Order response/Bill to party information/Additional party identification	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
106	BDTG00000585		1 .. 1	<b>Tax registration identification information</b> <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
107	BDTG00000621		1 .. 1	<b>Customs registration identification information</b> <i>Path:</i> Order response/Bill to party information/Customs duty registration information/Customs registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
108	BDTG00000577		0 .. unbounded	<b>Additional party identification information</b> <i>Path:</i> Order response/Ship to party information/Additional party identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
109	BDTG00000585		1 .. 1	<b>Tax registration identification information</b> <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
110	BDTG00000621		1 .. 1	identification information <b>Customs registration identification information</b> <i>Path:</i> Order response/Ship to party information/ Customs duty registration information/Customs registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
111	BDTG00000577		0 .. unbounded	<b>Additional party identification</b> <i>Path:</i> Order response/Pick up from party information/ Additional party identification	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
112	BDTG00000585		1 .. 1	<b>Tax registration identification information</b> <i>Path:</i> Order response/Pick up from party information/ Tax registration information/Tax registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
113	BDTG00000621		1 .. 1	<b>Customs registration identification information</b> <i>Path:</i> Order response/Pick up from party information/ Customs duty registration information/Customs registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
114	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Buyer party information/ Business contact information/Contact type code/Contact type code content	15	CTA		3139	R	an..3	OC <i>Path:</i> ORDRSP.SG3.SG6.CTA.3139(0260:010)
115	BDTG00000178		0 .. 1	<b>Contact type code</b> <i>Path:</i> Order response/Seller party information/Business contact information/Contact type code	15	CTA		3139	R	an..3	OC <i>Path:</i> ORDRSP.SG3.SG6.CTA.3139(0260:010)
116	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Bill to party information/Business contact information/Contact type code/Contact type code content	15	CTA		3139	R	an..3	OC <i>Path:</i> ORDRSP.SG3.SG6.CTA.3139(0260:010)
117	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Ship to party information/ Business contact information/Contact type code/Contact type code content	15	CTA		3139	R	an..3	OC <i>Path:</i> ORDRSP.SG3.SG6.CTA.3139(0260:010)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
118	BDTG00000178		0 .. 1	<b>Contact type code</b> <i>Path:</i> Order response/Pick up from party information/ Business contact information/Contact type code	15	CTA		3139	R	an..3	OC <i>Path:</i> ORDRSP.SG3.SG6.CTA.3139(0260:010)
119	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Buyer party information/ Business contact information/Person name	15	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
120	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Buyer party information/ Business contact information/Department name	15	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
121	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Seller party information/Business contact information/Person name	15	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
122	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Seller party information/Business contact information/Department name	15	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
123	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Bill to party information/Business contact information/Person name	15	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
124	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Bill to party information/Business contact information/Department name	15	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
125	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Ship to party information/ Business contact information/Person name	15	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
126	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Ship to party information/ Business contact information/Department name	15	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
127	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Pick up from party information/ Business contact information/Person name	15	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
128	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Pick up from party information/ Business contact information/Department name	15	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
129	BDT000000785	.. 70	1 .. 1	<b>Electronic address identification</b> <i>Path:</i> Order response/Buyer party information/ Electronic address information/Electronic address identification	16	COM	C076	3148	M	an..512	0044715326652 <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3148(0270:010:01)
130	BDT000000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Buyer party information/ Business contact information/Communication information/Communication channel identification	16	COM	C076	3148	M	an..512	0044715326652 <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3148(0270:010:01)
131	BDT000000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Seller party information/Business contact information/Communication information/Communication channel identification	16	COM	C076	3148	M	an..512	0044715326652 <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3148(0270:010:01)
132	BDT000000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Bill to party information/Business contact information/Communication information/Communication channel identification	16	COM	C076	3148	M	an..512	0044715326652 <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3148(0270:010:01)
133	BDT000000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Ship to party information/ Business contact information/Communication information/Communication channel identification	16	COM	C076	3148	M	an..512	0044715326652 <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3148(0270:010:01)
134	BDT000000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Pick up from party information/ Business contact information/Communication information/Communication channel identification	16	COM	C076	3148	M	an..512	0044715326652 <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3148(0270:010:01)
135	BDT000000786	.. 70	1 .. 1	<b>Electronic address identification scheme</b> <i>Path:</i> Order response/Buyer party information/ Electronic address information/Electronic address identification scheme	16	COM	C076	3155	M	an..3	TE <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3155(0270:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used





## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
136	BDTG00000175		1 .. 1	<b>Communication channel code</b> <i>Path:</i> Order response/Buyer party information/ Business contact information/Communication information/Communication channel code	16	COM	C076	3155	M	an..3	TE <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3155(0270:010:02)
137	BDTG00000175		1 .. 1	<b>Communication channel code</b> <i>Path:</i> Order response/Seller party information/Business contact information/Communication information/Communication channel code	16	COM	C076	3155	M	an..3	TE <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3155(0270:010:02)
138	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Order response/Bill to party information/Business contact information/Communication information/Communication channel code/ Communication channel code content	16	COM	C076	3155	M	an..3	TE <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3155(0270:010:02)
139	BDTG00000175		1 .. 1	<b>Communication channel code</b> <i>Path:</i> Order response/Ship to party information/ Business contact information/Communication information/Communication channel code	16	COM	C076	3155	M	an..3	TE <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3155(0270:010:02)
140	BDTG00000175		1 .. 1	<b>Communication channel code</b> <i>Path:</i> Order response/Pick up from party information/ Business contact information/Communication information/Communication channel code	16	COM	C076	3155	M	an..3	TE <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3155(0270:010:02)
141	BDT00000701	.. 80	1 .. 1	<b>Transport cost payment code content</b> <i>Path:</i> Order response/Delivery terms information/ Transport cost payment code/Transport cost payment code content	28	TOD		4215	O	an..3	CC <i>Path:</i> ORDRSP.SG12.TOD.4215(0470:020)
142	BDT000000649		1 .. 1	<b>Incoterms code content</b> <i>Path:</i> Order response/Delivery terms information/ Incoterms code/Incoterms code content	28	TOD	C100	4053	O	an..3	CFR <i>Path:</i> ORDRSP.SG12.TOD.C100.4053(0470:030:01)
143	BDT00000535	.. 80	1 .. 1	<b>Alternative delivery terms code content</b> <i>Path:</i> Order response/Delivery terms information/ Alternative delivery terms code/Alternative	28	TOD	C100	4053	O	an..3	CFR <i>Path:</i> ORDRSP.SG12.TOD.C100.4053(0470:030:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
144	BDT00000641	.. 70	1 .. 1	delivery terms code content <b>Delivery instructions description content</b> <i>Path:</i> Order response/Delivery terms information/ Delivery instructions description/Delivery instructions description content	28	TOD	C100	4052	O	an..70	A
											<i>Path:</i> ORDRSP.SG12.TOD.C100.4052(0470:030:04)
145	BDT00000618	.. 80	1 .. 1	<b>Charge type code content</b> <i>Path:</i> Order response/Charge information/Charge type code/Charge type code content	37	ALC	C552	5189	O	an..3	1
											<i>Path:</i> ORDRSP.SG19.ALC.C552.5189(0740:020:02)
146	BDT00000531	.. 80	1 .. 1	<b>Allowance type code content</b> <i>Path:</i> Order response/Allowance information/Allowance type code/Allowance type code content	37	ALC	C552	5189	O	an..3	1
											<i>Path:</i> ORDRSP.SG19.ALC.C552.5189(0740:020:02)
147	BDTG00000309		1 .. 1	<b>Settlement charge code</b> <i>Path:</i> Order response/Charge information/Settlement charge code	37	ALC		4471	O	an..3	1
											<i>Path:</i> ORDRSP.SG19.ALC.4471(0740:030)
148	BDT00000617	.. 80	1 .. 1	<b>Settlement charge code content</b> <i>Path:</i> Order response/Charge information/Settlement charge code/Settlement charge code content	37	ALC		4471	O	an..3	1
											<i>Path:</i> ORDRSP.SG19.ALC.4471(0740:030)
149	BDT00000532	.. 80	1 .. 1	<b>Settlement allowance code content</b> <i>Path:</i> Order response/Allowance information/ Settlement allowance code/Settlement allowance code content	37	ALC		4471	O	an..3	1
											<i>Path:</i> ORDRSP.SG19.ALC.4471(0740:030)
150	BDT00000014		0 .. 1	<b>Calculation sequence number</b> <i>Path:</i> Order response/Charge information/Calculation sequence number	37	ALC		1227	D	an..3	1
											<i>Path:</i> ORDRSP.SG19.ALC.1227(0740:040)
151	BDT00000014		0 .. 1	<b>Calculation sequence number</b> <i>Path:</i> Order response/Allowance information/ Calculation sequence number	37	ALC		1227	D	an..3	1
											<i>Path:</i> ORDRSP.SG19.ALC.1227(0740:040)
152	BDT00000534	.. 80	1 .. 1	<b>Special service type code content</b> <i>Path:</i> Order response/Charge information/Special service type code/Special service type code content	37	ALC	C214	7161	R	an..3	1
											<i>Path:</i> ORDRSP.SG19.ALC.C214.7161(0740:050:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
153	BDT00000534	.. 80	1 .. 1	<b>Special service type code content</b> <i>Path:</i> Order response/Allowance information/Special service type code/Special service type code content	37	ALC	C214	7161	R	an..3	1 <i>Path:</i> ORDRSP.SG19.ALC.C214.7161(0740:050:01)
154	BDT00000377		0 .. 1	<b>Tax point date</b> <i>Path:</i> Order response/Charge information/Applicable tax information/Tax point date	39	DTM	C507	2380	R	an..35	1 <i>Path:</i> ORDRSP.SG19.DTM.C507.2380(0760:010:02)
155	BDT00000377		0 .. 1	<b>Tax point date</b> <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax point date	39	DTM	C507	2380	R	an..35	1 <i>Path:</i> ORDRSP.SG19.DTM.C507.2380(0760:010:02)
156	BDT00000018		0 .. 1	<b>Charge percentage</b> <i>Path:</i> Order response/Charge information/Charge percentage	42	PCD	C501	5482	R	n..10	1 <i>Path:</i> ORDRSP.SG19.SG21.PCD.C501.5482(0810:010:02)
157	BDT00000006		0 .. 1	<b>Allowance percentage</b> <i>Path:</i> Order response/Allowance information/Allowance percentage	42	PCD	C501	5482	R	n..10	1 <i>Path:</i> ORDRSP.SG19.SG21.PCD.C501.5482(0810:010:02)
158	BDT00000619		0 .. 1	<b>Charge monetary amount content</b> <i>Path:</i> Order response/Charge information/Charge monetary amount/Charge monetary amount content	44	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG19.SG22.MOA.C516.5004(0840:010:02)
159	BDT00000614		1 .. 1	<b>Charge basis monetary amount content</b> <i>Path:</i> Order response/Charge information/Charge basis monetary amount/Charge basis monetary amount content	44	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG19.SG22.MOA.C516.5004(0840:010:02)
160	BDT00000528		1 .. 1	<b>Allowance monetary amount content</b> <i>Path:</i> Order response/Allowance information/Allowance monetary amount/Allowance monetary amount content	44	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG19.SG22.MOA.C516.5004(0840:010:02)
161	BDT00000526		1 .. 1	<b>Allowance basis monetary amount content</b> <i>Path:</i> Order response/Allowance information/Allowance basis monetary amount/Allowance basis	44	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG19.SG22.MOA.C516.5004(0840:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
162	BDT00000589	.. 80	1 .. 1	monetary amount content <b>Currency code content</b> <i>Path:</i> Order response/Charge information/Charge monetary amount/Currency code/Currency code content	44	MOA	C516	6345	O	an..3	EUR <i>Path:</i> ORDRSP.SG19.SG22.MOA.C516.6345(0840:010:03)
163	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Charge information/Charge basis monetary amount/Currency code/Currency code content	44	MOA	C516	6345	O	an..3	EUR <i>Path:</i> ORDRSP.SG19.SG22.MOA.C516.6345(0840:010:03)
164	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Allowance information/Allowance monetary amount/Currency code/Currency code content	44	MOA	C516	6345	O	an..3	EUR <i>Path:</i> ORDRSP.SG19.SG22.MOA.C516.6345(0840:010:03)
165	BDT00000620		1 .. 1	<b>Charge monetary amount per unit content</b> <i>Path:</i> Order response/Charge information/Charge monetary amount per unit/Charge monetary amount per unit content	46	RTE	C128	5420	M	n..15	1 <i>Path:</i> ORDRSP.SG19.SG23.RTE.C128.5420(0870:010:02)
166	BDT00000529		1 .. 1	<b>Allowance monetary amount per unit content</b> <i>Path:</i> Order response/Allowance information/Allowance monetary amount per unit/Allowance monetary amount per unit content	46	RTE	C128	5420	M	n..15	1 <i>Path:</i> ORDRSP.SG19.SG23.RTE.C128.5420(0870:010:02)
167	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Charge information/Applicable tax information/Tax type code/Tax type code content	48	TAX	C241	5153	O	an..3	GST <i>Path:</i> ORDRSP.SG19.SG24.TAX.C241.5153(0900:020:01)
168	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax type code/Tax type code content	48	TAX	C241	5153	O	an..3	GST <i>Path:</i> ORDRSP.SG19.SG24.TAX.C241.5153(0900:020:01)
169	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Charge information/Applicable	48	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDRSP.SG19.SG24.TAX.C241.5152(0900:020:04)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
170	BDT00000754	.. 70	1 .. 1	tax information/Tax description/Tax description content <b>Tax description content</b> Path: Order response/Allowance information/Applicable tax information/Tax description/Tax description content	48	TAX	C241	5152	O	an..35	1 Path: ORDRSP.SG19.SG24.TAX.C241.5152(0900:020:04)
171	BDT00000371		0 .. 1	<b>Tax rate</b> Path: Order response/Charge information/Applicable tax information/Tax rate	48	TAX	C243	5278	O	an..17	1 Path: ORDRSP.SG19.SG24.TAX.C243.5278(0900:050:04)
172	BDT00000371		0 .. 1	<b>Tax rate</b> Path: Order response/Allowance information/Applicable tax information/Tax rate	48	TAX	C243	5278	O	an..17	1 Path: ORDRSP.SG19.SG24.TAX.C243.5278(0900:050:04)
173	BDT00000537	.. 80	1 .. 1	<b>Tax category code content</b> Path: Order response/Charge information/Applicable tax information/Tax category code/Tax category code content	48	TAX		5305	D	an..3	A Path: ORDRSP.SG19.SG24.TAX.5305(0900:060)
174	BDT00000537	.. 80	1 .. 1	<b>Tax category code content</b> Path: Order response/Allowance information/Applicable tax information/Tax category code/Tax category code content	48	TAX		5305	D	an..3	A Path: ORDRSP.SG19.SG24.TAX.5305(0900:060)
175	BDT00000559		1 .. 1	<b>Taxable monetary amount content</b> Path: Order response/Charge information/Applicable tax information/Taxable monetary amount/Taxable monetary amount content	49	MOA	C516	5004	R	n..35	1 Path: ORDRSP.SG19.SG24.MOA.C516.5004(0910:010:02)
176	BDT00000562		1 .. 1	<b>Tax monetary amount content</b> Path: Order response/Charge information/Applicable tax information/Tax monetary amount/Tax monetary amount content	49	MOA	C516	5004	R	n..35	1 Path: ORDRSP.SG19.SG24.MOA.C516.5004(0910:010:02)
177	BDT00000559		1 .. 1	<b>Taxable monetary amount content</b> Path: Order response/Allowance information/Applicable tax information/Taxable monetary amount/	49	MOA	C516	5004	R	n..35	1 Path: ORDRSP.SG19.SG24.MOA.C516.5004(0910:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
178	BDT00000562		1 .. 1	Taxable monetary amount content <b>Tax monetary amount content</b> <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax monetary amount/Tax monetary amount content	49	MOA	C516	5004	R	n..35	1
											<i>Path:</i> ORDRSP.SG19.SG24.MOA.C516.5004(0910:010:02)
179			1 .. 1	<b>Document line number</b> <i>Path:</i> Order response/Order response line/Document line number	50	LIN		1082	R	an..6	1
											<i>Path:</i> ORDRSP.SG26.LIN.1082(0980:010)
180	BDT00000581	.. 80	1 .. 1	<b>Business document line action code content</b> <i>Path:</i> Order response/Order response line/Business document line action code/Business document line action code content	50	LIN		1229	R	an..3	1
											<i>Path:</i> ORDRSP.SG26.LIN.1229(0980:020)
181	BDT00000066	14 .. 14	0 .. 1	<b>Global trade item number, GTIN</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Global trade item number, GTIN	50	LIN	C212	7140	R	an..35	4000862141404
											<i>Path:</i> ORDRSP.SG26.LIN.C212.7140(0980:030:01)
182	BDT00000105	.. 6	0 .. 1	<b>Parent line item number</b> <i>Path:</i> Order response/Order response line/Parent line item number	50	LIN	C829	1082	R	an..6	X
											<i>Path:</i> ORDRSP.SG26.LIN.C829.1082(0980:040:02)
183	BDT00000516	.. 80	1 .. 1	<b>Additional trade item identification content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Additional trade item identification/Additional trade item identification content	51	PIA	C212	7140	R	an..35	ABC
											<i>Path:</i> ORDRSP.SG26.PIA.C212.7140(0990:020:01)
184	BDT00000066	14 .. 14	0 .. 1	<b>Global trade item number, GTIN</b> <i>Path:</i> Order response/Order response line/Replaced trade item information/Global trade item number, GTIN	51	PIA	C212	7140	R	an..35	ABC
											<i>Path:</i> ORDRSP.SG26.PIA.C212.7140(0990:020:01)
185	BDTG00000519		0 .. unbounded	<b>Additional trade item identification type code</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Additional trade item	51	PIA	C212	7143	R	an..3	IN
											<i>Path:</i> ORDRSP.SG26.PIA.C212.7143(0990:020:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
186	BDT00000656	.. 80	1 .. 1	identification/Additional trade item identification type code <b>Item type code content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Item type code/Item type code content	52	IMD	C273	7009	O	an..17	CU <i>Path:</i> ORDRSP.SG26.IMD.C273.7009(1000:030:01)
187	BDT00000684	.. 70	1 .. 1	<b>Trade item description content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Trade item description/Trade item description content	52	IMD	C273	7008	O	an..256	OXO <i>Path:</i> ORDRSP.SG26.IMD.C273.7008(1000:030:04)
188	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Trade item description/Language code/Language code content	52	IMD	C273	3453	O	an..3	AA <i>Path:</i> ORDRSP.SG26.IMD.C273.3453(1000:030:06)
189	BDTG00000237		1 .. 1	<b>Measurement type code</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item weight information/Measurement type code	53	MEA	C502	6313	A	an..3	A <i>Path:</i> ORDRSP.SG26.MEA.C502.6313(1010:020:01)
190	BDT00000666	.. 80	1 .. 1	<b>Measurement type code content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item weight information/Measurement type code/Measurement type code content	53	MEA	C502	6313	A	an..3	A <i>Path:</i> ORDRSP.SG26.MEA.C502.6313(1010:020:01)
191	BDT00000666	.. 80	1 .. 1	<b>Measurement type code content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item volume information/Measurement type code/Measurement type code content	53	MEA	C502	6313	A	an..3	A <i>Path:</i> ORDRSP.SG26.MEA.C502.6313(1010:020:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used





## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
192	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item weight information/Measurement unit code/Measurement unit code content	53	MEA	C174	6411	M	an..3	KGM <i>Path:</i> ORDRSP.SG26.MEA.C174.6411(1010:030:01)
193	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item volume information/Measurement unit code/Measurement unit code content	53	MEA	C174	6411	M	an..3	KGM <i>Path:</i> ORDRSP.SG26.MEA.C174.6411(1010:030:01)
194	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item measurements information/Depth measurement/Measurement unit code/Measurement unit code content	53	MEA	C174	6411	M	an..3	KGM <i>Path:</i> ORDRSP.SG26.MEA.C174.6411(1010:030:01)
195	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Measurement unit code content	53	MEA	C174	6411	M	an..3	KGM <i>Path:</i> ORDRSP.SG26.MEA.C174.6411(1010:030:01)
196	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Measurement unit code content	53	MEA	C174	6411	M	an..3	KGM <i>Path:</i> ORDRSP.SG26.MEA.C174.6411(1010:030:01)
197	BDT00000728		1 .. 1	<b>Trade item weight content</b>	53	MEA	C174	6314	O	an..18	1

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content							<i>Path:</i> ORDRSP.SG26.MEA.C174.6314(1010:030:02)
198	BDT00000752		1 .. 1	<b>Trade item volume content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item volume information/Trade item volume content	53	MEA	C174	6314	O	an..18	1 <i>Path:</i> ORDRSP.SG26.MEA.C174.6314(1010:030:02)
199	BDT00000661		1 .. 1	<b>Depth measurement content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item measurements information/Depth measurement/Depth measurement content	53	MEA	C174	6314	O	an..18	1 <i>Path:</i> ORDRSP.SG26.MEA.C174.6314(1010:030:02)
200	BDT00000650		1 .. 1	<b>Height measurement content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/Height measurement content	53	MEA	C174	6314	O	an..18	1 <i>Path:</i> ORDRSP.SG26.MEA.C174.6314(1010:030:02)
201	BDT00000662		1 .. 1	<b>Width measurement content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Width measurement content	53	MEA	C174	6314	O	an..18	1 <i>Path:</i> ORDRSP.SG26.MEA.C174.6314(1010:030:02)
202	BDT00000683		1 .. 1	<b>Confirmed quantity content</b> <i>Path:</i> Order response/Order response line/Confirmed quantity/Confirmed quantity content	54	QTY	C186	6060	M	an..35	48 <i>Path:</i> ORDRSP.SG26.QTY.C186.6060(1020:010:02)
203	BDT00000678		1 .. 1	<b>Trade item quantity content</b>	54	QTY	C186	6060	M	an..35	48

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Order response line/Responded trade item information/Trade item quantity/Trade item quantity content							<i>Path:</i> ORDRSP.SG26.QTY.C186.6060(1020:010:02)
204	BDT00000678		1 .. 1	<b>Trade item quantity content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item quantity/Trade item quantity content	54	QTY	C186	6060	M	an..35	48
											<i>Path:</i> ORDRSP.SG26.QTY.C186.6060(1020:010:02)
205	BDT00000683		1 .. 1	<b>Confirmed quantity content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Confirmed quantity/Confirmed quantity content	54	QTY	C186	6060	M	an..35	48
											<i>Path:</i> ORDRSP.SG26.QTY.C186.6060(1020:010:02)
206	BDTG00000608		0 .. 1	<b>Measurement unit code</b> <i>Path:</i> Order response/Order response line/Confirmed quantity/Measurement unit code	54	QTY	C186	6411	D	an..3	KGM
											<i>Path:</i> ORDRSP.SG26.QTY.C186.6411(1020:010:03)
207	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Trade item quantity/Measurement unit code/Measurement unit code content	54	QTY	C186	6411	D	an..3	KGM
											<i>Path:</i> ORDRSP.SG26.QTY.C186.6411(1020:010:03)
208	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Confirmed quantity/Measurement unit code/Measurement unit code content	54	QTY	C186	6411	D	an..3	KGM
											<i>Path:</i> ORDRSP.SG26.QTY.C186.6411(1020:010:03)
209	BDT00000572		1 .. 1	<b>Country of origin code content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Country of origin/Country of origin code content	55	ALI		3239	O	an..3	AD
											<i>Path:</i> ORDRSP.SG26.ALI.3239(1040:010)
210	BDT00000774		1 .. 1	<b>Country code content</b>	55	ALI		3239	O	an..3	AD

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Order response line/Applicable customs duty information/Country code/Country code content							<i>Path:</i> ORDRSP.SG26.ALI.3239(1040:010)
211	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Order response line/Applicable customs duty information/Duty regime type code/Contact type code content	55	ALI		9213	O	an..3	1 <i>Path:</i> ORDRSP.SG26.ALI.9213(1040:020)
212	BDT00000388		0 .. 1	<b>Confirmed trade item delivery date time</b> <i>Path:</i> Order response/Order response line/Confirmed trade item delivery date time	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
213	BDT00000388		0 .. 1	<b>Confirmed trade item delivery date time</b> <i>Path:</i> Order response/Order response line/Confirmed trade item delivery date time	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
214	BDTG00000786		0 .. 1	<b>First delivery date and time</b> <i>Path:</i> Order response/Order response line/First delivery date and time	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
215	BDT00000007		0 .. 1	<b>Available for sale date</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Available for sale date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
216	BDT00000011		0 .. 1	<b>Best before date</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Best before date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
217	BDT00000057		0 .. 1	<b>Expiration date</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Expiration date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
218	BDT00000104		0 .. 1	<b>Packaging date</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
219	BDT00000116		0 .. 1	information/Packaging date <b>Production date</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Production date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
220	BDT00000120		0 .. 1	<b>Sell by date</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Sell by date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
221	BDT00000122	.. 80	0 .. 1	<b>Shelf life</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Shelf life	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
222	BDT00000377		0 .. 1	<b>Tax point date</b> <i>Path:</i> Order response/Order response line/Applicable tax information/Tax point date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
223	BDT00000377		0 .. 1	<b>Tax point date</b> <i>Path:</i> Order response/Order response line/Applicable customs duty information/Tax point date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
224	BDTG00000291		0 .. 1	<b>Requested delivery date time</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
225	BDTG00000297		0 .. 1	<b>Requested ship date time</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
226	BDTG00000290		0 .. 1	<b>Requested date time for pick up</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested date time for pick up	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
227	BDT00000660		1 .. 1	<b>Line item net monetary amount content</b> <i>Path:</i> Order response/Order response line/Line item net monetary amount/Line item net monetary amount content	57	MOA	C516	5004	R	n..35	1253.42 <i>Path:</i> ORDRSP.SG26.MOA.C516.5004(1060:010:02)
228	BDT00000667		1 .. 1	<b>Monetary amount excluding all taxes content</b> <i>Path:</i> Order response/Order response line/Monetary amount excluding all taxes/Monetary amount excluding all taxes content	57	MOA	C516	5004	R	n..35	1253.42 <i>Path:</i> ORDRSP.SG26.MOA.C516.5004(1060:010:02)
229	BDT00000668		1 .. 1	<b>Monetary amount including all taxes content</b> <i>Path:</i> Order response/Order response line/Monetary amount including all taxes/Monetary amount including all taxes content	57	MOA	C516	5004	R	n..35	1253.42 <i>Path:</i> ORDRSP.SG26.MOA.C516.5004(1060:010:02)
230	BDT00000008	.. 80	0 .. 1	<b>Batch number</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Batch number	58	GIN	C208	7402	M	an..35	1 <i>Path:</i> ORDRSP.SG26.GIN.C208.7402(1080:020:01)
231	BDT00000121	.. 20	0 .. unbounded	<b>Serial number</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Serial number	58	GIN	C208	7402	M	an..35	1 <i>Path:</i> ORDRSP.SG26.GIN.C208.7402(1080:020:01)
232	BDT00000092		0 .. 1	<b>Maximum value</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Serial number range/Maximum value	58	GIN	C208	7402	M	an..35	1 <i>Path:</i> ORDRSP.SG26.GIN.C208.7402(1080:020:01)
233	BDT00000094		0 .. 1	<b>Minimum value</b>	58	GIN	C208	7402	M	an..35	1

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Serial number range/Minimum value							<i>Path:</i> ORDRSP.SG26.GIN.C208.7402(1080:020:01)
234	BDT00000566		1 .. 1	<b>Total requested quantity content</b> <i>Path:</i> Order response/Order response line/Back order information/Total requested quantity/Total requested quantity content	59	<b>QVR</b>	<b>C279</b>	<b>6064</b>	M	n..15	1 <i>Path:</i> ORDRSP.SG26.QVR.C279.6064(1100:010:01)
235	BDT00000696	.. 80	1 .. 1	<b>Reason for status of business document code content</b> <i>Path:</i> Order response/Order response line/Reason for status of business document code/Reason for status of business document code content	59	<b>QVR</b>	<b>C960</b>	<b>4295</b>	O	an..3	AA <i>Path:</i> ORDRSP.SG26.QVR.C960.4295(1100:030:01)
236			0 .. 1	<b>Order line instruction description</b> <i>Path:</i> Order response/Order response line/Order line instruction description	60	<b>FTX</b>	<b>C107</b>	<b>4441</b>	M	an..17	1E <i>Path:</i> ORDRSP.SG26.FTX.C107.4441(1140:030:01)
237			0 .. 1	<b>Order line instruction description</b> <i>Path:</i> Order response/Order response line/Order line instruction description	60	<b>FTX</b>	<b>C108</b>	<b>4440</b>	M	an..512	1 <i>Path:</i> ORDRSP.SG26.FTX.C108.4440(1140:040:01)
238	BDT00000670	.. 70	1 .. 1	<b>Notation content</b> <i>Path:</i> Order response/Order response line/Notation/Notation content	60	<b>FTX</b>	<b>C108</b>	<b>4440</b>	M	an..512	1 <i>Path:</i> ORDRSP.SG26.FTX.C108.4440(1140:040:01)
239	BDT00000606		1 .. 1	<b>Trade item net price content</b> <i>Path:</i> Order response/Order response line/Trade item net price/Trade item net price content	61	<b>PRI</b>	<b>C509</b>	<b>5118</b>	R	n..15	14.58 <i>Path:</i> ORDRSP.SG26.SG30.PRI.C509.5118(1280:010:02)
240	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/Trade item net price/Currency code/Currency code content	62	<b>CUX</b>	<b>C504</b>	<b>6345</b>	R	an..3	GBP <i>Path:</i> ORDRSP.SG26.SG30.CUX.C504.6345(1290:010:02)
241	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase conditions information/	64	<b>RFF</b>	<b>C506</b>	<b>1154</b>	R	an..70	123 <i>Path:</i> ORDRSP.SG26.SG31.RFF.C506.1154(1340:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used





## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
242	BDT00000049	.. 6	0 .. 1	<b>Entity identification</b> <b>Document line number</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase conditions information/Document line number	64	RFF	C506	1156	D	an..6	1
243	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase conditions information/Business document creation date time	65	DTM	C507	2380	R	an..35	19930831
244	BDT000000664	.. 80	1 .. 1	<b>Package type code content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Package type code/Package type code content	66	PAC	C202	7065	A	an..17	CS
245	BDT000000663	.. 80	1 .. 1	<b>Packaging terms and conditions code content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Packaging terms and conditions code/Packaging terms and conditions code content	66	PAC	C532	8395	O	an..3	1
246	BDT000000665	.. 80	1 .. 1	<b>Returnable package return transport payment code content</b> <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Returnable package return transport payment code/Returnable package return	66	PAC	C532	8395	O	an..3	1

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
247	BDT00000576	.. 80	1 .. 1	transport payment code content <b>Tax type code content</b> <i>Path:</i> Order response/Order response line/Applicable tax information/Tax type code/Tax type code content	76	TAX	C241	5153	O	an..3	VAT <i>Path:</i> ORDRSP.SG26.SG36.TAX.C241.5153(1550:020:01)
248	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Order response line/Applicable customs duty information/Tax type code/Tax type code content	76	TAX	C241	5153	O	an..3	VAT <i>Path:</i> ORDRSP.SG26.SG36.TAX.C241.5153(1550:020:01)
249	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Order response line/Applicable tax information/Tax description/Tax description content	76	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDRSP.SG26.SG36.TAX.C241.5152(1550:020:04)
250	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Order response line/Applicable customs duty information/Tax description/Tax description content	76	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDRSP.SG26.SG36.TAX.C241.5152(1550:020:04)
251	BDT00000563	.. 70	1 .. 1	<b>Customs duty description content</b> <i>Path:</i> Order response/Order response line/Applicable customs duty information/Customs duty description/Customs duty description content	76	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDRSP.SG26.SG36.TAX.C241.5152(1550:020:04)
252	BDT00000371		0 .. 1	<b>Tax rate</b> <i>Path:</i> Order response/Order response line/Applicable tax information/Tax rate	76	TAX	C243	5278	R	an..17	12.5 <i>Path:</i> ORDRSP.SG26.SG36.TAX.C243.5278(1550:050:04)
253	BDT00000374		0 .. 1	<b>Customs duty rate</b> <i>Path:</i> Order response/Order response line/Applicable customs duty information/Customs duty rate	76	TAX	C243	5278	R	an..17	12.5 <i>Path:</i> ORDRSP.SG26.SG36.TAX.C243.5278(1550:050:04)
254	BDT00000537	.. 80	1 .. 1	<b>Tax category code content</b> <i>Path:</i> Order response/Order response line/Applicable tax information/Tax category code/Tax category code content	76	TAX		5305	D	an..3	S <i>Path:</i> ORDRSP.SG26.SG36.TAX.5305(1550:060)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
255	BDT00000537	.. 80	1 .. 1	<b>Tax category code content</b> <i>Path:</i> Order response/Order response line/Applicable customs duty information/Tax category code/Tax category code content	76	<b>TAX</b>		<b>5305</b>	D	an..3	S <i>Path:</i> ORDRSP.SG26.SG36.TAX.5305(1550:060)
256	BDT00000559		1 .. 1	<b>Taxable monetary amount content</b> <i>Path:</i> Order response/Order response line/Applicable tax information/Taxable monetary amount/Taxable monetary amount content	77	<b>MOA</b>	<b>C516</b>	<b>5004</b>	R	n..35	32.43 <i>Path:</i> ORDRSP.SG26.SG36.MOA.C516.5004(1560:010:02)
257	BDT00000562		1 .. 1	<b>Tax monetary amount content</b> <i>Path:</i> Order response/Order response line/Applicable tax information/Tax monetary amount/Tax monetary amount content	77	<b>MOA</b>	<b>C516</b>	<b>5004</b>	R	n..35	32.43 <i>Path:</i> ORDRSP.SG26.SG36.MOA.C516.5004(1560:010:02)
258	BDT00000559		1 .. 1	<b>Taxable monetary amount content</b> <i>Path:</i> Order response/Order response line/Applicable customs duty information/Taxable monetary amount/Taxable monetary amount content	77	<b>MOA</b>	<b>C516</b>	<b>5004</b>	R	n..35	32.43 <i>Path:</i> ORDRSP.SG26.SG36.MOA.C516.5004(1560:010:02)
259	BDT00000562		1 .. 1	<b>Tax monetary amount content</b> <i>Path:</i> Order response/Order response line/Applicable customs duty information/Tax monetary amount/Tax monetary amount content	77	<b>MOA</b>	<b>C516</b>	<b>5004</b>	R	n..35	32.43 <i>Path:</i> ORDRSP.SG26.SG36.MOA.C516.5004(1560:010:02)
260	BDT00000564		1 .. 1	<b>Customs duty and import tax monetary amount content</b> <i>Path:</i> Order response/Order response line/Applicable customs duty information/Customs duty and import tax monetary amount/Customs duty and import tax monetary amount content	77	<b>MOA</b>	<b>C516</b>	<b>5004</b>	R	n..35	32.43 <i>Path:</i> ORDRSP.SG26.SG36.MOA.C516.5004(1560:010:02)
261	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Global location	78	<b>NAD</b>	<b>C082</b>	<b>3039</b>	M	an..35	5412345000013 <i>Path:</i> ORDRSP.SG26.SG37.NAD.C082.3039(1590:020:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
262	BDT00000106	.. 200	0 .. 1	number GLN <b>Party name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Party name	78	NAD	C080	3036	M	an..35	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.C080.3036(1590:040:01)
263	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Post office box number	78	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.C059.3042(1590:050:01)
264	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address one	78	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.C059.3042(1590:050:01)
265	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address two	78	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.C059.3042#2(1590:050:02)
266	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address three	78	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.C059.3042#3(1590:050:03)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
267	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/City name	78	NAD		3164	D	an..35	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.3164(1590:060)
268	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/County code	78	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.C819.3229(1590:070:01)
269	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Province identity	78	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.C819.3229(1590:070:01)
270	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/State	78	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.C819.3229(1590:070:01)
271	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Postal code	78	NAD		3251	D	an..17	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.3251(1590:080)
272	BDTG00000179		0 .. 1	<b>Country code</b>	78	NAD		3207	D	an..3	GB

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Country code							<i>Path:</i> ORDRSP.SG26.SG37.NAD.3207(1590:090)
273	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Contact type code/Contact type code content	79	<b>CTA</b>		<b>3139</b>	R	an..3	IC <i>Path:</i> ORDRSP.SG26.SG37.SG40.CTA.3139(1690:010)
274	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Person name	79	<b>CTA</b>	<b>C056</b>	<b>3412</b>	O	an..35	1 <i>Path:</i> ORDRSP.SG26.SG37.SG40.CTA.C056.3412(1690:020:02)
275	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Department name	79	<b>CTA</b>	<b>C056</b>	<b>3412</b>	O	an..35	1 <i>Path:</i> ORDRSP.SG26.SG37.SG40.CTA.C056.3412(1690:020:02)
276	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel identification	80	<b>COM</b>	<b>C076</b>	<b>3148</b>	M	an..512	1 <i>Path:</i> ORDRSP.SG26.SG37.SG40.COM.C076.3148(1700:010:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
277	BDTG00000175		1 .. 1	<b>Communication channel code</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel code	80	COM	C076	3155	M	an..3	EM <i>Path:</i> ORDRSP.SG26.SG37.SG40.COM.C076.3155(1700:010:02)
278	BDT00000531	.. 80	1 .. 1	<b>Allowance type code content</b> <i>Path:</i> Order response/Order response line/Allowance information/Allowance type code/Allowance type code content	81	ALC	C552	5189	O	an..3	1 <i>Path:</i> ORDRSP.SG26.SG41.ALC.C552.5189(1720:020:02)
279	BDT00000618	.. 80	1 .. 1	<b>Charge type code content</b> <i>Path:</i> Order response/Order response line/Charge information/Charge type code/Charge type code content	81	ALC	C552	5189	O	an..3	1 <i>Path:</i> ORDRSP.SG26.SG41.ALC.C552.5189(1720:020:02)
280	BDT00000532	.. 80	1 .. 1	<b>Settlement allowance code content</b> <i>Path:</i> Order response/Order response line/Allowance information/Settlement allowance code/Settlement allowance code content	81	ALC		4471	O	an..3	1 <i>Path:</i> ORDRSP.SG26.SG41.ALC.4471(1720:030)
281	BDT00000617	.. 80	1 .. 1	<b>Settlement charge code content</b> <i>Path:</i> Order response/Order response line/Charge information/Settlement charge code/Settlement charge code content	81	ALC		4471	O	an..3	1 <i>Path:</i> ORDRSP.SG26.SG41.ALC.4471(1720:030)
282	BDT00000014		0 .. 1	<b>Calculation sequence number</b> <i>Path:</i> Order response/Order response line/Allowance information/Calculation sequence number	81	ALC		1227	D	an..3	1 <i>Path:</i> ORDRSP.SG26.SG41.ALC.1227(1720:040)
283	BDT00000014		0 .. 1	<b>Calculation sequence number</b> <i>Path:</i> Order response/Order response line/Charge information/Calculation sequence number	81	ALC		1227	D	an..3	1 <i>Path:</i> ORDRSP.SG26.SG41.ALC.1227(1720:040)
284	BDT00000534	.. 80	1 .. 1	<b>Special service type code content</b> <i>Path:</i> Order response/Order response line/Allowance	81	ALC	C214	7161	R	an..3	DDA <i>Path:</i> ORDRSP.SG26.SG41.ALC.C214.7161(1720:050:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used





## Mapping

Model: Order response; 0.1; Draft  
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
285	BDT00000534	.. 80	1 .. 1	information/Special service type code/Special service type code content <b>Special service type code content</b> <i>Path:</i> Order response/Order response line/Charge information/Special service type code/Special service type code content	81	ALC	C214	7161	R	an..3	DDA <i>Path:</i> ORDRSP.SG26.SG41.ALC.C214.7161(1720:050:01)
286	BDT00000377		0 .. 1	<b>Tax point date</b> <i>Path:</i> Order response/Order response line/Allowance information/Applicable tax information/Tax point date	83	DTM	C507	2380	R	an..35	1990101 <i>Path:</i> ORDRSP.SG26.SG41.DTM.C507.2380(1740:010:02)
287	BDT00000377		0 .. 1	<b>Tax point date</b> <i>Path:</i> Order response/Order response line/Charge information/Applicable tax information/Tax point date	83	DTM	C507	2380	R	an..35	1990101 <i>Path:</i> ORDRSP.SG26.SG41.DTM.C507.2380(1740:010:02)
288	BDT00000006		0 .. 1	<b>Allowance percentage</b> <i>Path:</i> Order response/Order response line/Allowance information/Allowance percentage	86	PCD	C501	5482	R	n..10	1 <i>Path:</i> ORDRSP.SG26.SG41.SG43.PCD.C501.5482(1790:010:02)
289	BDT00000018		0 .. 1	<b>Charge percentage</b> <i>Path:</i> Order response/Order response line/Charge information/Charge percentage	86	PCD	C501	5482	R	n..10	1 <i>Path:</i> ORDRSP.SG26.SG41.SG43.PCD.C501.5482(1790:010:02)
290	BDT00000528		1 .. 1	<b>Allowance monetary amount content</b> <i>Path:</i> Order response/Order response line/Allowance information/Allowance monetary amount/ Allowance monetary amount content	88	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG44.MOA.C516.5004(1820:010:02)
291	BDT00000529		1 .. 1	<b>Allowance monetary amount per unit content</b> <i>Path:</i> Order response/Order response line/Allowance information/Allowance monetary amount per unit/Allowance monetary amount per unit content	88	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG44.MOA.C516.5004(1820:010:02)
292	BDTG00000146		0 .. 1	<b>Allowance basis monetary amount</b> <i>Path:</i> Order response/Order response line/Allowance information/Allowance basis monetary amount	88	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG44.MOA.C516.5004(1820:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
293	BDT00000619		0 .. 1	<b>Charge monetary amount content</b> <i>Path:</i> Order response/Order response line/Charge information/Charge monetary amount/Charge monetary amount content	88	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG44.MOA.C516.5004(1820:010:02)
294	BDT00000614		1 .. 1	<b>Charge basis monetary amount content</b> <i>Path:</i> Order response/Order response line/Charge information/Charge basis monetary amount/Charge basis monetary amount content	88	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG44.MOA.C516.5004(1820:010:02)
295	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/Allowance information/Allowance monetary amount/Currency code/Currency code content	88	MOA	C516	6345	O	an..3	GBP <i>Path:</i> ORDRSP.SG26.SG41.SG44.MOA.C516.6345(1820:010:03)
296	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Order response/Order response line/Allowance information/Allowance monetary amount per unit/Currency code/Currency code content	88	MOA	C516	6345	O	an..3	GBP <i>Path:</i> ORDRSP.SG26.SG41.SG44.MOA.C516.6345(1820:010:03)
297	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Order response line/Allowance information/Applicable tax information/Tax type code/Tax type code content	92	TAX	C241	5153	O	an..3	GST <i>Path:</i> ORDRSP.SG26.SG41.SG46.TAX.C241.5153(1880:020:01)
298	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Order response/Order response line/Charge information/Applicable tax information/Tax type code/Tax type code content	92	TAX	C241	5153	O	an..3	GST <i>Path:</i> ORDRSP.SG26.SG41.SG46.TAX.C241.5153(1880:020:01)
299	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Order response line/Allowance information/Applicable tax information/Tax description/Tax description content	92	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG46.TAX.C241.5152(1880:020:04)
300	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Order response/Order response line/Charge information/Applicable tax information/Tax	92	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG46.TAX.C241.5152(1880:020:04)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
301	BDT00000371		0 .. 1	description/Tax description content <b>Tax rate</b> <i>Path:</i> Order response/Order response line/Allowance information/Applicable tax information/Tax rate	92	TAX	C243	5278	R	an..17	1 <i>Path:</i> ORDRSP.SG26.SG41.SG46.TAX.C243.5278(1880:050:04)
302	BDT00000371		0 .. 1	<b>Tax rate</b> <i>Path:</i> Order response/Order response line/Charge information/Applicable tax information/Tax rate	92	TAX	C243	5278	R	an..17	1 <i>Path:</i> ORDRSP.SG26.SG41.SG46.TAX.C243.5278(1880:050:04)
303	BDT00000537	.. 80	1 .. 1	<b>Tax category code content</b> <i>Path:</i> Order response/Order response line/Allowance information/Applicable tax information/Tax category code/Tax category code content	92	TAX		5305	D	an..3	A <i>Path:</i> ORDRSP.SG26.SG41.SG46.TAX.5305(1880:060)
304	BDT00000537	.. 80	1 .. 1	<b>Tax category code content</b> <i>Path:</i> Order response/Order response line/Charge information/Applicable tax information/Tax category code/Tax category code content	92	TAX		5305	D	an..3	A <i>Path:</i> ORDRSP.SG26.SG41.SG46.TAX.5305(1880:060)
305	BDT00000559		1 .. 1	<b>Taxable monetary amount content</b> <i>Path:</i> Order response/Order response line/Allowance information/Applicable tax information/Taxable monetary amount/Taxable monetary amount content	93	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG46.MOA.C516.5004(1890:010:02)
306	BDT00000562		1 .. 1	<b>Tax monetary amount content</b> <i>Path:</i> Order response/Order response line/Allowance information/Applicable tax information/Tax monetary amount/Tax monetary amount content	93	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG46.MOA.C516.5004(1890:010:02)
307	BDT00000559		1 .. 1	<b>Taxable monetary amount content</b> <i>Path:</i> Order response/Order response line/Charge information/Applicable tax information/Taxable monetary amount/Taxable monetary amount content	93	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG46.MOA.C516.5004(1890:010:02)
308	BDT00000562		1 .. 1	<b>Tax monetary amount content</b> <i>Path:</i> Order response/Order response line/Charge	93	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG46.MOA.C516.5004(1890:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
309	BDT00000626	.. 80	1 .. 1	information/Applicable tax information/Tax monetary amount/Tax monetary amount content <b>Transport route identification content</b> <i>Path:</i> Order response/Order response line/Shipment transportation information/Transport route identification/Transport route identification content	94	TDT		8028	O	an..17	1 <i>Path:</i> ORDRSP.SG26.SG47.TDT.8028(1910:020)
310	BDT00000626	.. 80	1 .. 1	<b>Transport route identification content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Transport route identification content	94	TDT		8028	O	an..17	1 <i>Path:</i> ORDRSP.SG26.SG47.TDT.8028(1910:020)
311	BDT00000688	.. 80	1 .. 1	<b>Transport mode code content</b> <i>Path:</i> Order response/Order response line/Shipment transportation information/Transport mode code/Transport mode code content	94	TDT	C220	8067	R	an..3	100 <i>Path:</i> ORDRSP.SG26.SG47.TDT.C220.8067(1910:030:01)
312	BDT00000688	.. 80	1 .. 1	<b>Transport mode code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport mode code/Transport mode code content	94	TDT	C220	8067	R	an..3	100 <i>Path:</i> ORDRSP.SG26.SG47.TDT.C220.8067(1910:030:01)
313	BDT00000687	.. 80	1 .. 1	<b>Transport means type code content</b> <i>Path:</i> Order response/Order response line/Shipment transportation information/Transport means type code/Transport means type code content	94	TDT	C228	8179	D	an..8	1 <i>Path:</i> ORDRSP.SG26.SG47.TDT.C228.8179(1910:040:01)
314	BDT00000687	.. 80	1 .. 1	<b>Transport means type code content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/	94	TDT	C228	8179	D	an..8	1 <i>Path:</i> ORDRSP.SG26.SG47.TDT.C228.8179(1910:040:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				Ordered trade item logistical information/ Shipment transportation information/Transport means type code/Transport means type code content							
315	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Order response/Order response line/Shipment transportation information/Carrier party information/Global location number, GLN	94	TDT	C040	3127	A	an..17	1 <i>Path:</i> ORDRSP.SG26.SG47.TDT.C040.3127(1910:050:01)
316	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/ Ordered trade item logistical information/ Shipment transportation information/Carrier party information/Global location number, GLN	94	TDT	C040	3127	A	an..17	1 <i>Path:</i> ORDRSP.SG26.SG47.TDT.C040.3127(1910:050:01)
317	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Order response/Order response line/Shipment transportation information/Carrier party information/Address information/Party name	94	TDT	C040	3128	O	an..35	A <i>Path:</i> ORDRSP.SG26.SG47.TDT.C040.3128(1910:050:04)
318	BDT00000625	.. 80	0 .. 1	<b>Transport means identification content</b> <i>Path:</i> Order response/Order response line/Shipment transportation information/Transport means identification/Transport means identification content	94	TDT	C222	8213	O	an..9	A <i>Path:</i> ORDRSP.SG26.SG47.TDT.C222.8213(1910:080:01)
319	BDT00000625	.. 80	0 .. 1	<b>Transport means identification content</b> <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/ Ordered trade item logistical information/ Shipment transportation information/Transport means identification/Transport means identification content	94	TDT	C222	8213	O	an..9	A <i>Path:</i> ORDRSP.SG26.SG47.TDT.C222.8213(1910:080:01)
320	BDTG00000332		0 .. 1	<b>Total monetary net amount</b>	96	MOA	C516	5004	R	n..35	1

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



## Mapping

Model: Order response; 0.1; Draft  
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016  
 Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
321	BDTG00000331		0 .. 1	<i>Path:</i> Order response/Total monetary net amount <b>Total monetary amount</b> <i>Path:</i> Order response/Total monetary amount	96	MOA	C516	5004	R	n..35	1
322	BDTG00000333		0 .. 1	<b>Total tax monetary amount</b> <i>Path:</i> Order response/Total tax monetary amount	96	MOA	C516	5004	R	n..35	1

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used