



EPCIS and CBV Implementation Guideline

Using EPCIS and CBV standards to gain visibility of business
processes

Release 1.0, Ratified, Oct 2015

1 Document Summary

Document Item	Current Value
Document Name	EPCIS and CBV Implementation Guideline
Document Date	Oct 2015
Document Version	1.0
Document Issue	
Document Status	Ratified
Document Description	Using EPCIS and CBV standards to gain visibility of business processes

2 Contributors

Name	Organisation
Andrew Kennedy, Working Group Co-chair	FoodLogIQ
Michele Southall, Working Group Co-chair	GS1 US
Gena Morgan, Working Group Facilitator	GS1 Global Office
Ken Traub, Editor	Ken Traub Consulting
Kerry Angelo	GS1 Global Office
Paul Arguin	r-pac international
Robert Besford	GS1 UK
Karla Biggs-Gregory	Oracle
Karolin Catela	GS1 Sweden
Robert Celeste	GS1 US
Mario Chavez	GS1 Guatemala
Hussam El-Leithy	GS1 US
Heinz Graf	GS1 Switzerland
Tany Hui	GS1 Hong Kong
Jianhua Jia	GS1 China
Peter Jonsson	GS1 Sweden
Janice Kite	GS1 Global Office
Jens Kungl	METRO Group
Jean-Luc Leblond	GS1 France
Paul Lothian	Tyson
Fargeas Ludovic	Courbon
Noriyuki Mama	GS1 Japan
Kevan McKenzie	McKesson
Reiko Moritani	GS1 Japan
Alice Mukaru	GS1 Sweden

Name	Organisation
Falk Nieder	European EPC Competence Center GmbH (EECC)
Juan Ochoa	GS1 Columbia
Ted Osinski	MET Laboratories
James Perng	GS1 Taiwan
Zhuoqiong Qin	GS1 China
Craig Alan Repec	GS1 Global Office
Chris Roberts	GlaxoSmithKline
Thomas Rumbach	SAP AG
John Ryu	GS1 Global Office
Chuck Sailor	Frequenz
Michael Sarachman	GS1 Global Office
Roxana Saravia	GS1 Argentina
Hans Peter Scheidt	GS1 Germany
Michael Smith	Merck & Co.
Steve Tadevich	McKesson
Hristo Todorov	Axway
Ralph Troeger	GS1 Germany
Geir Vevle	HRAFN
Elizabeth Waldorf	TraceLink
Ruoyun Yan	GS1 China
Tony Zhang	FSE
Mike Zupec	Abbvie

3 Log of Changes

Release	Date of Change	Changed By	Summary of Change
1.0	5 Oct 2015	Ken Traub	First release

4 Disclaimer

5 GS1, under its IP Policy, seeks to avoid uncertainty regarding intellectual property claims by requiring the participants in
 6 the Work Group that developed this **EPCIS and CBV Implementation Guideline** to agree to grant to GS1 members a
 7 royalty-free license or a RAND license to Necessary Claims, as that term is defined in the GS1 IP Policy. Furthermore,
 8 attention is drawn to the possibility that an implementation of one or more features of this Specification may be the subject
 9 of a patent or other intellectual property right that does not involve a Necessary Claim. Any such patent or other
 10 intellectual property right is not subject to the licensing obligations of GS1. Moreover, the agreement to grant licenses
 11 provided under the GS1 IP Policy does not include IP rights and any claims of third parties who were not participants in the
 12 Work Group.

13 Accordingly, GS1 recommends that any organisation developing an implementation designed to be in conformance with this
 14 Specification should determine whether there are any patents that may encompass a specific implementation that the
 15 organization is developing in compliance with the Specification and whether a license under a patent or other intellectual
 16 property right is needed. Such a determination of a need for licensing should be made in view of the details of the specific
 17 system designed by the organization in consultation with their own patent counsel.



18 THIS DOCUMENT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF
19 MERCHANTABILITY, NONINFRINGEMENT, FITNESS FOR PARTICULAR PURPOSE, OR ANY WARRANTY OTHER WISE ARISING
20 OUT OF THIS SPECIFICATION. GS1 disclaims all liability for any damages arising from use or misuse of this Standard,
21 whether special, indirect, consequential, or compensatory damages, and including liability for infringement of any
22 intellectual property rights, relating to use of information in or reliance upon this document.

23 GS1 retains the right to make changes to this document at any time, without notice. GS1 makes no warranty for the use of
24 this document and assumes no responsibility for any errors which may appear in the document, nor does it make a
25 commitment to update the information contained herein.
26

Table of Contents

27

28 **1 Introduction 10**

29 1.1 Intended Audience 10

30 1.2 Document Scope..... 10

31 **2 Overview of EPCIS 10**

32 2.1 What’s In the EPCIS and CBV Standards?..... 11

33 2.2 Example of EPCIS Visibility Data 11

34 2.3 EPCIS in Business Applications..... 12

35 2.4 Benefits and Business Opportunities 14

36 2.5 EPCIS Data In Relation to Other Types of Data 14

37 2.6 How EPCIS Fits Into a Typical IT Landscape..... 16

38 2.7 EPCIS and GS1 Standards..... 17

39 **3 Anatomy of an EPCIS Event 18**

40 3.1 The What Dimension 18

41 3.2 The When Dimension..... 18

42 3.3 The Where Dimension..... 19

43 3.4 The Why Dimension..... 19

44 3.5 EPCIS Event Types and Action 20

45 3.6 EPCIS and the Core Business Vocabulary (CBV) 20

46 3.7 Putting it together..... 21

47 **4 Designing a Visibility System Using EPCIS..... 22**

48 4.1 Step 1: Collect Visibility Goals and Requirements..... 23

49 4.2 Step 2: Document the Business Process Flow 23

50 4.3 Step 3: Break each process flow into a series of discrete business steps 23

51 4.4 Step 4: Decide which business steps require visibility events 25

52 4.5 Step 5: Model the completion of each step as a visibility event 26

53 4.6 Step 6: Decide what data fields are to be included in the visibility event 28

54 4.6.1 Designing the What Dimension 28

55 4.6.2 Designing the When Dimension 29

56 4.6.3 Designing the Where Dimension 30

57 4.6.4 Designing the Why Dimension 31

58 4.6.5 Example 35

59 4.7 Step 7: Determine the Vocabularies That Populate Each Data Field..... 35

60 4.7.1 Vocabularies for the What Dimension 36

61 4.7.2 Vocabularies for the Where Dimension..... 36

62 4.7.3 Vocabularies for the Why Dimension 37

63 4.7.4 Example 38

64 4.8 Step 8: Document the Visibility Events in a Visibility Data Matrix 39

65 **5 Advanced EPCIS Modelling 40**

66 5.1 Aggregation/Disaggregation 40

67 5.1.1 Aggregation and Disaggregation 41

68 5.1.2 Multiple Levels of Aggregation 42

69 5.2 Drop Shipment 42

70 5.3 Class-Level Tracing 43

71	5.3.1	Inherent Limitations of Traceability Using Class-Level Identification	43
72	5.3.2	Beginning-of-Life Events for Class-Level Identification	44
73	5.3.3	Class-Level Identification In Aggregation	45
74	5.3.4	Mixing Instance-Level and Class-Level Identification in the Same Event.....	46
75	5.4	Instance/Lot Master Data (ILMD)	48
76	5.5	Transformation	49
77	5.5.1	Transformation Event Example	50
78	5.5.2	Long-Running Transformations	50
79	5.6	Coupons and Vouchers	51
80	5.6.1	Simple Coupon Process.....	52
81	5.6.2	Coupon Example With Coupon Broker.....	53
82	5.7	Returnable Asset Management Using GRAI	53
83	5.8	User/Vendor Extension Elements.....	55
84	6	Sharing EPCIS Data	56
85	6.1	Sharing EPCIS Data Within a Single Organisation	57
86	6.2	EPCIS Queries	58
87	6.3	Query Modes: Pull vs Push	60
88	6.4	The EPCIS Query Control Interface.....	61
89	6.5	Choreography Models: Sharing Data Across a Supply Chain.....	62
90	6.5.1	Centralised Choreography	63
91	6.5.2	Distributed Push Choreography.....	64
92	6.5.3	Distributed Query Choreography	65
93	6.6	Synchronisation of Master Data.....	66
94	6.7	Redaction of EPCIS Event Data	67
95	7	Data Validation and System Interoperability	67
96	7.1	Validation of EPCIS events	67
97	7.2	Certification program.....	68
98	7.3	Requirements of program certification	68
99	7.4	Data validation portal	68
100	7.5	Certification of software	68
101	8	References.....	68
102	A	Appendix: XML Examples	69
103	A.1	XML for EPCIS Event in Table 3-1.....	69
104	A.2	XML for Example in Table 4-6	69
105	A.3	XML for Example in Table 5-3	70
106	A.4	XML for Example in Table 5-4	72
107	A.5	XML for Example in Table 5-6	73
108	A.6	XML for Example from Table 5-7	75
109	A.7	XML for Example from Table 5-8	76
110	A.8	XML for Example from Table 5-10	77
111	A.9	XML for Example from Table 5-14	78
112	A.10	XML for Example from Table 5-15	79
113	A.11	XML for Example from Table 5-16	81

List of Figures

115	
116	Figure 2-1 Simple Business Process Showing Generation of EPCIS Data11
117	Figure 2-2 Overlap Between Transaction Data and Visibility Data15
118	Figure 4-1 Example Business Process Flow23
119	Figure 4-2 Forward Logistics Process Flow, Diagram 1 of 224
120	Figure 4-3 Forward Logistics Process Flow, Diagram 1 of 224
121	Figure 4-4 Forward Logistics Process Flow with Visibility Capture Indicated.....26
122	Figure 6-1 Centralized Choreography.....63
123	Figure 6-2 Distributed Push Choreography64
124	Figure 6-3 Distributed Query Choreography.....65
125	

List of Tables

127	Table 2-1 Example Business Applications and Their Use of EPCIS Data.....	13
128	Table 2-2 Categories of Data in the “Share” Layer of GS1 Standards	14
129	Table 3-1 EPCIS Event Information Content for Step V3 of Example Business Process.....	21
130	Table 4-1 Assignment of Event Types to Business Process Steps in Example Business Process ...	27
131	Table 4-2 Class and Instance Level Object Identification	29
132	Table 4-3 Source/Destination Types Defined in Core Business Vocabulary	34
133	Table 4-4 EPCIS Event Information Content for Step V4 of Example From Section 4.4	35
134	Table 4-5 Examples of Standard Vocabulary Identifiers Defined in Core Business Vocabulary	37
135	Table 4-6 Example Assignment of Identifiers for EPCIS Event From Section 4.6	38
136	Table 4-7 Example Visibility Data Matrix.....	39
137	Table 5-1 Examples of Commonly Occurring Aggregations.....	40
138	Table 5-2 Action Values for Aggregation Events.....	41
139	Table 5-3 Example EPCIS Aggregation Event Information Content.....	41
140	Table 5-4 Example EPCIS Aggregation Event Information Content for a Two-Level Hierarchy	42
141	Table 5-5 Source/Destination Types Defined in the Core Business Vocabulary	42
142	Table 5-6 EPCIS Event Information Content for Example “Drop Shipment” Scenario	43
143	Table 5-7 Example EPCIS Event Information Content Using Class-Level Identification.	44
144	Table 5-8 EPCIS Event Information Content for Aggregation of Children Identified at Class Level	45
145	45
146	Table 5-9 Hypothetical EPCIS Aggregation Event Information Content With Class-Level Parents	45
147	(not permitted)	45
148	Table 5-10 EPCIS Aggregation Event Information Content with Children Identified at Both	46
149	Instance and Class Level	46
150	Table 5-11 EPCIS Event Information Content Wrongly Showing Instance and Class Level	47
151	Identification for the Same Objects	47
152	Table 5-12 EPCIS Event Information Content Showing Instance/Lot Master Data (ILMD).....	48
153	Table 5-13 Examples of Transformation Business Processes	49
154	Table 5-14 Example EPCIS Transformation Event Information Content.....	50
155	Table 5-15 Example EPCIS Transformation Event Information Content Linked Via Transformation	51
156	ID.....	51
157	Table 5-16 Example EPCIS Event Information Content for Simple Digital Coupon Business Process	52
158	52
159	Table 5-17 Process Flowchart for Example Returnable Asset Management Business Process	53
160	Table 5-18 EPCIS Event Information Content for Returnable Asset Management Business Process	54
161	(V1 – V4).....	54
162	Table 5-19 EPCIS Event Information Content for Returnable Asset Management Business Process	54
163	(V5 – V9).....	54
164	Table 5-20 EPCIS Event Information Content Illustrating User/Vendor Extensions	55
165	Table 6-1 Selected EPCIS Query Criteria	58
166	Table 6-2 Examples of Business Information Needs and Corresponding EPCIS Query Criteria	59
167	Table 6-3 Example Business Scenarios and Corresponding Likely EPCIS Query Modes.....	60
168	Table 6-4 EPCIS Query Control Interface Operations.....	61
169	Table 6-5 Characteristics of Centralised Choreography	63
170	Table 6-6 Characteristics of Distributed Push Choreography.....	64
171	Table 6-7 Characteristics of Distributed Query Choreography	65
172		

173 **1 Introduction**

174 Consumers and businesses rely on global supply chains to produce a diverse array of high quality,
175 safe goods and services at affordable prices in a socially and environmentally responsible way.
176 Meeting the demands of today's consumer requires a much finer degree of supply chain visibility
177 than has been typically exposed in the past. Up until now, this granular level of visibility has been
178 seen in the transport and logistics industry, but not much elsewhere. Everyone has tracked a
179 package they have ordered and has been able to see where the shipping process began, all of the
180 stops it took in between, when it is anticipated to reach its destination and its arrival at the intended
181 recipient. Increasingly, organisations, governments and indeed consumers want that same ability
182 for products they purchase, the things they eat and perhaps even electronic records about things
183 they care about.

184 Visibility data can describe the origin of an object (virtual or physical), each location where it is
185 subject to a business process throughout the supply chain or other process, when those processes
186 took place and what was occurring to that object at each point. Visibility data is the WHAT, WHERE,
187 WHEN and WHY about an object. Capturing and sharing visibility data, either internally or across
188 trading partners provides a view into the history of the manufacture, shipping, receiving and selling
189 processes that allow for a more efficient, affordable and safe supply chain.

190 Electronic Product Code Information Services (EPCIS) is a GS1 standard that defines a common data
191 model for visibility data and interfaces for capturing and sharing visibility data within an enterprise
192 and across an open supply chain. The goal of EPCIS is to enable disparate applications to create and
193 share visibility event data, both within and across enterprises. Ultimately, this sharing is aimed at
194 enabling users to gain a shared view of physical or digital objects within a relevant business context.

195 **1.1 Intended Audience**

196 This guide is intended to provide supply chain stakeholders, including manufacturers, distributors,
197 retailers, logistics providers, solution providers, business process architects, IT departments
198 (developers) and solution providers with an introduction to implementing a visibility system using
199 EPCIS, the Core Business Vocabulary specifically and GS1 standards.

200 **1.2 Document Scope**

201 This guide was developed to provide both overview and guidance on getting started with visibility
202 systems using EPCIS. It is not intended to be a detailed, technical industry-specific "how to" guide.
203 Industries including Pharmaceutical, Electronics, Logistics and Food & Agriculture, have developed
204 industry specific implementation guides for EPCIS. This document intends to provide guidance at a
205 basic use or foundational level, allowing those guidelines to layer on their specific industry
206 requirements on top.

207 **2 Overview of EPCIS**

208 The goal of EPCIS is to enable disparate applications to create and share visibility event data, both
209 within and across enterprises. Ultimately, this sharing is aimed at enabling users to gain a shared
210 view of physical or digital objects within a relevant business context.

211 "Objects" in the context of EPCIS typically refers to physical objects that are identified either at a
212 class or instance level and which are handled in physical handling steps of an overall business
213 process involving one or more organisations. Examples of such physical objects include trade items
214 (products), logistic units, returnable assets, fixed assets, physical documents, etc. "Objects" may
215 also refer to digital objects, also identified at either a class or instance level, which participate in
216 comparable business process steps. Examples of such digital objects include digital trade items
217 (music downloads, electronic books, etc.), digital documents (electronic coupons, etc.), and so
218 forth. Throughout this document the word "object" is used to denote a physical or digital object,
219 identified at a class or instance level, that is the subject of a business process step. EPCIS data
220 consist of "visibility events," each of which is the record of the completion of a specific business
221 process step acting upon one or more objects.

222 The EPCIS standard was originally conceived as part of a broader effort to enhance collaboration
223 between trading partners by sharing of detailed information about physical or digital objects. The

224 name EPCIS reflects the origins of this effort in the development of the Electronic Product Code
 225 (EPC). It should be noted, however, that EPCIS does not require the use of Electronic Product
 226 Codes, nor of Radio-Frequency Identification (RFID) data carriers, and as of EPCIS 1.1 does not
 227 even require instance-level identification (for which the Electronic Product Code was originally
 228 designed). The EPCIS standard applies to all situations in which visibility event data is to be
 229 captured and shared, and the presence of "EPC" within the name is of historical significance only.

230 **2.1 What's In the EPCIS and CBV Standards?**

231 The EPCIS standard defines:

- 232 ■ A **data model** for visibility event data along with an accompanying concrete syntax for visibility
 233 data using the eXtensible Markup Language (XML); and
- 234 ■ Open, standardised **interfaces** that allow for seamless integration of well-defined services in
 235 inter-company environments as well as within companies. There are two interfaces defined in the
 236 EPCIS standard:
 - 237 □ A **capture interface** through which visibility event data conforming to the EPCIS data model
 238 may be delivered from capturing applications to a receiver, typically a persistent repository of
 239 EPCIS data; and
 - 240 □ A **query interface** through which EPCIS event data may be requested by and delivered to a
 241 business application or a trading partner.


242 Standard interfaces are defined in the EPCIS standard to enable visibility event data to be captured
 243 and queried using a defined set of service operations and associated data standards, all combined
 244 with appropriate security mechanisms that satisfy the needs of user companies. In many or most
 245 cases, this will involve the use of one or more persistent databases of visibility event data, though a
 246 direct linkage between capture and query interface could be used for direct application-to-
 247 application sharing without persistent databases.

248 EPCIS is intended to be used in conjunction with the GS1 Core Business Vocabulary (CBV) standard
 249 [CBV1.1]. The CBV standard provides definitions of data values that may be used to populate the
 250 data structures defined in the EPCIS standard. The use of the standardised vocabulary provided by
 251 the CBV standard is critical to interoperability and critical to provide for querying of data by reducing
 252 the variation in how different businesses express common intent. Therefore, capturing applications
 253 should use the CBV standard to the greatest extent possible in constructing EPCIS data.

254 **2.2 Example of EPCIS Visibility Data**

255 EPCIS data is intended to provide information systems with visibility as to where things are (and
 256 have been) within the business processes in which those things are handled. The following figure
 257 illustrates a simple business process, showing where EPCIS data may be generated.

258 **Figure 2-1** Simple Business Process Showing Generation of EPCIS Data



259

260
261
262
263
264
265
266
267

This figure illustrates a simple business process in which a trade item is manufactured and shipped to a distribution centre, where it is subsequently received and later shipped to a retail store, where it is received and later moved into the sales area. The entire business process may be viewed as a sequence of individual business steps: product packaging, packing into a shipping container, shipping, receiving, and so on. EPCIS data can provide a detailed record of any or all of these steps. A unit of EPCIS data that describes the completion of one business step is called an EPCIS event, and a collection of EPCIS events provides a detailed picture of a business process over time and place.

268
269

For example, a single EPCIS event records the receipt of one shipment at the distribution centre. The information content of this event is organised into four dimensions:

270
271
272
273
274

- *What* Information about what trade items and/or shipping containers were received
- *When* The date and time when receiving occurred, and the local time zone in effect
- *Where* The location where the shipment was received, and where the items are expected to be following the event
- *Why* Information about the business context, including:
 - The fact that the business step is a receiving operation (as opposed to shipping or some other business step).
 - The fact that the shipment is making normal forward progress through the supply chain (as opposed to being returned).
 - Information about who are the shipping and receiving parties, and the former and current owning parties if different than the shipper and receiver
 - Links to relevant business transaction documents, such as a purchase order, an invoice, a despatch advice (a.k.a. advance ship notice), etc.

283
284
285

Each of the business steps in the process illustrated in the figure could be the source of an EPCIS event. The details of the content of each of those events are different depending on the business step, but all have the same four-dimensional structure.

286

2.3 EPCIS in Business Applications

287
288

The power of EPCIS lies in bringing together individual events that are recorded over time and across a complete business process and/or supply chain. Examples of such paradigms include:

289
290

- Finding the most recent EPCIS event for a given object, to learn where it currently is and what state it is in ("tracking")

- 291 ■ Assembling a history of events for a given object, to understand its path through an overall
292 business process or supply chain (“tracing”)
- 293 ■ Analysing a collection of events gathered over time at a particular location or within a particular
294 business process (“analysis”)
- 295 ■ Comparing the actual status of objects based on a current EPCIS event to what was expected to
296 have happened based on a prior business transaction or a prior EPCIS event (“checking”)
- 297 ■ Triggering other business processes in real time based on what a freshly captured EPCIS event
298 reveals about the completion of a business step (“automation”)

299 Below are examples of business applications that can benefit from EPCIS data, along with the
300 paradigm involved. It should be noted, however, that these paradigms are broad generalisations,
301 and in reality a business application may make use of EPCIS data in a variety of ways that combine
302 or step outside paradigms.

303 **Table 2-1** Example Business Applications and Their Use of EPCIS Data

Business Application	How EPCIS Data Is Used	Primary Paradigm
Anti-counterfeiting, Provenance	Validate origin and pedigree of product	Tracing, Checking
Chain of custody/ownership	Document and reproduce product attributes and all partners that had physical possession of a product	Tracing
Couponing	Customer behaviour analysis and real-time coupon validation	Analysis, Checking
Customs clearance	Improve customs efficiency, reduce fraud with electronic seals	Tracing
Recall	Speed recalls due to precise traceability of products of concern	Tracking (to find recalled product), Tracing (to monitor progress of recall)
Sales promotion	Ensure that promotional goods reach consumers at the right place and time	Tracking
Traceability	Trace product movement forward and backward through specified stages of the extended supply chain.	Tracing
Business Process Optimisation	Shorten lead times, increase capacity utilisation, improve delivery quality and accuracy	Automation, Analysis
Exception Management	Alert process owners of deviation from desired product, timing, quantity, quality, location, status	Checking, Automation
Food Freshness	Monitoring whether expiration dates are not exceeded	Tracking, Automation
Asset Management	Keeping track of fixed assets and ensuring that adequate quantities are available to the business processes that need them	Tracking, Analysis
Inventory Management	Capture inventory inputs, outputs, stock taking	Tracking, Analysis
Process Documentation	Automate digital document generation and workflow, link to documents, products and locations identified with GS1 keys	Automation

304 Each one of these applications could be deployed in one of three modes:

- 305 ■ Internal: The business process exists within the facilities and is under the control of a single
306 organisation.
- 307 ■ External, Closed Chain: The business process spans more than one organisation, but all
308 organisations involved are known in advance.
- 309 ■ External, Open Chain: The business process spans more than one organisation, and the set of
310 organisations involved is not known in advance and changes over time. This mode is typical of
311 large supply chains involving mutual trade.

312 In all three modes, a key element of solution design is to determine the proper data content of
313 EPCIS events so that the requirements of the business applications are met. In the external modes,
314 an additional consideration is the design of the way that EPCIS events are communicated between

315 the multiple organisations involved (often referred to as the “choreography” in contrast to the
316 “content”).

317 In the external, open chain mode, the value of EPCIS and CBV being open standards is obvious:
318 when all parties adhere to a standard, it is possible to achieve interoperability and mutual
319 understanding of data even without prior collaboration of the parties on solution design. However,
320 this is just as important in a closed chain or even a strictly internal application—primarily because
321 internal applications tend to become external and closed applications tend to be come open over
322 time. It is therefore important to follow best practices for external, open applications even when
323 designing a closed or purely internal application.

324 **2.4 Benefits and Business Opportunities**

325 Enhanced visibility offers a number of various benefits at all points in the supply chain in all
326 industries. A record of processes at the point of origin or manufacture, through various distribution
327 points, to the final point of sale to a consumer offers the potential for benefits including:

- 328 ■ Optimised receiving productivity
- 329 ■ Improved inventory management
- 330 ■ Increased pick rates
- 331 ■ Reduced errors in mispicks and shorts
- 332 ■ Improved order accuracy and reduces billing errors
- 333 ■ Better product and location identification throughout track and trace processes
- 334 ■ Increased operational efficiencies across various business processes
- 335 ■ Improved preparedness for fast and precise recalls
- 336 ■ Enhanced consumer protection
- 337 ■ Better product, allergen, and nutritional information delivered to consumers

338 EPCIS and the accompanying Core Business Vocabulary provide a technical foundation for capturing
339 and sharing visibility data. It helps answer the questions “where is something and where has
340 something been?” Sharing visibility data in a standard manner offers significant advantages over
341 proprietary solutions. EPCIS allows for sharing of data between various business applications, either
342 internally or between trading partners. EPCIS facilitates real time processing and return of event
343 based data, both streaming (inflow and outflow of events) and complex event processing (match
344 filtering of events). An EPCIS based system supports the demands of the consumer’s growing
345 appetite of more and more product information, including the path the things they are purchasing
346 have travelled.

347 It is important to note that EPCIS is a set of interface standards, one for capturing the data and one
348 for querying the data. The Core Business Vocabulary provides the business context to the data
349 model prescribed in EPCIS. Many software applications focused on traceability or other business
350 processes that may benefit from visibility data within and across organisation implement EPCIS as a
351 foundation. Indeed, organisations looking to develop a visibility strategy should look for solutions
352 based on this standard.

353 **2.5 EPCIS Data In Relation to Other Types of Data**

354 GS1 standards in the “Share” layer pertain to three categories of data that are shared between end
355 users:

356 **Table 2-2** Categories of Data in the “Share” Layer of GS1 Standards

Data	Description	GS1 Standards
Master Data	Data, shared by one trading partner to many trading partners, that provides descriptive attributes of real-world entities identified by GS1 Identification Keys, including trade items, parties, and physical locations.	GDSN
Transaction Data	Trade transactions triggering or confirming the execution of a function within a business process as defined by an explicit business agreement (e.g., a supply contract) or an implicit one (e.g., customs processing), from the start of the business process (e.g., ordering the product) to the end of it (e.g., final settlement), also making use of GS1 Identification Keys.	GS1 eCOM XML
Visibility Data	Details about physical or digital activity in the supply chain of products and other assets, identified by keys, detailing where these objects are in time, and why; not just within one organisation's four walls, but across organisations.	EPCIS


357 As the table suggests, visibility data (EPCIS event data) is a *new* type of data, different in character
 358 from either master data or transaction data.

359 A chief distinguishing characteristic of EPCIS data is that it occurs in much greater volume than
 360 either master data or transaction data. Like transaction data (and unlike master data), new visibility
 361 data is generated continuously as an organisation conducts more business. But visibility data occurs
 362 in greater volume because:

- 363 ■ Visibility data frequently refers to individual instances of objects, for example trade items
 364 identified by the combination of a Global Trade Item Number (GTIN) and a serial number.
- 365 ■ Even when visibility data refers to objects at the class level, visibility data is generated at more
 366 steps within an overall business process. For example, a trade item flowing from manufacturer
 367 to retailer may be subject to just a single business transaction (the sale from manufacturer to
 368 retailer) but be the subject of several dozen visibility events as it progresses through the
 369 manufacturer's and retailer's facilities.
- 370 ■ Visibility data often has historical value for traceability, and so may be retained for longer
 371 periods of time than business transaction data.

372 Visibility data is complementary to transaction data, as some visibility events occur in the absence
 373 of business transactions and conversely some business transactions take place without handling of
 374 objects. Where the same business process simultaneously yields visibility data and transaction data,
 375 they provide complementary data.

376 **Figure 2-2** Overlap Between Transaction Data and Visibility Data




377
 378 Examples of all three possibilities:

- 379 ■ In some cases, a visibility event coincides with a business transaction, so that there may be a
 380 piece of transaction data and a piece of visibility event data describing different aspects of the
 381 same occurrence. For example, when goods are shipped from a loading dock, there may be a
 382 despatch advice (a piece of transaction data that confirms the sender's intent to deliver specific
 383 goods to the receiver) and an EPCIS event with business step "shipping" (a piece of visibility
 384 data that confirms the observation of goods leaving the loading dock). Even in such cases, the
 385 transaction data and visibility event data may not be in 1:1 correspondence; for example, a
 386 single despatch advice may correspond to several visibility events if different parts of the
 387 shipment are handled separately.

- 388 ■ A visibility event may occur with no corresponding business transaction. For example, when a
389 trade item moves from the “back room” storage of a retail store to the sales area where a
390 consumer can purchase it. This is a highly relevant event for purposes of assessing availability
391 of product to consumers but it has no associated business transaction.
- 392 ■ A business transaction may take place with no corresponding visibility event. For example,
393 when a purchaser sends an “order” message to a supplier, there is a legal interaction, but
394 nothing occurring in the physical world where the ordered products reside (in fact, the ordered
395 products may not even exist when the order is sent).

396 2.6 How EPCIS Fits Into a Typical IT Landscape

397 The following simplified diagram shows how EPCIS fits in to a typical company IT infrastructure.



398 For the sake of discussion, this picture lumps together as “back-end applications” all of the IT
399 components that process master data and transaction data (as defined in the previous section). The
400 specific legacy components in use will, of course, vary widely from company to company; typical
401

402 components include Enterprise Resource Planning (ERP) systems, Warehouse Management Systems
 403 (WMS), Master Data Management (MDM) systems, etc.

404 Because visibility data is a new type of data, and as discussed in the previous section visibility data
 405 often occurs in far greater quantities, it is common that new IT components are dedicated to the
 406 processing of visibility data. These components include:

- 407 ■ **EPCIS Repository:** A persistent store for visibility data, including all EPCIS events generated
 408 internally within the organisation and whatever EPCIS events are received from trading
 409 partners.
- 410 ■ **EPCIS Capture Applications:** Software applications deployed at the “edge” of an enterprise—
 411 in factories, warehouses, stores, etc—that generate EPCIS events as business process steps are
 412 completed.
- 413 ■ **EPCIS Accessing Applications:** Software applications at the enterprise level that process
 414 EPCIS events to meet enterprise objectives (e.g., the objectives described in Section 2.3). An
 415 EPCIS accessing application might be a simple connector to a back-end application, or a
 416 complex application that carries out some new business task using EPCIS data.

417 The EPCIS standard defines two interfaces:


- 418 ■ The **EPCIS Capture Interface**, by which the EPCIS Capture Applications deliver EPCIS events
 419 to an EPCIS Repository (or possibly directly to an EPCIS Accessing Application, in case of real-
 420 time processing)
- 421 ■ The **EPCIS Query Interface**, by which EPCIS Accessing Applications retrieve previously stored
 422 EPCIS event data.

423 In addition, the following interactions between IT components are typical:

- 424 ■ Quite often an EPCIS Capture Application receives input from Automatic Identification and Data
 425 Capture (AIDC) devices such as bar code scanners and RFID readers (including associated RFID
 426 filtering and collection software), especially when the reading of a bar code or RFID tag is the
 427 trigger to recognise that a business process step has taken place.
- 428 ■ An EPCIS Capture Application may interface to one or more back-end applications to obtain
 429 relevant business context information, such as product master data or purchase order
 430 information about a shipment being received.
- 431 ■ An EPCIS Accessing Application may interface to one or more back-end applications either to
 432 obtain relevant business context information or to deliver new information derived from EPCIS
 433 event data (or both).
- 434 ■ An EPCIS Accessing Application may mediate the exchange of EPCIS data with trading partners.

435 **2.7 EPCIS and GS1 Standards**

436 The GS1 System of standards includes standards to
 437 identify, capture, and share information about objects in
 438 supply chains. EPCIS fits in as one of the standards in the
 439 “share” group, complementing other GS1 data sharing
 440 standards for master data and transaction data, as
 441 described in Section 2.5. The standards in the “identify”
 442 group provide the identifiers for real-world objects, allowing
 443 those objects to be referenced by EPCIS events. The
 444 standards in the “capture” group link the physical world to
 445 the world of information, and as noted in Section 2.6 they
 446 often provide the inputs to EPCIS capture applications.




447
 448
 449

3 Anatomy of an EPCIS Event

The information in an EPCIS event records the essentials of what happened during a step of a business process in which physical or digital objects were handled, expressed via the four dimensions of *what, where, when, and why*. This section looks in detail at one EPCIS event for a specific business process step to show exactly how those four dimensions are populated. Section 4 goes on to explain how to design an EPCIS for any business process step.

The business process step illustrated in this section is Step V3 from the example process flow described in Section 2.2. In the overall process, a trade item is manufactured and shipped to the distribution centre of a retailer, which subsequently ships it to a retail store. Step V3 is the step where the trade item is received from the manufacturer at the retailer’s distribution centre. In this example, we will further assume that the trade item is a large consumer product such as a bicycle or a television set; this avoids having to consider complexities such as items packed into cases or cases stacked on a pallet. The shipment in this example consists of a single trade item identified by a GTIN plus serial number.



The EPCIS event for Step V3 includes the following data:

- The *What* dimension identifies the product that is received; in this case, using the GTIN and serial number of the product.
- The *When* dimension indicates when the receiving operation took place.
- The *Where* dimension says where the product was received, namely the distribution centre of the retailer
- The *Why* dimension provides the business context. This includes identifying the step of the business process as “receiving,” indicating that the state of the product is that it is progressing normally through the forward supply chain, linking to business transaction documents such as the governing purchase order and invoice, and identifying the parties to the transfer of ownership (i.e., the manufacturer and the retailer).

The following sections discuss the information content of these data dimensions in more detail.

3.1 The *What* Dimension

The *What* dimension of an EPCIS event identifies the physical or digital objects that were involved in the event. As explained in the GS1 General Specifications and the GS1 Tag Data Standard, trade items are identified using a GTIN, a GTIN plus batch/lot number, or a GTIN plus a serial number. Pallets or logistics units are identified with an SSCC. Other GS1 object identifiers include GDTI for documents, GIAI for individual assets, GRAI for returnable assets, GSRN for services, GCN for coupons, and CPID for components or parts.

In Step V3 of the example, we have a trade item identified by a GTIN plus serial number, also known as a Serialised SGTIN (SGTIN), so the *what* dimension of the EPCIS event for Step V3 contains the SGTIN of the trade item being received.

3.2 The *When* Dimension

The *When* dimension of an EPCIS event says when the event took place. There are three data elements that are part of this dimension:

- **Event Time:** The date and time at which the event took place.
- **Event Time Zone Offset:** The time zone in effect at the place and time of the event. This is useful when an application wants to display the event time using the local time; for example, if

501 a package is shipped from California to Brussels, the event time zone offset can be used to
 502 display the ship date/time in US Pacific time and the receiving date/time in Central Europe time.

503 ■ **Record Time:** The date and time when the EPCIS event was recorded into an EPCIS repository.
 504 Unlike all other fields in the EPCIS event, the record time is not filled in when the event is
 505 captured nor does it describe anything about the business step taking place during the event.
 506 Record Time is a bookkeeping mechanism that helps when querying an EPCIS repository; with
 507 the record time you can tell whether an event returned from a query is a new event since the
 508 time of your last query.

509 In Step V3 of the example, the Event Time is the date and time when the product was received, and
 510 the Event Time Zone Offset records the time zone in effect then and there.

511 **3.3 The Where Dimension**

512 The *Where* dimension of an EPCIS event captures where the event physically took place and/or
 513 where things are following the event.

514 EPCIS events allow for two location types, `readPoint` and `businessLocation`. The `readPoint` is
 515 the location where the event took place. The `businessLocation` is the location where the
 516 object(s) is now considered to reside until a subsequent event takes place. Locations may be
 517 identified using a GS1 Global Location Number (GLN), a GLN plus an extension, an industry
 518 identifier other than GLN or using geo-coordinates.

519 For example, a box may be scanned as it passes through a door portal. The portal it passes through
 520 may be the point in which the event is captured. Someone may be physically standing there reading
 521 it through the door, or there may be a door portal reader capturing the event. This would be the
 522 `readPoint`. After the boxes passes through the portal, it now sits in a particular location. This
 523 location where the box now sits would be the `businessLocation`. Locations can be identified at a
 524 very fine level of granularity (a specific bin in a specific spot in a warehouse), in which case a GLN
 525 plus an extension may be necessary. If a location is described at a more general level (a building), a
 526 GLN may suffice. It is important to understand how locations will be identified for the purposes of
 527 capturing visibility data.

528 Note, it is vitally important that the master data about locations are synchronised between internal
 529 systems or trading partners so when EPCIS refers to location using a GLN or SGLN, one can be
 530 assured that all concerned understand the location in the same way.

531 In Step V3 of the example, the Read Point is the location where the product was received, which for
 532 the purposes of the example we assume to be a specific loading dock door of the Retailer's D.C.,
 533 identified by a GLN with extension. The Business Location is the location where the product resides
 534 after it is received, which for the purposes of the example we assume to be the Retailer's D.C. with
 535 no specific place within the D.C. identified. The Business Location is in that case identified by a GLN
 536 without an extension.

537 **3.4 The Why Dimension**

538 The *Why* dimension of an EPCIS event describes the business context in which the event took place.
 539 It can include any combination of the following data elements:

540 ■ **Business Step:** identifies what was taking place from a business perspective at the time of the
 541 event; that is, what step of a business process was occurring. Examples include
 542 "commissioning", "creating_class_instance", "inspecting", "packing", "picking", "shipping",
 543 "retail_selling." The GS1 Core Business Vocabulary (CBV) Standard, discussed further in
 544 Section 3.6, includes a list of standard business step values.

545 ■ **Disposition:** identifies the business condition subsequent to the event of the physical or digital
 546 objects named in the What dimension. Example dispositions include "active", "in_progress",
 547 "in_transit", "expired", "recalled", "retail_sold" and "stolen." The GS1 CBV includes a list of
 548 standard Disposition values.

549 ■ **Business Transaction List:** identifies one or more particular business transactions that are
 550 relevant to an event. A business transaction is identified by a pair of identifiers: one identifier
 551 that says what type of business transaction is referenced, and a second identifier that names
 552 the particular business transaction of that type. Examples of business transaction types are

553 purchase order ("po"), bill of lading ("bol"), despatch advice ("desadv"). The GS1 CBV includes a
 554 list of standard business transaction type values.

555 ■ **Source List** and **Destination List**: is used to provide additional business context when an
 556 EPCIS event is part of a business transfer of ownership, responsibility or custody. As with
 557 business transactions, a source or destination is identified by a pair of identifiers: the type of the
 558 source or destination and an identifier of the source or destination of that type. The GS1 CBV
 559 (section 7.4.2) distinguishes three standard source/destination types: "owning_party",
 560 "possessing_party", "location".

561 In Step V3 of the example, the following values might populate the *Why* dimension of the EPCIS
 562 event:

- 563 ■ **Business Step**: The business step Receiving defined in the GS1 Core Business Vocabulary.
- 564 ■ **Disposition**: The disposition In Progress defined in the GS1 Core Business Vocabulary,
 565 indicating that the product is moving normally through the forward supply chain.
- 566 ■ **Business Transaction List**: There might be two relevant transactions: the Retailer's purchase
 567 order, and the Manufacturer's invoice.
- 568 ■ **Source** and **Destination**: The source owning party is the Manufacturer and the destination
 569 owning party is the Retailer.

570 3.5 EPCIS Event Types and Action

571 The four dimensions that describe what is happening to an object in the physical or virtual world are
 572 captured in one of four types of an "EPCIS Event". The following is a high level summary of EPCIS
 573 event types. For details, see section 7.4 in the EPCIS 1.1 Standard.

- 574 ■ **EPCISEvent**: generic base class for all event types.
 - 575 □ **ObjectEvent**: represents an event that happened to one or more physical or digital objects.
 576 For example shipping or receiving a pallet using the pallet's SSCC. This is the simplest type
 577 of event, as well as the most commonly used.
 - 578 □ **AggregationEvent**: represents an event that happened to one or more objects that are
 579 physically aggregated together or disaggregated from each other. For example, aggregating
 580 cases onto a pallet, or removing cases from a pallet. This is the next most common type of
 581 event after ObjectEvent, and these two event types together will cover the vast majority of
 582 events in a typical business process.
 - 583 □ **TransformationEvent**: represents an event in which input objects are fully or partially
 584 consumed and output objects are produced, such that any of the input objects may have
 585 contributed to all of the output objects. For example, consider mixing batter and chocolate
 586 chips into cookie dough, then baking the dough into a batch of cookies. Once the
 587 ingredients are "transformed", the resulting product is packaged and labelled with an EAN or
 588 UPC that represents "consumer package of chocolate chip cookies" and can be scanned at
 589 retail.
 - 590 □ **TransactionEvent**: represents an event in which one or more objects become associated or
 591 disassociated with one or more identified business transactions. For example, linking the
 592 pallet and cases of chocolate chip cookies to a commercial invoice.

593 Each event type (except for TransformationEvent) is also further qualified by the "action"; see
 594 Section 4.5 of this guideline for details.

595 3.6 EPCIS and the Core Business Vocabulary (CBV)

596 The Core Business Vocabulary (CBV) specifies various vocabulary elements and their values for use
 597 in conjunction with the EPCIS standard [EPCIS1.1], which defines mechanisms to exchange
 598 information both within and across organisation boundaries. The vocabulary identifiers and
 599 definitions are prescribed to ensure that all parties who exchange EPCIS data using the Core
 600 Business Vocabulary will have a common understanding of the semantic meaning of that data.

601 This CBV is intended to provide a basic capability that meets the above goal. In particular, this
 602 standard is designed to define vocabularies that are *core* to the EPCIS abstract data model and are

603 applicable to a broad set of business scenarios common to many industries that have a desire or
 604 requirement to share data. It intends to provide a useful set of values and definitions that can be
 605 consistently understood by each party in the supply chain.

606 Additional end user requirements may be addressed by augmenting the vocabulary elements within
 607 with additional vocabulary elements defined for a particular industry or a set of users or a single
 608 user.

609 The CBV includes identifier syntax (URI structure) and specific vocabulary element values with their
 610 definitions for these *Standard Vocabularies*:

- 611 ■ Business step identifiers
- 612 ■ Disposition identifiers
- 613 ■ Business transaction types
- 614 ■ Source/Destination types

615 The CBV provides identifier syntax options for these *User Vocabularies*:

- 616 ■ Objects
- 617 ■ Locations
- 618 ■ Business transactions
- 619 ■ Source/Destination identifiers
- 620 ■ Transformation identifiers

621 This CBV provides *Master Data Attributes and Values* for describing Physical Locations including:

- 622 ■ Site Location
- 623 ■ Sub-Site Type
- 624 ■ Sub-Site Attributes
- 625 ■ Sub-Site Detail

626 3.7 Putting it together

627 Putting together the four dimensions of *What, Where, When, and Why* yields the complete
 628 information content of an EPCIS event. The following table summarises the information content of
 629 the EPCIS event for Step V3 as discussed above:

630 **Table 3-1** EPCIS Event Information Content for Step V3 of Example Business Process

Dim	Data Element	Contents	Comments
	Event Type	Object Event	
	Action	OBSERVE	
What	EPC List	A list containing one element: <i>GTIN</i> 10614141123459 <i>Serial</i> 12345	Identifies the product that was received
When	Event Time	Sep 23, 2012, at 10:12am UTC	The moment in time when the product was received
	Event Time Zone Offset	-05:00	Local time is five hours earlier than UTC
Where	Read Point	<i>GLN</i> 5012345678900 <i>Extension</i> D123	The place where the product was received, in this case a specific loading dock door at the D.C.
	Business Location	GLN 5012345678900	The place where the product is expected to be following the event, in this case the entire D.C.
Why	Business Step	Receiving (from CBV)	A standard identifier defined in CBV 1.1 to indicate this is a receiving business step

Dim	Data Element	Contents	Comments
	Disposition	In Progress (from CBV)	A standard identifier defined in CBV 1.1 to indicate the product is moving normally through the forward supply chain
	Business Transaction List	A list containing two business transaction references: Purchase Order: <i>GLN 5012345000015</i> <i>PO# ABC123</i> Invoice: <i>GLN 0614141000012</i> <i>Inv# XYZ987</i>	Each business transaction reference is qualified with a GLN to make it globally unique and to identify the system or party that generated the number. "Purchase Order" and "Invoice" are standard identifiers defined in CBV 1.1 to identify business transaction types.
	Source List	A list containing one source: Owning Party: <i>GLN 0614141000012</i>	Receiving is a step within an overall transfer of ownership from source to destination. Here, the owning party at the source (the shipper) is identified by its GLN. "Owning Party" is a standard identifier defined in CBV 1.1 to identify a type of source
	Destination List	A list containing one destination: Owning Party: <i>GLN 5012345000015</i>	Receiving is a step within an overall transfer of ownership from source to destination. Here, the owning party at the destination (the receiver) is identified by its GLN. "Owning Party" is a standard identifier defined in CBV 1.1 to identify a type of destination

631

632

633

Section 4 describes the design process in more detail, showing how this eventually results in EPCIS data conforming to the standard.

634

4 Designing a Visibility System Using EPCIS

635

636

637

638

639

Building visibility systems requires both technical understanding of the EPCIS standard and a structured methodology. The following methodology is used to analyse a visibility process from a business perspective regardless of the technology used to capture events. Once a process is fully mapped, visibility events are identified and described. The technical details at the device level are omitted in this guide since we are primarily concerned with the business application of EPCIS data.

640

The visibility modelling methodology has these steps:

641

1. Collect visibility goals and requirements

642

2. Document the business process flows

643

3. Break each process flow into a series of discrete business steps

644

4. Decide which business steps require visibility events

645

5. Model the completion of each step as a visibility event - Understand what information is needed from a business application's perspective

646

647

6. Decide what data fields are to be included in the visibility event

648

a. Start with standard EPCIS data fields

649

b. Define extension fields if necessary

650

7. Determine the vocabularies that populate each data field according to section 7 and 8 of the CBV standard

651

652

8. Document the visibility events in a Visibility Data Matrix

653

We will illustrate these steps using a simple forward logistics example. Later sections of the document describe considerations arising in other scenarios.

654

655 **4.1 Step 1: Collect Visibility Goals and Requirements**

656 As more and more requirements are placed on organisations to track and trace the movement of
 657 things through the supply chain, it is important to place an emphasis on the overall goals and
 658 objectives of deploying a visibility system. “What problem are we trying to solve”?

659 The goal may be to meet a governmental regulation, or for improving efficiencies in the shipping
 660 process, or to ensure a high level of customer service by knowing where something they want is and
 661 when it will be delivered to the customer.

662 Determining the goal and then clearly documenting the requirements to meet the goal is the first
 663 step in beginning to think about how to deploy EPCIS. For example, if an organisation is trying to
 664 meet a track and trace regulation, it needs to understand what data is required, at which points in
 665 the process, where to keep the data, and who and how the data is being sent to another party.
 666 Ponce the overall requirements are understood, the detailed process flow and specific data
 667 requirements based on EPCIS and the Core Business Vocabulary can be determined.

668 **4.2 Step 2: Document the Business Process Flow**

669 Let’s take a look at a simplified forward logistic business flow. We will use this business flow in the
 670 following sections to illustrate the other steps in the design process.

671 In this business process we have a manufacturer who is **manufacturing** goods at his production
 672 facility. From the manufacturer’s factory, the goods are then shipped to the **retailer’s distribution**
 673 **centre** where they are received and stored. From the retailer’s distribution centre the goods are
 674 then shipped to the **retail store** where they are received and sold to the consumer.

675 **Figure 4-1** Example Business Process Flow



676 The overall business process flow is as follows:

- 678 1. The goods are manufactured and a product is packaged into cases which are in turn packed onto
 679 pallets.
- 680 9. The products are shipped by truck from the manufacturer’s factory to the retailer’s distribution
 681 centre.
- 682 10. The products arrive at the retailer’s distribution centre and are received into inventory.
- 683 11. The products are shipped from the retailer’s distribution centre by truck to the retail store.
- 684 12. The products arrive at the retail store and are received into the stockroom.
- 685 13. The products are moved from the stockroom to the sales floor.
- 686 14. In the retail store the product will be sold to the consumer.

687 **4.3 Step 3: Break each process flow into a series of discrete business steps**

688 The process flow of the simplified forward logistics example is shown in the following diagrams. The
 689 blue arrows show the flow, and the white rectangles each represent a single step in the process. As

690
691

time moves from left to right, the horizontal axis also shows the locations involved as the product moves from one location to another.


692
693
694
695
696
697

In this example, there is an aggregation hierarchy where items are packed into cases, cases are packed into pallets, and pallets are loaded onto trucks. In such cases, it is often helpful to use the vertical axis to show at which hierarchy level each step takes place. If a process flow only works at a single level of aggregation, the corresponding diagram might be completely horizontal, or the vertical axis could be used to highlight some other aspect of the flow. At this stage, the idea is to be as clear as possible about the individual steps of the flow.

698
699
700

Not every step in these flow charts will lead to an EPCIS event; that is addressed in the next section.


Figure 4-2 Forward Logistics Process Flow, Diagram 1 of 2



701
702

Figure 4-3 Forward Logistics Process Flow, Diagram 1 of 2

703



704 **4.4 Step 4: Decide which business steps require visibility events**

705 Not every business step in a business process requires a visibility event. The decision about whether
 706 a given business step needs an event is typically a trade-off between what data is valuable to have
 707 and what data is feasible to collect.

708 Questions about what data is valuable to have include:

- 709 ■ Will having detailed visibility event information about this step of the process provide useful
 710 input to some business application?
- 711 ■ Is information about this step of the process required in order for an application to understand
 712 information about another step? For example, if an event at the “shipping” step includes a pallet
 713 ID, it might also be necessary to capture an earlier event at the “packing” step so that an
 714 application knows the content of the shipped pallet.
- 715 ■ Is information about this step of the process required by a trading partner or by a government
 716 regulation?

717 Questions about what data is feasible to collect include:

- 718 ■ Do the physical or digital objects involved in this step of the process have suitable identifiers? If
 719 not, is it feasible to give them identifiers?
- 720 ■ For physical objects, is it feasible to affix the identifiers using a data carrier such as an RFID tag
 721 or bar code? If not, will it be possible to capture the identifier some other way?
- 722 ■ Is it feasible to modify the operational process to include data capture of the visibility event?
 723 Considerations here include the cost of the necessary infrastructure (bar code scanners, RFID
 724 readers, software, etc.) and the impact on process itself (is additional labour needed, will the
 725 process slow down, etc.).

726 In the example, we will assume that from a business perspective it is essential to know what is
 727 shipped and received at each location. In many cases, it is also necessary to have a record of what
 728 is “commissioned”; that is, to capture an event each time a new identifier is created. But we will
 729 also assume that it is only feasible to capture data at the case and pallet level, not at the item level.


730 We will also assume that the trucks used to move the pallets do not carry identification, and that it
 731 would not be feasible to track which trucks are used anyway.

732 Putting that together, this leads to capturing visibility events at the following steps in the
 733 Manufacturer’s portion of the example:

- 734 ■ **V1:** Print and apply case label (commissioning – needed so that later steps are understandable)
- 735 ■ **V2:** Print the pallet label (commissioning – needed so that later steps are understandable)
- 736 ■ **V3:** Pack cases into pallet (needed so that the content of the shipment can be inferred from
 737 reading just the pallet identifier)
- 738 ■ **V4:** Ship the pallet

739 These are indicated in the diagram with red circles numbered V1, V2, etc. Other steps in the
 740 diagram not carrying circles are steps for which no visibility events are captured.

741 **Figure 4-4** Forward Logistics Process Flow with Visibility Capture Indicated



742

743 **4.5 Step 5: Model the completion of each step as a visibility event**

744 Now we begin to design the EPCIS data that will capture what happens in the selected steps of the
 745 business process. The first step is to decide what event type best fits the situation at hand, from the
 746 list of event types as described in Section 3.5. The event type will determine the structure of the
 747 information in the *What* dimension of the event.

748 To choose the event type, consider what physical or digital objects are involved in the event and
 749 how they relate to each other. Most often, you will choose one of the following three event types:

- 750 ■ **ObjectEvent:** Use this if there were one or more objects involved in your event, and all the
 751 objects participated in the event in the same way. This is by far the most common event type.
- 752 ■ **AggregationEvent:** Use this if your event involves a physical aggregation involving a “parent”
 753 object and one or more “child” objects. An example of an aggregation is 12 items (the

754 "children") packed into a carton (the "parent"). Other examples of aggregation include cases on
 755 a pallet, items in a tote, cartons loaded into a truck, containers loaded onto an ocean vessel,
 756 and components installed in an assembly. In all of these examples, each child retains its identity
 757 even while aggregated to the parent, and the aggregation is reversible (that is, it may be
 758 "disaggregated").

- 759 ■ **TransformationEvent:** Use this if your event is a process in which one or more "input" objects
 760 are consumed and one or more "output" objects are produced. Unlike an aggregation, where the
 761 children can later be separated from a parent, in a transformation the input objects no longer
 762 exist after the event. Examples of transformations include mixing raw materials to create a
 763 finished recipe, repackaging items such that the original package no longer exists and a new
 764 GTIN labels the new package, and smoking salmon to transform raw fish into smoked fish.

765 The fourth event type, the **TransactionEvent**, can be used if your event if a process in which one
 766 or more objects are definitively associated with (or disassociated from) one or more business
 767 transactions. However, because business transactions can be included in the *Why* dimension of all
 768 the other event types, there is seldom a need to use the TransactionEvent type.

769 The ObjectEvent and AggregationEvent types have an additional qualifier, the *action*, which says
 770 how the event relates to the lifecycle of the object and the aggregation, respectively. Specifically:

- 771 ■ For an **ObjectEvent** the action values are:
 - 772 □ ADD if the event marks the beginning of the life of the object. No other events for the same
 773 objects should precede this one. This is most often used when the business step is
 774 "commissioning."
 - 775 □ DELETE if the event marks the end of the life of the object. No other events for the same
 776 objects should follow this one. This is most often used when the business step is an end-of-
 777 life step such as "decommissioning," "destroying," or a business step involving sale to a
 778 consumer (if there is no possibility to track the object post-sale).
 - 779 □ OBSERVE in all other cases.
- 780 ■ For an **AggregationEvent** the action values are:
 - 781 □ ADD if children are added to the aggregation during the event; e.g., when packing items
 782 into a case.
 - 783 □ DELETE if children are removed from the aggregation during the event; e.g., when
 784 unpacking items from a case.
 - 785 □ OBSERVE if the parent and children are in a state of aggregation during the event but no
 786 children are added or removed.

787 The **TransactionEvent** also has an action qualifier; see the EPCIS standard for details. The
 788 **TransformationEvent** does not have an action qualifier.

789 Here is how event types would be assigned to events V1 through V4 of the example from the
 790 previous section:

791 **Table 4-1** Assignment of Event Types to Business Process Steps in Example Business Process

Event	Description	Event Type	Comment
V1	Print and apply case label	ObjectEvent ADD	This is the beginning of life for the SGTIN that identifies the case
V2	Print and apply pallet label	ObjectEvent ADD	This is the beginning of life for the SSCC that identifies the pallet
V3	Pack cases onto pallet	AggregationEvent ADD	Children (the cases) are added to the aggregation
V4	Ship pallet	ObjectEvent OBSERVE or AggregationEvent OBSERVE	See discussion below

792 In the V4 event, there is a choice in how to record the act of shipping the pallet as an EPCIS event.
 793 One approach is to use an **ObjectEvent** (with action OBSERVE) and include only the SSCC of the
 794 pallet in the *What* dimension. This makes the data capture easier, and results in a more compact
 795 event, but it means that applications receiving the data will need to consult the V3 event too if they
 796 need to infer what cases were on the pallet that was shipped. An alternative approach is to use an
 797 **AggregationEvent** (with action OBSERVE) and include both the SSCC of the pallet (the parent) and
 798 the SGTINs of all the cases (the children) in the *What* dimension. This approach makes sense if it is
 799 feasible to know the case SGTINs at the time the pallet is shipped, and if the Manufacturer wishes to
 800 be explicit about exactly which cases are on the pallet at that time. Applications receiving V4 would
 801 not need to make any inferences using V3 to know what cases are on the pallet.

802 The V4 example illustrates the subtle choices that sometimes must be made in deciding how to
 803 model business processes using EPCIS. To assist in such situations, it is helpful to consult industry
 804 sector-specific guidelines that provide standard EPCIS models for business processes commonly
 805 arising in those sectors.

806 4.6 Step 6: Decide what data fields are to be included in the visibility event

807 Once the basic event types are decided upon, the next task is to decide what data to include in the
 808 *What*, *When*, *Where*, and *Why* dimensions of each event. It is tempting to approach this from the
 809 perspective of what information is available to your capturing application, such as what data comes
 810 out of an RFID reader or bar code scanner. However, EPCIS data is much more useful if you
 811 approach it from the opposite direction, namely from the perspective of a business application
 812 consuming the data. The question to ask yourself is: "what information does a business application
 813 need to understand what happened during this event?" The business application doesn't need to
 814 know *how* the data was captured; it needs to know *what* happened from a business perspective.

815 A good way to proceed is to consider each of the four data dimensions in turn.

816 4.6.1 Designing the *What* Dimension

817 The *What* dimension identifies the physical or digital objects involved in the event. The structure of
 818 the information in the *What* dimension depends on the event type:

- 819 ■ For an **ObjectEvent**, the *What* dimension contains a list of objects. All objects participate in the
 820 event in the same way.
- 821 ■ For an **AggregationEvent**, the *What* dimension names a specific object as the "parent" and
 822 contains a list of other objects as the "children." (There are two exceptions. If the action is
 823 OBSERVE the parent may be omitted, indicating that the children were observed in a state of
 824 aggregation but the identity of the parent is unknown. If the action is DELETE the children may
 825 be omitted, indicating that *all* children are disaggregated from the parent.)
- 826 ■ For a **TransformationEvent**, the *What* dimension includes one list of objects that are the
 827 inputs to the transformation, and a second list of (different) objects that are the outputs of the
 828 transformation. (If a TransformationEvent is connected to other TransformationEvents through
 829 the TransformationID, it may omit either the inputs or the outputs; see Section 5.5.2.)

830 Besides considering which objects involved the business process step are relevant to the event, you
 831 also have to determine how those objects will be named in the event. In EPCIS there are two
 832 different ways to refer to an object:

- 833 ■ **Instance-level Identification:** If an object has an identifier that is unique to that particular
 834 object, it is called instance-level identification. Examples of instance-level identification include a
 835 Global Trade Item Number (GTIN) with a serial number (together called a Serialised GTIN, or
 836 SGTIN), a Serial Shipping Container Code (SSCC), a Global Returnable Asset Identifier (GRAI)
 837 that includes a serial number, and so on.
- 838 ■ **Class-level Identification:** If an object has an identifier that is identical to the identifier
 839 carried by other, similar objects, it is called class-level identification. Examples of class-level
 840 identification include a GTIN plus a batch or lot number (shared by all trade items belonging to
 841 the same batch or lot), a GTIN by itself, a GRAI without a serial number, and so on.

842 Instance-level identification is the most powerful in terms of how EPCIS data can be used by
 843 applications, because instance-level identification makes it possible to recognise that an object

844 referenced in one event is the *very same object* as an object referenced in a prior or subsequent
 845 event. On the other hand, assigning instance-level identification to objects is usually a more
 846 complex business process than assigning class-level identification.

847 When class-level identification is used there may be more than one object involved in the event
 848 from the same class, so a class-level identifier is usually accompanied by information that specifies
 849 the quantity. Including instance-level identification, this results in four ways an object could be
 850 identified in the *What* dimension of an EPCIS event:

851 **Table 4-2** Class and Instance Level Object Identification

Instance- or Class-level	<i>What</i> Dimension Contents	Meaning
Instance	An instance-level identifier (SGTIN, SSCC, GRAI with serial, etc.)	A specific object participated in the event
Class	A class-level identifier (GTIN, GTIN+Lot, GRAI without serial, etc.) plus an integer quantity	A specific number of objects belonging to the specified class participated in the event. The class in this case refers to discrete objects that can be counted.
	A class-level identifier (GTIN, GTIN+Lot, GRAI without serial, etc.) plus a real amount and unit of measure	A quantity equal to the specified physical measure (amount + unit of measure) of the specified class participated in the event. The class in this case refers to objects that must be measured rather than counted, such as liquid dispensed in arbitrary volumes or solids dispensed in arbitrary weights.
	A class-level identifier (GTIN, GTIN+Lot, GRAI without serial, etc.), with no quantity information	Some unspecified quantity or amount of the specified class participated in the event.

852 The last case in the table, a class-level identifier with no quantity information, should only be used
 853 rarely, when it is impossible to determine the quantity or if the quantity is to be withheld for privacy
 854 reasons.

855 The same EPCIS event might have some objects identified using instance-level identification and
 856 others identified using class-level identification. For example, cases identified by GTIN and lot
 857 (class-level) could be aggregated to a pallet identified by SSCC (instance-level), or there could be a
 858 transformation event where some inputs are raw materials identified by class and quantity, other
 859 inputs are identified by GTIN+serial number (instance-level), and the outputs are identified by
 860 GTIN+serial number. However, a *given* object should only be identified one way in an event. For
 861 example, if an object event has five SGTINs which are different serial numbers for the same GTIN,
 862 the object event should include those five SGTINs but *not* also include the GTIN as a class-level
 863 identifier.

864 **4.6.2 Designing the *When* Dimension**

865 The *When* dimension is the most straightforward of the four dimensions. It is required in every
 866 event, and always contains two pieces of information:

- 867 ■ **EventTime:** The date and time at which the event occurred. This is always expressed in a
 868 format that includes a time zone specifier, so that it unambiguously identifies a moment in time.
- 869 ■ **EventTimeZoneOffset:** The time zone offset (relative to UTC) that was in effect at the place
 870 where the event took place. This allows the *EventTime* to be displayed to users in the local time
 871 where the event happened, if desired.

872 The correct value to use for these two data elements is usually quite obvious and so there is little
 873 design work to be done.

874 For a business step that takes place over a long interval of time, there may be some question as to
 875 whether *EventTime* should be the moment when the step begins or ends, or some moment in
 876 between. Usually, the ending time of the business step is the most appropriate. But as with all
 877 EPCIS data design questions, it should be considered from the perspective of a business application
 878 consuming the data. If it is important to business applications to know both the starting time and
 879 the ending time of a business step, you should consider whether it would be more appropriate to
 880 model the process using *two* EPCIS events, one for the start of the process and one for the end.

881 Conversely, sometimes there are several different events from a business perspective which are
 882 carried out simultaneously or in a way that would make it difficult to assign a different *EventTime*
 883 for each. For example, an automated manufacturing machine might assign SGTINs to twelve
 884 products (“commissioning” business step), assign another SGTIN to a case (“commissioning” again),
 885 and pack the items into the case (“packing” business step), all at once. It may not be physically all
 886 at once, but the EPCIS Capturing Application built into the machine may not have any way to
 887 distinguish the times. In such cases it may be appropriate to assign the identical event time to all
 888 EPCIS events generated, but if there is a logical sequencing of the events it is usually much better
 889 for consuming applications if the event times are slightly altered so that the chronological order is
 890 logical. In the items-into-case example, the EPCIS event for “packing” (the aggregation event)
 891 should have an event time that is later than the commissioning events, even if it is artificially set to
 892 a time only one millisecond later. This allows consuming applications to order the events by their
 893 *EventTime* to arrive at a logical sequence.


894 **4.6.3 Designing the *Where* Dimension**

895 The *Where* dimension identifies the physical location of objects in the event. The two data elements
 896 in the *Where* dimension are both optional, but most EPCIS events will include them. The two data
 897 elements are:

- 898 ■ **ReadPoint:** The *ReadPoint* identifies where the objects named in the *What* dimension were at the
 899 time of the event; that is, where the event took place.
- 900 ■ **BusinessLocation:** The *BusinessLocation* identifies where the objects named in the *What*
 901 dimension are expected to be following the event, until another event says otherwise.

902 The names *ReadPoint* and *BusinessLocation* can be a little confusing. For example, the *ReadPoint*
 903 could be just as relevant from a business perspective, or more so, than the *BusinessLocation*,
 904 depending on the situation. Instead of trying to read meanings into the names “read point” and
 905 “business location”, just remember the definitions: *ReadPoint* is the location of the objects at the
 906 time of the event, *BusinessLocation* is the location afterwards.

907 The difference between *ReadPoint* and *BusinessLocation* can be visualised by imagining a facility
 908 having several rooms connected by doorways, like this:



909 Imagine that an EPCIS event is captured whenever an object moves through one of the doorways;
 910 e.g., by an RFID reader stationed at each door. Imagine an object moves from Room 1 to Room 2
 911 by passing through Door A. In this case, the *ReadPoint* (the location at the time of the event) is
 912 Door A and the *BusinessLocation* (the location afterward) is Room 2. Note that the object might
 913 move around within Room 2 without generating any new EPCIS events, so at the time it moved into
 914 Room 2 all we know about where it is afterwards is that it is somewhere within Room 2. If instead
 915 the object had moved from Room 1 to Room 2 via Door B the *BusinessLocation* would still be
 916 Room 2 but the *ReadPoint* would be Door B. On the other hand, if the object later moves in the
 917

918 opposite direction through Door A the *ReadPoint* would again be Door A but the *BusinessLocation*
 919 would be Room 1.

920 The reason it is useful to have *BusinessLocation* is that it helps to answer the question “where is the
 921 object *right now*?” If you happen to ask that question right at the moment an event takes place then
 922 the *ReadPoint* tells you that, but at any other time the *BusinessLocation* of the most recent event is
 923 the best available approximation to location of the object right now. At the same time, *ReadPoint* is
 924 useful because it tells you something about the past: “where was the object when X happened to
 925 it?” (where X is described by the *Why* dimension of the appropriate event).

926 A key question in designing the *Where* dimension is to decide at what *granularity* you will describe
 927 location. For example, if an object enters through a loading dock door during a receiving operation,
 928 there are several ways you could describe the location of the event (the *ReadPoint*), listed here from
 929 most specific (finest granularity) to least specific (coarsest granularity):

- 930 ■ “Receiving Dock #5 in Building 2 of the Chicago campus of XYZ company”
- 931 ■ “The receiving area in Building 2 of the Chicago campus of XYZ company” (specific door not
 932 specified)
- 933 ■ “Building 2 of the Chicago campus of XYZ company” (specific area within Building 2 not
 934 specified)
- 935 ■ “The Chicago campus of XYZ company” (specific building not specified)
- 936 ■ “XYZ company” (specific location not specified)

937 Deciding what level of granularity to include in an EPCIS event is a key decision. As with most EPCIS
 938 design decisions, it will be a trade-off between what business applications *need* to make use of the
 939 data and what it is feasible to *collect* when the EPCIS event is captured. For example, distinguishing
 940 between different loading dock doors in a building may require more expensive infrastructure than
 941 just knowing that an object has entered the building. At the same time, it might not be important
 942 for business applications to know what specific door was used. Sometimes, the question of
 943 granularity is answered differently in designing EPCIS events as they are *captured* internally versus
 944 how they are *shared* with trading partners. For example, the *ReadPoint* might be captured internally
 945 at the level of individual loading dock doors, but then redacted to the “building” level when sharing
 946 the same event with a trading partner. (See also Section 6.7.)

947 It is common for the *BusinessLocation* to be expressed at a coarser level of granularity than the
 948 *ReadPoint*, simply because an EPCIS capturing application has less certainty about where an object
 949 might be following an event compared to where it is at the moment the event takes place. It is also
 950 common for *ReadPoint* to be at the same level of granularity as *BusinessLocation* when there is no
 951 business need to express *ReadPoint* with any finer precision.

952 A special case for *BusinessLocation* occurs when objects are transferred from one location to
 953 another, as in shipping followed by receiving. When the object is shipped, the location of the objects
 954 following the event is obviously not the location of the shipper. But it is also not the location of the
 955 receiver, because it is only after the event captured during receiving that the object is located at the
 956 receiver. Therefore, the correct *BusinessLocation* for the EPCIS event captured at shipping is
 957 “unknown” – at the time of shipping, it is unknown where the object will be until the receiving
 958 operation takes place. This is expressed in EPCIS by omitting the *BusinessLocation* data element
 959 entirely from the shipping event.

960 4.6.4 Designing the *Why* Dimension

961 The *Why* dimension explains the business context for the event, and is crucial for business
 962 applications to make sense of EPCIS data. All of the data elements in the *Why* dimension are
 963 optional, but almost all EPCIS events will include at least the *BusinessStep* and *BusinessLocation*
 964 data elements. The other data elements in the *Why* dimension are included only when they are
 965 relevant to the business step being carried out.

966 The definitions of the data elements in the *Why* dimension were given in Section 3.4. Here are
 967 design considerations for choosing whether to include each data element, and how to choose the
 968 appropriate values.

969 4.6.4.1 Designing the Business Step

970 The *BusinessStep* data element is the most important when it comes to a business application
971 understanding what EPCIS data means. The *BusinessStep* value is an identifier that says what step
972 of the business process was taking place at the time of the event. Without the business step an
973 application only knows that an object existed at a particular place and time; with the business step
974 an application knows how that object relates to the overall business. Practically all EPCIS events
975 should have a *BusinessStep* value. The *BusinessStep* value usually corresponds to a verb of some
976 kind: shipping, receiving, packing, etc.

977 In order for business step values to be useful, they must have a meaning that is known in advance
978 to the applications that will see them. For this reason, the value for *BusinessStep* is always defined
979 by a standard of some kind – a document that maps a given *BusinessStep* value to an explanation
980 of what the value means and how to interpret the EPCIS event carrying that value. The EPC Core
981 Business Vocabulary (CBV) is one such standard. It is a global standard that defines several dozen
982 business step values that apply to a variety of business steps commonly occurring in supply chain
983 business processes across many industry sectors. Because it is a global, cross-sector standard,
984 using CBV business step values makes an EPCIS event intelligible to the widest set of applications.
985 When a CBV business step value is applicable, it should be used.

986 Sometimes, however, you may be using EPCIS in a business process that includes a step that does
987 not fit very well with any of the business step values defined in the CBV. In such cases, a different
988 identifier must be used, one that you create yourself for the specific application. There will still be a
989 document that defines the identifier and its meaning – in this case the document is an internal
990 design document rather than a global standard. Specific business step values may also be defined
991 across a group of trading partners, or by a sector-specific standard. However, all such values will
992 result in EPCIS events that can only be understood within the smaller group of organisations that is
993 aware of the narrower standard or design document that defines them. This is a trade-off that must
994 be considered when deciding whether to use the CBV or not.

995 Section 4.7 describes *how* to create an identifier not defined in the CBV so as to avoid conflicts.

996 4.6.4.2 Designing the Disposition

997 The *Disposition* value is an identifier that indicates the business condition of the objects following
998 the event. The *Disposition* value usually corresponds to an adjective that describes the business
999 state of the objects as it relates to the overall business process: *in_progress*, *recalled*, *damaged*,
1000 etc.

1001 A key use of the *Disposition* is to note the difference between normal flow and exceptions. For
1002 example, the Core Business Vocabulary (CBV) disposition value “*in_progress*” indicates objects that
1003 are moving normally through the supply chain and “*recalled*” indicates objects that have been
1004 recalled to the manufacturer. Having a *Disposition* separate from *BusinessStep* helps model such
1005 situations in two ways. One, at the time of an event that is subject to exceptional outcomes, the
1006 *Disposition* can express which outcome occurred. For example, there may be an EPCIS event with
1007 *BusinessStep* “*inspecting*” (from the CBV) where the outcome of the inspection is either *Disposition*
1008 “*in_progress*” in the usual case or “*recalled*” if the inspection discovers the object is subject to recall.
1009 Two, the *Disposition* can continue to indicate the exceptional state even as the objects are subjected
1010 to further events. For example, following the “*inspecting*” step a recalled object might have several
1011 EPCIS events with *BusinessStep* values “*shipping*” and “*receiving*” as the object works its way
1012 upstream to the manufacturer. Without *Disposition* these EPCIS events would be difficult to
1013 distinguish from ordinary shipping and receiving steps, but with a *Disposition* value of “*recalled*”
1014 instead of “*in_progress*” it becomes clear that these events are part of a reverse logistics process.

1015 As with *BusinessStep*, values of *Disposition* are only useful if their meaning is known in advance to
1016 the applications that will see them. For this reason, all of the comments in Section 4.6.4.1 apply
1017 equally to *Disposition* values.

1018 4.6.4.3 Designing the Business Transaction List

1019 The *BusinessTransactionList* is a list of references to business transactions – data that are available
1020 from other systems besides EPCIS. Examples of a business transaction include: a reference to a
1021 specific purchase order, a reference to a specific invoice, and so forth. This information provides

1022 business context for an EPCIS event and helps link EPCIS data with other business information
1023 systems.

1024 Each business transaction in the *BusinessTransactionList* consists of a pair of identifiers. The first is
1025 the business transaction type identifier, which says what kind of business transaction is being
1026 referenced (purchase order, invoice, etc.). The second is the business transaction identifier that
1027 references the specific transaction of the specified type.

1028 Business transaction type identifiers are similar to *BusinessStep* or *Disposition* values in that they
1029 are useful only if their meaning is known in advance to the applications that will see them. For this
1030 reason, all of the comments in Section 4.6.4.1 apply equally to business transaction type values.
1031 The Core Business Vocabulary defines standard business transaction type identifiers for common
1032 business transaction types such as purchase order, invoice, etc.

1033 The second part of a business transaction reference, the business transaction identifier, refers to a
1034 specific business transaction. Unlike business step, disposition, or business transaction type values
1035 there is not a fixed list of business transaction identifiers – new identifiers are constantly created as
1036 new business transactions are created. Typically, a business transaction identifier is generated by
1037 some information system other than EPCIS; for example, an invoice number might be created by an
1038 Enterprise Resource Planning (ERP) system.

1039 A business transaction identifier must be globally unique in order to be used in an EPCIS event. This
1040 is because in processing EPCIS data an application might gather EPCIS events from across the
1041 supply chain. In that situation, it is essential that two purchase orders from different parties in the
1042 supply chain cannot be confused.

1043 There are two strategies for creating globally unique business transaction identifiers suitable for use
1044 in an EPCIS business transaction list. One is for the system creating the business transaction to use
1045 a globally unique identifier as the only way it refers to the transaction. For example, an ERP system
1046 might natively assign a unique identifier such as a GS1 Global Document Type Identifier (GDTI). If
1047 assigned correctly, a GDTI issued by one system will be different than a GDTI generated by any
1048 other party's system. Many legacy systems, however, are not designed to do this – a typical ERP
1049 system will simply give each transaction a number like 12345, which is unique within the context of
1050 that ERP system but not guaranteed to be unique compared to the numbers generated by another
1051 ERP system.

1052 The second strategy for creating a globally unique business transaction identifier is to combine the
1053 identifier created by a legacy system with a prefix that makes it globally unique. The EPC Core
1054 Business Vocabulary specifies a template that may be used for this purpose which uses the Global
1055 Location Number (GLN) of the issuing party. For example, if Company X has a party GLN of
1056 0614141123452 and its ERP system issues purchase order #12345, the corresponding globally
1057 unique identifier using the CBV template is:

1058 `urn:epcglobal:cbv:bt:0614141123452:12345`

1059 The first part of this identifier, `urn:epcglobal:cbv:bt:`, is a prefix indicating that the CBV's
1060 business transaction identifier template is used. The remaining two components are the GLN and the
1061 PO number assigned by the ERP system, respectively. The entire string considered as a single
1062 identifier is globally unique, because PO #12345 from any other ERP system would be given a
1063 different prefix. (If one company has multiple ERP systems, and there is the possibility that their
1064 assigned transaction numbers will collide, a different GLN should be used as the prefix for each
1065 system.)

1066 When processing EPCIS data, the entire business transaction identifier, including any prefixes,
1067 should be used. For example, to test whether two EPCIS events make reference to the same
1068 business transaction, the entire identifier strings should be compared (along with the business
1069 transaction type identifiers). However, when relating EPCIS data to legacy system data, it may be
1070 necessary to recognise the CBV prefix and parse the identifier to identify which legacy system is
1071 referred to and what is the native transaction ID for that system.

1072 **4.6.4.4 Designing the Source and Destination Lists**

1073 Certain business process steps are part of a process of *business transfer* where ownership and/or
1074 physical possession passes from one party to another. Shipping and receiving are two common
1075 examples, but there may be others such as consigning, accepting, returning, intermediate
1076 transportation steps, and so on. In such cases it is often useful to include information that identifies

1077 both ends of the transfer. For example, in a shipping event it is useful not only to indicate the “ship
 1078 from” location but also the “ship to” location. It may also be useful to indicate the parties involved
 1079 at both ends, both from an ownership perspective as well as a physical possession perspective,
 1080 which may or may not be the same pair of parties. The source and destination lists in an EPCIS
 1081 event may be used to provide this information. Source and destination information is part of the
 1082 *why* dimension of an EPCIS event, as it serves to provide business context.

1083 The source list consists of a list of sources, each of which is a pair consisting of a source type and a
 1084 source identifier. Likewise, the destination list consists of a list of destinations, each a pair of a
 1085 destination type and a destination identifier. There are three possible source or destination types
 1086 defined in the Core Business Vocabulary; each says how to interpret the source or destination
 1087 identifier that it qualifies:

1088 **Table 4-3** Source/Destination Types Defined in Core Business Vocabulary

Source or Destination Type	Meaning
urn:epcglobal:cbv:sdt:owning_party	The source or destination identifier denotes the party who owns (or is intended to own) the objects at the originating endpoint or terminating endpoint (respectively) of the business transfer of which this EPCIS event is a part.
urn:epcglobal:cbv:sdt:possessing_party	The source or destination identifier denotes the party who has (or is intended to have) physical possession of the objects at the originating endpoint or terminating endpoint (respectively) of the business transfer of which this EPCIS event is a part
urn:epcglobal:cbv:sdt:location	The source or destination identifier denotes the physical location of the originating endpoint or terminating endpoint (respectively) of the business transfer of which this EPCIS event is a part

1089 The source or destination identifier itself is a globally unique identifier for a party or physical
 1090 location, depending on the source/destination type. Often this is a GLN (with or without extension)
 1091 in EPC URI format, but the CBV also specifies other identifiers that could be used.

1092 Any combination of the three source/destination types may be used in either the source list or
 1093 destination list or both, according to what business context is available. Typically, both a source and
 1094 a destination of a given type are included.

1095 A complete business transfer typically extends across multiple EPCIS events, often generated by
 1096 more than one party. For example, a very simple transfer would include one EPCIS event for the
 1097 shipping step and a second EPCIS event for the receiving step. A more complex transfer might
 1098 involve separate arriving and accepting steps, for example, or tracks intermediate in-transit steps
 1099 such as observing a rail carrier or ocean carrier during its passage. All such steps belonging to the
 1100 same transfer could include source/destination information. When this is the case, the
 1101 source/destination information is usually the same on all events.

1102 For example, in a transfer of possession from Party A to Party B, both the shipping and receiving
 1103 EPCIS events could include a source of type “possessing party” for Party A and a destination of type
 1104 “possessing party” for Party B. The interpretation of the source/destination information on the two
 1105 events is subtly different. In the shipping event, the source indicates the *known* possessing party at
 1106 the origination of the transfer but the destination indicates the *intended* possessing party at the
 1107 termination of the transfer. In the receiving event, the destination indicates the *known* possessing
 1108 party at the termination of the transfer and the source indicates the *believed* possessing party at
 1109 the origination of the transfer.

1110 A source or destination of type “location” may coincide with read point information in the *where*
 1111 dimension for certain events. Specifically, the read point in a shipping (or similar) step coincides
 1112 with the source of type “location,” and the read point in a receiving (or similar) step coincides with
 1113 the destination of type “location.” In such cases, the information in the source/destination should be
 1114 consistent with the information in the read point. (It might not be identical if, for example, the read
 1115 point is reported using a more granular location identifier than the source or destination.)

1116 An EPCIS event that is not part of a business transfer should not include source/destination
 1117 information.

1118 See Section 5.2 for an example scenario that uses the source/destination list.

1119 **4.6.5 Example**

1120 Putting together all of the material in this section, let’s illustrate how we would design the EPCIS
 1121 event for Event V4 of the example from Section 4.4. In this event, a pallet containing several cases
 1122 is shipped from the Manufacturer to the Retailer’s Distribution Center.

1123 As noted in Section 4.5, this event could be represented as an **ObjectEvent** naming just the pallet,
 1124 or as an **AggregationEvent** naming both the pallet and the cases. We will assume the
 1125 **ObjectEvent** approach in this illustration.

1126 **Table 4-4** EPCIS Event Information Content for Step V4 of Example From Section 4.4

Dim	Data Element	Design Choice	Comments
	Event Type	Object Event	See above
	Action	OBSERVE	This is neither the beginning of life nor the end of life for the pallet, so the action is OBSERVE (see Section 4.5).
What	EPC List	A list containing one element: the SSCC of the pallet (instance-level identification)	
When	Event Time	The date and time at which the pallet is shipped	
	Event Time Zone Offset	The time zone offset in effect where the pallet was shipped	Local time is five hours earlier than UTC
Where	Read Point	Shipping dock #2 of building 10	In this case, we have chosen to capture the read point at a very fine level of granularity
	Business Location	(omitted)	As noted in Section 4.6.3, the business location is omitted for a shipping event because we don’t know where the pallet will be until a subsequent event takes place during receiving.
Why	Business Step	Shipping (from CBV)	A standard identifier defined in CBV 1.1 ensures that all consuming applications will understand this event
	Disposition	In Transit (from CBV)	A standard identifier defined in CBV 1.1 ensures that all consuming applications will understand this event. "In Transit" indicates normal forward progress during a transfer from shipper to receiver.
	Business Transaction List	A list containing two business transaction references: the Retailer’s purchase order and the Manufacturer’s invoice.	"Purchase Order" and "Invoice" are standard identifiers defined in CBV 1.1 to identify business transaction types.
	Source List	A list containing one source of type "owning party," indicating the Manufacturer as the owning party at the source	Shipping is a step within an overall transfer of ownership from source to destination. Here, the owning party at the source (the shipper) is identified. "Owning Party" is a standard identifier defined in CBV 1.1 to identify a type of source
	Destination List	A list containing one source of type "owning party," indicating the Retailer as the intended owning party at the destination	Shipping is a step within an overall transfer of ownership from source to destination. Here, the intended owning party at the destination (the shipper) is identified. "Owning Party" is a standard identifier defined in CBV 1.1 to identify a type of source

1127

1128 **4.7 Step 7: Determine the Vocabularies That Populate Each Data Field**

1129 In the previous step, you determined what you want the data elements of each EPCIS event to say.
 1130 The next step is to translate the informal description of each data element’s contents into a specific
 1131 identifier that a computer can understand. The place to start is Sections 7 and 8 of the Core
 1132 Business Vocabulary.



4.7.1 Vocabularies for the *What* Dimension

In the *What* dimension, you have references to one or more physical or digital objects. Most of the time, each object will be identified by a GS1 Key. For example, a trade item might be identified by a GTIN (example: 00614141123452) and a serial number (example: 400). In EPCIS, the GTIN plus serial number is represented as a Uniform Resource Identifier (URI) according to the EPC Tag Data Standard. It looks like this:

```
urn:epc:id:sgtin:0614141.012345.400
```

The first part of this identifier (`urn:epc:id:`) indicates that this identifier follows the EPC Tag Data Standard. The next part (`sgtin:`) says that it is a GTIN plus serial number (SGTIN). The next three parts are the GS1 Company Prefix (0614141), Indicator Digit and Item Reference (012345), and the serial number (400). Note that in the EPC URI, the GS1 Company Prefix is written separately from the other digits of the GTIN and there is no check digit.

The EPC Tag Data Standard, Sections 6 and 7, provides EPC URI syntax for all of the GS1 Keys that can be used in the *What* dimension of an EPCIS event. Sometimes you need to refer to a physical or digital object in the *What* dimension but the object is identified using some identification system not supported by the EPC Tag Data Standard. For those situations, the Core Business Vocabulary (Sections 8.2 and 8.3) provides other (non-EPC) URIs that can be used. However, GS1 Keys are preferred whenever possible.

4.7.2 Vocabularies for the *Where* Dimension

The *ReadPoint* and *BusinessLocation* data elements in the *Where* dimension contain identifiers that refer to physical locations. To choose an appropriate identifier, you must first decide how locations will be identified.

The most common way to identify a location is to give it a unique identifier such as a Global Location Number (GLN). A GLN is just an arbitrary number that the owner of a location designates to refer to a specific location. A GLN can be assigned at any level of granularity (see Section 4.6.3), and you can even assign a GLN to a fine-grain location such as a room in a building and also assign a different GLN to a coarse-grain location such as the building itself. When this is done, GLNs fall into a hierarchy.

When assigning identifiers to very fine-grain location such as individual loading dock doors or individual bins in a large warehouse, the GLN by itself does not have sufficient capacity. In such situations each location can be assigned a GLN plus a GLN extension. When a GLN+extension is assigned to a fine-grain location, the GLN part is usually the GLN of a coarser-grained containing location, such as the containing building.

As in the *What* dimension, URI syntax is used in EPCIS for the identifiers in the *Where* dimension. For example, suppose a location is identified by GLN 0614141111114 and extension 987. In EPCIS, the GLN+extension is represented as a Uniform Resource Identifier (URI) according to the EPC Tag Data Standard. The specific type of URI is called an SGLN, which is capable of representing either a GLN+extension or a GLN without extension. The SGLN for GLN 0614141111114 and extension 987 looks like this:

```
urn:epc:id:sgln:0614141.11111.978
```

To represent a GLN without an extension, a single 0 digit is used in place of the extension, like this:

```
urn:epc:id:sgln:0614141.11111.0
```

The first part of this identifier (`urn:epc:id:`) indicates that this identifier follows the EPC Tag Data Standard. The next part (`sgln:`) says that it is either a GLN or GLN+extension (depending on whether the extension part is 0 or not). The next three parts are the GS1 Company Prefix (0614141), Location Reference (11111), and the extension (or 0 for a plain GLN). Note that in the EPC URI, the GS1 Company Prefix is written separately from the other digits of the GLN and there is no check digit.

Sometimes you need to refer to a physical location in the *Where* dimension but the location is identified using some identification system not supported by the EPC Tag Data Standard. For those situations, the Core Business Vocabulary (Section 8.4) provides other (non-EPC) URIs that can be used. However, GS1 Keys are preferred whenever possible.

1185 On the other hand, sometimes a location can only be identified by geospatial coordinates—latitude
 1186 and longitude—rather than by a unique identifier. The most common case for this is as a *ReadPoint*
 1187 when tracking a vehicle such as an ocean vessel while in transit, where there are no pre-defined
 1188 locations that could be identified by GLN on the open ocean but a Global Positioning System receiver
 1189 is available. In this case, a geospatial URI may be used. It looks like this:

1190 `geo:22.300,-118.44`

1191 This example denotes the geographic location with latitude 22.300 degrees (north) and longitude
 1192 1032 118.44 degrees (west). For more details, see the Core Business Vocabulary Section 8.4.4.

1193 **4.7.3 Vocabularies for the Why Dimension**

1194 The *Why* dimension of an EPCIS event contains many data elements that require identifiers of
 1195 various kinds. There are two ways this is done depending on the data element.

1196 **4.7.3.1 Standard Vocabulary Elements for the Why Dimension**

1197 Some data elements in the *Why* dimension contain names of concepts that all parties in the supply
 1198 chain must understand in advance. An example is the *BusinessStep* data element, which contains an
 1199 identifier representing a concept such as “shipping,” “receiving,” etc. These identifiers are always
 1200 defined in a standard of some sort, and the most commonly used standard for this purpose is the
 1201 Core Business Vocabulary.

1202 Section 7.1 of the Core Business Vocabulary defines over 30 different business step values. The full
 1203 value as it appears in an EPCIS event is a URI, and it looks like this:

1204 `urn:epcglobal:cbv:bizstep:shipping`

1205 The first part of this identifier (`urn:epcglobal:cbv:`) indicates that it is defined in the Core
 1206 Business Vocabulary. The next part (`bizstep:`) says that it is an identifier from the list of business
 1207 step values. These two parts are the same for all the business step identifiers defined in the CBV.
 1208 The remainder is the specific business step.

1209 To select the appropriate business step value, consult the definitions given in the CBV. For example,
 1210 the CBV defines `urn:epcglobal:cbv:bizstep:packing` to mean “a specific activity within a
 1211 business process that includes putting objects into a larger container – usually for shipping.
 1212 Aggregation of one unit to another typically occurs at this point.”

1213 In some situations, there is no CBV identifier that is appropriate. In this case, you can create your
 1214 own identifier, but it should still be in URI syntax and use a prefix that is under your control. For
 1215 most purposes, this means using an HTTP URI that uses your Internet domain name. For example, if
 1216 you are the Example Corporation with a domain name `example.com` and you need a new business
 1217 step for “fiddling,” you could use a URI like this:

1218 `http://epcis.example.com/bizstep/fiddling`

1219 The fact that this begins with `http://epcis.example.com/` means that it will not conflict with a CBV
 1220 identifier, nor with a private identifier created by any other organisation. If a trade organisation
 1221 creates a private identifier for a standard it creates, the Internet domain name of the organisation
 1222 could be used as the root. As noted in Section 4.6.4.1, if you create a private business step like this
 1223 you will have to inform trading partners what it means, so this is less interoperable than using one
 1224 defined in the CBV.

1225 Note that while the above identifier looks like something you might type into a web browser, as far
 1226 as EPCIS is concerned it is just an identifier for a business step and there does not have to be a web
 1227 page accessible via that URI. On the other hand, a web page with that URI might be a very good
 1228 place to provide documentation for humans about what your business step means.

1229 Several other data elements in the *Why* dimension work the same way; they are summarised below.

1230 **Table 4-5** Examples of Standard Vocabulary Identifiers Defined in Core Business Vocabulary

EPCIS Data Element	CBV Section	Example
<i>BusinessStep</i>	7.1	<code>urn:epcglobal:cbv:bizstep:shipping</code>

EPCIS Data Element	CBV Section	Example
<i>Disposition</i>	7.2	urn:epcglobal:cbv:disp:in_transit
<i>BizTransaction (type subfield)</i>	7.3	urn:epcglobal:cbv:btt:po
<i>Source or Destination (type subfield)</i>	7.4	urn:epcglobal:cbv:sdt:owning_party

1231 For all of these data elements, the best choice is to use one of the identifiers defined in the CBV, but
 1232 if this is not possible a private identifier can be constructed as illustrated above.

1233 **4.7.3.2 User Vocabulary Elements for the Why Dimension**

1234 Some data elements in the *Why* dimension identify business objects such as business transactions,
 1235 sources, destinations, and transformation identifiers. For these data elements, the Core Business
 1236 Vocabulary provides templates that can be used to construct suitable identifiers.

1237 A key consideration here is that identifiers in any dimension of an EPCIS event should be
 1238 unambiguous. This is especially important when EPCIS events are brought together from across a
 1239 supply chain. Suppose that the *BusinessTransaction* data element in an EPCIS event in a shipping
 1240 step contains a reference to a purchase order. It is not sufficient for the EPCIS event to simply say
 1241 "PO # 1234" because many companies within the supply chain might issue a purchase order with
 1242 that same number. In an EPCIS event, a reference to a purchase order must be *globally* unique.

1243 The Core Business Vocabulary solves this by providing a template for constructing a globally unique
 1244 identifier. It looks like this:

1245 urn:epcglobal:cbv:bt:06141411111114:1234

1246 The first part (urn:epcglobal:cbv:) says that this is an identifier constructed according to rules
 1247 found in the CBV. The next part (bt:) says that this is the template for a business transaction (BT).
 1248 Following this is the GLN (06141411111114) of the party that defines the PO #, and the last part
 1249 (1234) is the PO # as defined by that party. In this way, if some other party in the supply chain
 1250 also had a PO numbered 1234, the EPCIS identifier would be different because a different GLN
 1251 would precede the 1234 in the identifier.

1252 Some large companies have more than one system that generates purchase orders, e.g. a different
 1253 system for each division of the company, so there is a possibility of having two purchase orders
 1254 numbered 1234 from the same company. But this is easily handled by using a different GLN to
 1255 prefix the PO #s of the two systems; e.g., by using the division-level GLN.

1256 This is one of several ways of constructing globally unique business transaction identifiers defined in
 1257 the CBV (Section 8.5). Another way is to use a GS1 Key such as a GDTI (including serial number).
 1258 This works if the system that generates the business transaction is already using a GS1 Key as the
 1259 numbering system. The CBV also shows how to use a private prefix to create business transaction
 1260 identifiers, though these methods are seldom used.

1261 Advanced use of EPCIS Transformation Events sometimes requires a "Transformation ID" to link
 1262 together multiple events. Section 8.7 of the CBV describes ways of constructing Transformation IDs,
 1263 including a GLN-based method similar to the above.

1264 Source and Destination identifiers are described in Section 8.6 of the CBV. Most commonly, these
 1265 are populated with GLNs, and so SGLN EPC URI format is used just as for location identifiers
 1266 (Section 4.7.2).

1267 **4.7.4 Example**

1268 Putting together all of the material in this section, here is how the design choices made in
 1269 Section 4.6 would be finally realised as actual identifiers in the EPCIS event.

1270 **Table 4-6** Example Assignment of Identifiers for EPCIS Event From Section 4.6

Dim	Data Element	Design Choice (Section 4.6)	Actual EPCIS Event Contents
	Event Type	Object Event	
	Action	OBSERVE	OBSERVE

Dim	Data Element	Design Choice (Section 4.6)	Actual EPCIS Event Contents
What	EPC List	A list containing one element: the SSCC of the pallet (instance-level identification)	urn:epc:id:sscc:0614141.0123456789
When	Event Time	The date and time at which the pallet is shipped	2014-03-15T10:11:12Z
	Event Time Zone Offset	The time zone offset in effect where the pallet was shipped	-05:00
Where	Read Point	Shipping dock #2 of building 10	urn:epc:id:sgln:0614141.11111.2
	Business Location	(omitted)	(omitted)
Why	Business Step	Shipping (from CBV)	urn:epcglobal:cbv:bizstep:shipping
	Disposition	In Transit (from CBV)	urn:epcglobal:cbv:disp:in_transit
	Business Transaction List	A list containing two business transaction references: the Retailer's purchase order and the Manufacturer's invoice.	Type urn:epcglobal:cbv:btt:po urn:epcglobal:cbv:bt:5012345678900:1234 Type urn:epcglobal:cbv:btt:inv urn:epcglobal:cbv:bt:0614141111114:9876
	Source List	A list containing one source of type "owning party," indicating the Manufacturer as the owning party at the source	Type urn:epcglobal:cbv:sdt:owning_party urn:epc:id:sgln:0614141.11111.0
	Destination List	A list containing one source of type "owning party," indicating the Retailer as the intended owning party at the destination	Type urn:epcglobal:cbv:sdt:owning_party urn:epc:id:sgln:5012345.67890.0

1271 **4.8 Step 8: Document the Visibility Events in a Visibility Data Matrix**

1272 You must complete Steps 5 through 7 for every one of the business steps you identified in Step 4.
 1273 This sounds tedious, but typically you will find there is quite a bit of repetition and so it gets easier
 1274 after the first three or four events.

1275 When you are all done, summarise the results in a matrix that has a column for each visibility event
 1276 and a row for each data element in the EPCIS data model. This looks like the tables in the previous
 1277 section, extended to have a column for each event. A spreadsheet is a good tool to create this
 1278 matrix.

1279 Here's what a matrix might look like for events V1 through V4 in our example:

1280 **Table 4-7** Example Visibility Data Matrix

Dim	Data Element	V1	V2	V3	V4
	Description	Print and apply case label	Print the pallet label	Pack cases into pallet	Ship the pallet
	Event Type	Object Event	Object Event	Aggregation Event	Object Event
	Action	ADD	ADD	ADD	OBSERVE
What	EPC List	SGTIN of case	SSCC of pallet	Parent: SSCC of pallet Children: SGTINs of cases	SSCC of Pallet
When	Event Time	Current date/time	Current date/time	Current date/time	Current date/time

Dim	Data Element	V1	V2	V3	V4
	Event Time Zone Offset	Local timezone offset	Local timezone offset	Local timezone offset	Local timezone offset
Where	Read Point	SGLN of packaging line	SGLN of packaging line	SGLN of packaging line	SGLN of loading dock door
	Business Location	GLN of factory	GLN of factory	GLN of factory	(omitted)
Why	Business Step	Commissioning (CBV)	Commissioning (CBV)	Packing (CBV)	Shipping (CBV)
	Disposition	Active (CBV)	Active (CBV)	In Progress (CBV)	In Transit (CBV)
	Business Transaction List	(omitted)	(omitted)	(omitted)	Retailer's GLN + PO # Manufacturer's GLN + Invoice #
	Source List	(omitted)	(omitted)	(omitted)	Owning Party (CBV): Manufacturer's GLN
	Destination List	(omitted)	(omitted)	(omitted)	Owning Party (CBV): Retailer's GLN

1281
1282
1283

1284
1285

This example matrix shows the event content described in words, as we did in Step 6. It would also be appropriate to include examples showing the specific identifier choices made in Step 7 (omitted here for reasons of space).

The next section provides some further examples of how to design EPCIS events for specific situations.

1286
1287

5 Advanced EPCIS Modelling

This section explores other business processes and shows how to model them using EPCIS events.

1288
1289
1290

1291
1292

1293
1294
1295
1296

5.1 Aggregation/Disaggregation

Many business processes involve creating physical *aggregations*, where child object are packed into or onto a parent object. An aggregation has the following characteristics:

- When in a state of aggregation, the parent object and children objects may be assumed to be at the same place at the same time.
- The parent object and children objects retain their identity while in a state of aggregation. The aggregation may be reversed (disaggregated), so that the original parent and/or children objects are separate. This is in contrast to a *transformation*, in which inputs are irreversibly converted into outputs having a different identity (see Section 5.5).

Examples of commonly occurring aggregations including the following:

1297
1298

Table 5-1 Examples of Commonly Occurring Aggregations

Description	Parent Object and its Identifier	Child Objects and their Identifiers
Items packed into a homogeneous case	Case (SGTIN)	Item (SGTIN)
Items packed into an inhomogeneous (heterogeneous) case	Case (SSCC)	Item (SGTIN)
Cases packed onto a pallet	Pallet (SSCC)	Case (SGTIN or SSCC)
Pallets loaded into a reusable shipping container	Container (GRAI)	Pallet (SSCC)
Shipping containers loaded onto a vessel, train, etc	Vessel (GIAI)	Container (GRAI)
Components installed into a chassis	Chassis (GIAI)	Component (GIAI or CPID)

1299 The examples above all assume the child objects are identified with instance-level identification, but
 1300 it is also possible to have children identified with class-level identification. The parent, however,
 1301 must always be identified with an instance-level identifier.

1302 A common reason for tracking aggregations is to allow for *inference*, in which a business application
 1303 infers that all aggregated objects are present when only one is observed. For example, in the
 1304 example from Section 4, the EPCIS event for the shipping step only included the SSCC of the pallet,
 1305 but the receiver may infer that all of the cases were shipped, too. In making this inference, the
 1306 receiver is relying on (a) having the EPCIS event for the packing step, in which the aggregation is
 1307 created; and (b) knowing that there are no disaggregation events between the packing step and the
 1308 shipping event.

1309 **5.1.1 Aggregation and Disaggregation**

1310 The *Action* data element in an EPCIS Aggregation Event says what happened to the aggregation
 1311 during the event:

1312 **Table 5-2** Action Values for Aggregation Events

Action	Meaning
ADD	The children were aggregated to the parent. Following the event, the children may be assumed to be physically aggregated to the parent (and therefore also to each other).
OBSERVE	The parent and children were observed to be in a state of aggregation, but no children were added or removed during the event. For <i>Action</i> OBSERVE only, the parent may be omitted, indicating that the children were observed to be in a state of aggregation but the identity of the parent could not be verified during the event.
DELETE	The children were disaggregated from the parent. Following the event, the children may be assumed to be physically separate from the parent and from each other. For <i>Action</i> DELETE only, the children may be omitted, indicating that <i>all</i> children have been disaggregated from the parent.

1313 To illustrate, here is a business process consisting of five steps:

- 1314 **1.** A shipper packs five homogeneous cases (each identified by an SGTIN) onto a pallet (identified
 1315 by an SSCC).
- 1316 **15.** The shipper ships the pallet, only noting the pallet identifier.
- 1317 **16.** The receiver receives the pallet and also verifies all of the case identifiers.
- 1318 **17.** The receiver unpacks two cases from the pallet.
- 1319 **18.** The receiver unpacks the remaining cases from the pallet.

1320 The following table shows the content of the five EPCIS events corresponding to these steps (the
 1321 *When* and *Where* dimensions are omitted for the sake of brevity):

1322 **Table 5-3** Example EPCIS Aggregation Event Information Content

Dim	Data Element	V1	V2	V3	V4	V5
	Description	Pack cases onto pallet	Ship pallet	Receive pallet	Unpack two cases	Unpack remaining cases
	Event Type	Aggregation Event	Object Event	Aggregation Event	Aggregation Event	Aggregation Event
	Action	ADD	OBSERVE	OBSERVE	DELETE	DELETE
What	EPC List	Parent: SSCC of pallet Children: SGTINs of 5 cases	SSCC of pallet	Parent: SSCC of pallet Children: SGTINs of 5 cases	Parent: SSCC of pallet Children: SGTINs of 2 cases	Parent: SSCC of pallet Children: (omitted)
Why	Business Step	Packing (CBV)	Shipping (CBV)	Receiving (CBV)	Unpacking (CBV)	Unpacking (CBV)

Dim	Data Element	V1	V2	V3	V4	V5
	Disposition	In Progress (CBV)	In Transit (CBV)	In Progress (CBV)	In Progress (CBV)	In Progress (CBV)

1323 **5.1.2 Multiple Levels of Aggregation**

1324 Some business processes may involve multiple levels of aggregation; for example, items packed
 1325 into cases and those cases packed onto a pallet. In such cases, the parents of the inner
 1326 aggregations are the children of the outer aggregation.

1327 This is modelled in EPCIS, straightforwardly, by having multiple aggregation events, one for each
 1328 parent at every level. For example, if five items are packed into a case, and three such cases are
 1329 packed onto a pallet (for a total of 15 items), there will be a total of four aggregation events: three
 1330 events that aggregate items into cases, and one that aggregates the cases onto a pallet. Here is
 1331 how that would look, assuming homogeneous cases identified by SGTIN and a pallet identified by
 1332 SSCC (the *When* and *Where* dimensions are omitted for the sake of brevity):

1333 **Table 5-4** Example EPCIS Aggregation Event Information Content for a Two-Level Hierarchy

Dim	Data Element	V1	V2	V3	V4
	Description	Pack items 1 – 5 into case 101	Pack items 6 – 10 into case 102	Pack items 11 – 15 into case 103	Pack cases 101, 102, and 103 onto pallet 1001
	Event Type	Aggregation Event	Aggregation Event	Aggregation Event	Aggregation Event
	Action	ADD	ADD	ADD	ADD
What	EPC List	Parent: SGTIN of case 101 Children: SGTINs of items 1 – 5	Parent: SGTIN of case 102 Children: SGTINs of items 6 – 10	Parent: SGTIN of case 103 Children: SGTINs of items 11 – 15	Parent: SSCC of pallet 1001 Children: SGTINs of cases 101 – 103
Why	Business Step	Packing (CBV)	Packing (CBV)	Packing (CBV)	Packing (CBV)
	Disposition	In Progress (CBV)	In Progress (CBV)	In Progress (CBV)	In Progress (CBV)

1334 **5.2 Drop Shipment**

1335 The *Source* and *Destination* data elements in EPCIS events provide detailed information about
 1336 process steps that are part of a business transfer – the conveyance of ownership and/or possession
 1337 of objects from one party to another. Each *Source* or *Destination* in an EPCIS event carries a type;
 1338 the CBV defines the following three types that may be used:

1339 **Table 5-5** Source/Destination Types Defined in the Core Business Vocabulary

CBV Source/Destination Type	Meaning
owning_party	The Source or Destination is an identifier for the party that relinquishes ownership (source) or receives ownership (destination) of the objects as a result of the business transfer.
possessing_party	The Source or Destination is an identifier for the party that relinquishes physical possession (source) or receives physical possession of the objects as a result of the business transfer.
location	The Source or Destination is an identifier of the physical location from where the objects are transferred (source) or to where the objects are transferred (destination). A source of type location for a shipping business step should be consistent with the read point on that event. A destination of type location for a receiving business step should likewise be consistent with the read point on that event.

1340 In the simplest business transfer scenario, the owning party and possessing party are identical at
 1341 the source and at the destination, and the location is also consistent with those parties. However,
 1342 more complex scenarios may also be represented.

1343
1344
1345
1346
1347
1348
1349

Consider a “drop shipment” scenario. In this scenario, a pharmaceutical manufacturer M sells product to a wholesaler W who in turn sells the product to a hospital H. Rather than physically warehousing the product, the wholesaler arranges for M to ship directly to H. The wholesaler still retains ownership of the product, however, until a subsequent sale transaction with H takes place.

The following two events show how this scenario can be expressed in EPCIS (the *When* dimension is omitted for the sake of brevity):

Table 5-6 EPCIS Event Information Content for Example “Drop Shipment” Scenario

Dim	Data Element	V1	V2
	Description	Manufacturer M drop ships to Hospital H	Shipment arrives at Hospital H
	Event Type	Object Event	Object Event
	Action	OBSERVE	OBSERVE
What	EPC List	SSCC of logistic unit	SSCC of logistic unit
Where	Read Point	GLN of M’s distribution center	GLN of H’s receiving area
	Business Location	(omitted)	GLN of H’s facility
Why	Business Step	Shipping (CBV)	Arriving (CBV)
	Disposition	In Transit (CBV)	In Progress (CBV)
	Source	Type owning_party (CBV) GLN of M	Type owning_party (CBV) GLN of M
	Source	Type possessing_party (CBV) GLN of M	Type possessing_party (CBV) GLN of M
	Source	Type location (CBV) GLN of M’s distribution center	Type location (CBV) GLN of M’s distribution center
	Destination	Type owning_party (CBV) GLN of W	Type owning_party (CBV) GLN of W
	Destination	Type possessing_party (CBV) GLN of H	Type possessing_party (CBV) GLN of H
	Destination	Type location (CBV) GLN of H’s receiving area	Type location (CBV) GLN of H’s receiving area

1350
1351
1352
1353
1354

5.3 Class-Level Tracing

As discussed in Section 4.6.1, EPCIS allows objects to be identified at the instance level or at the class level. Most of the examples in this guideline, including all of the examples preceding this section, use instance-level identification exclusively. This section describes some of the special considerations that apply when class-level identification is used.

1355
1356
1357
1358
1359
1360
1361
1362
1363
1364

5.3.1 Inherent Limitations of Traceability Using Class-Level Identification

Class-level identification has inherent limitations in comparison to instance-level identification. Instance-level identification makes it possible to determine precisely which EPCIS events refer to a specific object, and therefore whether two EPCIS events at different times refer to the same object. In contrast, class-level identification refers to a class of objects that cannot be differentiated from each other. The impact to class-level traceability systems is that they need to be designed to accommodate ambiguity.

Consider, for example, the following sequence of events using class-level identification:

- **V1:** Manufacturer creates 20 new product instances (each identified by GTIN and Lot only)
- **V2:** Manufacturer ships 10 product instances to a receiver

1365
1366
1367
1368

- **V3:** Manufacturer ships 10 more product instances to the same receiver
- **V4:** Receiver receives 10 product instances

The following table shows the content of these EPCIS events:

Table 5-7 Example EPCIS Event Information Content Using Class-Level Identification.

Dim	Data Element	V1	V2	V3	V4
	Description	Manufacture 20 new product instances	Ship 10 product instances	Ship 10 more product instances	Receive 10 product instances
	Event Type	Object Event	Object Event	Object Event	Object Event
	Action	ADD	OBSERVE	OBSERVE	OBSERVE
When	Event Time	15 July, 10am	16 July, 10am	17 July, 10am	25 July, 10am
What	EPC Quantity List	GTIN X, Lot 12, 20 units	GTIN X, Lot 12, 10 units	GTIN X, Lot 12, 10 units	GTIN X, Lot 12, 10 units
Where	Read Point	SGLN of mfr line	SGLN of manufacturer's loading dock	SGLN of manufacturer's loading dock	SGLN of receiver's loading dock
	Business Location	GLN of manufacturer	(omitted)	(omitted)	GLN of receiver
Why	Business Step	Creating Class Instance (CBV)	Shipping (CBV)	Shipping (CBV)	Receiving (CBV)
	Disposition	Active (CBV)	In Transit (CBV)	In Transit (CBV)	In Progress (CBV)

1369
1370
1371

In this example, it is impossible to know whether the 10 units of GTIN X, Lot 12, received on 25 July in event V4 are the 10 units shipped on 16 July (event V2) or the 10 units shipped on 17 July (event V3). This is not a limitation of EPCIS; it is a fundamental limitation of using class-level identification.

1372
1373
1374
1375
1376
1377
1378
1379
1380

A consequence of this is that common tracking and tracing tasks may be more complex using class-level data. Consider a product recall scenario, where the objective is to determine the current location of all instances of a given lot so that those instances may be removed from the supply chain. If instance-level identification is used, each instance of the lot has a unique serial number that is known from the commissioning business step. The recall application simply has to find the most recent EPCIS event for each instance identifier, and the business location of each event indicates the current location (at least to the extent inferable from EPCIS data). Each instance identifier may appear in more than one EPCIS event, but because a given instance cannot be in two places at once it is the latest event for each instance that gives its current location.

1381
1382
1383
1384
1385
1386
1387

Now consider trying the same strategy with lot-level identification, in a situation where different instances of the same lot may take different paths through the supply chain. Merely finding the latest EPCIS event for that lot does not necessarily locate all of the objects. In the example above, the latest EPCIS event for Lot 12 is Event V4, but that only accounts for 10 of the 20 units. The other 10 units are in still in transit, corresponding to Event V2 or V3. A more complex analysis that attempts to tally the quantities that enter and exit each site is needed in order to identify all of the locations where the lot currently resides.

1388
1389

Applications using class-level identification must consider carefully how the data will be used and what limitations will naturally arise.

1390

5.3.2 Beginning-of-Life Events for Class-Level Identification

1391
1392
1393
1394
1395

When instance-level identification is used, any given instance will have exactly one beginning-of-life event bearing that instance identifier. Such an event is either an Object Event with Action ADD, or a Transformation Event (in which the instance identifier is an output). The business step is `Commissioning` from the CBV or some more specialised business step from another vocabulary whose semantics are similar to `Commissioning`.

1396
1397

With class-level identification, there may be many beginning-of-life events bearing the same class identifier, each such event representing the beginning of life for an additional quantity of the class.

1398 For example, a manufacturing process may create a pallet’s worth of product each hour and
 1399 generate an EPCIS event for each pallet manufactured, with all the pallets in one day’s production
 1400 constituting a single lot. Each hourly EPCIS event represents the beginning of life for the instances
 1401 produced within that hour.

1402 The CBV defines *Commissioning* for a class-level identifier to denote the process of associating an
 1403 identifier *not previously used* with one or more objects within the class. In other words,
 1404 *Commissioning* not only represents the beginning of life for the objects, but also the beginning of
 1405 life of the identifier. Only one EPCIS event with business step *Commissioning* should exist for a
 1406 given identifier.

1407 To handle the case of multiple beginning-of-life events for the same class, the CBV also defines
 1408 *Creating Class Instance* as an additional business step type. Unlike *Commissioning*, *Creating*
 1409 *Class Instance* only implies the beginning of life of the objects, without implying anything about
 1410 the life of the identifier.

1411 In a situation where the business process is aware when a class level identifier is used for the first
 1412 time (e.g., when a new lot of a product is initiated), the business step *Commissioning* may be used
 1413 for the first EPCIS event that creates instances of the new lot, and *Creating Class Instance* for
 1414 any subsequent events that create additional instances of that lot. Sometimes, it may not be
 1415 feasible or possible to know which EPCIS event is the first use of a class-level identifier; in those
 1416 cases, *Creating Class Instance* may be used for all events that create instances of the class.

1417 **5.3.3 Class-Level Identification In Aggregation**

1418 An Aggregation Event may have children that are identified using class-level identification. The
 1419 parent, however, must always be identified using instance-level identification.

1420 For example, supposed that homogeneous cases of product are picked to order, shipped, and
 1421 received, where the cases are only identified with GTIN and Lot. The events might look like this (the
 1422 *When* and *Where* dimensions are omitted for the sake of brevity):

1423 **Table 5-8** EPCIS Event Information Content for Aggregation of Children Identified at Class Level

Dim	Data Element	V1	V2	V3
	Description	Pack cases onto pallet	Ship pallet	Receive pallet
	Event Type	Aggregation Event	Object Event	Object Event
	Action	ADD	OBSERVE	OBSERVE
What	EPC List	Parent: SSCC of pallet Children: GTIN X, Lot 12, 10 units GTIN Y, Lot 52, 20 units	SSCC of pallet	SSCC of pallet
Why	Business Step	Packing (CBV)	Shipping (CBV)	Receiving (CBV)
	Disposition	In Progress (CBV)	In Transit (CBV)	In Progress (CBV)

1424 In this example, the receiver can use the prior aggregation event to infer that the pallet it receives
 1425 contains 10 units of GTIN X (Lot 12) and 20 units of GTIN Y (Lot 52). Subsequent events might
 1426 disaggregate product from the pallet, again identifying the specific quantities of the classes that are
 1427 disaggregated.

1428 It is not permitted to use a class-level identifier to identify the parent of an aggregation. The reason
 1429 is that inference is only possible if each aggregation has a distinct identity (as represented by the
 1430 parent identifier), and if inference is not possible then attempting to record the aggregation is of no
 1431 value.

1432 To illustrate, consider the following scenario in which two different cases, each bearing the same
 1433 GTIN+lot identifier, are packed with different contents, and then one of those cases is shipped and
 1434 received:

1435 **Table 5-9** Hypothetical EPCIS Aggregation Event Information Content With Class-Level Parents (not permitted)

Dim	Data Element	V1	V2	V2	V3
	Description	Pack first case	Pack second case	Ship first case	Receive case
	Event Type	Aggregation Event	Aggregation Event	Object Event	Object Event
	Action	ADD	ADD	OBSERVE	OBSERVE
What	EPC List	Parent (wrong!): GTIN P, Lot 111, 1 unit Children: GTIN X, Lot 12, 10 units GTIN Y, Lot 52, 20 units	Parent (wrong!): GTIN P, Lot 111, 1 unit Children: GTIN X, Lot 12, 20 units GTIN Z, Lot 34, 30 units	GTIN P, Lot 111, 1 unit	GTIN P, Lot 111, 1 unit
Why	Business Step	Packing (CBV)	Packing (CBV)	Shipping (CBV)	Receiving (CBV)
	Disposition	In Progress (CBV)	In Progress (CBV)	In Transit (CBV)	In Progress (CBV)

1436
1437
1438

The receiver knows it has received one case identified by GTIN P, Lot 111, but it has no way to infer whether the contents of this case are 10 units GTIN X and 20 units GTIN Y, or 20 units GTIN X and 30 units GTIN Z.

1439
1440
1441
1442
1443
1444

The most common situation where both parent and child of an aggregation are identified only at the class level is when items identified by GTIN or GTIN+Lot are packed into a case of fixed composition that is also identified by GTIN or GTIN+Lot, for example, when packing a standard case (bearing case-level GTIN X) of 12 items (each bearing item level GTIN Y). In this situation, GTIN X is specifically allocated to represent a 12-unit case of GTIN Y. The relationship between the two GTINs, including the item count, is expressed in master data.

1445
1446
1447
1448
1449
1450
1451

When this is done, it is not necessary to include an aggregation event showing 12 units of GTIN Y packed into one unit of GTIN X – by definition, every unit of GTIN X contains 12 units of GTIN Y. So while there may be commissioning business steps recorded in EPCIS for both GTIN X and GTIN Y, there will be no aggregation events. If 10 GTIN X cases are shipped, the EPCIS event for the shipment may either specify 10 units of GTIN X (in which case the 120 units of GTIN Y may be inferred from master data), or it may specify 120 units of GTIN Y (in which case the EPCIS data does not indicate whether the items were shipped loose or packed into 12-unit cases).

1452
1453
1454
1455

The above example considers items and cases identified by GTIN only. If the items and cases were identified by GTIN+Lot, then all items in a given case would have to have the same lot number, and that same lot number would also be the lot number of the case. This, indeed, is generally the practice when identifying both items and cases with GTIN+Lot.

1456
1457
1458

(It should also be noted that the original “wrong” example is not allowable under GTIN allocation rules anyway: if cases do not have fixed composition, they are considered logistic units rather than trade items and so would be identified by SSCC (an instance-level identifier) rather than by GTIN.)

1459 **5.3.4 Mixing Instance-Level and Class-Level Identification in the Same Event**

1460
1461
1462
1463

It is possible for one EPCIS event to include a mix of both instance-level and class-level identification. For example, a pallet picked to order may include one product identified by SGTIN, another by GTIN+Lot, and a third identified only by GTIN. Here is an example (the *When* and *Where* dimensions are omitted for the sake of brevity):

1464 **Table 5-10** EPCIS Aggregation Event Information Content with Children Identified at Both Instance and Class
1465 Level

Dim	Data Element	V1	V2	V3
	Description	Pack cases onto pallet	Ship pallet	Receive pallet
	Event Type	Aggregation Event	Object Event	Object Event
	Action	ADD	OBSERVE	OBSERVE

Dim	Data Element	V1	V2	V3
What	EPC List	Parent: SSCC of pallet Children: GTIN X, Serial 101 GTIN X, Serial 102 GTIN X, Serial 103 GTIN Y, Lot 12, 10 units GTIN Z, 20 units	SSCC of pallet	SSCC of pallet
		Business Step	Packing (CBV)	Shipping (CBV)
Why	Disposition	In Progress (CBV)	In Transit (CBV)	In Progress (CBV)

1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483

As before, the aggregation event allows the receiver to infer the contents of the pallet, which in this case uses a mix of instance-level and class-level identification.

Mixing of instance-level and class-level identification is particularly common in transformation events arising in manufacturing, where the ingredients in a manufacturing process include “primary” ingredients that are identified at the instance-level and “secondary” ingredients identified only at the class level. For example:

- Inputs:
 - Tuna loin (each loin is individually serialised and identified by SGTIN – instance-level)
 - Olive oil (identified by GTIN+Lot – class level)
 - Empty can (identified by GTIN, in order to distinguish two possible suppliers of cans)
- Outputs:
 - Canned tuna (each can identified either at the instance level (SGTIN) or the class level (GTIN+Lot), depending on the business requirement)

It is important to note that when instance-level and class-level identifiers are mixed in the same EPCIS event, each identifier is understood to refer to a *different* object. The following example is *not* correct:

Table 5-11 EPCIS Event Information Content Wrongly Showing Instance and Class Level Identification for the Same Objects

Dim	Data Element	V1
	Description	Pack cases onto pallet
	Event Type	Aggregation Event
	Action	ADD
What	EPC List	Parent: SSCC of pallet Children (wrong!): GTIN X, Serial 101 GTIN X, Serial 102 GTIN X, Serial 103 GTIN X, Lot 12, 3 units
		Business Step
Why	Disposition	In Progress (CBV)

1484 As written, this event implies that *six* units of GTIN X have been packed onto the pallet: three units
 1485 that include a serial number, and three more that only give a Lot number. This is probably not what
 1486 was intended.

1487 If the desire is to indicate the Lot number associated with items identified by GTIN+Serial, only the
 1488 SGTINs should be included in the event, and the Lot number provided via instance/lot master data
 1489 on the commissioning event for those serial numbers (see Section 5.4).

1490 5.4 Instance/Lot Master Data (ILMD)

1491 As explained in Section 7.3.6 of the EPCIS 1.1 standard, Instance/Lot Master Data (ILMD) is data
 1492 that describes a specific instance of a physical or digital object, or a specific batch/lot of objects that
 1493 are produced in batches/lots. It is similar to ordinary master data, which also consists of a set of
 1494 descriptive attributes that provide information about objects. But whereas master data attributes
 1495 have the same values for a large class of objects, (e.g., for all objects having a given GTIN), the
 1496 values of ILMD attributes may be different for much smaller groupings of objects (e.g., a single
 1497 batch or lot), and may be different for each object (i.e., different for each instance).

1498 Conceivably, instance and lot level master data could be communicated between trading partners
 1499 outside of EPCIS, just as GTIN-level master data may be communicated outside EPCIS using the
 1500 Global Data Synchronisation Network (GDSN). However, at this time there are no well-established
 1501 mechanisms for communication of instance or lot level master data. For this reason, EPCIS provides
 1502 a means to attach instance and lot level master data to the EPCIS event that marks the beginning of
 1503 life for a new instance.

1504 In the case of objects identified at the instance level, master data for the instance is carried in the
 1505 commissioning event for that instance, or in a transformation event if the instance is created as the
 1506 output of a transformation. For example, the following table shows the content of three EPCIS
 1507 events, including instance-level master data at the commissioning step (the “when” dimension is
 1508 omitted for brevity):

1509 **Table 5-12** EPCIS Event Information Content Showing Instance/Lot Master Data (ILMD)

Dim	Data Element	V1	V2	V3
	Description	Manufacture new product instance	Ship product	Receive product
	Event Type	Object Event	Object Event	Object Event
	Action	ADD	OBSERVE	OBSERVE
What	EPC List	SGTIN of product instance	SGTIN of product instance	SGTIN of product instance
Where	Read Point	SGLN of manufacturing line	SGLN of manufacturer’s loading dock	SGLN of receiver’s loading dock
	Business Location	GLN of manufacturer	(omitted)	GLN of receiver
Why	Business Step	Commissioning (CBV)	Shipping (CBV)	Receiving (CBV)
	Disposition	Active (CBV)	In Transit (CBV)	In Progress (CBV)
	ILMD: Expiry	Expiration date of product instance		
	ILMD: Lot	Lot number of product instance		

1510 Note that when an object is identified at the instance level, its lot number (if any) is a master data
 1511 attribute of that instance.

1512 In the example above, if the receiver wishes to obtain the master data for the product instance it
 1513 receives, it queries the manufacturer for the event having the specified SGTIN in the *What*
 1514 dimension and having business step *Commissioning* (from the CBV).

1515 In the XML representation of an EPCIS event, ILMD is expressed using elements defined in XML
 1516 namespaces other than the EPCIS namespace. Neither the EPCIS standard nor the CBV standard

1517 define any specific ILMD data elements, so these must either be defined in other standards or
 1518 otherwise agreed to in advance by trading partners.

1519 Here is how the V1 event above might look in XML (portions omitted for brevity):

```

1520 <epcis:EPCISDocument
1521     xmlns:epcis="urn:epcglobal:epcis:xsd:1"
1522     xmlns:example="http://ns.example.com/epcis">
1523   <EPCISBody>
1524     <EventList>
1525       <ObjectEvent>
1526         ...
1527         <epcList>
1528           <epc>urn:epc:id:sgtin:0614141.012345.400</epc>
1529         </epcList>
1530         <action>ADD</action>
1531         <bizStep>urn:epcglobal:cbv:bizstep:commissioning</bizStep>
1532         <disposition>urn:epcglobal:cbv:disp:active</disposition>
1533         ...
1534         <extension>
1535           <ilmd>
1536             <example:expiry>2015-03-15</example:expiry>
1537             <example:lot>A123</example:lot>
1538           </ilmd>
1539         </extension>
1540       </ObjectEvent>
1541     </EventList>
1542   </EPCISBody>
1543 </epcis:EPCISDocument>
  
```

1544 Lot-level master data works the same as instance-level master data. In contrast to instance-level
 1545 identification, when lot-level identification is used there may be many beginning-of-life events
 1546 (object or transformation events having business step commissioning or creating-class-instance) for
 1547 the same lot. The ILMD for that lot may be included in *all* such beginning-of-life events, with the
 1548 proviso that the content of the ILMD must be identical for all events pertaining to the same lot.
 1549 When both commissioning and creating-class-instance business steps are used, it is acceptable to
 1550 include ILMD only with the commissioning steps.

1551 5.5 Transformation

1552 The EPCIS Transformation Event is used to represent a business process step in which one or more
 1553 objects are fully or partially consumed as inputs and one or more objects are produced as outputs.
 1554 The Transformation Event captures the relationship between the inputs and the outputs, namely
 1555 that any of the inputs may have contributed in some way to each of the outputs.

1556 In contrast to aggregation, a transformation is irreversible. Following the transformation, the inputs
 1557 that were consumed no longer exist, and the outputs are brand-new objects that did not exist prior
 1558 to the transformation. In this way, a transformation event functions as the beginning-of-life event
 1559 for the outputs and as end-of-life for the inputs (unless the inputs are not fully consumed).

1560 Examples of commonly occurring transformations including the following:

1561 **Table 5-13** Examples of Transformation Business Processes

Description	Input Objects and their Identifiers	Output Objects and their Identifiers
Raw materials combined into a mixture	Raw materials (a separate SGTIN, GTIN+Lot, or GTIN for each raw material)	Mixed product (SGTIN, GTIN+Lot, or GTIN for each packaging variation)
Primal cuts of meat combined, divided, and packaged into packaged meat products	Primal meat cuts (SGTIN), seasonings or other secondary ingredients (GTIN+Lot), and sterile packaging material (GTIN)	Packaged meat product (SGTIN or GTIN+Lot)
Bulk pharmaceutical product repackaged into smaller saleable units	Bulk pharmaceutical (SGTIN or GTIN+Lot)	Saleable pharmaceutical units (SGTIN or GTIN+Lot)

1562
1563
1564
1565
1566
1567
1568

A common reason for tracking transformations is to give business processes an understanding of what inputs might have affected what outputs. For example, if a primal cut of meat coming from a specific ranch is discovered to have bacterial contamination, the transformation event allows this to be traced forward to identify all of the finished meat products that might be affected by the contaminated primal cut. Conversely, if a finished product is discovered to be contaminated, the transformation allows this to be tracked backward to identify all of the ingredients, which then may be traced forward to find additional finished product that might be affected.

1569

5.5.1 Transformation Event Example

1570

Consider the following manufacturing process:

1571

■ Inputs:

1572
1573

- Tuna loin (each loin is individually serialised and identified by GTIN X plus serial – instance-level)

1574

- Olive oil (identified by GTIN Y + Lot – class level)

1575

- Empty can (identified by GTIN Z, in order to distinguish two possible suppliers of cans)

1576

■ Outputs:

1577

- Canned tuna (identified by GTIN Q + Lot – class level)

1578

Here is a transformation event for one run of this process (the *When* and *Where* dimensions are omitted for the sake of brevity):

1579

1580 **Table 5-14** Example EPCIS Transformation Event Information Content

Dim	Data Element	V1
	Description	Manufacture canned tuna from raw ingredients
	Event Type	Transformation Event
What	EPC List	Inputs: GTIN X, Serial 10 GTIN X, Serial 45 GTIN X, Serial 97 GTIN Y, Lot 12, 10 litres GTIN Z, 100 units Outputs: GTIN Q, Lot 999, 100 units
Why	Business Step	Creating Class Instance (CBV)
	Disposition	Active (CBV)

1581
1582
1583
1584

As the transformation is the beginning of life for the outputs, a beginning-of-life business step and disposition are used. In this case, the transformation creates new instances of Lot 999, so *Creating Class Instance* is used as the business step. If it is known that this event creates Lot 999 for the first time, *Commissioning* could be used instead.

1585

5.5.2 Long-Running Transformations

1586

Sometimes a transformation runs over a long period of time, in which inputs are added periodically and outputs extracted periodically. For example, a mixing process might consume inputs in several batches over the course of a product run, with outputs withdrawn even as more inputs are added.

1587

1588

1589
1590
1591
1592

A long-running transformation can be modelled with a single EPCIS event that lists all of the inputs and all of the outputs that were involved over the entire interval of time. This raises a question about what event time is appropriate; most often, the time at which the process completed is the appropriate event time to use.

1593
1594
1595
1596
1597
1598
1599
1600
1601

It is not always desirable, however, to model a long-running transformation as a single EPCIS event. This is especially true if some of the output objects are subject to further business steps even before the transformation has completed. For example, consider a process that mixes input ingredients to create cans of paint, where a production run involving the same mixing vat runs continuously for a week. The process may produce cans of paint on Monday, and those cans are shipped on Tuesday, even though more cans from the same vat are extracted on Wednesday and Thursday, with the entire transformation completing on Friday. In this situation, it may be necessary to have an EPCIS event to represent Monday's production so that the new identifiers for the cans of paint are available to be used in a shipping event generated on Tuesday.

1602
1603
1604
1605
1606

To model such situations, a transformation event may be split into multiple EPCIS events. To maintain the relationship between all inputs and outputs, the multiple transformation events are linked by using a transformation identifier. This is simply a unique identifier that is the same for all EPCIS events belonging to the same transformation (i.e., where there is a relationship between inputs and outputs), and different from the transformation identifier used in other, unrelated events.

1607
1608
1609

The following set of events is equivalent to the transformation of the previous section, plus an added event showing the shipment of the first few cans of tuna to be produced.

Table 5-15 Example EPCIS Transformation Event Information Content Linked Via Transformation ID

Dim	Data Element	V1	V2	V3	V4
	Description	Add first set of ingredients to new batch	Withdraw first set of cans	Ship first set of cans	Add remaining ingredients and finish manufacturing
	Event Type	Transformation Event	Transformation Event	Object Event	Transformation Event
What	Transformation ID	Xform 123	Xform 123		Xform 123
	EPC List	Inputs: GTIN X, Serial 10 GTIN X, Serial 45 GTIN Y, Lot 12, 5 litres GTIN Z, 40 units Outputs: (omitted)	Inputs: (omitted) Outputs: GTIN Q, Lot 999, 30 units	GTIN Q, Lot 999, 30 units	Inputs: GTIN X, Serial 97 GTIN Y, Lot 12, 5 litres GTIN Z, 60 units Outputs: GTIN Q, Lot 999, 70 units
Why	Business Step	Creating Class Instance (CBV)	Creating Class Instance (CBV)	Shipping (CBV)	Creating Class Instance (CBV)
	Disposition	Active (CBV)	Active (CBV)	In Transit (CBV)	Active (CBV)

1610

The Core Business Vocabulary provides templates that may be used to construct transformation IDs.

1611

5.6 Coupons and Vouchers

1612
1613
1614
1615
1616

EPCIS is not limited to tracking physical objects. EPCIS may also be used to track digital objects such as digital trade items (music downloads, electronic books, etc.), digital documents (electronic coupons, etc.), and so forth. In most cases, the business processes for digital objects are similar to the processes for physical objects, and the same Core Business Vocabulary business steps and dispositions can be used.

1617
1618
1619

This section illustrates EPCIS applied to digital objects by showing two processes for tracking the lifecycle of a digital coupon. A digital coupon is an offer from a manufacturer or retailer to provide something of value (a cash rebate, a discount, or an additional trade item) to a consumer when the

1620 consumer purchases a particular trade item. A particular offer from a manufacturer or retailer may
 1621 be identified by a Global Coupon Number (GCN), and a particular instance of that offer as issued to
 1622 and redeemed by a consumer may be identified by a Global Coupon Number with a serial number
 1623 (SGCN). Master data associated with the GCN may provide details about the offer, such as the GTIN
 1624 of the required purchase, the amount of the cash rebate, etc. A digital voucher, such as a voucher
 1625 issued to a consumer by a bottle recycling machine and redeemed by the consumer at point-of-sale,
 1626 works in a similar manner.

1627 Two processes are illustrated here: a simple process where a coupon is issued by a manufacturer
 1628 and redeemed by a retailer at point of sale, and a more complex process involving a coupon broker.

1629 Both of these examples are intended to illustrate the general concept of using EPCIS for digital
 1630 objects. For specific details on how to model coupon processes, see GS1 application standards or
 1631 local recommendations for this purpose.

1632 **5.6.1 Simple Coupon Process**

1633 In the simplest coupon process, there are just two steps that require EPCIS events:

- 1634 ■ **V1:** A customer is issued a digital coupon by a coupon issuer. Typically the coupon issuer is a
 1635 retailer, but it could also be a manufacturer or a third party. The coupon is often issued to the
 1636 customer via a mobile application that the customer uses on his device. The coupon’s SGCN is
 1637 stored with that application for use in the next step. An EPCIS event is generated to indicate
 1638 that the coupon is now active.
- 1639 ■ **V2:** The customer redeems the coupon at a point-of-sale terminal during checkout at a retail
 1640 store (whether brick-and-mortar or online). The point-of-sale application verifies that the
 1641 coupon is valid and that the conditions of the offer are met; if so, the coupon is redeemed and
 1642 an EPCIS event generated to indicate that the coupon is no longer active.

1643 These two events are indicated in EPCIS using a business step of commissioning and
 1644 decommissioning, respectively.

1645 **Table 5-16** Example EPCIS Event Information Content for Simple Digital Coupon Business Process

Dim	Data Element	V1	V2
	Description	Issue a digital coupon	Redeem a digital coupon
	Event Type	Object Event	Object Event
	Action	ADD	DELETE
When	Event Time	15 July, 10am	16 July, 10am
What	EPC	SGCN X	SGCN X
Where	Read Point	SGLN of coupon issuer (typically a party GLN if there is no physical location involved, but could be SGLN of a physical location such as a kiosk where the coupon is dispensed)	SGLN of retailer point-of-sale terminal (or a party GLN if there is no physical location involved, as in an online sale)
	Business Location	(omitted)	(omitted)
Why	Business Step	Commissioning (CBV)	Decommissioning (CBV)
	Disposition	Active (CBV)	Inactive (CBV)
	ILMD	(see below)	(none)

1646 In the commissioning step (V1), ILMD could be used to record attributes of the coupon such as the
 1647 associated GTIN, the date range during which the coupon is redeemable, the customer’s loyalty card
 1648 number, and so on.

1649 Once EPCIS events are captured, EPCIS queries could be used to determine the total number of
 1650 coupons activated in a given timeframe, the total number of coupons for a given GCN (class level),
 1651 all SGCNs not yet redeemed (but still valid), the number of redemptions and the time period
 1652 between coupon activation/redemption, and so on.

5.6.2 Coupon Example With Coupon Broker

The example in the previous section assumes that only two events require tracking in EPCIS: the issuance of the coupon to a customer, and the redemption of the coupon at point of sale. But as in any business process, the process of coupon redemption may be more complex in practice, and it may be useful to model more steps of the process in EPCIS. For example, in a more complex scenario there might be four steps that could be recorded using EPCIS:

- **V1:** A coupon issuer (retailer or manufacturer) issues a block of coupons to a coupon distributor (e.g., an Internet application provider specializing in electronic coupons).
- **V2:** A customer is issued a digital coupon by the coupon distributor.
- **V3:** The customer redeems the coupon at a point-of-sale terminal during checkout at a retail store (whether brick-and-mortar or online).
- **V4:** Final settlement takes place between the coupon distributor and the issuer.

As in the previous example, each of these business steps could be modelled as an EPCIS event. In this example, commissioning takes place in V1 when the coupon is issued to the distributor, not when the distributor issues the coupon to the consumer (the latter being more akin to a receiving operation by the consumer). And decommissioning takes place during the final settlement step V4, not when the consumer redeems the coupon.

As the Core Business Vocabulary does not include all of the business step and disposition values that would be needed to model all four of these events, they are not illustrated here. Specific standards or guidelines for coupon tracking may be developed by GS1 in the future.


The main point here is that whether the “what” is a physical object or a digital object, the same analysis and design procedure serves to model a business process using EPCIS.

5.7 Returnable Asset Management Using GRAI

This section illustrates how EPCIS may be used to capture tracking events for returnable assets, such as pooled pallets or totes. Each returnable asset is identified using a GRAI that includes a unique serial number.

There are two interlocking business processes, one carried out by the party that manages the returnable assets, and one carried out by the users of the assets. The first process is illustrated below.

Table 5-17 Process Flowchart for Example Returnable Asset Management Business Process



This process normally runs in a cycle from V2 through V9, through the asset user’s business process, and back to V2 again. Assets received from users are inspected at V3. If damaged, a repair is attempted at V4 and the asset destroyed at V5 if the asset is unrepairable. Otherwise, or if inspection showed no damage, the asset is cleaned at V6 and placed into stock with other similar assets at V7. When a user places an order for one or more empty assets, they are picked at V8, and once the user is invoiced they are shipped to the user at V9. There they enter the asset user’s business process.

1691
1692
1693
1694
1695
1696

The party that manages the returnable assets may be interested in tracking all nine of the events illustrated above. Here is how they may be modelled in EPCIS. In each case, the *What* dimension includes the GRAI(s) of the asset(s) involved in that step and the *Where* dimension contains the appropriate location within the asset manager’s facility. Below, the *What*, *When*, and *Where* dimensions are omitted for the sake of brevity.

Table 5-18 EPCIS Event Information Content for Returnable Asset Management Business Process (V1 – V4)

Dim	Data Element	V1	V2	V3	V4
	Description	Create new asset	Receive empty asset	Inspect asset	Attempt repair
	Event Type	Object Event	Object Event	Object Event	Object Event
	Action	ADD	OBSERVE	OBSERVE	OBSERVE
Why	Business Step	Commissioning (CBV)	Receiving (CBV)	Inspecting (CBV)	Repairing (CBV)
	Disposition	Active (CBV)	In Progress (CBV)	(see below)	(see below)

1697

Table 5-19 EPCIS Event Information Content for Returnable Asset Management Business Process (V5 – V9)

Dim	Data Element	V5	V6	V7	V8	V9
	Description	Destroy unrepairable asset	Clean asset	Put into stock	Pick to order	Ship empty asset
	Event Type	Object Event	Object Event	Object Event	Object Event	Object Event
	Action	DELETE	OBSERVE	OBSERVE	OBSERVE	OBSERVE
Why	Business Step	Destroying (CBV)	Cleaning (see below)	Stocking (CBV)	Picking (CBV)	Shipping (CBV)
	Disposition	Destroyed (CBV)	In Progress (CBV)	In Progress (CBV)	In Progress (CBV)	In Transit (CBV)

1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719

Notes on these events:

- In V3, the disposition and what happens next depends on the result of the inspection:
 - If the condition of the asset is acceptable, the disposition is *In Progress* (from the CBV) and the next step is V6 (cleaning).
 - If the condition of the asset is unacceptable, the disposition is *Damaged* (from the CBV) and the next step is V4 (repairing).
 - In V3, the disposition and what happens next depends on the result of the repair attempt:
 - If the asset was successfully repaired, the disposition is *In Progress* (from the CBV) and the next step is V6 (cleaning).
 - If the asset could not be repaired, the disposition is *Damaged* (from the CBV) and the next step is V5 (destroying).
 - In V6, there is no CBV business step corresponding to “cleaning,” so this is a situation where a private vocabulary element might be used.
- After V9, the empty asset is used by an asset user to move goods through the user’s own supply chain. There are two possibilities for how the returnable asset is used:
- The user may not be aware of or make any use of the GRAI of the asset at all. In that case, the asset is just a “dumb” pallet or tote, and its GRAI does not enter into any EPCIS events. The user may track products loaded onto the asset using their GTINs, and/or associate an SSCC with the complete logistic load carried by the asset, but either way such use is wholly unrelated to the use of the GRAI by the asset manager.
 - The user may take advantage of the asset’s GRAI and the bar code or RFID data carrier containing it.

5.8 User/Vendor Extension Elements

The EPCIS data model is designed to include all of the relevant *What, When, Where, and Why* information a business application needs to understand what happened in a business process step. However, sometimes a business application has information needs that go beyond the data elements defined in the EPCIS standard. To accommodate such situations, EPCIS events may carry user/vendor extension data elements.¹

A user/vendor extension data element is simply any data element added to an EPCIS event. Most commonly these express additional business context and so can be considered an addition to the *Why* dimension of an event, but as there are no restrictions on the content of an extension it could pertain to any other dimension as well.

In the XML representation of an EPCIS event, an extension data element is expressed as an XML element whose XML namespaces is something other than the EPCIS namespace. Neither the EPCIS standard nor the CBV standard define any specific extension data elements, so these must either be defined in other standards (e.g., a sector-specific standard or standard promulgated within a trading group) or otherwise agreed to in advance by trading partners.

To illustrate, here is an example of an EPCIS event that has two additional data elements to record the temperature and humidity of the objects, as might be appropriate for an observation made while an item is in transit in a refrigerated container:

Table 5-20 EPCIS Event Information Content Illustrating User/Vendor Extensions

Dim	Data Element	V1
	Description	Observe container while in transit
	Event Type	Object Event
	Action	OBSERVE
When	Event Time	15 July 2015, 10am
What	EPC Quantity List	GTIN X, Serial 101 GTIN X, Serial 102 GTIN X, Serial 103
Where	Read Point	Geolocation: (41°40'21"N 86°15'19"W)
	Business Location	(omitted)
Why	Business Step	Transporting (CBV)
	Disposition	In Transit (CBV)
	Extension: Celsius Temperature (Example Corp)	15
	Extension: Relative Humidity (Example Corp)	80

Here is the XML representation of the above event:

```
<epcis:EPCISDocument
  xmlns:epcis="urn:epcglobal:epcis:xsd:1"
  xmlns:example="http://epcis.example.com/ns">
  <EPCISBody>
    <EventList>
      <ObjectEvent>
        <eventTime>2015-07-15T10:00:00.000-05:00</eventTime>
```

```

1747     <eventTimeZoneOffset>-05:00</eventTimeZoneOffset>
1748     <epcList>
1749         <epc>urn:epc:id:sgtin:0614141.012345.101</epc>
1750         <epc>urn:epc:id:sgtin:0614141.012345.102</epc>
1751         <epc>urn:epc:id:sgtin:0614141.012345.103</epc>
1752     </epcList>
1753     <action>OBSERVE</action>
1754     <bizStep>urn:epcglobal:cbv:bizstep:transporting</bizStep>
1755     <disposition>urn:epcglobal:cbv:disp:in_transit</disposition>
1756     <readPoint>
1757         <id>geo:41.6725,-86.255278</id>
1758     </readPoint>
1759     <example:TemperatureC>15</example:TemperatureC>
1760     <example:RelativeHumidity>80</example:RelativeHumidity>
1761 </ObjectEvent>
1762 </EventList>
1763 </EPCISBody>
1764 </epcis:EPCISDocument>
  
```

1765 In this example, the two extension elements are in an XML namespace defined by the Example
 1766 Corporation. The use of the XML namespace not only distinguishes extensions from standard EPCIS
 1767 data elements, but also ensures that Example Corporation's extensions will not be confused with
 1768 extensions of other organisations that may use the same element names.

1769 The following guidelines should be observed in using extension elements:


- 1770 ■ Extension elements must be agreed in advance by trading partners, otherwise they may not be
 1771 correctly interpreted.
- 1772 ■ EPCIS standard data elements should always be used in preference to extension data elements,
 1773 as they will be more interoperable.
- 1774 ■ The XML namespace URI used for the extensions should be a URI that is under the control of the
 1775 organisation defining the extensions. Using an HTTP URI based on the Internet domain name of
 1776 the defining organisation is a recommended approach.
- 1777 ■ Extension elements should provide information that provides additional data about the event in
 1778 which they are included. They should not be used to communicate data not related to the event.
 1779 In particular, data that is properly considered as master data pertaining to an instance-level or
 1780 lot-level identifier should be carried in the ILMD section of an event, not as an extension
 1781 element. See Section 5.4.
- 1782 ■ An extension data element can contain any well-formed XML content, including sub-elements
 1783 and attributes. However, the EPCIS SimpleEventQuery is only capable of querying extension
 1784 elements whose values are numbers or strings.
- 1785 ■ The XML element `<extension>` defined in the EPCIS XML schema should never be used to carry
 1786 user or vendor extensions. The `<extension>` element is reserved for use by the EPCIS standard
 1787 itself, to introduce new data elements in later versions of the EPCIS standard.
- 1788 ■ Applications receiving EPCIS data must not reject an EPCIS event merely because it contains an
 1789 extension that the application does not recognise. Such extensions should be ignored, or
 1790 perhaps noted or saved without further interpretation. On the other hand, an extension whose
 1791 content violates validation criteria established in advance by trading partners may be rejected
 1792 on that basis.

1793 6 Sharing EPCIS Data

1794 EPCIS data records the *what*, *when*, *where*, and *why* of business processes in which physical or
 1795 digital objects are handled. Such data may be used by many different business applications. This
 1796 section discusses some of the practical aspects of sharing EPCIS data, both sharing with applications
 1797 within one organisation's four walls, and sharing between trading partners to achieve overall supply
 1798 chain or ecosystem process visibility.

1799 **6.1 Sharing EPCIS Data Within a Single Organisation**

1800 When EPCIS data is used entirely within one organisation, a typical deployment looks like this:



1801
1802

This picture has the following components:

- 1803 ■ **EPCIS Capturing Applications:** An EPCIS Capturing Application is software that supervises a
1804 business process and creates EPCIS events as steps of that process are completed. EPCIS
1805 Capturing Applications quite often interact with the physical world through distributed devices
1806 such as bar code scanners, RFID readers, handheld computers, vehicle-mounted terminals,
1807 machine controllers, and the like. An EPCIS Capturing Application could also be purely software,
1808 especially if the subject of the EPCIS events are digital objects (for example, the digital coupon
1809 example in Section 5.6). A single enterprise may have many EPCIS Capturing Applications, each
1810 capturing EPCIS data from a different business process or in a different physical location.
- 1811 ■ **EPCIS Repository:** An EPCIS Repository is a persistent store for EPCIS data. The EPCIS
1812 Repository stores events generated by EPCIS Capturing Applications and makes those events
1813 available for use by EPCIS Accessing Applications (below).

1814 ■ **EPCIS Accessing Application:** An EPCIS Accessing Application is software that consumes
 1815 EPCIS data as an input in order to carry out some business information function. An EPCIS
 1816 Accessing Application might respond in real-time to EPCIS events to automate a business
 1817 process, or it might perform an analytic function using historical EPCIS events previously saved
 1818 in the repository. In many cases, an EPCIS Accessing Application will interface to a legacy
 1819 business application that is not prepared to digest EPCIS events directly; in such cases the
 1820 EPCIS Accessing Application may serve to reduce the data volume to a level that the legacy
 1821 application can handle.

1822 All deployments of EPCIS include at least one EPCIS Capturing Application and one EPCIS Accessing
 1823 Application. Many deployments will have several of each; indeed, the power of EPCIS lies in its
 1824 ability to aggregate data from multiple capturing applications and reuse the data across multiple
 1825 accessing applications.

1826 It is very common to deploy an EPCIS Repository as a standalone software component whose only
 1827 function is to receive EPCIS events from capturing applications, store them, and provide them as
 1828 input to accessing applications. However, in some cases a single software component may provide
 1829 additional business functions besides storing EPCIS events – in that case, the software component
 1830 plays both roles of EPCIS Repository and EPCIS Accessing Application. On the other hand, a system
 1831 that exclusively processes EPCIS data in real time might omit the EPCIS Repository altogether, and
 1832 route data directly from EPCIS Capture Applications to an EPCIS Accessing Application. As these
 1833 examples show, EPCIS Capturing Application, EPCIS Repository, and EPCIS Accessing Application
 1834 are *roles* that may be played by different software components of a deployed system, and not
 1835 necessarily individual components themselves.

1836 The EPCIS Standard defines two interfaces that connect the software roles discussed above:

- 1837 ■ **EPCIS Capture Interface:** The interface by which an EPCIS Capturing Application delivers new
 1838 EPCIS events to an EPCIS Repository (or directly to an EPCIS Accessing Application, as noted
 1839 above).
- 1840 ■ **EPCIS Query Interface:** The interface by which an EPCIS Accessing Application obtains EPCIS
 1841 data from an EPCIS Repository.

1842 The EPCIS Capture Interface is very simple, as the sole operation provided by that interface is for an
 1843 EPCIS Capturing Application to post a document containing one or more EPCIS events. The EPCIS
 1844 Query Interface is more complex, and is explained in the following sections.

1845 6.2 EPCIS Queries

1846 EPCIS Accessing Applications obtain EPCIS events from an EPCIS Repository by means of an EPCIS
 1847 Query. An EPCIS Query is a set of event-matching criteria specified by the application; the EPCIS
 1848 Repository responds to a query by retrieving all EPCIS events that match the specified criteria.

1849 The EPCIS Standard, Section 8.2.7.1, defines over 40 different criteria that can be used to construct
 1850 a query for event data. These criteria can be used alone or in combination. Each criterion has a
 1851 “parameter name” specified in the EPCIS standard, and most take a “parameter value” that further
 1852 defines how the criterion is to be applied. The following table lists some of the commonly used
 1853 criteria; see the EPCIS Standard, Section 8.2.7.1, for the complete list:

1854 **Table 6-1** Selected EPCIS Query Criteria

Query Criterion Parameter Name	Query Criterion Parameter Value	Description
eventType	One or more event types: ObjectEvent, AggregationEvent, TransactionEvent, or TransformationEvent	Matches events whose event type is one of the event types named in the parameter value.
EQ_action	One or more action values: ADD, OBSERVE, or DELETE	Matches events that include an action and where the action is one of the actions named in the parameter value
GE_eventTime	A date/time value (including a time zone specifier)	Matches events whose event time is on or after the date/time specified in the parameter value.

Query Criterion Parameter Name	Query Criterion Parameter Value	Description
LT_eventTime	A date/time value (including a time zone specifier)	Matches events whose event time is prior to the date/time specified in the parameter value.
MATCH_anyEPC	One or more instance-level identifiers, or patterns matching instance-level identifiers	Matches events whose <i>what</i> dimension contains at least one instance-level identifier that matches one of the identifiers or patterns specified in the parameter value. MATCH_anyEPC looks for matching instance-level identifiers anywhere in the <i>what</i> dimension. Other query criteria are defined in the EPCIS standard that match specific parts of the <i>what</i> dimension; e.g. matching just the parent of an aggregation event but not children.
EQ_readPoint	One or more location identifiers	Matches events whose read point (in the <i>where</i> dimension) is equal to one of the location identifiers specified in the parameter value.
EQ_bizLocation	One or more location identifiers	Matches events whose business location (in the <i>where</i> dimension) is equal to one of the location identifiers specified in the parameter value.
EQ_bizStep	One or more business step identifiers	Matches events whose business step (in the <i>why</i> dimension) is equal to one of the business step identifiers specified in the parameter value.
EQ_disposition	One or more disposition identifiers	Matches events whose disposition (in the <i>why</i> dimension) is equal to one of the disposition identifiers specified in the parameter value.
EQ_bizTransaction_XXX	One or more business transaction identifiers	Matches events that contain a business transaction (in the <i>why</i> dimension) whose business transaction type is XXX and whose business transaction identifier is equal to one of the identifiers specified in the parameter value. To use this parameter, the business transaction type replaces XXX in the parameter name; see below.
EQ_XXX	One or more strings	Matches events having an extension element named XXX, where the contents of that extension element is a string matching one of the strings specified in the parameter value. To use this parameter, the XML element name of the extension replaces XXX in the parameter name; see below.

1855
1856
1857
1858

A single query may include more than one criterion, in which case events must match *all* criteria to be included in the result. For example, a query that includes both the GE_eventTime criterion and the MATCH_epc criterion will match only those events that occur on or after the specified event time *and* which contain one of the specified instance-level identifiers.

1859
1860
1861
1862

To answer a business question, first the information need must be identified, then analysed to determine what EPCIS events contain the needed information. Then, a suitable EPCIS query can be formulated. The following table illustrates how that would be done for several typical examples.

Table 6-2 Examples of Business Information Needs and Corresponding EPCIS Query Criteria

Business Information Need	Relevant EPCIS Events	EPCIS Query Criteria
Confirm that EPC XXX is valid, and determine the date it was created and associated properties such as the lot, expiration date, etc.	The EPCIS event for the commissioning step bearing EPC XXX. The EPC is valid if this event exists. This event also includes the event time and instance/lot master data that answers the other questions.	MATCH_epc: XXX EQ_bizStep: urn:epcglobal:cbv:bizstep: commissioning

Business Information Need	Relevant EPCIS Events	EPCIS Query Criteria
Find out all of the products that were received at loading dock door #23 on March 15, 2014	All EPCIS events with business step receiving, whose read point is dock door #23, with event times on the desired date	GE_eventTime: 2014-03-15T00:00:00Z (midnight UTC on 15 March 2014) LT_eventTime: 2014-03-16T00:00:00Z (midnight UTC on 16 March 2014) EQ_readPoint: (SGLN identifier for dock door #23) EQ_bizStep: urn:epcglobal:cbv:bizstep:receiving
Find out the specific serial numbers that were shipped to fulfill purchase order #559	The EPCIS event for the shipping step having a transaction identifier for PO #559. The CBV business transaction type for PO is urn:epcglobal:cbv:btt:po. The PO number is encoded using the CBV template for creating a business transaction identifier using a GLN; in this example assume the GLN is 0123456789012	EQ_bizTransaction_urn:epcglobal:cbv:btt:po:urn:epcglobal:cbv:bt:0123456789012:559

6.3 Query Modes: Pull vs Push

An EPCIS query is used to transfer EPCIS events from an EPCIS repository to an application or trading partner that needs those events. There are different ways in which the transfer can be triggered.

- **Pull:** This method of transfer involves a request/response pattern. The application or trading partner issues a request to an EPCIS repository containing EPCIS query criteria, and the EPCIS repository responds with the EPCIS events that match the criteria.
- **Push:** This method of transfer involves a one-way message: the EPCIS repository simply delivers one or more EPCIS events to an application or trading partner that needs them. There are two variations to this theme:
 - **Pre-arrangement:** The sending and receiving party have agreed in advance, by some means outside of the scope of the EPCIS standard, what data the receiving party needs and under what conditions. The sending party delivers events when it sees fit based on that prior arrangement.
 - **Subscription:** The receiving party issues a *standing query* to the sending party to express an ongoing information need. A standing query includes EPCIS query criteria (just as in the “pull” method) along with description of the conditions that will trigger the delivery of events. These conditions could be a regular schedule (e.g., daily at 3am) or some other triggering event. Each time the triggering condition occurs, the sending party evaluates the query criteria and delivers any new events that match the criteria (new compared to the last time the subscription was triggered).

In both “push” variations, EPCIS events are delivered in a one-way communication from sender to receiver; the difference is that in the pre-arrangement variation the sender is in full control of what data is sent whereas in the subscription variation the receiver gets to express its needs via the standing query. In all method, “push” and “pull”, the sender ultimately has control over what data is sent, as described in Section 6.7.

In designing an overall business process that involves the flow of EPCIS data, different query modes may be used to meet differing requirements. Generally speaking, “push” methods are often used when there is a recurring predictable need for transfer of EPCIS data, and “pull” methods are used when transfer is needed unpredictably or only on an exception basis. The following table shows examples under which each variation might be appropriate:

Table 6-3 Example Business Scenarios and Corresponding Likely EPCIS Query Modes

Example Business Scenario	Query Mode	How the Query Mode is Employed
GTIN X, Lot Y has been recalled: Manufacturer XYZ needs to find out if Retailer ABC has received any of that product.	Pull	Manufacturer XYZ issues a request to ABC's EPCIS repository, querying for all events containing GTIN X, Lot Y in the <i>what</i> dimension and "receiving" in the business step.
In compliance with local regulation, Distributor PQR needs to send information about each serial number pharmaceutical product it ships to Pharmacy ABC, within one hour of shipment.	Push via pre-arrangement	PQR and ABC have agreed to this in advance and ABC has provided PQR with the address where such messages are to be directed. Each time PQR makes a shipment of pharmaceuticals to ABC, its EPCIS Repository sends a message to ABC containing the EPCIS events having the serialised GTINs of the pharmaceuticals in the <i>what</i> dimension and "shipping" in the business step.
In order to prepare for the special handling required, Retailer ABC wants to be notified whenever Manufacturer XYZ sends it a shipment containing Product X, which contains hazardous materials	Push via subscription	Retailer ABC issues a standing query whose criteria match all EPCIS events containing GTIN X in the <i>what</i> dimension, "shipping" in the business step, and its GLN in the destination list, to be triggered on a daily basis.

1895 **6.4 The EPCIS Query Control Interface**

1896 The EPCIS standard provides a standardised interface through which an EPCIS accessing application
 1897 or trading partner may interact with an EPCIS repository. Through this interface, an application or
 1898 trading partner may issue a "pull" query, set up a "push" subscription, and more.

1899 The following table summarises the operations available through the interface:

1900 **Table 6-4** EPCIS Query Control Interface Operations

Operation	Description	Request (from EPCIS accessing application or trading partner)	Response (by EPCIS Repository)
poll	Execute a "pull" query	EPCIS query criteria	EPCIS events matching the query criteria
subscribe	Set up a "push" subscription	A subscription ID chosen by the requestor, EPCIS query criteria, triggering conditions, and an address for delivery of standing query results	An acknowledgement. Subsequently, the EPCIS repository will deliver to the specified address events matching the criteria when the trigger conditions occur
unsubscribe	Cancel a previous subscription	The subscription ID previously used to establish the subscription	An acknowledgement
getSubscriptionIDs	Find out what subscriptions are active	[no contents]	A list of subscription IDs previously subscribed by the requestor
getStandardVersion	Find out what version of the EPCIS standard is supported by the EPCIS repository	[no contents]	1.0 or 1.1, depending on what version the repository supports
getVendorVersion	Find out vendor-specific information about the EPCIS repository implementation	[no contents]	A string defined by the EPCIS Repository vendor.

Operation	Description	Request (from EPCIS accessing application or trading partner)	Response (by EPCIS Repository)
getQueryNames	Find out what types of EPCIS queries are supported by the EPCIS repository	[no contents]	A list of queries supported by this EPCIS Repository. This always includes SimpleEventQuery as defined by the EPCIS standard and may include SimpleMasterDataQuery. It may also include other available queries that are vendor-specific.

1901 The EPCIS standard defines XML representations for each request and response message that is
 1902 used in the EPCIS query interface.

1903 **6.5 Choreography Models: Sharing Data Across a Supply Chain**

1904 When two trading partners share EPCIS information with each other, the flow of information is
 1905 straightforward: each partner has an established business relationship with the other, and they
 1906 agree on what data to share and what query mode to use.

1907 The situation is more complex in an ecosystem having many trading partners. Each party may be
 1908 trading with many others, and each such trading relationship may require the exchange of EPCIS
 1909 data. Moreover, it may be necessary for one party to share EPCIS data with another party with
 1910 whom there is not a direct trading relationship; for example, if A sells to B and B sells to C, there
 1911 may be a need for A and C to share EPCIS data to get a complete picture of the supply chain, even
 1912 though A and C do not have a direct trading relationship.

1913 A core principle for managing this complexity is to *separate content from choreography*. What this
 1914 means is that the *content* of EPCIS data – the specific business steps that require visibility, the
 1915 EPCIS events that will be used to record the completion of those steps, and the detailed contents of
 1916 those events – should be designed according to the methods described earlier in this guideline
 1917 (Sections 3, 4, and 5). These methods focus on accurately modelling the *what, when, where, and*
 1918 *why* information for each business step. Separately from that, trading partners can decide when and
 1919 how the data will move from one trading partner to another – this is called the *choreography*.
 1920 Choreography decisions include: where will data reside, what will trigger the communication of data
 1921 from one party to another, will push or pull modes be used, what networking technology will be
 1922 used, and so forth. By separating content from choreography, the choreography can adapt to
 1923 changes in the size of the trading ecosystem and evolution of technology, while the design of the
 1924 EPCIS content stays the same.

1925 There are many possible approaches to choreography. Many of these approaches fall into one of the
 1926 following three broad categories:

- 1927 ■ **Centralised Choreography:** In these models, EPCIS events from multiple parties in the supply
 1928 chain are sent to a shared repository. To get an overall view of the supply chain, it is only
 1929 necessary to query the shared repository.
- 1930 ■ **Distributed Query Choreography:** In these models, each party that captures EPCIS data
 1931 keeps that data in its own repository. When another party needs an overall view of the supply
 1932 chain, it must locate and query all of the other parties who may have relevant data within their
 1933 respective repositories.
- 1934 ■ **Distributed Push Choreography:** In these models, each party that captures EPCIS data keeps
 1935 that data in its own repository. But rather than waiting for another party to query for that data,
 1936 the capturing party sends (pushes) its data to other parties in the supply chain who are likely to
 1937 need that data. Often the push of data follows the same path as the physical or digital objects;
 1938 e.g. if a Party A ships goods to Party B, it also sends its EPCIS data to Party B.

1939 The following sections illustrate examples of these three approaches in more detail. Throughout
 1940 these sections, a scenario is illustrated in which Party A ships goods to Party B who ships goods to
 1941 Party C, and upon receipt Party C would like to examine the upstream EPCIS events from A and B.

1942 Differences between choreography approaches are illustrated through the following four questions:


- 1943 ■ Questions for the *producers* of EPCIS event data:

- 1944 When does the producer share its EPCIS events to an outside party?
 - 1945 Where does the shared data go?
 - 1946 Questions for the *consumers* of EPCIS event data:
 - 1947 How are events produced by multiple parties gathered together for analysis?
 - 1948 Who does the work of gathering events and performing the analysis?
- 1949 A given party may act as both a producer and a consumer in the context of different business
1950 processes.

1.1.1 Centralised Choreography

The simplest choreography model is one in which there is a single EPCIS repository shared by all supply chain parties.

Figure 6-1 Centralised Choreography



The centralised choreography model has these characteristics:

Table 6-5 Characteristics of Centralised Choreography

Question	Centralised Choreography
When does the producer share its EPCIS events?	As soon as each producer captures its events, or when it ships the product.
Where does the shared data go?	The producer shares its data with the central repository.
How are events gathered for analysis?	All events are present in the central repository, so no additional steps are required to gather events.
Who does the work of gathering events and performing the analysis?	Either the consumer can query the central repository and perform the analysis itself, or the central repository can offer analytic services and do the work on behalf of the consumer.

The centralised approach has the advantage that all events are in one place, simplifying the work of gathering events for analysis. It also provides a natural place to offer shared analytic services.

1960
1961
1962
1963
1964
1965

1966
1967

1968
1969
1970
1971
1972
1973


One disadvantage of the centralised approach is that all supply chain parties must agree to use the same repository service. This may not be feasible for a very large supply chain. A variation on the centralised approach is one in which there may be many shared repositories – this is called a *semi-centralised* approach. With more than one repository, the data required for a given analysis may not necessarily all reside in one repository. So the semi-centralised approach requires additional features to mitigate this. Some possibilities include:

- Multiple shared repositories can federate with each other, so that they keep synchronised copies of each other’s data or they forward queries to each other as needed.
- If queries are limited to gathering events for a single EPC class (e.g., for a single GTIN), repositories can be segregated on that basis. This requires each EPC class to be associated with a specific repository (typically one nominated by the party that commissions the EPC) and registered in some lookup service that maps an EPC class to specific repository. The Object Name Service (ONS) could be used for that purpose. Each downstream party then uses the lookup service to determine which repository to share its data with.

1974 **6.5.1 Distributed Push Choreography**

In a Distributed Push Choreography approach, each supply chain party keeps the data it captures in its own EPCIS Repository, and also sends a copy of EPCIS events downstream following the flow of the corresponding physical objects. There are no EPCIS queries involved.

Figure 6-2 Distributed Push Choreography



1979
1980
1981

The distributed push choreography model has these characteristics:

Table 6-6 Characteristics of Distributed Push Choreography

Question	Centralised Choreography
When does the producer share its EPCIS events?	When it ships the physical objects to a downstream party.
Where does the shared data go?	To the downstream party, and to its downstream parties.
How are events gathered for analysis?	Downstream parties receive all of the upstream events, so no additional work is required to gather events.
Who does the work of gathering events and performing the analysis?	The consuming party.

1982
1983
1984
1985
1986
1987

The distributed push approach has the advantage that the consuming party receives the data it needs in advance; there is no need to query for data later. This makes the method robust in that the consuming party does not need to rely on the availability of any party’s EPCIS service (or of any shared service). A disadvantage of this approach, however, is that events are communicated whether or not the events are ultimately needed; also, the intermediate parties must relay events even if they have no interested in using them.

1988
1989
1990


As described above, the distributed push approach communicates upstream events to downstream parties. It would be possible for events to be communicated in the opposite direction as well, to provide for downstream events to be received by upstream parties.

1991
1992
1993
1994

6.5.2 Distributed Query Choreography

In a Distributed Query Choreography approach, each supply chain party keeps the data it captures in its own EPCIS Repository. Any party that needs another party's data must query for it.

Figure 6-3 Distributed Query Choreography



1995
1996
1997

The distributed query choreography model has these characteristics:

Table 6-7 Characteristics of Distributed Query Choreography

Question	Centralised Choreography
When does the producer share its EPCIS events?	Only when queried by another party.
Where does the shared data go?	Directly to the party who needs the data.
How are events gathered for analysis?	By making queries to individual parties' EPCIS repositories. This in turn requires some method to discover which EPCIS repositories need to be queried.
Who does the work of gathering events and performing the analysis?	The consuming party.

1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015

The distributed query approach has the advantage that each party can keep tight control on their data and only delivers data directly to the party that consumes it (the data does not have to be forwarded through any other party). Also, there is no reliance on any shared service.

A challenge in the distributed query approach is *discovery*: how does the consumer of EPCIS data find the other EPCIS repositories to query? There are several parts to discovery:

- Determining what other parties have (or may have) data that is relevant to the consumer's information need.
- Obtaining a network address of the EPCIS service of each party to be queried.
- Authenticating and establishing trust with each queried party, so that the queried party will be comfortable authorizing access to the data the querying party wants. This may be complicated if the querying party does not have a direct business relationship with the queried party; e.g., if they are more than one step removed from each other in the supply chain.

There are many possible approaches to solving the discovery problem, including:

- **Chain of Custody Token:** In this approach, each party in the supply chain sends a short message to the next downstream party in the supply chain containing the network address of its EPCIS service and an authorisation token providing access to EPCIS data pertaining to the specific physical objects being shipped. A party in the middle of the supply chain not only provides its chain of custody token to downstream partners, but also forwards along the tokens

2016 it receives from upstream parties. In this way, a downstream party receives tokens that provide
 2017 access to all upstream parties that have data about the physical objects it receives.

2018 As described, this allows downstream parties to discover upstream data but not the reverse.
 2019 However, separate tokens could be sent and forwarded upstream to give upstream parties the
 2020 ability to discover downstream data.

- 2021 ■ **Discovery Service:** In this approach, a centralised “discovery service” is maintained which acts
 2022 as an index for the location of all relevant EPCIS data. When a party captures its own EPCIS
 2023 data, it sends a message to the discovery service containing the network address of its EPCIS
 2024 service and identifying the physical objects for which it has data. A consuming party can
 2025 subsequently query the discovery service to find all of the EPCIS services that have relevant
 2026 data. The information sent to the discovery service may also include authorisation information
 2027 so that trust may be established when the consuming party queries the producers.

2028 Note that the discovery problem is similar to the problem of distributing EPCIS events themselves,
 2029 except that the information distributed is a *pointer* to EPCIS data. From that perspective, a
 2030 discovery service is like a centralised model for pointer data, and the chain of custody approach is
 2031 like the distributed push model for pointer data. A pointer to EPCIS data, however, is less data than
 2032 EPCIS events themselves, and so there is less data centralised or pushed than there would be in a
 2033 true centralised or distributed push choreography for EPCIS events.

2034 6.6 Synchronisation of Master Data

2035 Data in the *what* and *where* dimensions of EPCIS events take the form of globally unique identifiers,
 2036 for example a Serialised Global Trade Item Number (SGTIN) in the *what* dimension or a Global
 2037 Location Number (GLN) in the *where* dimension. In order to interpret the business meaning of an
 2038 EPCIS event, a business application typically needs additional descriptive information associated
 2039 with each identifier. For example, descriptive information for a GTIN might include the name of the
 2040 product, the brand name, the physical dimensions, and so on. Descriptive information for a GLN
 2041 might include the street address of the location and its geocoordinates. Such descriptive information
 2042 is called “master data.”

2043 Compared to EPCIS event data, master data is static. Unlike event data, more master data is not
 2044 created merely because more business is transacted. Master data is not completely static, however:
 2045 additional master data may be created due to growth, for example when new products are
 2046 introduced or new physical locations are built. But in general, a given identifier having a single set of
 2047 associated master data may be mentioned in many different EPCIS events. For this reason, it is
 2048 desirable to communicate master data in advance, just one time for each distinct identifier, rather
 2049 than include master data in every EPCIS event.

2050 There are several ways that master data can be communicated from the creator of an identifier to
 2051 the other parties who may need the master data. These include:

- 2052 ■ Using a system designed for the efficient communication of master data. Such systems include:
 - 2053 □ The GS1 Global Data Synchronisation Network (GDSN), for both trade item (GTIN) master
 2054 data and GLN master data
 - 2055 □ The GS1 GLN Registry federation, for more detailed information about GLNs
- 2056 ■ Using the EPCIS Master Data Query as defined in Section 8.2.7.2 of the EPCIS 1.1 standard.
- 2057 ■ Using the Instance/Lot Master Data (ILMD) feature of EPCIS events to carry master data directly
 2058 within an event. This applies to master data for specific lots of a GTIN or to specific instances
 2059 (SGTINs or other instance-level identifiers).
- 2060 ■ Using a custom EPCIS header to carry master data in an EPCIS document.
- 2061 ■ Other means not governed by any GS1 standard.

2062 Of these methods, GDSN and the GLN Registry are fully governed by standards and so offer the
 2063 greatest degree of interoperability. The EPCIS Master Data Query and the ILMD feature provide a
 2064 standardised interface for master data, but specific data element definitions are not yet
 2065 standardised for use in those mechanisms. The use of a custom EPCIS Header is even less
 2066 standardised. It is expected that standards in this area will evolve and improve over time.

6.7 Redaction of EPCIS Event Data

A fundamental principle of EPCIS is that the party who captures EPCIS data owns that data, and is in full control of which other parties may receive it. Therefore, merely because one party queries another party for EPCIS events matching some criteria does not mean that the queried party is obligated to respond with all matching events. Instead, the queried party may choose to restrict what data the querying party receives based on business rules. This is termed “redaction.”

In general, an EPCIS service that is sending data to another party, whether in response to a query or due to some other trigger, may consider the identity of the receiving party and apply business rules to redact the data. The following possibilities for redaction are paraphrased from the EPCIS 1.1 standard, Section 8.2.2

- The service may refuse to honour the request altogether, by responding with a Security Exception
- The service may respond with less data than requested. For example, if a querying party presents a query requesting all Object Event instances within a specified time interval, the service knows of 100 matching events, the service may choose to respond with fewer than 100 events (e.g., returning only those events whose EPCs are SGTINs with a company prefix known to be assigned to the querying party).
- The service may respond with coarser grained information. In particular, when the response to a query includes a location identifier the service may substitute an aggregate location in place of a primitive location (for example, a site-level GLN instead of the SGLN of a particular loading dock).
- The service may hide information. For example, if a querying party presents a query requesting Object Event instances, the service may choose to delete the `bizTransactionList` fields in its response. The information returned, however, shall always be well-formed EPCIS events consistent with this specification and industry guidelines. For example, given an `AggregationEvent` with action equal to `ADD`, an attempt to hide the `parentID` field would result in a non-well-formed event, because `parentID` is required when the action is `ADD`; in this instance, therefore, either the `parentID` would have to be included or the entire event would have to be withheld.
- The service may limit the scope of the query to data that was originally captured by a particular client identity. This allows a single EPCIS service to be partitioned for use by groups of unrelated users whose data should be kept separate (a so-called “multi-tenant” implementation).

An EPCIS implementation is free to determine which if any of these actions to take in processing any query, using any means it chooses. The specification of authorisation rules is outside the scope of the EPCIS standard: the EPCIS standard does not take a position as to how authorisation decisions are taken. Particular implementations of EPCIS may have arbitrarily complex business rules for authorisation.

7 Data Validation and System Interoperability

1.2 Validation of EPCIS events

The functioning of EPCIS-based visibility systems greatly depends on the data quality of EPCIS events. For this purpose, organisations should apply validation mechanisms. These include technical, content, and integrity validation:

- **Technical validation** implies that the EPCIS events conform to the current EPCIS standard from a technical perspective. In other words, events are transmitted in XML format according to the XML schema (XSD) specified in the EPCIS 1.1 standard. For specific use cases involving user or vendor extensions, best practise is to build a XSD covering the extra namespaces and XML elements required for these use cases and consider it for technical validation as well.
- **Content validation** requires verification that discrete events make sense from a business perspective. For example, if the process flow in a specific use cases specifies that a pallet packing event should include an SSCC and a quantity of cases described with an LGTIN, then content validation would confirm that the packing event has that structure and not some other

2118 structure (which may be syntactically valid, but not appropriate for the specific use case).
 2119 Additionally, a capture application of an EPCIS might perform semantic checks like date
 2120 validation, for example to confirm the value of *eventTime* is not in the future.

2121 ■ **Integrity validation** requires that the visibility system operates end-to-end in the way
 2122 described by the process map and achieves the desired business results. For example, a
 2123 requirement could be that it is possible to trace back an item from the goods issue to the
 2124 receiving process within a location.

2125 Both technical and content validation can usually be accomplished at the very moment EPCIS events
 2126 are submitted via the EPCIS capture interface. Depending on how important data quality is, an
 2127 EPCIS repository or capturing application may only accept incoming EPCIS events if they fulfil a
 2128 predefined set of technical and content validation criteria (and reject them otherwise). Alternatively,
 2129 incoming events could be accepted as long as they have passed the technical validation, with
 2130 warnings generated if the content validation has failed.

2131 Integrity validation however can only be accomplished retrospectively, that is, after all events
 2132 comprising an end-to-end-process have been captured. A business application which consumes
 2133 visibility event data may apply appropriate rules to deal with invalid event sequences. Amongst
 2134 other things, it may trigger an alert if a mandatory event to a specific business process does not
 2135 exist, or it may disregard events which are obvious duplicates or which have no significance.

2136 7.1 Certification program

2137 The EPCglobal Software Certification Program is a standards-based compliance testing program,
 2138 developed by the EPCglobal community to provide a neutral and authoritative source for testing
 2139 EPC/RFID software products and providing information regarding certified products and the vendors
 2140 who develop them.

2141 7.2 Requirements of program certification

2142 EPC Information Services (EPCIS) 1.0 Specification Conformance Requirements are published at
 2143 <http://www.gs1.org/gsmc/kc/epcglobal/epcis>.

2144 7.3 Data validation portal

2145 GS1 provides a self-testing portal for EPCIS validation at
 2146 <http://www.epcisvp.com/EVP/Public/Home.aspx>.

2147 7.4 Certification of software

2148 Additional information on certification can be found at
 2149 http://www.gs1.org/docs/epc/GS1_EPCglobal_Certification_Program.pdf

2150 8 References

2151 [CBV] GS1, "Core Business Vocabulary, Version 1.1," [GS1 Standard](http://www.gs1.org/sites/default/files/docs/epc/cbv_1_1-standard-20140520.pdf), May 2014,
 2152 http://www.gs1.org/sites/default/files/docs/epc/cbv_1_1-standard-20140520.pdf.

2153 [GS1Arch] "The GS1 System Architecture," GS1 technical document, April 2014,
 2154 http://www.gs1.org/docs/gsmc/architecture/GS1_System_Architecture.pdf

2155 [EPCAF] K. R. Traub et al, "EPCglobal Architecture Framework," EPCglobal technical document, July
 2156 2005, [http://www.epcglobalinc.org/standards/architecture/architecture_1_0-standard-
 2157 20050701.pdf](http://www.epcglobalinc.org/standards/architecture/architecture_1_0-standard-20050701.pdf)

2158 [EPCIS] GS1, "EPC Information Services (EPCIS) Version 1.1 Specification," [GS1 Standard](http://www.gs1.org/sites/default/files/docs/epc/epcis_1_1-standard-20140520.pdf),
 2159 May 2015, http://www.gs1.org/sites/default/files/docs/epc/epcis_1_1-standard-20140520.pdf.

2160 .1.1 Appendix: XML Examples

2161 This section provides sample XML for EPCIS events that are displayed in tabular form elsewhere in
 2162 this guideline. Each XML sample is an `EPCISDocument` according to the XML schema in Section 9.2 of
 2163 the EPCIS 1.1 standard. Within each document, events are listed in the same order as left-to-right
 2164 in the corresponding table.

2165 In many of the tabular examples, one or more EPCIS dimensions are omitted for clarity, and
 2166 placeholders like "GTIN X" are used instead of actual identifiers. In the XML examples, all such
 2167 omitted details are included using sample values.

2168 XML for EPCIS Event in Table 3-1

```

2169 <epcis:EPCISDocument
2170   xmlns:epcis="urn:epcglobal:epcis:xsd:1"
2171   schemaVersion="1.1" creationDate="2015-04-14T09:05:08.720-04:00">
2172   <EPCISBody>
2173     <EventList>
2174       <ObjectEvent>
2175         <eventTime>2012-09-23T05:10:12.000Z</eventTime>
2176         <eventTimeZoneOffset>-05:00</eventTimeZoneOffset>
2177         <epcList>
2178           <epc>urn:epc:id:sgtin:0614141.112345.12345</epc>
2179         </epcList>
2180         <action>ADD</action>
2181         <bizStep>urn:epcglobal:cbv:bizstep:receiving</bizStep>
2182         <disposition>urn:epcglobal:cbv:disp:in_progress</disposition>
2183         <readPoint>
2184           <id>urn:epc:id:sgln:5012345.67890.D123</id>
2185         </readPoint>
2186         <bizLocation>
2187           <id>urn:epc:id:sgln:5012345.67890.0</id>
2188         </bizLocation>
2189         <bizTransactionList>
2190           <bizTransaction
2191             type="urn:epcglobal:cbv:btt:po">urn:epcglobal:cbv:bt:5012345000015:ABC123</bizTransa
2192             ction>
2193           <bizTransaction
2194             type="urn:epcglobal:cbv:btt:inv">urn:epcglobal:cbv:bt:0614141000012:XYZ987</bizTrans
2195             action>
2196         </bizTransactionList>
2197         <extension>
2198           <sourceList>
2199             <source
2200               type="urn:epcglobal:cbv:sdt:owning_party">urn:epc:id:sgln:0614141.00001.0</source>
2201             </sourceList>
2202           <destinationList>
2203             <destination
2204               type="urn:epcglobal:cbv:sdt:owning_party">urn:epc:id:sgln:5012345.00001.0</destinati
2205             on>
2206           </destinationList>
2207         </extension>
2208       </ObjectEvent>
2209     </EventList>
2210   </EPCISBody>
2211 </epcis:EPCISDocument>
  
```

2212 XML for Example in Table 4-6

```

2213 <epcis:EPCISDocument
2214   xmlns:epcis="urn:epcglobal:epcis:xsd:1"
2215   schemaVersion="1.1" creationDate="2015-04-14T09:33:00.597-04:00">
2216   <EPCISBody>
2217     <EventList>
2218       <ObjectEvent>
  
```

```

2219     <eventTime>2014-03-15T10:11:12.000Z</eventTime>
2220     <eventTimeZoneOffset>-05:00</eventTimeZoneOffset>
2221     <epcList>
2222         <epc>urn:epc:id:sscc:0614141.0123456789</epc>
2223     </epcList>
2224     <action>OBSERVE</action>
2225     <bizStep>urn:epcglobal:cbv:bizstep:shipping</bizStep>
2226     <disposition>urn:epcglobal:cbv:disp:in_transit</disposition>
2227     <readPoint>
2228         <id>urn:epc:id:sgln:0614141.11111.2</id>
2229     </readPoint>
2230     <bizTransactionList>
2231         <bizTransaction
2232             type="urn:epcglobal:cbv:btt:po">urn:epcglobal:cbv:bt:5012345678900:1234</bizTransact
2233             ion>
2234         <bizTransaction
2235             type="urn:epcglobal:cbv:btt:inv">urn:epcglobal:cbv:bt:06141411111114:9876</bizTransac
2236             tion>
2237     </bizTransactionList>
2238     <extension>
2239         <sourceList>
2240             <source
2241                 type="urn:epcglobal:cbv:sdt:owning_party">urn:epc:id:sgln:0614141.11111.0</source>
2242             </sourceList>
2243             <destinationList>
2244                 <destination
2245                     type="urn:epcglobal:cbv:sdt:owning_party">urn:epc:id:sgln:5012345.67890.0</destinati
2246                     on>
2247                 </destinationList>
2248             </extension>
2249     </ObjectEvent>
2250 </EventList>
2251 </EPCISBody>
2252 </epcis:EPCISDocument>
  
```

2253 XML for Example in Table 5-3

```

2254 <epcis:EPCISDocument
2255     xmlns:epcis="urn:epcglobal:epcis:xsd:1"
2256     schemaVersion="1.1" creationDate="2015-04-14T09:46:05.724-04:00">
2257     <EPCISBody>
2258         <EventList>
2259             <AggregationEvent>
2260                 <eventTime>2015-03-15T10:00:00.000+01:00</eventTime>
2261                 <eventTimeZoneOffset>+01:00</eventTimeZoneOffset>
2262                 <parentID>urn:epc:id:sscc:5012345.0678901234</parentID>
2263                 <childEPCs>
2264                     <epc>urn:epc:id:sgtin:5012345.177777.1001</epc>
2265                     <epc>urn:epc:id:sgtin:5012345.177777.1002</epc>
2266                     <epc>urn:epc:id:sgtin:5012345.177777.1003</epc>
2267                     <epc>urn:epc:id:sgtin:5012345.177777.1004</epc>
2268                     <epc>urn:epc:id:sgtin:5012345.177777.1005</epc>
2269                 </childEPCs>
2270                 <action>ADD</action>
2271                 <bizStep>urn:epcglobal:cbv:bizstep:packing</bizStep>
2272                 <disposition>urn:epcglobal:cbv:disp:in_progress</disposition>
2273                 <readPoint>
2274                     <id>urn:epc:id:sgln:5012345.00000.123</id>
2275                 </readPoint>
2276                 <bizLocation>
2277                     <id>urn:epc:id:sgln:5012345.00000.0</id>
2278                 </bizLocation>
2279             </AggregationEvent>
2280         <ObjectEvent>
2281             <eventTime>2015-03-15T10:11:00.000+01:00</eventTime>
2282             <eventTimeZoneOffset>+01:00</eventTimeZoneOffset>
  
```



```
2283     <epcList>
2284         <epc>urn:epc:id:sscc:5012345.0678901234</epc>
2285     </epcList>
2286     <action>OBSERVE</action>
2287     <bizStep>urn:epcglobal:cbv:bizstep:shipping</bizStep>
2288     <disposition>urn:epcglobal:cbv:disp:in_transit</disposition>
2289     <readPoint>
2290         <id>urn:epc:id:sgln:5012345.00000.124</id>
2291     </readPoint>
2292 </ObjectEvent>
2293 <AggregationEvent>
2294     <eventTime>2015-03-17T15:00:00.000Z</eventTime>
2295     <eventTimeZoneOffset>+00:00</eventTimeZoneOffset>
2296     <parentID>urn:epc:id:sscc:5012345.0678901234</parentID>
2297     <childEPCs>
2298         <epc>urn:epc:id:sgtin:5012345.177777.1001</epc>
2299         <epc>urn:epc:id:sgtin:5012345.177777.1002</epc>
2300         <epc>urn:epc:id:sgtin:5012345.177777.1003</epc>
2301         <epc>urn:epc:id:sgtin:5012345.177777.1004</epc>
2302         <epc>urn:epc:id:sgtin:5012345.177777.1005</epc>
2303     </childEPCs>
2304     <action>OBSERVE</action>
2305     <bizStep>urn:epcglobal:cbv:bizstep:receiving</bizStep>
2306     <disposition>urn:epcglobal:cbv:disp:in_progress</disposition>
2307     <readPoint>
2308         <id>urn:epc:id:sgln:5099999.00000.789</id>
2309     </readPoint>
2310     <bizLocation>
2311         <id>urn:epc:id:sgln:5099999.00000.0</id>
2312     </bizLocation>
2313 </AggregationEvent>
2314 <AggregationEvent>
2315     <eventTime>2015-03-17T15:10:00.000Z</eventTime>
2316     <eventTimeZoneOffset>+00:00</eventTimeZoneOffset>
2317     <parentID>urn:epc:id:sscc:5012345.0678901234</parentID>
2318     <childEPCs>
2319         <epc>urn:epc:id:sgtin:5012345.177777.1003</epc>
2320         <epc>urn:epc:id:sgtin:5012345.177777.1005</epc>
2321     </childEPCs>
2322     <action>DELETE</action>
2323     <bizStep>urn:epcglobal:cbv:bizstep:unpacking</bizStep>
2324     <disposition>urn:epcglobal:cbv:disp:in_progress</disposition>
2325     <readPoint>
2326         <id>urn:epc:id:sgln:5099999.00000.678</id>
2327     </readPoint>
2328     <bizLocation>
2329         <id>urn:epc:id:sgln:5099999.00000.0</id>
2330     </bizLocation>
2331 </AggregationEvent>
2332 <AggregationEvent>
2333     <eventTime>2015-03-17T15:25:00.000Z</eventTime>
2334     <eventTimeZoneOffset>+00:00</eventTimeZoneOffset>
2335     <parentID>urn:epc:id:sscc:5012345.0678901234</parentID>
2336     <childEPCs />
2337     <action>DELETE</action>
2338     <bizStep>urn:epcglobal:cbv:bizstep:unpacking</bizStep>
2339     <disposition>urn:epcglobal:cbv:disp:in_progress</disposition>
2340     <readPoint>
2341         <id>urn:epc:id:sgln:5099999.00000.678</id>
2342     </readPoint>
2343     <bizLocation>
2344         <id>urn:epc:id:sgln:5099999.00000.0</id>
2345     </bizLocation>
2346 </AggregationEvent>
2347 </EventList>
2348 </EPCISBody>
```

2349 </epcis:EPCISDocument>

2350 XML for Example in Table 5-4

```

2351       <epcis:EPCISDocument
2352           xmlns:epcis="urn:epcglobal:epcis:xsd:1"
2353           schemaVersion="1.1" creationDate="2015-04-14T10:06:18.000-04:00">
2354        <EPCISBody>
2355          <EventList>
2356            <AggregationEvent>
2357              <eventTime>2015-03-15T10:00:00.000+09:00</eventTime>
2358              <eventTimeZoneOffset>+09:00</eventTimeZoneOffset>
2359              <parentID>urn:epc:id:sgtin:0614141.111111.101</parentID>
2360              <childEPCs>
2361                <epc>urn:epc:id:sgtin:0614141.011111.1</epc>
2362                <epc>urn:epc:id:sgtin:0614141.011111.2</epc>
2363                <epc>urn:epc:id:sgtin:0614141.011111.3</epc>
2364                <epc>urn:epc:id:sgtin:0614141.011111.4</epc>
2365                <epc>urn:epc:id:sgtin:0614141.011111.5</epc>
2366              </childEPCs>
2367              <action>ADD</action>
2368              <bizStep>urn:epcglobal:cbv:bizstep:packing</bizStep>
2369              <disposition>urn:epcglobal:cbv:disp:in_progress</disposition>
2370              <readPoint>
2371                <id>urn:epc:id:sgln:0614141.00000.100</id>
2372              </readPoint>
2373              <bizLocation>
2374                <id>urn:epc:id:sgln:0614141.00000.0</id>
2375              </bizLocation>
2376            </AggregationEvent>
2377            <AggregationEvent>
2378              <eventTime>2015-03-15T10:05:00.000+09:00</eventTime>
2379              <eventTimeZoneOffset>+09:00</eventTimeZoneOffset>
2380              <parentID>urn:epc:id:sgtin:0614141.111111.102</parentID>
2381              <childEPCs>
2382                <epc>urn:epc:id:sgtin:0614141.011111.6</epc>
2383                <epc>urn:epc:id:sgtin:0614141.011111.7</epc>
2384                <epc>urn:epc:id:sgtin:0614141.011111.8</epc>
2385                <epc>urn:epc:id:sgtin:0614141.011111.9</epc>
2386                <epc>urn:epc:id:sgtin:0614141.011111.10</epc>
2387              </childEPCs>
2388              <action>ADD</action>
2389              <bizStep>urn:epcglobal:cbv:bizstep:packing</bizStep>
2390              <disposition>urn:epcglobal:cbv:disp:in_progress</disposition>
2391              <readPoint>
2392                <id>urn:epc:id:sgln:0614141.00000.100</id>
2393              </readPoint>
2394              <bizLocation>
2395                <id>urn:epc:id:sgln:0614141.00000.0</id>
2396              </bizLocation>
2397            </AggregationEvent>
2398            <AggregationEvent>
2399              <eventTime>2015-03-15T10:10:00.000+09:00</eventTime>
2400              <eventTimeZoneOffset>+09:00</eventTimeZoneOffset>
2401              <parentID>urn:epc:id:sgtin:0614141.111111.103</parentID>
2402              <childEPCs>
2403                <epc>urn:epc:id:sgtin:0614141.011111.11</epc>
2404                <epc>urn:epc:id:sgtin:0614141.011111.12</epc>
2405                <epc>urn:epc:id:sgtin:0614141.011111.13</epc>
2406                <epc>urn:epc:id:sgtin:0614141.011111.14</epc>
2407                <epc>urn:epc:id:sgtin:0614141.011111.15</epc>
2408              </childEPCs>
2409              <action>ADD</action>
2410              <bizStep>urn:epcglobal:cbv:bizstep:packing</bizStep>
2411              <disposition>urn:epcglobal:cbv:disp:in_progress</disposition>
2412              <readPoint>
  
```

```

2413         <id>urn:epc:id:sgln:0614141.00000.100</id>
2414     </readPoint>
2415     <bizLocation>
2416         <id>urn:epc:id:sgln:0614141.00000.0</id>
2417     </bizLocation>
2418 </AggregationEvent>
2419 <AggregationEvent>
2420     <eventTime>2015-03-15T10:25:00.000+09:00</eventTime>
2421     <eventTimeZoneOffset>+09:00</eventTimeZoneOffset>
2422     <parentID>urn:epc:id:sgtin:0614141.211111.1001</parentID>
2423     <childEPCs>
2424         <epc>urn:epc:id:sgtin:0614141.111111.101</epc>
2425         <epc>urn:epc:id:sgtin:0614141.111111.102</epc>
2426         <epc>urn:epc:id:sgtin:0614141.111111.103</epc>
2427     </childEPCs>
2428     <action>ADD</action>
2429     <bizStep>urn:epcglobal:cbv:bizstep:packing</bizStep>
2430     <disposition>urn:epcglobal:cbv:disp:in_progress</disposition>
2431 </readPoint>
2432     <id>urn:epc:id:sgln:0614141.00000.100</id>
2433 </readPoint>
2434     <bizLocation>
2435         <id>urn:epc:id:sgln:0614141.00000.0</id>
2436     </bizLocation>
2437 </AggregationEvent>
2438 </EventList>
2439 </EPCISBody>
2440 </epcis:EPCISDocument>
  
```

2441 XML for Example in Table 5-6

```

2442 <epcis:EPCISDocument
2443     xmlns:epcis="urn:epcglobal:epcis:xsd:1"
2444     schemaVersion="1.1" creationDate="2015-04-14T10:24:01.152-04:00">
2445     <EPCISBody>
2446         <EventList>
2447             <ObjectEvent>
2448                 <eventTime>2015-03-15T10:00:00.000-04:00</eventTime>
2449                 <eventTimeZoneOffset>-04:00</eventTimeZoneOffset>
2450                 <epcList>
2451                     <epc>urn:epc:id:sscc:0614141.0123456789</epc>
2452                 </epcList>
2453                 <action>OBSERVE</action>
2454                 <bizStep>urn:epcglobal:cbv:bizstep:shipping</bizStep>
2455                 <disposition>urn:epcglobal:cbv:disp:in_transit</disposition>
2456                 <readPoint>
2457                     <id>urn:epc:id:sgln:0614141.11111.0</id>
2458                 </readPoint>
2459                 <extension>
2460                     <sourceList>
2461                         <source
2462                             type="urn:epcglobal:cbv:sdt:owning_party">urn:epc:id:sgln:0614141.00000.0</s
2463                             ource>
2464                         <source
2465                             type="urn:epcglobal:cbv:sdt:possessing_party">urn:epc:id:sgln:0614141.00000.
2466                             0</source>
2467                         <source
2468                             type="urn:epcglobal:cbv:sdt:location">urn:epc:id:sgln:0614141.11111.0</sourc
2469                             e>
2470                     </sourceList>
2471                     <destinationList>
  
```

```

2472         <destination
2473 type="urn:epcglobal:cbv:sdt:owning_party">urn:epc:id:sgln:9999999.00000.0
2474         </destination>
2475         <destination
2476 type="urn:epcglobal:cbv:sdt:possessing_party">urn:epc:id:sgln:5012345.00000.
2477 0
2478         </destination>
2479         <destination
2480 type="urn:epcglobal:cbv:sdt:location">urn:epc:id:sgln:5012345.11111.0
2481         </destination>
2482       </destinationList>
2483     </extension>
2484   </ObjectEvent>
2485   <ObjectEvent>
2486     <eventTime>2015-03-17T10:00:00.000Z</eventTime>
2487     <eventTimeZoneOffset>+00:00</eventTimeZoneOffset>
2488     <epcList>
2489       <epc>urn:epc:id:sscc:0614141.0123456789</epc>
2490     </epcList>
2491     <action>OBSERVE</action>
2492     <bizStep>urn:epcglobal:cbv:bizstep:receiving</bizStep>
2493     <disposition>urn:epcglobal:cbv:disp:in_progress</disposition>
2494     <readPoint>
2495       <id>urn:epc:id:sgln:5012345.11111.123</id>
2496     </readPoint>
2497     <bizLocation>
2498       <id>urn:epc:id:sgln:5012345.11111.0</id>
2499     </bizLocation>
2500     <extension>
2501       <sourceList>
2502         <source
2503 type="urn:epcglobal:cbv:sdt:owning_party">urn:epc:id:sgln:0614141.00000.0</s
2504 ource>
2505         <source
2506 type="urn:epcglobal:cbv:sdt:possessing_party">urn:epc:id:sgln:0614141.00000.
2507 0</source>
2508         <source
2509 type="urn:epcglobal:cbv:sdt:location">urn:epc:id:sgln:0614141.11111.0</sourc
2510 e>
2511       </sourceList>
2512     </destinationList>
2513     <destination
2514 type="urn:epcglobal:cbv:sdt:owning_party">urn:epc:id:sgln:9999999.00000.0
2515     </destination>
2516     <destination
2517 type="urn:epcglobal:cbv:sdt:possessing_party">urn:epc:id:sgln:5012345.00000.
2518 0
2519     </destination>
2520     <destination
2521 type="urn:epcglobal:cbv:sdt:location">urn:epc:id:sgln:5012345.11111.0
2522     </destination>
2523   </destinationList>
2524 </extension>
2525 </ObjectEvent>
2526 </EventList>
2527 </EPCISBody>
2528 </epcis:EPCISDocument>

```

XML for Example from Table 5-7

```

2529
2530     <epcis:EPCISDocument
2531
2532         xmlns:epcis="urn:epcglobal:epcis:xsd:1"
2533         schemaVersion="1.1" creationDate="2015-04-14T10:35:38.116-04:00">
2534     <EPCISBody>
2535         <EventList>
2536             <ObjectEvent>
2537                 <eventTime>2015-07-15T10:00:00.000-04:00</eventTime>
2538                 <eventTimeZoneOffset>-04:00</eventTimeZoneOffset>
2539                 <epcList />
2540                 <action>ADD</action>
2541                 <bizStep>urn:epcglobal:cbv:bizstep:creating_class_instance</bizStep>
2542                 <disposition>urn:epcglobal:cbv:disp:active</disposition>
2543                 <readPoint>
2544                     <id>urn:epc:id:sgln:0614141.00000.100</id>
2545                 </readPoint>
2546                 <bizLocation>
2547                     <id>urn:epc:id:sgln:0614141.00000.0</id>
2548                 </bizLocation>
2549                 <extension>
2550                     <quantityList>
2551                         <quantityElement>
2552                             <epcClass>urn:epc:class:lgtn:0614141.011111.12</epcClass>
2553                             <quantity>20</quantity>
2554                         </quantityElement>
2555                     </quantityList>
2556                 </extension>
2557             </ObjectEvent>
2558             <ObjectEvent>
2559                 <eventTime>2015-07-16T10:00:00.000-04:00</eventTime>
2560                 <eventTimeZoneOffset>-04:00</eventTimeZoneOffset>
2561                 <epcList />
2562                 <action>OBSERVE</action>
2563                 <bizStep>urn:epcglobal:cbv:bizstep:shipping</bizStep>
2564                 <disposition>urn:epcglobal:cbv:disp:in_transit</disposition>
2565                 <readPoint>
2566                     <id>urn:epc:id:sgln:0614141.00000.200</id>
2567                 </readPoint>
2568                 <extension>
2569                     <quantityList>
2570                         <quantityElement>
2571                             <epcClass>urn:epc:class:lgtn:0614141.011111.12</epcClass>
2572                             <quantity>10</quantity>
2573                         </quantityElement>
2574                     </quantityList>
2575                 </extension>
2576             </ObjectEvent>
2577             <ObjectEvent>
2578                 <eventTime>2015-07-17T10:00:00.000-04:00</eventTime>
2579                 <eventTimeZoneOffset>-04:00</eventTimeZoneOffset>
2580                 <epcList />
2581                 <action>OBSERVE</action>
2582                 <bizStep>urn:epcglobal:cbv:bizstep:shipping</bizStep>
2583                 <disposition>urn:epcglobal:cbv:disp:in_transit</disposition>
2584                 <readPoint>
2585                     <id>urn:epc:id:sgln:0614141.00000.200</id>
2586                 </readPoint>
2587                 <extension>
  
```

```

2588         <quantityList>
2589             <quantityElement>
2590                 <epcClass>urn:epc:class:lgtn:0614141.011111.12</epcClass>
2591                 <quantity>10</quantity>
2592             </quantityElement>
2593         </quantityList>
2594     </extension>
2595 </ObjectEvent>
2596 <ObjectEvent>
2597     <eventTime>2015-07-25T10:00:00.000-04:00</eventTime>
2598     <eventTimeZoneOffset>-04:00</eventTimeZoneOffset>
2599     <epcList />
2600     <action>OBSERVE</action>
2601     <bizStep>urn:epcglobal:cbv:bizstep:receiving</bizStep>
2602     <disposition>urn:epcglobal:cbv:disp:in_progress</disposition>
2603     <readPoint>
2604         <id>urn:epc:id:sgln:5012345.00000.111</id>
2605     </readPoint>
2606     <extension>
2607         <quantityList>
2608             <quantityElement>
2609                 <epcClass>urn:epc:class:lgtn:0614141.011111.12</epcClass>
2610                 <quantity>10</quantity>
2611             </quantityElement>
2612         </quantityList>
2613     </extension>
2614 </ObjectEvent>
2615 </EventList>
2616 </EPCISBody>
2617 </epcis:EPCISDocument>
  
```

2618 XML for Example from Table 5-8

```

2619 <epcis:EPCISDocument
2620     xmlns:epcis="urn:epcglobal:epcis:xsd:1"
2621     schemaVersion="1.1" creationDate="2015-04-14T10:45:30.662-04:00">
2622     <EPCISBody>
2623         <EventList>
2624             <AggregationEvent>
2625                 <eventTime>2015-03-15T10:00:00.000-04:00</eventTime>
2626                 <eventTimeZoneOffset>-04:00</eventTimeZoneOffset>
2627                 <parentID>urn:epc:id:sscc:0614141.0123456789</parentID>
2628                 <childEPCs />
2629                 <action>ADD</action>
2630                 <bizStep>urn:epcglobal:cbv:bizstep:packing</bizStep>
2631                 <disposition>urn:epcglobal:cbv:disp:in_progress</disposition>
2632                 <readPoint>
2633                     <id>urn:epc:id:sgln:0614141.00000.100</id>
2634                 </readPoint>
2635                 <bizLocation>
2636                     <id>urn:epc:id:sgln:0614141.00000.0</id>
2637                 </bizLocation>
2638                 <extension>
2639                     <childQuantityList>
2640                         <quantityElement>
2641                             <epcClass>urn:epc:class:lgtn:0614141.011111.12</epcClass>
2642                             <quantity>10</quantity>
2643                         </quantityElement>
2644                         <quantityElement>
  
```

```

2645         <epcClass>urn:epc:class:lgtn:0614141.022222.52</epcClass>
2646         <quantity>20</quantity>
2647     </quantityElement>
2648 </childQuantityList>
2649 </extension>
2650 </AggregationEvent>
2651 <ObjectEvent>
2652     <eventTime>2015-03-16T10:00:00.000-04:00</eventTime>
2653     <eventTimeZoneOffset>-04:00</eventTimeZoneOffset>
2654     <epcList>
2655         <epc>urn:epc:id:sscc:0614141.0123456789</epc>
2656     </epcList>
2657     <action>OBSERVE</action>
2658     <bizStep>urn:epcglobal:cbv:bizstep:shipping</bizStep>
2659     <disposition>urn:epcglobal:cbv:disp:in_transit</disposition>
2660     <readPoint>
2661         <id>urn:epc:id:sgln:0614141.00000.200</id>
2662     </readPoint>
2663 </ObjectEvent>
2664 <ObjectEvent>
2665     <eventTime>2015-03-20T00:00:00.000Z</eventTime>
2666     <eventTimeZoneOffset>+00:00</eventTimeZoneOffset>
2667     <epcList>
2668         <epc>urn:epc:id:sscc:0614141.0123456789</epc>
2669     </epcList>
2670     <action>OBSERVE</action>
2671     <bizStep>urn:epcglobal:cbv:bizstep:receiving</bizStep>
2672     <disposition>urn:epcglobal:cbv:disp:in_progress</disposition>
2673     <readPoint>
2674         <id>urn:epc:id:sgln:5012345.00000.300</id>
2675     </readPoint>
2676     <bizLocation>
2677         <id>urn:epc:id:sgln:5012345.00000.0</id>
2678     </bizLocation>
2679 </ObjectEvent>
2680 </EventList>
2681 </EPCISBody>
2682 </epcis:EPCISDocument>
  
```

2683 XML for Example from Table 5-10

```

2684 <epcis:EPCISDocument
2685     xmlns:epcis="urn:epcglobal:epcis:xsd:1"
2686     schemaVersion="1.1" creationDate="2015-04-14T10:45:30.662-04:00">
2687     <EPCISBody>
2688         <EventList>
2689             <AggregationEvent>
2690                 <eventTime>2015-03-15T10:00:00.000-04:00</eventTime>
2691                 <eventTimeZoneOffset>-04:00</eventTimeZoneOffset>
2692                 <parentID>urn:epc:id:sscc:0614141.0123456789</parentID>
2693                 <childEPCs>
2694                     <epc>urn:epc:id:sgtin:0614141.011111.101</epc>
2695                     <epc>urn:epc:id:sgtin:0614141.011111.102</epc>
2696                     <epc>urn:epc:id:sgtin:0614141.011111.103</epc>
2697                 </childEPCs>
2698                 <action>ADD</action>
2699                 <bizStep>urn:epcglobal:cbv:bizstep:packing</bizStep>
2700                 <disposition>urn:epcglobal:cbv:disp:in_progress</disposition>
2701                 <readPoint>
  
```

```

2702         <id>urn:epc:id:sgln:0614141.00000.100</id>
2703     </readPoint>
2704     <bizLocation>
2705         <id>urn:epc:id:sgln:0614141.00000.0</id>
2706     </bizLocation>
2707     <extension>
2708         <childQuantityList>
2709             <quantityElement>
2710                 <epcClass>urn:epc:class:lgtn:0614141.022222.12</epcClass>
2711                 <quantity>10</quantity>
2712             </quantityElement>
2713             <quantityElement>
2714                 <epcClass>urn:epc:idpat:sgtin:0614141.033333.*</epcClass>
2715                 <quantity>20</quantity>
2716             </quantityElement>
2717         </childQuantityList>
2718     </extension>
2719 </AggregationEvent>
2720 <ObjectEvent>
2721     <eventTime>2015-03-16T10:00:00.000-04:00</eventTime>
2722     <eventTimeZoneOffset>-04:00</eventTimeZoneOffset>
2723     <epcList>
2724         <epc>urn:epc:id:sscc:0614141.0123456789</epc>
2725     </epcList>
2726     <action>OBSERVE</action>
2727     <bizStep>urn:epcglobal:cbv:bizstep:shipping</bizStep>
2728     <disposition>urn:epcglobal:cbv:disp:in_transit</disposition>
2729     <readPoint>
2730         <id>urn:epc:id:sgln:0614141.00000.200</id>
2731     </readPoint>
2732 </ObjectEvent>
2733 <ObjectEvent>
2734     <eventTime>2015-03-20T00:00:00.000Z</eventTime>
2735     <eventTimeZoneOffset>+00:00</eventTimeZoneOffset>
2736     <epcList>
2737         <epc>urn:epc:id:sscc:0614141.0123456789</epc>
2738     </epcList>
2739     <action>OBSERVE</action>
2740     <bizStep>urn:epcglobal:cbv:bizstep:receiving</bizStep>
2741     <disposition>urn:epcglobal:cbv:disp:in_progress</disposition>
2742     <readPoint>
2743         <id>urn:epc:id:sgln:5012345.00000.300</id>
2744     </readPoint>
2745     <bizLocation>
2746         <id>urn:epc:id:sgln:5012345.00000.0</id>
2747     </bizLocation>
2748 </ObjectEvent>
2749 </EventList>
2750 </EPCISBody>
2751 </epcis:EPCISDocument>
  
```

2752 XML for Example from Table 5-14

```

2753 <epcis:EPCISDocument
2754     xmlns:epcis="urn:epcglobal:epcis:xsd:1"
2755     schemaVersion="1.1" creationDate="2015-04-14T11:14:25.411-04:00">
2756     <EPCISBody>
2757         <EventList>
2758             <extension>
  
```

```

2759     <TransformationEvent>
2760         <eventTime>2015-03-15T00:00:00.000-04:00</eventTime>
2761         <eventTimeZoneOffset>-04:00</eventTimeZoneOffset>
2762         <inputEPCList>
2763             <epc>urn:epc:id:sgtin:0614141.011111.10</epc>
2764             <epc>urn:epc:id:sgtin:0614141.011111.45</epc>
2765             <epc>urn:epc:id:sgtin:0614141.011111.97</epc>
2766         </inputEPCList>
2767         <inputQuantityList>
2768             <quantityElement>
2769                 <epcClass>urn:epc:class:lgtn:0614141.022222.12</epcClass>
2770                 <quantity>10.0</quantity>
2771                 <uom>LTR</uom>
2772             </quantityElement>
2773             <quantityElement>
2774                 <epcClass>urn:epc:idpat:sgtin:0614141.033333.*</epcClass>
2775                 <quantity>100</quantity>
2776             </quantityElement>
2777         </inputQuantityList>
2778         <outputQuantityList>
2779             <quantityElement>
2780                 <epcClass>urn:epc:class:lgtn:0614141.044444.999</epcClass>
2781                 <quantity>100</quantity>
2782             </quantityElement>
2783         </outputQuantityList>
2784         <bizStep>urn:epcglobal:cbv:bizstep:creating_class_instance
2785         </bizStep>
2786         <disposition>urn:epcglobal:cbv:disp:active</disposition>
2787         <readPoint>
2788             <id>urn:epc:id:sgln:0614141.00000.100</id>
2789         </readPoint>
2790         <bizLocation>
2791             <id>urn:epc:id:sgln:0614141.00000.0</id>
2792         </bizLocation>
2793     </TransformationEvent>
2794 </extension>
2795 </EventList>
2796 </EPCISBody>
2797 </epcis:EPCISDocument>
  
```

2798 XML for Example from Table 5-15

```

2799 <epcis:EPCISDocument
2800     xmlns:epcis="urn:epcglobal:epcis:xsd:1"
2801     schemaVersion="1.1" creationDate="2015-04-14T11:14:25.411-04:00">
2802     <EPCISBody>
2803         <EventList>
2804             <extension>
2805                 <TransformationEvent>
2806                     <eventTime>2015-03-15T00:00:00.000-04:00</eventTime>
2807                     <eventTimeZoneOffset>-04:00</eventTimeZoneOffset>
2808                     <inputEPCList>
2809                         <epc>urn:epc:id:sgtin:0614141.011111.10</epc>
2810                         <epc>urn:epc:id:sgtin:0614141.011111.45</epc>
2811                     </inputEPCList>
2812                     <inputQuantityList>
2813                         <quantityElement>
2814                             <epcClass>urn:epc:class:lgtn:0614141.022222.12</epcClass>
2815                             <quantity>5.0</quantity>
  
```

```

2816         <uom>LTR</uom>
2817     </quantityElement>
2818 </quantityElement>
2819     <epcClass>urn:epc:idpat:sgtin:0614141.033333.*</epcClass>
2820     <quantity>40</quantity>
2821 </quantityElement>
2822 </inputQuantityList>
2823 <transformationID>urn:epcglobal:cbv:xform:0614141000005:123
2824 </transformationID>
2825 <bizStep>urn:epcglobal:cbv:bizstep:creating_class_instance
2826 </bizStep>
2827 <disposition>urn:epcglobal:cbv:disp:active</disposition>
2828 <readPoint>
2829     <id>urn:epc:id:sgln:0614141.00000.100</id>
2830 </readPoint>
2831 <bizLocation>
2832     <id>urn:epc:id:sgln:0614141.00000.0</id>
2833 </bizLocation>
2834 </TransformationEvent>
2835 </extension>
2836 <extension>
2837 <TransformationEvent>
2838     <eventTime>2015-03-15T01:00:00.000-04:00</eventTime>
2839     <eventTimeZoneOffset>-04:00</eventTimeZoneOffset>
2840     <outputQuantityList>
2841         <quantityElement>
2842             <epcClass>urn:epc:class:lgtn:0614141.044444.999</epcClass>
2843             <quantity>30</quantity>
2844         </quantityElement>
2845     </outputQuantityList>
2846     <transformationID>urn:epcglobal:cbv:xform:0614141000005:123
2847     </transformationID>
2848     <bizStep>urn:epcglobal:cbv:bizstep:creating_class_instance
2849     </bizStep>
2850     <disposition>urn:epcglobal:cbv:disp:active</disposition>
2851     <readPoint>
2852         <id>urn:epc:id:sgln:0614141.00000.100</id>
2853     </readPoint>
2854     <bizLocation>
2855         <id>urn:epc:id:sgln:0614141.00000.0</id>
2856     </bizLocation>
2857 </TransformationEvent>
2858 </extension>
2859 <ObjectEvent>
2860     <eventTime>2015-03-15T02:00:00.000-04:00</eventTime>
2861     <eventTimeZoneOffset>-04:00</eventTimeZoneOffset>
2862     <epcList />
2863     <action>OBSERVE</action>
2864     <bizStep>urn:epcglobal:cbv:bizstep:shipping</bizStep>
2865     <disposition>urn:epcglobal:cbv:disp:in_transit</disposition>
2866     <readPoint>
2867         <id>urn:epc:id:sgln:0614141.00000.200</id>
2868     </readPoint>
2869     <extension>
2870         <quantityList>
2871             <quantityElement>
2872                 <epcClass>urn:epc:class:lgtn:0614141.044444.999</epcClass>
2873                 <quantity>30</quantity>
2874             </quantityElement>
2875         </quantityList>

```

```

2876     </extension>
2877 </ObjectEvent>
2878 <extension>
2879   <TransformationEvent>
2880     <eventTime>2015-03-15T03:00:00.000-04:00</eventTime>
2881     <eventTimeZoneOffset>-04:00</eventTimeZoneOffset>
2882     <inputEPCList>
2883       <epc>urn:epc:id:sgtin:0614141.011111.97</epc>
2884     </inputEPCList>
2885     <inputQuantityList>
2886       <quantityElement>
2887         <epcClass>urn:epc:class:lgtin:0614141.022222.12</epcClass>
2888         <quantity>5.0</quantity>
2889         <uom>LTR</uom>
2890       </quantityElement>
2891       <quantityElement>
2892         <epcClass>urn:epc:idpat:sgtin:0614141.033333.*</epcClass>
2893         <quantity>60</quantity>
2894       </quantityElement>
2895     </inputQuantityList>
2896     <outputQuantityList>
2897       <quantityElement>
2898         <epcClass>urn:epc:class:lgtin:0614141.044444.999</epcClass>
2899         <quantity>70</quantity>
2900       </quantityElement>
2901     </outputQuantityList>
2902     <transformationID>urn:epcglobal:cbv:xform:0614141000005:123
2903     </transformationID>
2904     <bizStep>urn:epcglobal:cbv:bizstep:creating_class_instance
2905     </bizStep>
2906     <disposition>urn:epcglobal:cbv:disp:active</disposition>
2907     <readPoint>
2908       <id>urn:epc:id:sgln:0614141.00000.100</id>
2909     </readPoint>
2910     <bizLocation>
2911       <id>urn:epc:id:sgln:0614141.00000.0</id>
2912     </bizLocation>
2913   </TransformationEvent>
2914 </extension>
2915 </EventList>
2916 </EPCISBody>
2917 </epcis:EPCISDocument>
  
```

2918 XML for Example from Table 5-16

```

2919 <epcis:EPCISDocument
2920   xmlns:epcis="urn:epcglobal:epcis:xsd:1"
2921   schemaVersion="1.1" creationDate="2015-04-14T11:32:14.865-04:00">
2922   <EPCISBody>
2923     <EventList>
2924       <ObjectEvent>
2925         <eventTime>2015-07-15T10:00:00.000+02:00</eventTime>
2926         <eventTimeZoneOffset>+02:00</eventTimeZoneOffset>
2927         <epcList>
2928           <epc>urn:epc:id:sgcn:0614141.11111.12345</epc>
2929         </epcList>
2930         <action>ADD</action>
2931         <bizStep>urn:epcglobal:cbv:bizstep:commissioning</bizStep>
2932         <disposition>urn:epcglobal:cbv:disp:active</disposition>
  
```

```
2933     <readPoint>
2934         <id>urn:epc:id:sgln:0614141.00000.100</id>
2935     </readPoint>
2936 </ObjectEvent>
2937 <ObjectEvent>
2938     <eventTime>2015-07-16T10:00:00.000+02:00</eventTime>
2939     <eventTimeZoneOffset>+02:00</eventTimeZoneOffset>
2940     <epcList>
2941         <epc>urn:epc:id:sgcn:0614141.11111.12345</epc>
2942     </epcList>
2943     <action>DELETE</action>
2944     <bizStep>urn:epcglobal:cbv:bizstep:decommissioning</bizStep>
2945     <disposition>urn:epcglobal:cbv:disp:inactive</disposition>
2946     <readPoint>
2947         <id>urn:epc:id:sgln:0614141.00000.1002</id>
2948     </readPoint>
2949 </ObjectEvent>
2950 </EventList>
2951 </EPCISBody>
2952 </ns5:EPCISDocument>
```