



Mapping

Model: Dispensing Advice; 1.0; Mapping
Root Element: **Dispensing advice**

Schema: DispensingAdvice; 3.5.1; Mapping
Root Element: **dispensingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
001	BDT00000960	.. 80	1 .. 1	Clinical trial protocol identification <i>Path:</i> Dispensing advice/Clinical trial protocol identification	1 .. 20	1 .. 1	protocolID <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/protocolID
002	BDT00000040		0 .. 1	Date <i>Path:</i> Dispensing advice/Business document effective date time/Date		1 .. 1	date <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/documentEffectiveDate/date
003	BDT00000133		0 .. 1	Time <i>Path:</i> Dispensing advice/Business document effective date time/Time		0 .. 1	time <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/documentEffectiveDate/time
004	BDT00000119		0 .. 1	Revision number <i>Path:</i> Dispensing advice/Revision number		0 .. 1	revisionNumber <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/revisionNumber
005	BDT00000047		1 .. 1	Business document creation date time <i>Path:</i> Dispensing advice/Business document creation date time		1 .. 1	creationDateTime <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/creationDateTime
006	BDT00000050		1 .. 1	Business document status code <i>Path:</i> Dispensing advice/Business document status code		1 .. 1	documentStatusCode <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/documentStatusCode
007	BDT00000045		0 .. 1	Business document action code <i>Path:</i> Dispensing advice/Business document action code		0 .. 1	documentActionCode <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/documentActionCode
008	BDT00000046		0 .. 1	Business document standard version <i>Path:</i> Dispensing advice/Business document standard version	1 .. 80	0 .. 1	documentStructureVersion <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/documentStructureVersion
009	BDT00000048		0 .. 1	Business document last update date time <i>Path:</i> Dispensing advice/Business document last update date time		0 .. 1	lastUpdateDateTime <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/lastUpdateDateTime
010	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN		1 .. 1	protocolOwner

Legend: No = Consecutive Number



Mapping

Model: Dispensing Advice; 1.0; Mapping
Root Element: **Dispensing advice**

Schema: DispensingAdvice; 3.5.1; Mapping
Root Element: **dispensingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Dispensing advice/Clinical trial protocol owner party information/Global location number, GLN			<i>Path:</i> dispensingAdviceMessage/dispensingAdvice/protocolOwner
011	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Dispensing advice/Business document identification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingAdviceIdentification/entityIdentification
012	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Dispensing advice/Business document identification information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingAdviceIdentification/contentOwner/gln
013	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Dispensing advice/Business document identification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingAdviceIdentification/contentOwner/additionalPartyIdentification
014	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Dispensing advice/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingAdviceIdentification/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
015	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Dispensing advice/Business document identification information/Document content owner/Additional party	1 .. 35		codeListVersion <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingAdviceIdentification/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Dispensing Advice; 1.0; Mapping
Root Element: **Dispensing advice**

Schema: DispensingAdvice; 3.5.1; Mapping
Root Element: **dispensingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification type code/Code list version			
016	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Dispensing advice/Business document sender party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/sender/gln
017	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Dispensing advice/Business document sender party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/sender/additionalPartyIdentification
018	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Dispensing advice/Business document sender party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/sender/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
019	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Dispensing advice/Business document sender party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/sender/additionalPartyIdentification/@codeListVersion
020	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Dispensing advice/Business document receiver party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/receiver/gln

Legend: No = Consecutive Number



Mapping

Model: Dispensing Advice; 1.0; Mapping
Root Element: **Dispensing advice**

Schema: DispensingAdvice; 3.5.1; Mapping
Root Element: **dispensingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
021	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Dispensing advice/Business document receiver party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/receiver/additionalPartyIdentification
022	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Dispensing advice/Business document receiver party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/receiver/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
023	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Dispensing advice/Business document receiver party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/receiver/additionalPartyIdentification/@codeListVersion
024	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Dispensing advice/Dispensing for pharmacy order/Dispensing location information/Global location number GLN		0 .. 1	gln <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForPharmacyOrder/site/gln
025	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Dispensing advice/Dispensing for pharmacy order/Dispensing location information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForPharmacyOrder/site/additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Dispensing Advice; 1.0; Mapping
Root Element: **Dispensing advice**

Schema: DispensingAdvice; 3.5.1; Mapping
Root Element: **dispensingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
026	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Dispensing advice/Dispensing for pharmacy order/Dispensing location information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForPharmacyOrder/site/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
027	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Dispensing advice/Dispensing for pharmacy order/Dispensing location information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForPharmacyOrder/site/additionalPartyIdentification/@codeListVersion
028	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Dispensing advice/Dispensing for pharmacy order/Patient weight information/Trade item weight content		0 .. 1	subjectWeight <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForPharmacyOrder/subjectWeight
029	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Dispensing advice/Dispensing for pharmacy order/Patient weight information/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForPharmacyOrder/subjectWeight/@measurementUnitCode
030	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Dispensing advice/Dispensing for pharmacy order/Patient weight information/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForPharmacyOrder/subjectWeight/@codeListVersion
031	BDT00000997	.. 80	0 .. 1	Patient identification information content	1 .. 200	1 .. 1	subjectIdentification

Legend: No = Consecutive Number



Mapping

Model: Dispensing Advice; 1.0; Mapping
Root Element: **Dispensing advice**

Schema: DispensingAdvice; 3.5.1; Mapping
Root Element: **dispensingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Dispensing advice/Dispensing for pharmacy order/Patient identification information/Patient identification information content			<i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForPharmacyOrder/subjectIdentification
032	BDT00000967		1 .. 1	Medication kit quantity content <i>Path:</i> Dispensing advice/Dispensing for pharmacy order/Medication kit quantity/Medication kit quantity content		1 .. 1	quantity <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForPharmacyOrder/quantity
033	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Dispensing advice/Dispensing for pharmacy order/Medication kit quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForPharmacyOrder/quantity/@measurementUnitCode
034	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Dispensing advice/Dispensing for pharmacy order/Medication kit quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForPharmacyOrder/quantity/@codeListVersion
035	BDT00000121	.. 20	0 .. 1	Serial number <i>Path:</i> Dispensing advice/Dispensing for pharmacy order/Serial number	1 .. 20	1 .. unbounded	kitSerialNumber <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForPharmacyOrder/kitSerialNumber
036	BDT00000066	14 .. 14	1 .. 1	Global trade item number, GTIN <i>Path:</i> Dispensing advice/Dispensing for pharmacy order/Clinical trial product identification information/Global trade item number, GTIN		1 .. 1	investigationalProductIdentification <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForPharmacyOrder/investigationalProductIdentification
037	BDT00000997	.. 80	0 .. 1	Patient identification information content <i>Path:</i> Dispensing advice/Dispensing for DME order/Patient identification information/Patient identification	1 .. 200	1 .. 1	subjectIdentification <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForDMEOrder/subjectIdentification

Legend: No = Consecutive Number



Mapping

Model: Dispensing Advice; 1.0; Mapping
Root Element: **Dispensing advice**

Schema: DispensingAdvice; 3.5.1; Mapping
Root Element: **dispensingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information content			
038	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Dispensing advice/Dispensing for DME order/Dispensing location information/Global location number GLN	0 .. 1		gln <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForDMEOrder/site/gln
039	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Dispensing advice/Dispensing for DME order/Dispensing location information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForDMEOrder/site/additionalPartyIdentification
040	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Dispensing advice/Dispensing for DME order/Dispensing location information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForDMEOrder/site/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
041	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Dispensing advice/Dispensing for DME order/Dispensing location information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForDMEOrder/site/additionalPartyIdentification/@codeListVersion
042	BDT00000967		1 .. 1	Medication kit quantity content <i>Path:</i> Dispensing advice/Dispensing for DME order/Non serialized investigational product kit/Medication kit quantity/	1 .. 1		quantity <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForDMEOrder/notSerializedInvestigationalProductKit/quantity

Legend: No = Consecutive Number



Mapping

Model: Dispensing Advice; 1.0; Mapping
Root Element: **Dispensing advice**

Schema: DispensingAdvice; 3.5.1; Mapping
Root Element: **dispensingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
043	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Dispensing advice/Dispensing for DME order/Non serialized investigational product kit/Medication kit quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForDMEOrder/notSerialisedInvestigationalProductKit/quantity/@measurementUnitCode
044	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Dispensing advice/Dispensing for DME order/Non serialized investigational product kit/Medication kit quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForDMEOrder/notSerialisedInvestigationalProductKit/quantity/@codeListVersion
045	BDT00000090	.. 80	0 .. 1	Lot number <i>Path:</i> Dispensing advice/Dispensing for DME order/Non serialized investigational product kit/Lot number	1 .. 20	0 .. 1	kitLotNumber <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForDMEOrder/notSerialisedInvestigationalProductKit/kitLotNumber
046	BDT00000066	14 .. 14	1 .. 1	Global trade item number, GTIN <i>Path:</i> Dispensing advice/Dispensing for DME order/Non serialized investigational product kit/Clinical trial product identification information/Global trade item number, GTIN		1 .. 1	investigationalProductIdentification <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForDMEOrder/notSerialisedInvestigationalProductKit/investigationalProductIdentification
047	BDT00000121	.. 20	0 .. 1	Serial number <i>Path:</i> Dispensing advice/Dispensing for DME order/Serialized investigational product kit/Serial number	1 .. 20	1 .. unbounded	kitSerialNumber <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForDMEOrder/serialisedInvestigationalProductKit/kitSerialNumber
048	BDT00000090	.. 80	0 .. 1	Lot number <i>Path:</i> Dispensing advice/Dispensing for DME order/Serialized investigational product	1 .. 20	0 .. 1	kitLotNumber <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForDMEOrder/

Legend: No = Consecutive Number



Mapping

Model: Dispensing Advice; 1.0; Mapping
Root Element: **Dispensing advice**

Schema: DispensingAdvice; 3.5.1; Mapping
Root Element: **dispensingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
049	BDT00000066	14 .. 14	1 .. 1	Global trade item number, GTIN <i>Path:</i> Dispensing advice/Dispensing for DME order/Serialized investigational product kit/Clinical trial product identification information/Global trade item number, GTIN		1 .. 1	investigationalProductIdentification <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/dispensingForDMEOrder/serialisedInvestigationalProductKit/investigationalProductIdentification
050	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Dispensing advice/Material issued to patient confirmation/Dispensing location information/Global location number GLN		0 .. 1	gln <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/materialIssuedtoPatientConfirmation/site/gln
051	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Dispensing advice/Material issued to patient confirmation/Dispensing location information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/materialIssuedtoPatientConfirmation/site/additionalPartyIdentification
052	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Dispensing advice/Material issued to patient confirmation/Dispensing location information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/materialIssuedtoPatientConfirmation/site/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
053	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Dispensing advice/Material issued to patient confirmation/Dispensing location information/Additional party	1 .. 35		codeListVersion <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/materialIssuedtoPatientConfirmation/site/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Dispensing Advice; 1.0; Mapping
Root Element: **Dispensing advice**

Schema: DispensingAdvice; 3.5.1; Mapping
Root Element: **dispensingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification type code/Code list version			
054	BDT00000997	.. 80	0 .. 1	Patient identifaction information content <i>Path:</i> Dispensing advice/Material issued to patient confirmation/Patient identification information/Patient identifaction information content	1 .. 200	1 .. 1	subjectIdentification <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/materialIssuedtoPatientConfirmation/subjectIdentification
055	BDT00001002		0 .. 1	Dispensing date time <i>Path:</i> Dispensing advice/Material issued to patient confirmation/Dispensing date time		1 .. 1	dateOfDispensing <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/materialIssuedtoPatientConfirmation/dateOfDispensing
056	BDT00000967		1 .. 1	Medication kit quantity content <i>Path:</i> Dispensing advice/Material issued to patient confirmation/Non serialized investigational product kit/Medication kit quantity/Medication kit quantity content		1 .. 1	quantity <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/materialIssuedtoPatientConfirmation/notSerialisedInvestigationalProductKit/quantity
057	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Dispensing advice/Material issued to patient confirmation/Non serialized investigational product kit/Medication kit quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/materialIssuedtoPatientConfirmation/notSerialisedInvestigationalProductKit/quantity/@measurementUnitCode
058	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Dispensing advice/Material issued to patient confirmation/Non serialized investigational product kit/Medication kit quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/materialIssuedtoPatientConfirmation/notSerialisedInvestigationalProductKit/quantity/@codeListVersion
059	BDT00000090	.. 80	0 .. 1	Lot number	1 .. 20	0 .. 1	kitLotNumber

Legend: No = Consecutive Number



Mapping

Model: Dispensing Advice; 1.0; Mapping
Root Element: **Dispensing advice**

Schema: DispensingAdvice; 3.5.1; Mapping
Root Element: **dispensingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Dispensing advice/Material issued to patient confirmation/Non serialized investigational product kit/Lot number			<i>Path:</i> dispensingAdviceMessage/dispensingAdvice/materialIssuedtoPatientConfirmation/notSerialisedInvestigationalProductKit/kitLotNumber
060	BDT00000066	14 .. 14	1 .. 1	Global trade item number, GTIN <i>Path:</i> Dispensing advice/Material issued to patient confirmation/Non serialized investigational product kit/Clinical trial product identification information/Global trade item number, GTIN	1 .. 1		investigationalProductIdentification <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/materialIssuedtoPatientConfirmation/notSerialisedInvestigationalProductKit/investigationalProductIdentification
061	BDT00000121	.. 20	0 .. 1	Serial number <i>Path:</i> Dispensing advice/Material issued to patient confirmation/Serialized investigational product kit/Serial number	1 .. 20	1 .. unbounded	kitSerialNumber <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/materialIssuedtoPatientConfirmation/serialisedInvestigationalProductKit/kitSerialNumber
062	BDT00000090	.. 80	0 .. 1	Lot number <i>Path:</i> Dispensing advice/Material issued to patient confirmation/Serialized investigational product kit/Lot number	1 .. 20	0 .. 1	kitLotNumber <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/materialIssuedtoPatientConfirmation/serialisedInvestigationalProductKit/kitLotNumber
063	BDT00000066	14 .. 14	1 .. 1	Global trade item number, GTIN <i>Path:</i> Dispensing advice/Material issued to patient confirmation/Serialized investigational product kit/Clinical trial product identification information/Global trade item number, GTIN	1 .. 1		investigationalProductIdentification <i>Path:</i> dispensingAdviceMessage/dispensingAdvice/materialIssuedtoPatientConfirmation/serialisedInvestigationalProductKit/investigationalProductIdentification

Legend: No = Consecutive Number