



Mapping

Model: Kit status change; 1.0; Mapping
Root Element: **Kit status change**

Schema: KitStatusChange; 3.5.1; Mapping
Root Element: **clinicalTrialsKitStatusChangeMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
001	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Kit status change/Referenced original kit status change information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/originalKitStatusChangeIdentification/entityIdentification
002	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Kit status change/Referenced original kit status change information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/originalKitStatusChangeIdentification/contentOwner/gln
003	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Kit status change/Referenced original kit status change information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/originalKitStatusChangeIdentification/contentOwner/additionalPartyIdentification
004	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Kit status change/Referenced original kit status change information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/originalKitStatusChangeIdentification/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
005	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Kit status change/Referenced original kit status change information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/originalKitStatusChangeIdentification/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Kit status change; 1.0; Mapping
Root Element: **Kit status change**

Schema: KitStatusChange; 3.5.1; Mapping
Root Element: **clinicalTrialsKitStatusChangeMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
006	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Kit status change/Kit status change instruction/Kit location information/Global location number GLN	0 .. 1		gln <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/kitStatusChangeInstruction/storageLocation/gln
007	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Kit status change/Kit status change instruction/Kit location information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/kitStatusChangeInstruction/storageLocation/additionalPartyIdentification
008	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Kit status change/Kit status change instruction/Kit location information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/kitStatusChangeInstruction/storageLocation/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
009	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Kit status change/Kit status change instruction/Kit location information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/kitStatusChangeInstruction/storageLocation/additionalPartyIdentification/@codeListVersion
010	BDT00000965		1 .. 1	Medication kit status type code content <i>Path:</i> Kit status change/Kit status change instruction/Medication kit status type code/Medication kit status type code content	1 .. 80	1 .. 1	statusChangeCode <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/kitStatusChangeInstruction/statusChangeCode

Legend: No = Consecutive Number



Mapping

Model: Kit status change; 1.0; Mapping
Root Element: **Kit status change**

Schema: KitStatusChange; 3.5.1; Mapping
Root Element: **clinicalTrialsKitStatusChangeMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
011	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Kit status change/Kit status change instruction/Medication kit status type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/kitStatusChangeInstruction/statusChangeCode/@codeListVersion
012	BDT00000121	.. 20	0 .. 1	Serial number <i>Path:</i> Kit status change/Kit status change instruction/Serial number	1 .. 20	0 .. 1	kitSerialNumber <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/kitStatusChangeInstruction/kitSerialNumber
013	BDT00000090	.. 80	0 .. 1	Lot number <i>Path:</i> Kit status change/Kit status change instruction/Lot number	1 .. 20	1 .. 1	kitLotNumber <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/kitStatusChangeInstruction/kitLotNumber
014	BDT00000066	14 .. 14	1 .. 1	Global trade item number, GTIN <i>Path:</i> Kit status change/Kit status change instruction/Clinical trial product identification information/Global trade item number, GTIN		1 .. 1	investigationalProductIdentification <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/kitStatusChangeInstruction/investigationalProductIdentification
015	BDT00000987		0 .. 1	Message function type indicator <i>Path:</i> Kit status change/Message function type indicator	1 .. 80	1 .. 1	instructionOrResponseEnumeration <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/instructionOrResponseEnumeration
016	BDT00000960	.. 80	1 .. 1	Clinical trial protocol identification <i>Path:</i> Kit status change/Clinical trial protocol identification	1 .. 20	1 .. 1	protocolID <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/protocolID
017	BDT00000040		0 .. 1	Date <i>Path:</i> Kit status change/Business document effective date time/Date		1 .. 1	date <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/documentEffectiveDate/date

Legend: No = Consecutive Number



Mapping

Model: Kit status change; 1.0; Mapping
Root Element: **Kit status change**

Schema: KitStatusChange; 3.5.1; Mapping
Root Element: **clinicalTrialsKitStatusChangeMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
018	BDT00000133		0 .. 1	Time <i>Path:</i> Kit status change/Business document effective date time/Time		0 .. 1	time <i>Path:</i> clinicalTrialsKitStatusChangeMessage/ clinicalTrialsKitStatusChange/documentEffectiveDate/ time
019	BDT00000119		0 .. 1	Revision number <i>Path:</i> Kit status change/Revision number		0 .. 1	revisionNumber <i>Path:</i> clinicalTrialsKitStatusChangeMessage/ clinicalTrialsKitStatusChange/revisionNumber
020	BDT00000047		1 .. 1	Business document creation date time <i>Path:</i> Kit status change/Business document creation date time		1 .. 1	creationDateTime <i>Path:</i> clinicalTrialsKitStatusChangeMessage/ clinicalTrialsKitStatusChange/creationDateTime
021	BDT00000050		1 .. 1	Business document status code <i>Path:</i> Kit status change/Business document status code		1 .. 1	documentStatusCode <i>Path:</i> clinicalTrialsKitStatusChangeMessage/ clinicalTrialsKitStatusChange/documentStatusCode
022	BDT00000045		0 .. 1	Business document action code <i>Path:</i> Kit status change/Business document action code		0 .. 1	documentActionCode <i>Path:</i> clinicalTrialsKitStatusChangeMessage/ clinicalTrialsKitStatusChange/documentActionCode
023	BDT00000046		0 .. 1	Business document standard version <i>Path:</i> Kit status change/Business document standard version	1 .. 80	0 .. 1	documentStructureVersion <i>Path:</i> clinicalTrialsKitStatusChangeMessage/ clinicalTrialsKitStatusChange/documentStructureVersion
024	BDT00000048		0 .. 1	Business document last update date time <i>Path:</i> Kit status change/Business document last update date time		0 .. 1	lastUpdateDateTime <i>Path:</i> clinicalTrialsKitStatusChangeMessage/ clinicalTrialsKitStatusChange/lastUpdateDateTime
025	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Kit status change/Clinical trial protocol owner party information/Global location number, GLN		1 .. 1	protocolOwner <i>Path:</i> clinicalTrialsKitStatusChangeMessage/ clinicalTrialsKitStatusChange/protocolOwner
026	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Kit status change/Business document identification information/Entity	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> clinicalTrialsKitStatusChangeMessage/ clinicalTrialsKitStatusChange/

Legend: No = Consecutive Number



Mapping

Model: Kit status change; 1.0; Mapping
Root Element: **Kit status change**

Schema: KitStatusChange; 3.5.1; Mapping
Root Element: **clinicalTrialsKitStatusChangeMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification			clinicalTrialKitStatusChangeIdentification/ entityIdentification
027	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Kit status change/Business document identification information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> clinicalTrialsKitStatusChangeMessage/ clinicalTrialsKitStatusChange/ clinicalTrialKitStatusChangeIdentification/contentOwner/ gln
028	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Kit status change/Business document identification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsKitStatusChangeMessage/ clinicalTrialsKitStatusChange/ clinicalTrialKitStatusChangeIdentification/contentOwner/ additionalPartyIdentification
029	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Kit status change/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsKitStatusChangeMessage/ clinicalTrialsKitStatusChange/ clinicalTrialKitStatusChangeIdentification/contentOwner/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
030	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Kit status change/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsKitStatusChangeMessage/ clinicalTrialsKitStatusChange/ clinicalTrialKitStatusChangeIdentification/contentOwner/ additionalPartyIdentification/@codeListVersion
031	BDT000000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Kit status change/Business document	0 .. 1		gln <i>Path:</i> clinicalTrialsKitStatusChangeMessage/

Legend: No = Consecutive Number



Mapping

Model: Kit status change; 1.0; Mapping
Root Element: **Kit status change**

Schema: KitStatusChange; 3.5.1; Mapping
Root Element: **clinicalTrialsKitStatusChangeMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				sender party information/Global location number, GLN			clinicalTrialsKitStatusChange/sender/gln
032	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Kit status change/Business document sender party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/sender/additionalPartyIdentification
033	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Kit status change/Business document sender party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/sender/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
034	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Kit status change/Business document sender party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/sender/additionalPartyIdentification/@codeListVersion
035	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Kit status change/Business document receiver party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/receiver/gln
036	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Kit status change/Business document receiver party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/receiver/additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Kit status change; 1.0; Mapping
Root Element: **Kit status change**

Schema: KitStatusChange; 3.5.1; Mapping
Root Element: **clinicalTrialsKitStatusChangeMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
037	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Kit status change/Business document receiver party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/receiver/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
038	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Kit status change/Business document receiver party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsKitStatusChangeMessage/clinicalTrialsKitStatusChange/receiver/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number