



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Despatch advice		Context:	This business document is used to advice delivery of a shipment which is ready for transport to the buyer. Since the consignee will receive the despatch advice before the shipment arrives, it is possible to prepare for the reception of the shipment. The despatch advice specifies the logistic units contained in the shipment and the trade items contained in each logistic unit.
— Clinical trial protocol identification	1..1	SDD-ID: Definition:	BDT00000960 The information specifying the clinical trial study protocol identification
— Business document effective date time	0..1	SDD-ID: Definition:	BDTG00000197 The date and optional time from when the business document is valid from commercial or legal point of view.
— Date	0..1	SDD-ID: Definition: Example:	BDT00000040 The day of a year as a calendar date. 2020-06-15
— Time	0..1	SDD-ID: Definition: Example:	BDT00000133 The indication of a point in time. 08:01:15
— Revision number	0..1	SDD-ID: Definition:	BDT00000119 The number assigned to a specific release of a document to keep track of changes and updates between revisions.
— Business document creation date time	1..1	SDD-ID: Definition:	BDT00000047 The date and optional time when the business document was issued.
— Business document status code	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000050 The code specifying the status of a business document. ORIGINAL DocumentStatusEnumeration http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentStatusEnumeration
— Business document action code	0..1	SDD-ID: Definition: Usage: Used code list: Link to code list:	BDT00000045 The code indicating the action to be taken by a process within the IT system of the recipient of the business document. By the received code the IT-system can start the relevant IT process such as adding an original business document transaction when the code ADD is specified, or delete a previously received document transaction when the code DELETE is specified (a reference to the document transaction for deletion is required). DocumentActionEnumeration http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentActionEnumeration
— Business document standard version	0..1	SDD-ID: Definition:	BDT00000046 The version number of the standard used for the business document.
— Business document last update date time	0..1	SDD-ID: Definition:	BDT00000048 The last date and time when a business document was updated.
— Actual ship date time	1..1	SDD-ID: Definition:	BDT00000455 The date (and optional time) when the goods were shipped.



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Estimated delivery date time	0..1	SDD-ID:	BDT00000457
		Definition:	The date and optional time when the goods is estimated to be delivered.
Clinical trial protocol owner party information	1..1	SDD-ID:	BDTG00000961
		Definition:	The information specifying details of the party sponsoring the clinical trial
Global location number, GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	BDT00000578
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	BDT00000570
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Address information	0..1	SDD-ID:	BDTG00000144
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	BDT00000106
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Postal code	0..1	Synonyms:	P.O. box, postal box
		SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
Province identity	0..1	Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business contact information	0..unbounded	SDD-ID:	BDTG00000158
		Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID:	BDT00000112
		Definition:	The name of an individual person expressed as text.
Department name	0..1	SDD-ID:	BDT00000044
		Definition:	The name of the department.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Job title	0..1	SDD-ID:	BDT00000083
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	BDTG00000178
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
Contact type code content	1..1	SDD-ID:	BDT00000571
		Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID:	BDTG00000159
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	BDT00000580
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication information	0..unbounded	SDD-ID:	BDTG00000176
		Definition:	The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Communication channel name	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID:	BDTG00000145
		Definition:	The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID:	BDTG00000326
		Definition:	The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID:	BDT00000369
		Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID:	BDTG00000585
		Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID:	BDT00000584
		Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID:	BDTG00000587
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	BDT00000074
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	BDT00000073
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	BDT00000583
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description
Code list version	0..1	SDD-ID: BDT00000028 Definition: ResponsibleAgencyCode&release=5 The version number of the code list.
Tax type code	0..1	SDD-ID: BDTG00000328 Definition: The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: BDT00000576 Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Tax description	0..1	SDD-ID: BDTG00000322 Definition: The description of the tax expressed as text.
Tax description content	1..1	SDD-ID: BDT00000754 Definition: The description of the tax expressed as text.
Language code	0..1	SDD-ID: BDTG00000523 Definition: The code specifying the language.
Language code content	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Tax registration type code	0..1	SDD-ID: BDTG00000327 Definition: The code specifying the type of tax registration number assigned by a national authority.
Tax registration type code content	1..1	SDD-ID: BDT00000588 Definition: The code specifying the type of tax registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Organisation legal information	0..1	SDD-ID: BDTG00000262 Definition: The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID: BDT00000102 Definition: The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID: BDTG00000228 Definition: The code specifying the language of a party.
Language code content	1..1	SDD-ID: BDT00000524



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Currency of party code	0..1	SDD-ID:	BDTG00000184
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID:	BDT00000710
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	https://www.iso.org/iso-4217-currency-codes.html
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Official address	0..1	SDD-ID:	BDTG00000246
		Definition:	The registered legal address of the organisation.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description
Street address two	0..1	Example: Avenue Louise 326 SDD-ID: BDT00000130 Definition: The second street address line of a structured address. Example: Blue Tower
Street address three	0..1	SDD-ID: BDT00000129 Definition: The third street address line of a structured address. Example: Floor 4
Country code	0..1	SDD-ID: BDTG00000179 Definition: The code specifying a country.
Country code content	1..1	SDD-ID: BDT00000774 Definition: The code specifying a country.
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Geographical coordinates information	0..1	SDD-ID: BDTG00000214 Definition: The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID: BDT00000085 Definition: The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. Example: 23°26'12.2" S
Longitude	1..1	SDD-ID: BDT00000089 Definition: The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. Example: 18°3'59.0616"
Issued capital	0..1	SDD-ID: BDTG00000225 Definition: The monetary amount representing the value of the issued capital of a company.
Issued capital content	1..1	SDD-ID: BDT00000655 Definition: The monetary amount representing the issued capital of a company.
Currency code	0..1	SDD-ID: BDTG00000590 Definition: The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID: BDT00000589 Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Legal structure description	0..1	SDD-ID: BDTG00000231 Definition: The description of the legal structure expressed as text.
Legal structure description content	1..1	SDD-ID: BDT00000659 Definition: The description of the legal structure expressed as text.
Language code	0..1	SDD-ID: BDTG00000523 Definition: The code specifying the language.
Language code content	1..1	SDD-ID: BDT00000524

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	BDTG00000288
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	BDT00000087
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	BDT00000086
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	BDTG00000230
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	BDT00000658
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	BDTG00000209
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	BDT00000061
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	BDT00000060
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	BDTG00000207
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	BDT00000058
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	BDT00000059
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	BDTG00000208
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Financial account number type code content	1..1	SDD-ID:	BDT00000645
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Financial institution routing number information	0..1	SDD-ID: BDTG00000210 Definition: The information specifying details on a routing number of a financial institution.
Financial routing number	1..1	SDD-ID: BDT00000062 Definition: The routing number of a financial transaction according to the specified financial routing type. Business rule: This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code	1..1	SDD-ID: BDTG00000211 Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Financial routing number type code content	1..1	SDD-ID: BDT00000644 Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Additional financial institution description	0..1	SDD-ID: BDTG00000522 Definition: The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID: BDT00000521 Definition: The text value describing the additional financial institution.
Language code	0..1	SDD-ID: BDTG00000523 Definition: The code specifying the language.
Language code content	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Address information	0..1	SDD-ID: BDTG00000144 Definition: The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: BDT00000020 Definition: The name of the city, town or village.
City code	0..1	SDD-ID: BDT00000019

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
County code	0..1	Definition:	The code specifying a city.
		SDD-ID:	BDT00000034
Cross street	0..1	Definition:	The code indicating a geographical region in a country.
		SDD-ID:	BDT00000035
Party name	0..1	Definition:	The street crossing another street.
		SDD-ID:	BDT00000106
Post office box number	0..1	Definition:	The name of the party expressed as text.
		SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	BDT00000089



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business document identification information	1..1	SDD-ID:	BDTG00000480
		Definition:	The information specifying the identification details of the business document.
Entity identification	1..1	SDD-ID:	BDT00000056
		Definition:	The identity of an entity such as a document or an object.
Document content owner	0..1	SDD-ID:	BDTG00000196
		Definition:	The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	BDT00000578
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	BDT00000570
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Business document sender party information	1..1	SDD-ID:	BDTG00000953
		Definition:	The information specifying the details of the party sending a business document
Global location number, GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Number, GLN.	
—Additional party identification content	1..1	SDD-ID: BDT00000578 Definition:	The additional identity of a party.
—Additional party identification type code	1..1	SDD-ID: BDTG00000579 Definition:	The code specifying the additional identification type of the party.
—Additional party identification type code content	1..1	SDD-ID: BDT00000570 Definition:	The code specifying the additional identification type of the party.
		Used code list: AdditionalPartyIdentificationTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode	
—Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
—Electronic address information	0..1	SDD-ID: BDTG00000784 Definition:	The information about the electronic address of a party
—Electronic address identification scheme	1..1	SDD-ID: BDT00000786 Definition:	The identification scheme of of the electronic address
—Electronic address identification	1..1	SDD-ID: BDT00000785 Definition:	The identifier of of the electronic address to which a business document should be delivered
—Address information	0..1	SDD-ID: BDTG00000144 Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
—City name	0..1	SDD-ID: BDT00000020 Definition:	The name of the city, town or village.
—City code	0..1	SDD-ID: BDT00000019 Definition:	The code specifying a city.
—County code	0..1	SDD-ID: BDT00000034 Definition:	The code indicating a geographical region in a country.
—Cross street	0..1	SDD-ID: BDT00000035 Definition:	The street crossing another street.
—Party name	0..1	SDD-ID: BDT00000106 Definition:	The name of the party expressed as text.
—Post office box number	0..1	SDD-ID: BDT00000113 Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms: P.O. box, postal box	
—Postal code	0..1	SDD-ID: BDT00000114 Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode	
—Province identity	0..1	SDD-ID: BDT00000117	

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
State	0..1	Definition:	The identity of a province according to national codes assigned to provinces.
		SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business contact information	0..unbounded	SDD-ID:	BDTG00000158
		Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID:	BDT00000112
		Definition:	The name of an individual person expressed as text.
Department name	0..1	SDD-ID:	BDT00000044
		Definition:	The name of the department.
Job title	0..1	SDD-ID:	BDT00000083
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	BDTG00000178
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
<ul style="list-style-type: none"> Contact type code content 	1..1	SDD-ID:	BDT00000571
		Definition:	The code specifying the function or role of a contact person.
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
<ul style="list-style-type: none"> Business contact responsibility description 	0..unbounded	SDD-ID:	BDTG00000159
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
<ul style="list-style-type: none"> Business contact responsibility description content 	1..1	SDD-ID:	BDT00000580
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
<ul style="list-style-type: none"> Language code 	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
<ul style="list-style-type: none"> Language code content 	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
<ul style="list-style-type: none"> Communication information 	0..unbounded	SDD-ID:	BDTG00000176
		Definition:	The information specifying details of a contact person's communication channel.
<ul style="list-style-type: none"> Communication channel code 	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
<ul style="list-style-type: none"> Communication channel code content 	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
<ul style="list-style-type: none"> Communication channel identification 	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<ul style="list-style-type: none"> Communication channel name 	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
<ul style="list-style-type: none"> After hours communication information 	0..unbounded	SDD-ID:	BDTG00000145
		Definition:	The information specifying details of communication channels to use after regular business hours.
<ul style="list-style-type: none"> Communication channel code 	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID: BDT00000525 Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: BDT00000032 Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: BDT00000033 Definition: The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID: BDTG00000326 Definition: The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID: BDT00000369 Definition: The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID: BDTG00000585 Definition: The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID: BDT00000584 Definition: The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID: BDTG00000587 Definition: The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: BDT00000074 Definition: The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: BDT00000073 Definition: The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: BDTG00000586 Definition: The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: BDT00000583 Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Tax type code	0..1	SDD-ID: BDTG00000328 Definition: The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: BDT00000576 Definition: The code specifying the type of tax.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax description	0..1	SDD-ID:	BDTG00000322
		Definition:	The description of the tax expressed as text.
Tax description content	1..1	SDD-ID:	BDT00000754
		Definition:	The description of the tax expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax registration type code	0..1	SDD-ID:	BDTG00000327
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
Tax registration type code content	1..1	SDD-ID:	BDT00000588
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty registration information	0..unbounded	SDD-ID:	BDTG00000375
		Definition:	The information specifying details of a party registered for customs duty.
Customs authority name	0..1	SDD-ID:	BDT00000370
		Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
Customs registration identification information	1..1	SDD-ID:	BDTG00000621
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
Customs registration identification content	1..1	SDD-ID:	BDT00000622
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
Identification scheme information	0..1	SDD-ID:	BDTG00000587
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	BDT00000074

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
	Identification scheme agency name	0..1	Definition:	The name of the identification scheme.
			SDD-ID:	BDT00000073
	Identification scheme responsible agency code	0..1	Definition:	The name of the agency responsible for a identification scheme.
			SDD-ID:	BDTG00000586
	Identification scheme responsible agency code content	1..1	Definition:	The code specifying the agency responsible for the identification scheme.
			SDD-ID:	BDT00000583
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
	Code list version	0..1	Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
			SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
			SDD-ID:	BDTG00000328
	Tax type code	0..1	Definition:	The code specifying the type of tax.
			SDD-ID:	BDTG00000328
	Tax type code content	1..1	Definition:	The code specifying the type of tax.
			SDD-ID:	BDT00000576
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
			SDD-ID:	BDT00000028
	Code list version	0..1	Definition:	The version number of the code list.
			SDD-ID:	BDTG00000378
	Customs duty description	0..1	Definition:	The description of the customs duty expressed as text.
			SDD-ID:	BDTG00000378
	Customs duty description content	1..1	Definition:	The description of the customs duty expressed as text.
			SDD-ID:	BDT00000563
	Language code	0..1	Definition:	The code specifying the language.
			SDD-ID:	BDTG00000523
	Language code content	1..1	Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
			SDD-ID:	BDT00000524
	Code list version	0..1	Definition:	The version number of the code list.
			SDD-ID:	BDT00000028
	Customs registration type code	0..1	Definition:	The code specifying the type of customs registration number assigned by a national authority.
			SDD-ID:	BDTG00000623
	Customs registration type code content	1..1	Definition:	The code specifying the type of customs registration number assigned by a national authority.
			SDD-ID:	BDT00000624
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID:	BDTG00000262
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	BDT00000102
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	BDTG00000228
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Currency of party code	0..1	SDD-ID:	BDTG00000184
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID:	BDT00000710
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	https://www.iso.org/iso-4217-currency-codes.html
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Official address	0..1	SDD-ID:	BDTG00000246
		Definition:	The registered legal address of the organisation.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	BDT00000117
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	BDT00000127
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	BDT00000128
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	BDT00000130
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	BDT00000129
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	BDTG00000179
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	BDT00000774
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	BDT00000085
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	BDT00000089
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Issued capital	0..1	SDD-ID:	BDTG00000225
			Definition:	The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID:	BDT00000655
			Definition:	The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID:	BDTG00000590
			Definition:	The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID:	BDT00000589
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Legal structure description	0..1	SDD-ID:	BDTG00000231
		Definition:	The description of the legal structure expressed as text.
Legal structure description content	1..1	SDD-ID:	BDT00000659
		Definition:	The description of the legal structure expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	BDTG00000288
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	BDT00000087
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	BDT00000086
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	BDTG00000230
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	BDT00000658
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	BDTG00000209
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	BDT00000061
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	BDT00000060
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	BDTG00000207
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	BDT00000058
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	BDT00000059

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
<div> <div>Financial account number type code</div> <div>Financial account number type code content</div> <div>Code list version</div> <div>Financial institution routing number information</div> <div>Financial routing number</div> <div>Financial routing number type code</div> <div>Financial routing number type code content</div> <div>Code list version</div> <div>Additional financial institution description</div> <div>Additional financial institution description content</div> <div>Language code</div> <div>Language code content</div> </div>	Financial account number type code	1..1	Definition: SDD-ID: Definition: Used code list: Link to code list:	The number of a financial account expressed as text. BDTG00000208 The code specifying the type of a financial account number. FinancialAccountNumberTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
	Financial account number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000645 The code specifying the type of a financial account number. FinancialAccountNumberTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID: Definition:	BDTG00000210 The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID: Definition: Business rule:	BDT00000062 The routing number of a financial transaction according to the specified financial routing type. This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDTG00000211 The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
	Financial routing number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000644 The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Additional financial institution description	0..1	SDD-ID: Definition:	BDTG00000522 The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID: Definition:	BDT00000521 The text value describing the additional financial institution.
	Language code	0..1	SDD-ID: Definition:	BDTG00000523 The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Address information	0..1	SDD-ID:	BDTG00000144
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	BDT00000106
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business document receiver party information	1..1	SDD-ID:	BDTG00000954
		Definition:	The information specifying the details of the party receiving a business document
Global location number, GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	BDT00000578
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	BDT00000570
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Electronic address information	0..1	SDD-ID:	BDTG00000784
		Definition:	The information about the electronic address of a party
Electronic address identification scheme	1..1	SDD-ID:	BDT00000786
		Definition:	The identification scheme of of the electronic address
Electronic address identification	1..1	SDD-ID:	BDT00000785
		Definition:	The identifier of of the electronic address to which a business document should be delivered

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Address information	0..1	SDD-ID:	BDTG00000144
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	BDT00000106
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business contact information	0..unbounded	SDD-ID:	BDTG00000158
		Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID:	BDT00000112
		Definition:	The name of an individual person expressed as text.
Department name	0..1	SDD-ID:	BDT00000044
		Definition:	The name of the department.
Job title	0..1	SDD-ID:	BDT00000083
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	BDTG00000178
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
Contact type code content	1..1	SDD-ID:	BDT00000571
		Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID:	BDTG00000159
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	BDT00000580
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description
Communication information	0..unbounded	SDD-ID: BDTG00000176 Definition: The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID: BDTG00000175 Definition: The code specifying the channel for communication. Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID: BDT00000525 Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: BDT00000032 Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: BDT00000033 Definition: The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID: BDTG00000145 Definition: The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID: BDTG00000175 Definition: The code specifying the channel for communication. Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID: BDT00000525 Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: BDT00000032 Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: BDT00000033 Definition: The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID: BDTG00000326 Definition: The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID: BDT00000369 Definition: The name of the authority administering the collection of taxes expressed as text.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Tax registration identification information	1..1	SDD-ID: BDTG00000585 Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID: BDT00000584 Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID: BDTG00000587 Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: BDT00000074 Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: BDT00000073 Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: BDTG00000586 Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: BDT00000583 Definition: Used code list: Link to code list:	The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID: BDTG00000328 Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: BDT00000576 Definition: Used code list: Link to code list:	The code specifying the type of tax. DutyFeeTaxTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Tax description	0..1	SDD-ID: BDTG00000322 Definition:	The description of the tax expressed as text.
Tax description content	1..1	SDD-ID: BDT00000754 Definition:	The description of the tax expressed as text.
Language code	0..1	SDD-ID: BDTG00000523 Definition:	The code specifying the language.
Language code content	1..1	SDD-ID: BDT00000524 Definition: Example: Used code list:	The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Tax registration type code	0..1	SDD-ID: BDTG00000327	



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Tax registration type code content	1..1	Definition:	The code specifying the type of tax registration number assigned by a national authority.
		SDD-ID:	BDT00000588
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty registration information	0..unbounded	SDD-ID:	BDTG00000375
		Definition:	The information specifying details of a party registered for customs duty.
Customs authority name	0..1	SDD-ID:	BDT00000370
		Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
Customs registration identification information	1..1	SDD-ID:	BDTG00000621
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
Customs registration identification content	1..1	SDD-ID:	BDT00000622
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
Identification scheme information	0..1	SDD-ID:	BDTG00000587
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	BDT00000074
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	BDT00000073
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	BDT00000583
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	BDTG00000328
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	BDT00000576
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty description	0..1	SDD-ID:	BDTG00000378
		Definition:	The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID:	BDT00000563
		Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs registration type code	0..1	SDD-ID:	BDTG00000623
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID:	BDT00000624
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID:	BDTG00000262
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	BDT00000102
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	BDTG00000228
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Currency of party code	0..1	SDD-ID:	BDTG00000184
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
	Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000710 The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. https://www.iso.org/iso-4217-currency-codes.html
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Official address	0..1	SDD-ID: Definition:	BDTG00000246 The registered legal address of the organisation.
	County code	0..1	SDD-ID: Definition:	BDT00000034 The code indicating a geographical region in a country.
	City name	0..1	SDD-ID: Definition:	BDT00000020 The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	BDT00000019 The code specifying a city.
	Cross street	0..1	SDD-ID: Definition:	BDT00000035 The street crossing another street.
	Post office box number	0..1	SDD-ID: Definition:	BDT00000113 The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box BDT00000114 The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode BDT00000117 The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition: Example:	BDT00000127 The political unit that a country can be divided into. California
	Street address one	0..1	SDD-ID: Definition: Example:	BDT00000128 The first street address line of a structured address. Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition: Example:	BDT00000130 The second street address line of a structured address. Blue Tower
	Street address three	0..1	SDD-ID: Definition: Example:	BDT00000129 The third street address line of a structured address. Floor 4
	Country code	0..1	SDD-ID: Definition:	BDTG000000179 The code specifying a country.
	Country code content	1..1	SDD-ID:	BDT00000774

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	Definition:	The code specifying a country.
			SDD-ID:	BDT00000028
	Geographical coordinates information	0..1	Definition:	The version number of the code list.
			SDD-ID:	BDTG00000214
	Latitude	1..1	Definition:	The information specifying details on a location using geographical coordinates.
			SDD-ID:	BDT00000085
	Longitude	1..1	Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Issued capital	0..1	SDD-ID:	BDT00000089
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	Issued capital content	1..1	Example:	18°3'59.0616"
			SDD-ID:	BDTG00000225
	Currency code	0..1	Definition:	The monetary amount representing the value of the issued capital of a company.
			SDD-ID:	BDT00000655
	Currency code content	1..1	Definition:	The monetary amount representing the issued capital of a company.
			SDD-ID:	BDTG00000590
	Code list version	0..1	Definition:	The code specifying the currency of a monetary amount.
			SDD-ID:	BDT00000589
	Legal structure description	0..1	Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
	Legal structure description content	1..1	Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .
			SDD-ID:	BDT00000028
	Language code	0..1	Definition:	The version number of the code list.
			SDD-ID:	BDTG00000231
	Language code content	1..1	Definition:	The description of the legal structure expressed as text.
			SDD-ID:	BDT00000659
	Code list version	0..1	Definition:	The description of the legal structure expressed as text.
			SDD-ID:	BDTG00000523
	Registered legal information	0..unbounded	Definition:	The code specifying the language.
			SDD-ID:	BDT00000524
	Legal registration number	1..1	Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
			SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
			SDD-ID:	BDTG00000288
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.
			SDD-ID:	BDT00000087

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Legal registration additional information	0..1	Definition:	The identification number of an organisation according to a legal register.
		SDD-ID:	BDT00000086
Legal registration type code	1..1	Definition:	The additional information related to the legal registration expressed as text.
		SDD-ID:	BDTG00000230
Legal registration type code content	1..1	Definition:	The code specifying the type of legal registration.
		SDD-ID:	BDT00000658
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	BDTG00000209
Financial institution name	0..1	Definition:	The information specifying details of a financial institution and financial account.
		SDD-ID:	BDT00000061
Financial institution division name	0..1	Definition:	The name of a financial institution expressed as text.
		SDD-ID:	BDT00000060
Financial account information	0..1	Definition:	The name of a division or branch within a financial institution expressed as text.
		SDD-ID:	BDTG00000207
Financial account name	0..1	Definition:	The information specifying details of a financial account.
		SDD-ID:	BDT00000058
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	BDT00000059
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	BDTG00000208
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Financial account number type code content	1..1	SDD-ID:	BDT00000645
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution routing number information	0..1	SDD-ID:	BDTG00000210
		Definition:	The information specifying details on a routing number of a financial institution.
Financial routing number	1..1	SDD-ID:	BDT00000062
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description
Financial routing number type code	1..1	SDD-ID: BDTG00000211 Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Financial routing number type code content	1..1	SDD-ID: BDT00000644 Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Additional financial institution description	0..1	SDD-ID: BDTG00000522 Definition: The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID: BDT00000521 Definition: The text value describing the additional financial institution.
Language code	0..1	SDD-ID: BDTG00000523 Definition: The code specifying the language.
Language code content	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Address information	0..1	SDD-ID: BDTG00000144 Definition: The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: BDT00000020 Definition: The name of the city, town or village.
City code	0..1	SDD-ID: BDT00000019 Definition: The code specifying a city.
County code	0..1	SDD-ID: BDT00000034 Definition: The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: BDT00000035 Definition: The street crossing another street.
Party name	0..1	SDD-ID: BDT00000106 Definition: The name of the party expressed as text.
Post office box number	0..1	SDD-ID: BDT00000113 Definition: The number of a post office box located on the premises of a post office station or other postal service location.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Postal code	0..1	Synonyms:	P.O. box, postal box
		SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
Province identity	0..1	Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Referenced distribution management entity shipping information	1..1	SDD-ID:	BDTG00000958
		Definition:	The information specifying the reference to the distribution management entity, DME, shipping identification
Entity identification	1..1	SDD-ID:	BDT00000056
		Definition:	The identity of an entity such as a document or an object.
Document content owner	0..1	SDD-ID:	BDTG00000196
		Definition:	The information specifying the party that is responsible for the content of a document.



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Global location number GLN	0..1	SDD-ID: Definition: Ref. definition:	BDT00000063 The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	BDTG00000577 The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: Definition:	BDT00000578 The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: Definition:	BDTG00000579 The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000570 The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Referenced distribution management entity shipping order information	1..1	SDD-ID: Definition:	BDTG00000959 The information specifying the reference to the DME shipping order identification
Entity identification	1..1	SDD-ID: Definition:	BDT00000056 The identity of an entity such as a document or an object.
Document content owner	0..1	SDD-ID: Definition:	BDTG00000196 The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID: Definition: Ref. definition:	BDT00000063 The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	BDTG00000577 The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: Definition:	BDT00000578 The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: Definition:	BDTG00000579 The code specifying the additional identification type of the party.



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
<ul style="list-style-type: none"> Additional party identification type code content 	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000570 The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
<ul style="list-style-type: none"> Ship from party information 	1..1	SDD-ID: Definition: Usage:	BDTG00000310 The information specifying the location from which goods are shipped. To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
<ul style="list-style-type: none"> Global location number GLN 	0..1	SDD-ID: Definition: Ref. definition:	BDT00000063 The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<ul style="list-style-type: none"> Additional party identification information 	0..unbounded	SDD-ID: Definition: Usage:	BDTG00000577 The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Additional party identification content 	1..1	SDD-ID: Definition:	BDT00000578 The additional identity of a party.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Additional party identification type code 	1..1	SDD-ID: Definition:	BDTG00000579 The code specifying the additional identification type of the party.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Additional party identification type code content 	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000570 The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
<ul style="list-style-type: none"> Address information 	0..1	SDD-ID: Definition:	BDTG00000144 The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> City name 	0..1	SDD-ID: Definition:	BDT00000020 The name of the city, town or village.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> City code 	0..1	SDD-ID: Definition:	BDT00000019 The code specifying a city.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> County code 	0..1	SDD-ID: Definition:	BDT00000034 The code indicating a geographical region in a country.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
— Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
— Party name	0..1	SDD-ID:	BDT00000106
		Definition:	The name of the party expressed as text.
— Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
— Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
— Province identity	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
— State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
— Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
— Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
— Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
— Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
— Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
— Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
— Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
— Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
— Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description
Business contact information	0..unbounde	SDD-ID: BDTG00000158 Definition: The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID: BDT00000112 Definition: The name of an individual person expressed as text.
Department name	0..1	SDD-ID: BDT00000044 Definition: The name of the department.
Job title	0..1	SDD-ID: BDT00000083 Definition: The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID: BDTG00000178 Definition: The code specifying the function or role of a contact person. Used code list: ISO 3166-1 or equivalent representation in specific syntax. Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
Contact type code content	1..1	SDD-ID: BDT00000571 Definition: The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Business contact responsibility description	0..unbounde	SDD-ID: BDTG00000159 Definition: The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID: BDT00000580 Definition: The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID: BDTG00000523 Definition: The code specifying the language.
Language code content	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Communication information	0..unbounde	SDD-ID: BDTG00000176 Definition: The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID: BDTG00000175 Definition: The code specifying the channel for communication. Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID: BDT00000525 Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: BDT00000032 Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: BDT00000033 Definition: The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID: BDTG00000145 Definition: The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID: BDTG00000175 Definition: The code specifying the channel for communication. Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID: BDT00000525 Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: BDT00000032 Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: BDT00000033 Definition: The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID: BDTG00000326 Definition: The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID: BDT00000369 Definition: The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID: BDTG00000585 Definition: The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID: BDT00000584 Definition: The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID: BDTG00000587 Definition: The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: BDT00000074 Definition: The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: BDT00000073

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description
<ul style="list-style-type: none"> Identification scheme responsible agency code 	0..1	Definition: The name of the agency responsible for a identification scheme. SDD-ID: BDTG00000586
<ul style="list-style-type: none"> Identification scheme responsible agency code content 	1..1	Definition: The code specifying the agency responsible for the identification scheme. SDD-ID: BDT00000583 Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
<ul style="list-style-type: none"> Tax type code 	0..1	SDD-ID: BDTG00000328 Definition: The code specifying the type of tax.
<ul style="list-style-type: none"> Tax type code content 	1..1	SDD-ID: BDT00000576 Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
<ul style="list-style-type: none"> Tax description 	0..1	SDD-ID: BDTG00000322 Definition: The description of the tax expressed as text.
<ul style="list-style-type: none"> Tax description content 	1..1	SDD-ID: BDT00000754 Definition: The description of the tax expressed as text.
<ul style="list-style-type: none"> Language code 	0..1	SDD-ID: BDTG00000523 Definition: The code specifying the language.
<ul style="list-style-type: none"> Language code content 	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
<ul style="list-style-type: none"> Tax registration type code 	0..1	SDD-ID: BDTG00000327 Definition: The code specifying the type of tax registration number assigned by a national authority.
<ul style="list-style-type: none"> Tax registration type code content 	1..1	SDD-ID: BDT00000588 Definition: The code specifying the type of tax registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Customs duty registration information	0..unbounded	SDD-ID:	BDTG00000375
		Definition:	The information specifying details of a party registered for customs duty.
Customs authority name	0..1	SDD-ID:	BDT00000370
		Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
Customs registration identification information	1..1	SDD-ID:	BDTG00000621
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
Customs registration identification content	1..1	SDD-ID:	BDT00000622
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
Identification scheme information	0..1	SDD-ID:	BDTG00000587
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	BDT00000074
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	BDT00000073
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	BDT00000583
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	BDTG00000328
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	BDT00000576
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty description	0..1	SDD-ID:	BDTG00000378
		Definition:	The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID:	BDT00000563
		Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Example: Used code list:	en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Customs registration type code	0..1	SDD-ID: Definition:	BDTG00000623 The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID: Definition:	BDT00000624 The code specifying the type of customs registration number assigned by a national authority.
		Used code list: Link to code list:	DutyFeeTaxRegistrationTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Organisation legal information	0..1	SDD-ID: Definition:	BDTG00000262 The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID: Definition:	BDT00000102 The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID: Definition:	BDTG00000228 The code specifying the language of a party.
Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Currency of party code	0..1	SDD-ID: Definition: Example: Used code list:	BDTG00000184 The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000710 The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. https://www.iso.org/iso-4217-currency-codes.html
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Official address	0..1	SDD-ID: Definition:	BDTG00000246 The registered legal address of the organisation.
County code	0..1	SDD-ID:	BDT00000034

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
	City name	0..1	Definition:	The code indicating a geographical region in a country.
			SDD-ID:	BDT00000020
	City code	0..1	Definition:	The name of the city, town or village.
			SDD-ID:	BDT00000019
	Cross street	0..1	Definition:	The code specifying a city.
			SDD-ID:	BDT00000035
	Post office box number	0..1	Definition:	The street crossing another street.
			SDD-ID:	BDT00000113
	Postal code	0..1	Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
			SDD-ID:	BDT00000114
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
	Province identity	0..1	Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
			SDD-ID:	BDT00000117
	State	0..1	Definition:	The identity of a province according to national codes assigned to provinces.
			SDD-ID:	BDT00000127
	Street address one	0..1	Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address two	0..1	SDD-ID:	BDT00000128
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address three	0..1	SDD-ID:	BDT00000130
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Country code	0..1	SDD-ID:	BDT00000129
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code content	1..1	SDD-ID:	BDTG00000179
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	BDT00000774
			Definition:	The code specifying a country.
	Geographical coordinates information	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Latitude	1..1	SDD-ID:	BDTG00000214
			Definition:	The information specifying details on a location using geographical coordinates.
			SDD-ID:	BDT00000085
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	BDT00000089

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Issued capital	0..1	SDD-ID:	BDTG00000225
		Definition:	The monetary amount representing the value of the issued capital of a company.
Issued capital content	1..1	SDD-ID:	BDT00000655
		Definition:	The monetary amount representing the issued capital of a company.
Currency code	0..1	SDD-ID:	BDTG00000590
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	BDT00000589
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Legal structure description	0..1	SDD-ID:	BDTG00000231
		Definition:	The description of the legal structure expressed as text.
Legal structure description content	1..1	SDD-ID:	BDT00000659
		Definition:	The description of the legal structure expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	BDTG00000288
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	BDT00000087
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	BDT00000086
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	BDTG00000230
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	BDT00000658
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	BDTG00000209
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	BDT00000061
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	BDT00000060
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	BDTG00000207
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	BDT00000058
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	BDT00000059
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	BDTG00000208
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Financial account number type code content	1..1	SDD-ID:	BDT00000065
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution routing number information	0..1	SDD-ID:	BDTG00000210
		Definition:	The information specifying details on a routing number of a financial institution.
Financial routing number	1..1	SDD-ID:	BDT00000062
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code	1..1	SDD-ID:	BDTG00000211
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Financial routing number type code content	1..1	SDD-ID:	BDT00000064
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description
Code list version	0..1	SDD-ID: BDT00000028 Definition: FinancialRoutingNumberTypeCode The version number of the code list.
Additional financial institution description	0..1	SDD-ID: BDTG00000522 Definition: The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID: BDT00000521 Definition: The text value describing the additional financial institution.
Language code	0..1	SDD-ID: BDTG00000523 Definition: The code specifying the language.
Language code content	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Address information	0..1	SDD-ID: BDTG00000144 Definition: The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: BDT00000020 Definition: The name of the city, town or village.
City code	0..1	SDD-ID: BDT00000019 Definition: The code specifying a city.
County code	0..1	SDD-ID: BDT00000034 Definition: The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: BDT00000035 Definition: The street crossing another street.
Party name	0..1	SDD-ID: BDT00000106 Definition: The name of the party expressed as text.
Post office box number	0..1	SDD-ID: BDT00000113 Definition: The number of a post office box located on the premises of a post office station or other postal service location. Synonyms: P.O. box, postal box
Postal code	0..1	SDD-ID: BDT00000114 Definition: The code according to the relevant postal system or service to specify a geographical area. Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID: BDT00000117 Definition: The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: BDT00000127 Definition: The political unit that a country can be divided into.



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
<ul style="list-style-type: none"> Street address one 	0..1	Example: SDD-ID: Definition: Example:	California BDT00000128 The first street address line of a structured address. Avenue Louise 326
<ul style="list-style-type: none"> Street address two 	0..1	SDD-ID: Definition: Example:	BDT00000130 The second street address line of a structured address. Blue Tower
<ul style="list-style-type: none"> Street address three 	0..1	SDD-ID: Definition: Example:	BDT00000129 The third street address line of a structured address. Floor 4
<ul style="list-style-type: none"> Country code 	0..1	SDD-ID: Definition:	BDTG00000179 The code specifying a country.
<ul style="list-style-type: none"> Country code content 	1..1	SDD-ID: Definition:	BDT00000774 The code specifying a country.
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
<ul style="list-style-type: none"> Geographical coordinates information 	0..1	SDD-ID: Definition:	BDTG00000214 The information specifying details on a location using geographical coordinates.
<ul style="list-style-type: none"> Latitude 	1..1	SDD-ID: Definition:	BDT00000085 The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
<ul style="list-style-type: none"> Longitude 	1..1	Example: SDD-ID: Definition:	23°26'12.2" S BDT00000089 The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
<ul style="list-style-type: none"> Ship to party information 	1..1	Example: SDD-ID: Definition: Usage:	18°3'59.0616" BDTG00000311 The information specifying the location to which goods are shipped. To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
<ul style="list-style-type: none"> Global location number GLN 	0..1	SDD-ID: Definition: Ref. definition:	BDT00000063 The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<ul style="list-style-type: none"> Additional party identification information 	0..unbounded	SDD-ID: Definition: Usage:	BDTG00000577 The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<ul style="list-style-type: none"> Additional party identification content 	1..1	SDD-ID: Definition:	BDT00000578 The additional identity of a party.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
<ul style="list-style-type: none"> Additional party identification type code 	1..1	SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Additional party identification type code content 	1..1	SDD-ID:	BDT00000570
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
<ul style="list-style-type: none"> Address information 	0..1	SDD-ID:	BDTG00000144
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> City name 	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> City code 	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> County code 	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Cross street 	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Party name 	0..1	SDD-ID:	BDT00000106
		Definition:	The name of the party expressed as text.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Post office box number 	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Postal code 	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Province identity 	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> State 	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Street address one 	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Street address two 	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business contact information	0..unbounded	SDD-ID:	BDTG00000158
		Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID:	BDT00000112
		Definition:	The name of an individual person expressed as text.
Department name	0..1	SDD-ID:	BDT00000044
		Definition:	The name of the department.
Job title	0..1	SDD-ID:	BDT00000083
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	BDTG00000178
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
Contact type code content	1..1	SDD-ID:	BDT00000571
		Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID:	BDTG00000159
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	BDT00000580
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication information	0..unbounded	SDD-ID:	BDTG00000176
		Definition:	The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID:	BDTG00000145
		Definition:	The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Communication channel identification	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID:	BDTG00000326
		Definition:	The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID:	BDT00000369
		Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID:	BDTG00000585
		Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID:	BDT00000584
		Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID:	BDTG00000587
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	BDT00000074
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	BDT00000073
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	BDT00000583
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	BDTG00000328
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	BDT00000576
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax description	0..1	SDD-ID:	BDTG00000322
		Definition:	The description of the tax expressed as text.
Tax description content	1..1	SDD-ID:	BDT00000754
		Definition:	The description of the tax expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
	Language code content	1..1	Definition:	The code specifying the language.
			SDD-ID:	BDT00000524
	Code list version	0..1	Definition:	The code specifying the language.
			Example:	en
	Tax registration type code	0..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
			SDD-ID:	BDT00000028
	Tax registration type code content	1..1	Definition:	The version number of the code list.
			SDD-ID:	BDTG00000327
	Code list version	0..1	Definition:	The code specifying the type of tax registration number assigned by a national authority.
			SDD-ID:	BDT00000588
	Customs duty registration information	0..unbounded	Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
	Customs authority name	0..1	Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
			SDD-ID:	BDT00000028
	Customs registration identification information	1..1	Definition:	The version number of the code list.
			SDD-ID:	BDTG00000375
	Customs registration identification content	1..1	Definition:	The information specifying details of a party registered for customs duty.
			SDD-ID:	BDT00000370
	Identification scheme information	0..1	Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
			SDD-ID:	BDTG00000621
	Identification scheme name	0..1	Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
			SDD-ID:	BDT00000622
	Identification scheme agency name	0..1	Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
			SDD-ID:	BDTG00000587
	Identification scheme responsible agency code	0..1	Definition:	The information specifying details of the used identification scheme.
			SDD-ID:	BDT00000074
	Identification scheme responsible agency code content	1..1	Definition:	The name of the identification scheme.
			SDD-ID:	BDT00000073
			Definition:	The name of the agency responsible for a identification scheme.
			SDD-ID:	BDTG00000586
			Definition:	The code specifying the agency responsible for the identification scheme.
			SDD-ID:	BDT00000583
			Used code list:	ResponsibleAgencyCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	BDTG00000328
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	BDT00000576
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty description	0..1	SDD-ID:	BDTG00000378
		Definition:	The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID:	BDT00000563
		Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs registration type code	0..1	SDD-ID:	BDTG00000623
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID:	BDT00000624
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID:	BDTG00000262
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	BDT00000102
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	BDTG00000228
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Example: Used code list:	en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Currency of party code	0..1	SDD-ID: Definition: Example: Used code list:	BDTG00000184 The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000710 The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. https://www.iso.org/iso-4217-currency-codes.html
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Official address	0..1	SDD-ID: Definition:	BDTG00000246 The registered legal address of the organisation.
County code	0..1	SDD-ID: Definition:	BDT00000034 The code indicating a geographical region in a country.
City name	0..1	SDD-ID: Definition:	BDT00000020 The name of the city, town or village.
City code	0..1	SDD-ID: Definition:	BDT00000019 The code specifying a city.
Cross street	0..1	SDD-ID: Definition:	BDT00000035 The street crossing another street.
Post office box number	0..1	SDD-ID: Definition:	BDT00000113 The number of a post office box located on the premises of a post office station or other postal service location.
Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box BDT00000114 The code according to the relevant postal system or service to specify a geographical area.
Province identity	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode BDT00000117 The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: Definition: Example:	BDT00000127 The political unit that a country can be divided into. California
Street address one	0..1	SDD-ID: Definition: Example:	BDT00000128 The first street address line of a structured address. Avenue Louise 326

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
	Street address two	0..1	SDD-ID: Definition: Example:	BDT00000130 The second street address line of a structured address. Blue Tower
	Street address three	0..1	SDD-ID: Definition: Example:	BDT00000129 The third street address line of a structured address. Floor 4
	Country code	0..1	SDD-ID: Definition:	BDTG00000179 The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	BDT00000774 The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	BDTG00000214 The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	BDT00000085 The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	SDD-ID: Definition: Example:	BDT00000089 The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 23°26'12.2" S
	Issued capital	0..1	SDD-ID: Definition:	BDTG00000225 The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID: Definition:	BDT00000655 The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID: Definition:	BDTG00000590 The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000589 The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Legal structure description	0..1	SDD-ID: Definition:	BDTG00000231 The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID: Definition:	BDT00000659 The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID: Definition:	BDTG00000523 The code specifying the language.
	Language code content	1..1	SDD-ID: Definition:	BDT00000524 The code specifying the language.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Example: Used code list:	en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Registered legal information	0..unbounded	SDD-ID: Definition:	BDTG00000288 The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID: Definition:	BDT00000087 The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID: Definition:	BDT00000086 The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID: Definition:	BDTG00000230 The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000658 The code specifying the type of legal registration. LegalRegistrationCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID: Definition:	BDTG00000209 The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID: Definition:	BDT00000061 The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID: Definition:	BDT00000060 The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID: Definition:	BDTG00000207 The information specifying details of a financial account.
Financial account name	0..1	SDD-ID: Definition: Example:	BDT00000058 The name of a financial account expressed as text. John Doe
Financial account number	1..1	SDD-ID: Definition:	BDT00000059 The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDTG00000208 The code specifying the type of a financial account number. FinancialAccountNumberTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Financial account number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000645 The code specifying the type of a financial account number. FinancialAccountNumberTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Financial institution routing number information	0..1	SDD-ID: BDTG00000210 Definition: The information specifying details on a routing number of a financial institution.
Financial routing number	1..1	SDD-ID: BDT00000062 Definition: The routing number of a financial transaction according to the specified financial routing type. Business rule: This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code	1..1	SDD-ID: BDTG00000211 Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Financial routing number type code content	1..1	SDD-ID: BDT00000644 Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Additional financial institution description	0..1	SDD-ID: BDTG00000522 Definition: The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID: BDT00000521 Definition: The text value describing the additional financial institution.
Language code	0..1	SDD-ID: BDTG00000523 Definition: The code specifying the language.
Language code content	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Address information	0..1	SDD-ID: BDTG00000144 Definition: The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: BDT00000020 Definition: The name of the city, town or village.
City code	0..1	SDD-ID: BDT00000019 Definition: The code specifying a city.

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
<ul style="list-style-type: none"> County code Cross street Party name Post office box number Postal code Province identity State Street address one Street address two Street address three Country code Country code content Code list version Geographical coordinates information <ul style="list-style-type: none"> Latitude Longitude 		0..1	SDD-ID:	BDT00000034
			Definition:	The code indicating a geographical region in a country.
		0..1	SDD-ID:	BDT00000035
			Definition:	The street crossing another street.
		0..1	SDD-ID:	BDT00000106
			Definition:	The name of the party expressed as text.
		0..1	SDD-ID:	BDT00000113
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
		0..1	SDD-ID:	BDT00000114
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		0..1	SDD-ID:	BDT00000117
			Definition:	The identity of a province according to national codes assigned to provinces.
		0..1	SDD-ID:	BDT00000127
			Definition:	The political unit that a country can be divided into.
			Example:	California
		0..1	SDD-ID:	BDT00000128
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
		0..1	SDD-ID:	BDT00000130
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
		0..1	SDD-ID:	BDT00000129
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
		0..1	SDD-ID:	BDTG00000179
			Definition:	The code specifying a country.
		1..1	SDD-ID:	BDT00000774
			Definition:	The code specifying a country.
		0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
		0..1	SDD-ID:	BDTG00000214
			Definition:	The information specifying details on a location using geographical coordinates.
		1..1	SDD-ID:	BDT00000085
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
		1..1	SDD-ID:	BDT00000089
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Example:	specifies the east-west position of a point on the Earth's surface. 18°3'59.0616"
Clinical trial despatch advice line	1..unbounded	Context:	The despatch advice line is used to specify the details of shipped kits
Business document line item number	0..1	SDD-ID:	BDT00000049
		Definition:	The sequence number of a line within the business document.
Parent line item number	0..1	SDD-ID:	BDT00000105
		Definition:	The line item number of the line item containing information at the higher level pertaining to the current line item.
Logistic unit identification information	1..1	SDD-ID:	BDTG00000859
		Definition:	The information specifying the identification details of a logistic unit.
Serial shipping container code, SSCC	0..1	SDD-ID:	BDT00000854
		Definition:	The identity according to the GS1 identification system for unique identification of logistic units.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify logistic units. The key comprises an Extension digit, GS1 Company Prefix, Serial Reference, and Check Digit.
		Example:	950110102081858960
Additional logistic unit identification information	0..unbounded	SDD-ID:	BDTG00000858
		Definition:	The information specifying the additional identification details of a logistic unit.
Additional logistic unit identification content	1..1	SDD-ID:	BDT00000855
		Definition:	The additional identity of a logistic unit
		Example:	ABD3571/98-7
Additional logistic unit identification type code	0..1	SDD-ID:	BDTG00000857
		Definition:	The code specifying the type of provided additional logistic unit identification.
Additional logistic unit identification type code content	1..1	SDD-ID:	BDT00000856
		Definition:	The code of the additional logistic unit identification type.
		Example:	SHIPPER_ASSIGNED
		Used code list:	AdditionalLogisticUnitIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalLogisticUnitIdentificationTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Kit information	1..unbounded		
Serial number	0..1	SDD-ID:	BDT00000121
		Definition:	The serial number assigned to an individual instance of a specific identified product or trade item to make an instance of a product or trade item unique.
		Usage:	The code need not be strictly numerical and can contain letters and other typographical symbols or may consist entirely of a character string.
Expiration date	0..1	SDD-ID:	BDT00000057
		Definition:	The date after which the product should not be used or consumed.
Temperature tracker identification	0..1	SDD-ID:	BDT00000954
		Definition:	The identification of the temperature tracker.
Kit measurement unit code	0..unbounded	SDD-ID:	BDTG00000955

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Measurement unit code content	1..1	Definition:	The code specifying the unit of measure applicable to the medication kit
		SDD-ID:	BDT00000607
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Kit minimum temperature information	0..1	SDD-ID:	BDTG00000950
		Definition:	The information on the minimum temperature allowed according to the handling instructions
		Context:	In a Clinical Trial Despatch Advice this measure refers to storage instructions
Temperature measurement	1..1	SDD-ID:	BDT00000951
		Definition:	The temperature measurement value associated to unit of measure.
Temperature measurement unit code	1..1	SDD-ID:	BDTG00000949
		Definition:	The code specifying the unambiguous representation of a unit of measure of a temperature
Temperature measurement unit code content	1..1	SDD-ID:	BDT00000948
		Definition:	The code specifying the unambiguous representation of a temperature unit of measure
		Used code list:	temperatureMeasurementUnitCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TemperatureMeasurementUnitCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Kit maximum temperature information	0..1	SDD-ID:	BDTG00000952
		Definition:	The information on the maximum temperature allowed according to the handling instructions
		Context:	In a Clinical Trial Despatch Advice this measure refers to storage instructions
Temperature measurement	1..1	SDD-ID:	BDT00000951
		Definition:	The temperature measurement value associated to unit of measure.
Temperature measurement unit code	1..1	SDD-ID:	BDTG00000949
		Definition:	The code specifying the unambiguous representation of a unit of measure of a temperature
Temperature measurement unit code content	1..1	SDD-ID:	BDT00000948
		Definition:	The code specifying the unambiguous representation of a temperature unit of measure
		Used code list:	temperatureMeasurementUnitCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TemperatureMeasurementUnitCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Despatched quantity	1..1	SDD-ID:	BDTG00000869
		Definition:	The number of units shipped of the order unit or associated item.
		Usage:	The unit of measure for the quantity is assumed to be the same as for the associated



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		item. Thus the quantity must be specified in the same unit of measure as the item, e.g. case, each, etc.	
Despatched quantity content	1..1	SDD-ID: BDT00000868 Definition:	The number of units despatched
Measurement unit code	0..1	SDD-ID: BDTG00000608 Definition:	The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID: BDT00000607 Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&release=1
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Clinical trial product identification information	1..1	SDD-ID: BDTG00000947 Definition:	The information specifying the Global Trade Identification number, GTIN, of a clinical trial product
Global trade item number, GTIN	1..1	SDD-ID: BDT00000066 Definition:	The identity according to the GS1 identification system for unique identification of products and services.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify trade items. The key comprises a GS1 Company Prefix, an item reference and check digit.
		Example:	07300015200192
Storage conditions type code	0..1	SDD-ID: BDTG00000957 Definition:	The code specifying the storage conditions
Storage conditions type code content	1..1	SDD-ID: BDT00000956 Definition:	The code specifying the storage instructions for the kit
		Example:	12
		Used code list:	StorageConditionsTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:StorageConditionsTypeCode
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Kit Security Information	0..unbounded		
Security seal identification	1..1	SDD-ID: BDT00000946 Definition:	The identification of the security seal applied.
Kit security seal type code	1..1	SDD-ID: BDTG00000945 Definition:	The code identifying the type of seal used on the kit.
Kit security seal type code content	1..1	SDD-ID: BDT00000944 Definition:	A code identifying the type of security seal applied to a medication kit
		Example:	1
		Used code list:	SealTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SealTypeCode



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SealTypeCode SDD-ID: Definition:	BDT00000028 The version number of the code list.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Despatch advice		Context:	This business document is used to advice delivery of a shipment which is ready for transport to the buyer. Since the consignee will receive the despatch advice before the shipment arrives, it is possible to prepare for the reception of the shipment. The despatch advice specifies the logistic units contained in the shipment and the trade items contained in each logistic unit.
— Clinical trial protocol identification	1..1	SDD-ID: Definition:	BDT00000960 The information specifying the clinical trial study protocol identification
— Business document effective date time	0..1	SDD-ID: Definition:	BDTG00000197 The date and optional time from when the business document is valid from commercial or legal point of view.
— Date	0..1	SDD-ID: Definition: Example:	BDT00000040 The day of a year as a calendar date. 2020-06-15
— Time	0..1	SDD-ID: Definition: Example:	BDT00000133 The indication of a point in time. 08:01:15
— Revision number	0..1	SDD-ID: Definition:	BDT00000119 The number assigned to a specific release of a document to keep track of changes and updates between revisions.
— Business document creation date time	1..1	SDD-ID: Definition:	BDT00000047 The date and optional time when the business document was issued.
— Business document status code	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000050 The code specifying the status of a business document. ORIGINAL DocumentStatusEnumeration http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentStatusEnumeration
— Business document action code	0..1	SDD-ID: Definition: Usage: Used code list: Link to code list:	BDT00000045 The code indicating the action to be taken by a process within the IT system of the recipient of the business document. By the received code the IT-system can start the relevant IT process such as adding an original business document transaction when the code ADD is specified, or delete a previously received document transaction when the code DELETE is specified (a reference to the document transaction for deletion is required). DocumentActionEnumeration http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentActionEnumeration
— Business document standard version	0..1	SDD-ID: Definition:	BDT00000046 The version number of the standard used for the business document.
— Business document last update date time	0..1	SDD-ID: Definition:	BDT00000048 The last date and time when a business document was updated.
— Actual ship date time	1..1	SDD-ID: Definition:	BDT00000455 The date (and optional time) when the goods were shipped.



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Estimated delivery date time	0..1	SDD-ID:	BDT00000457
		Definition:	The date and optional time when the goods is estimated to be delivered.
Clinical trial protocol owner party information	1..1	SDD-ID:	BDTG00000961
		Definition:	The information specifying details of the party sponsoring the clinical trial
Global location number, GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
Additional party identification information	0..unbounded	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	BDT00000578
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	BDT00000570
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Address information	0..1	SDD-ID:	BDTG00000144
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	BDT00000106
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description
Province identity	0..1	Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode SDD-ID: BDT00000117 Definition: The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: BDT00000127 Definition: The political unit that a country can be divided into. Example: California
Street address one	0..1	SDD-ID: BDT00000128 Definition: The first street address line of a structured address. Example: Avenue Louise 326
Street address two	0..1	SDD-ID: BDT00000130 Definition: The second street address line of a structured address. Example: Blue Tower
Street address three	0..1	SDD-ID: BDT00000129 Definition: The third street address line of a structured address. Example: Floor 4
Country code	0..1	SDD-ID: BDTG00000179 Definition: The code specifying a country.
Country code content	1..1	SDD-ID: BDT00000774 Definition: The code specifying a country.
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Geographical coordinates information	0..1	SDD-ID: BDTG00000214 Definition: The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID: BDT00000085 Definition: The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. Example: 23°26'12.2" S
Longitude	1..1	SDD-ID: BDT00000089 Definition: The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. Example: 18°3'59.0616"
Business contact information	0..unbounded	SDD-ID: BDTG00000158 Definition: The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID: BDT00000112 Definition: The name of an individual person expressed as text.
Department name	0..1	SDD-ID: BDT00000044 Definition: The name of the department.
Job title	0..1	SDD-ID: BDT00000083 Definition: The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID: BDTG00000178



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
— Contact type code content	1..1	SDD-ID:	BDT00000571
		Definition:	The code specifying the function or role of a contact person.
— Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
— Business contact responsibility description	0..unbounded	SDD-ID:	BDTG00000159
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
— Business contact responsibility description content	1..1	SDD-ID:	BDT00000580
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
— Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
— Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
— Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
— Communication information	0..unbounded	SDD-ID:	BDTG00000176
		Definition:	The information specifying details of a contact person's communication channel.
— Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
— Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
— Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
— Communication channel identification	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
— Communication channel name	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
— After hours communication information	0..unbounded	SDD-ID:	BDTG00000145

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
<ul style="list-style-type: none"> Communication channel code Communication channel code content Code list version Communication channel identification Communication channel name 			Definition:	The information specifying details of communication channels to use after regular business hours.
		1..1	SDD-ID:	BDTG00000175
			Definition:	The code specifying the channel for communication.
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
<ul style="list-style-type: none"> Communication channel code content Code list version Communication channel identification Communication channel name 		1..1	SDD-ID:	BDT00000525
			Definition:	The code specifying the channel for communication.
			Example:	TELEPHONE
			Used code list:	CommunicationChannelCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
<ul style="list-style-type: none"> Code list version Communication channel identification Communication channel name 		0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
			SDD-ID:	BDT00000032
			Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<ul style="list-style-type: none"> Communication channel name Tax registration information Tax authority name Tax registration identification information Tax registration identification content Identification scheme information Identification scheme name Identification scheme agency name Identification scheme responsible agency code Identification scheme responsible agency code content Code list version 		0..1	SDD-ID:	BDT00000033
			Definition:	The name of a communication channel expressed as text.
		0..unbounded	SDD-ID:	BDTG00000326
			Definition:	The information specifying details of a party registered for tax.
<ul style="list-style-type: none"> Tax registration information Tax authority name Tax registration identification information Tax registration identification content Identification scheme information Identification scheme name Identification scheme agency name Identification scheme responsible agency code Identification scheme responsible agency code content Code list version 		0..1	SDD-ID:	BDT00000369
			Definition:	The name of the authority administering the collection of taxes expressed as text.
		1..1	SDD-ID:	BDTG00000585
			Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
<ul style="list-style-type: none"> Tax registration identification information Tax registration identification content Identification scheme information Identification scheme name Identification scheme agency name Identification scheme responsible agency code Identification scheme responsible agency code content Code list version 		1..1	SDD-ID:	BDT00000584
			Definition:	The identity assigned to a party registered for tax according to a national tax register.
		0..1	SDD-ID:	BDTG00000587
			Definition:	The information specifying details of the used identification scheme.
<ul style="list-style-type: none"> Identification scheme information Identification scheme name Identification scheme agency name Identification scheme responsible agency code Identification scheme responsible agency code content Code list version 		0..1	SDD-ID:	BDT00000074
			Definition:	The name of the identification scheme.
		0..1	SDD-ID:	BDT00000073
			Definition:	The name of the agency responsible for a identification scheme.
<ul style="list-style-type: none"> Identification scheme responsible agency code Identification scheme responsible agency code content Code list version 		0..1	SDD-ID:	BDTG00000586
			Definition:	The code specifying the agency responsible for the identification scheme.
		1..1	SDD-ID:	BDT00000583
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
<ul style="list-style-type: none"> Code list version 			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
		0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Tax type code	0..1	SDD-ID:	BDTG00000328
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	BDT00000576
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax description	0..1	SDD-ID:	BDTG00000322
		Definition:	The description of the tax expressed as text.
Tax description content	1..1	SDD-ID:	BDT00000754
		Definition:	The description of the tax expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax registration type code	0..1	SDD-ID:	BDTG00000327
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
Tax registration type code content	1..1	SDD-ID:	BDT00000588
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID:	BDTG00000262
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	BDT00000102
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	BDTG00000228
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
				list is available at www.iso.org .
	Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
	Currency of party code	0..1	SDD-ID: BDTG00000184 Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
	Currency of party code content	1..1	SDD-ID: BDT00000710 Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
			Link to code list:	https://www.iso.org/iso-4217-currency-codes.html
	Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
	Official address	0..1	SDD-ID: BDTG00000246 Definition:	The registered legal address of the organisation.
	County code	0..1	SDD-ID: BDT00000034 Definition:	The code indicating a geographical region in a country.
	City name	0..1	SDD-ID: BDT00000020 Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID: BDT00000019 Definition:	The code specifying a city.
	Cross street	0..1	SDD-ID: BDT00000035 Definition:	The street crossing another street.
	Post office box number	0..1	SDD-ID: BDT00000113 Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID: BDT00000114 Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID: BDT00000117 Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: BDT00000127 Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID: BDT00000128 Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID: BDT00000130 Definition:	The second street address line of a structured address.

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
Street address three	0..1	Example:	Blue Tower	
		SDD-ID:	BDT00000129	
Country code	0..1	Definition:	The third street address line of a structured address.	
		Example:	Floor 4	
Country code content	1..1	SDD-ID:	BDTG00000179	
		Definition:	The code specifying a country.	
Code list version	0..1	SDD-ID:	BDT00000774	
		Definition:	The code specifying a country.	
Geographical coordinates information	0..1	SDD-ID:	BDT00000028	
		Definition:	The version number of the code list.	
Latitude	1..1	SDD-ID:	BDTG00000214	
		Definition:	The information specifying details on a location using geographical coordinates.	
Longitude	1..1	SDD-ID:	BDT00000085	
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.	
Issued capital	0..1	Example:	23°26'12.2" S	
		SDD-ID:	BDT00000089	
Issued capital content	1..1	Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.	
		Example:	18°3'59.0616"	
Currency code	0..1	SDD-ID:	BDTG00000225	
		Definition:	The monetary amount representing the value of the issued capital of a company.	
Currency code content	1..1	SDD-ID:	BDT00000655	
		Definition:	The monetary amount representing the issued capital of a company.	
Code list version	0..1	SDD-ID:	BDTG00000590	
		Definition:	The code specifying the currency of a monetary amount.	
Legal structure description	0..1	SDD-ID:	BDT00000589	
		Definition:	The code specifying the currency of a monetary amount.	
Language code	0..1	Example:	EUR	
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .	
Language code content	1..1	SDD-ID:	BDT00000028	
		Definition:	The version number of the code list.	
Legal structure description content	1..1	SDD-ID:	BDTG00000231	
		Definition:	The description of the legal structure expressed as text.	
Language code	0..1	SDD-ID:	BDT00000659	
		Definition:	The description of the legal structure expressed as text.	
Language code content	1..1	SDD-ID:	BDTG00000523	
		Definition:	The code specifying the language.	
Code list version	0..1	SDD-ID:	BDT00000524	
		Definition:	The code specifying the language.	
Legal structure description	0..1	Example:	en	
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code	

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		list is available at www.iso.org .	
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID: BDTG00000288 Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID: BDT00000087 Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID: BDT00000086 Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID: BDTG00000230 Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID: BDT00000068 Definition: Used code list: Link to code list:	The code specifying the type of legal registration. LegalRegistrationCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID: BDTG00000209 Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID: BDT00000061 Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID: BDT00000060 Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID: BDTG00000207 Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID: BDT00000058 Definition: Example:	The name of a financial account expressed as text. John Doe
Financial account number	1..1	SDD-ID: BDT00000059 Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID: BDTG00000208 Definition: Used code list: Link to code list:	The code specifying the type of a financial account number. FinancialAccountNumberTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Financial account number type code content	1..1	SDD-ID: BDT00000065 Definition: Used code list: Link to code list:	The code specifying the type of a financial account number. FinancialAccountNumberTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Code list version	0..1	SDD-ID: BDT00000028	

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Financial institution routing number information	0..1	Definition:	The version number of the code list.
		SDD-ID:	BDTG00000210
Financial routing number	1..1	Definition:	The information specifying details on a routing number of a financial institution.
		SDD-ID:	BDT00000062
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code	1..1	SDD-ID:	BDTG00000211
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Financial routing number type code content	1..1	SDD-ID:	BDT00000644
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Additional financial institution description	0..1	SDD-ID:	BDTG00000522
		Definition:	The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID:	BDT00000521
		Definition:	The text value describing the additional financial institution.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Address information	0..1	SDD-ID:	BDTG00000144
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	BDT00000106
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Business document identification information	1..1	SDD-ID:	BDTG00000480
		Definition:	The information specifying the identification details of the business document.
Entity identification	1..1	SDD-ID:	BDT00000056
		Definition:	The identity of an entity such as a document or an object.
Document content owner	0..1	SDD-ID:	BDTG00000196
		Definition:	The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
Additional party identification information	0..unbounded	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	BDT00000578
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	BDT00000570
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Business document sender party information	1..1	SDD-ID:	BDTG00000953
		Definition:	The information specifying the details of the party sending a business document
Global location number, GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
Additional party identification information	0..unbounded	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	BDT00000578
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	BDT00000570
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID: BDT00000028	AdditionalPartyIdentificationTypeCode
		Definition:	The version number of the code list.
Electronic address information	0..1	SDD-ID: BDTG00000784	
		Definition:	The information about the electronic address of a party
Electronic address identification scheme	1..1	SDD-ID: BDT00000786	
		Definition:	The identification scheme of of the electronic address
Electronic address identification	1..1	SDD-ID: BDT00000785	
		Definition:	The identifier of of the electronic address to which a business document should be delivered
Address information	0..1	SDD-ID: BDTG00000144	
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: BDT00000020	
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID: BDT00000019	
		Definition:	The code specifying a city.
County code	0..1	SDD-ID: BDT00000034	
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: BDT00000035	
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID: BDT00000106	
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID: BDT00000113	
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID: BDT00000114	
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID: BDT00000117	
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: BDT00000127	
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID: BDT00000128	
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID: BDT00000130	
		Definition:	The second street address line of a structured address.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Street address three	0..1	Example:	Blue Tower
		SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
Country code	0..1	Example:	Floor 4
		SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
Longitude	1..1	Example:	23°26'12.2" S
		SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
Business contact information	0..unbounded	Example:	18°3'59.0616"
		SDD-ID:	BDTG00000158
		Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID:	BDT00000112
		Definition:	The name of an individual person expressed as text.
Department name	0..1	SDD-ID:	BDT00000044
		Definition:	The name of the department.
Job title	0..1	SDD-ID:	BDT00000083
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	BDTG00000178
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
Contact type code content	1..1	SDD-ID:	BDT00000571
		Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID:	BDTG00000159
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	BDT00000580
		Definition:	The description of the responsibility of a business contact such as a person or a

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description
Language code	0..1	SDD-ID: BDTG00000523 Definition: department expressed as text.
Language code content	1..1	SDD-ID: BDTG00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDTG00000028 Definition: The version number of the code list.
Communication information	0..unbounded	SDD-ID: BDTG00000176 Definition: The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID: BDTG00000175 Definition: The code specifying the channel for communication. Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID: BDTG00000525 Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID: BDTG00000028 Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: BDTG00000032 Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: BDTG00000033 Definition: The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID: BDTG00000145 Definition: The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID: BDTG00000175 Definition: The code specifying the channel for communication. Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID: BDTG00000525 Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID: BDTG00000028

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Communication channel identification	1..1	Definition:	The version number of the code list.
		SDD-ID:	BDT00000032
Communication channel name	0..1	Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
		SDD-ID:	BDT00000033
Tax registration information	0..unbounded	Definition:	The name of a communication channel expressed as text.
		SDD-ID:	BDTG00000326
Tax authority name	0..1	Definition:	The information specifying details of a party registered for tax.
		SDD-ID:	BDT00000369
Tax registration identification information	1..1	Definition:	The name of the authority administering the collection of taxes expressed as text.
		SDD-ID:	BDTG00000585
Tax registration identification content	1..1	Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
		SDD-ID:	BDT00000584
Identification scheme information	0..1	Definition:	The identity assigned to a party registered for tax according to a national tax register.
		SDD-ID:	BDTG00000587
Identification scheme name	0..1	Definition:	The information specifying details of the used identification scheme.
		SDD-ID:	BDT00000074
Identification scheme agency name	0..1	Definition:	The name of the identification scheme.
		SDD-ID:	BDT00000073
Identification scheme responsible agency code	0..1	Definition:	The name of the agency responsible for a identification scheme.
		SDD-ID:	BDTG00000586
Identification scheme responsible agency code content	1..1	Definition:	The code specifying the agency responsible for the identification scheme.
		SDD-ID:	BDT00000583
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	Definition:	The version number of the code list.
		SDD-ID:	BDT00000028
Tax type code	0..1	Definition:	The version number of the code list.
		SDD-ID:	BDTG00000328
Tax type code content	1..1	Definition:	The code specifying the type of tax.
		SDD-ID:	BDT00000576
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	Definition:	The version number of the code list.
		SDD-ID:	BDT00000028
Tax description	0..1	Definition:	The version number of the code list.
		SDD-ID:	BDTG00000322
Tax description content	1..1	Definition:	The description of the tax expressed as text.
		SDD-ID:	BDT00000754
		Definition:	The description of the tax expressed as text.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax registration type code	0..1	SDD-ID:	BDTG00000327
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
Tax registration type code content	1..1	SDD-ID:	BDT00000588
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty registration information	0..unbounded	SDD-ID:	BDTG00000375
		Definition:	The information specifying details of a party registered for customs duty.
Customs authority name	0..1	SDD-ID:	BDT00000370
		Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
Customs registration identification information	1..1	SDD-ID:	BDTG00000621
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
Customs registration identification content	1..1	SDD-ID:	BDT00000622
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
Identification scheme information	0..1	SDD-ID:	BDTG00000587
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	BDT00000074
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	BDT00000073
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	BDT00000583
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description
Code list version	0..1	SDD-ID: BDT00000028 Definition: ResponsibleAgencyCode&release=5 The version number of the code list.
Tax type code	0..1	SDD-ID: BDTG00000328 Definition: The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: BDT00000576 Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Customs duty description	0..1	SDD-ID: BDTG00000378 Definition: The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID: BDT00000563 Definition: The description of the customs duty expressed as text.
Language code	0..1	SDD-ID: BDTG00000523 Definition: The code specifying the language.
Language code content	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Customs registration type code	0..1	SDD-ID: BDTG00000623 Definition: The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID: BDT00000624 Definition: The code specifying the type of customs registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Organisation legal information	0..1	SDD-ID: BDTG00000262 Definition: The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID: BDT00000102 Definition: The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID: BDTG00000228 Definition: The code specifying the language of a party.
Language code content	1..1	SDD-ID: BDT00000524

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Currency of party code	0..1	SDD-ID:	BDTG00000184
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
	Currency of party code content	1..1	SDD-ID:	BDT00000710
			Definition:	The code specifying the currency of a party.
			Example:	EUR
			Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
			Link to code list:	https://www.iso.org/iso-4217-currency-codes.html
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Official address	0..1	SDD-ID:	BDTG00000246
			Definition:	The registered legal address of the organisation.
	County code	0..1	SDD-ID:	BDT00000034
			Definition:	The code indicating a geographical region in a country.
	City name	0..1	SDD-ID:	BDT00000020
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	BDT00000019
			Definition:	The code specifying a city.
	Cross street	0..1	SDD-ID:	BDT00000035
			Definition:	The street crossing another street.
	Post office box number	0..1	SDD-ID:	BDT00000113
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	BDT00000114
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	BDT00000117
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	BDT00000127
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	BDT00000128
			Definition:	The first street address line of a structured address.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Street address two	0..1	Example:	Avenue Louise 326
		SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
Street address three	0..1	Example:	Blue Tower
		SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
Country code	0..1	Example:	Floor 4
		SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Issued capital	0..1	SDD-ID:	BDTG00000225
		Definition:	The monetary amount representing the value of the issued capital of a company.
Issued capital content	1..1	SDD-ID:	BDT00000655
		Definition:	The monetary amount representing the issued capital of a company.
Currency code	0..1	SDD-ID:	BDTG00000590
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	BDT00000589
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Legal structure description	0..1	SDD-ID:	BDTG00000231
		Definition:	The description of the legal structure expressed as text.
Legal structure description content	1..1	SDD-ID:	BDT00000659
		Definition:	The description of the legal structure expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	BDTG00000288
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	BDT00000087
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	BDT00000086
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	BDTG00000230
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	BDT00000658
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	BDTG00000209
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	BDT00000061
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	BDT00000060
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	BDTG00000207
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	BDT00000058
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	BDT00000059
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	BDTG00000208
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Financial account number type code content	1..1	SDD-ID:	BDT00000645
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Financial institution routing number information	0..1	SDD-ID: BDTG00000210 Definition: The information specifying details on a routing number of a financial institution.
Financial routing number	1..1	SDD-ID: BDT00000062 Definition: The routing number of a financial transaction according to the specified financial routing type. Business rule: This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code	1..1	SDD-ID: BDTG00000211 Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Financial routing number type code content	1..1	SDD-ID: BDT00000644 Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Additional financial institution description	0..1	SDD-ID: BDTG00000522 Definition: The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID: BDT00000521 Definition: The text value describing the additional financial institution.
Language code	0..1	SDD-ID: BDTG00000523 Definition: The code specifying the language.
Language code content	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Address information	0..1	SDD-ID: BDTG00000144 Definition: The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: BDT00000020 Definition: The name of the city, town or village.
City code	0..1	SDD-ID: BDT00000019

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
County code	0..1	Definition:	The code specifying a city.
		SDD-ID:	BDT00000034
Cross street	0..1	Definition:	The code indicating a geographical region in a country.
		SDD-ID:	BDT00000035
Party name	0..1	Definition:	The street crossing another street.
		SDD-ID:	BDT00000106
Post office box number	0..1	Definition:	The name of the party expressed as text.
		SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	BDT00000089



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business document receiver party information	1..1	SDD-ID:	BDTG00000954
		Definition:	The information specifying the details of the party receiving a business document
Global location number, GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
Additional party identification information	0..unbounded	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	BDT00000578
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	BDT00000570
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Electronic address information	0..1	SDD-ID:	BDTG00000784
		Definition:	The information about the electronic address of a party
Electronic address identification scheme	1..1	SDD-ID:	BDT00000786
		Definition:	The identification scheme of of the electronic address
Electronic address identification	1..1	SDD-ID:	BDT00000785
		Definition:	The identifier of of the electronic address to which a business document should be delivered
Address information	0..1	SDD-ID:	BDTG00000144
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Party name	0..1	SDD-ID:	BDT00000106
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business contact information	0..unbounded	SDD-ID:	BDTG00000158
		Definition:	The information specifying details of the person or department who can give special



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		assistance regarding a business transaction.	
Person name	0..1	SDD-ID: BDT00000112 Definition:	The name of an individual person expressed as text.
Department name	0..1	SDD-ID: BDT00000044 Definition:	The name of the department.
Job title	0..1	SDD-ID: BDT00000083 Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID: BDTG00000178 Definition: Used code list: Link to code list:	The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
Contact type code content	1..1	SDD-ID: BDT00000571 Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID: BDTG00000159 Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID: BDT00000580 Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID: BDTG00000523 Definition:	The code specifying the language.
Language code content	1..1	SDD-ID: BDT00000524 Definition: Example: Used code list:	The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Communication information	0..unbounded	SDD-ID: BDTG00000176 Definition:	The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID: BDTG00000175 Definition: Link to code list:	The code specifying the channel for communication. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID: BDT00000525 Definition: Example: Used code list: Link to code list:	The code specifying the channel for communication. TELEPHONE CommunicationChannelCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID:	BDTG00000145
		Definition:	The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID:	BDTG00000326
		Definition:	The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID:	BDT00000369
		Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID:	BDTG00000585
		Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID:	BDT00000584
		Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID:	BDTG00000587
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	BDT00000074
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	BDT00000073
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency	0..1	SDD-ID:	BDTG00000586

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
	code		Definition:	The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000583 The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Tax type code	0..1	SDD-ID: Definition:	BDTG00000328 The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000576 The code specifying the type of tax. DutyFeeTaxTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Tax description	0..1	SDD-ID: Definition:	BDTG00000322 The description of the tax expressed as text.
	Tax description content	1..1	SDD-ID: Definition:	BDT00000754 The description of the tax expressed as text.
	Language code	0..1	SDD-ID: Definition:	BDTG00000523 The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Tax registration type code	0..1	SDD-ID: Definition:	BDTG00000327 The code specifying the type of tax registration number assigned by a national authority.
	Tax registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000588 The code specifying the type of tax registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Customs duty registration information	0..unbounded	SDD-ID: Definition:	BDTG00000375 The information specifying details of a party registered for customs duty.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Customs authority name	0..1	SDD-ID: Definition:	BDT00000370 The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
Customs registration identification information	1..1	SDD-ID: Definition:	BDTG00000621 The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
Customs registration identification content	1..1	SDD-ID: Definition:	BDT00000622 The identity assigned to a party registered for customs duty according to a national customs register.
Identification scheme information	0..1	SDD-ID: Definition:	BDTG00000587 The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: Definition:	BDT00000074 The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: Definition:	BDT00000073 The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: Definition:	BDTG00000586 The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000583 The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Tax type code	0..1	SDD-ID: Definition:	BDTG00000328 The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000576 The code specifying the type of tax. DutyFeeTaxTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Customs duty description	0..1	SDD-ID: Definition:	BDTG00000378 The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID: Definition:	BDT00000563 The description of the customs duty expressed as text.
Language code	0..1	SDD-ID: Definition:	BDTG00000523 The code specifying the language.
Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description
Code list version	0..1	SDD-ID: BDT00000028 Definition: list is available at www.iso.org .
Customs registration type code	0..1	SDD-ID: BDTG00000623 Definition: The version number of the code list.
Customs registration type code content	1..1	SDD-ID: BDT00000624 Definition: The code specifying the type of customs registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Organisation legal information	0..1	SDD-ID: BDTG00000262 Definition: The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID: BDT00000102 Definition: The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID: BDTG00000228 Definition: The code specifying the language of a party.
Language code content	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Currency of party code	0..1	SDD-ID: BDTG00000184 Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID: BDT00000710 Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax. Link to code list: https://www.iso.org/iso-4217-currency-codes.html
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Official address	0..1	SDD-ID: BDTG00000246 Definition: The registered legal address of the organisation.
County code	0..1	SDD-ID: BDT00000034 Definition: The code indicating a geographical region in a country.
City name	0..1	SDD-ID: BDT00000020

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
	City code	0..1	Definition:	The name of the city, town or village.
			SDD-ID:	BDT00000019
	Cross street	0..1	Definition:	The code specifying a city.
			SDD-ID:	BDT00000035
	Post office box number	0..1	Definition:	The street crossing another street.
			SDD-ID:	BDT00000113
	Postal code	0..1	Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Province identity	0..1	SDD-ID:	BDT00000114
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
	State	0..1	Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Street address one	0..1	SDD-ID:	BDT00000117
			Definition:	The identity of a province according to national codes assigned to provinces.
	Street address two	0..1	SDD-ID:	BDT00000127
			Definition:	The political unit that a country can be divided into.
	Street address three	0..1	Example:	California
			SDD-ID:	BDT00000128
	Country code	0..1	Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Country code content	1..1	SDD-ID:	BDT00000130
			Definition:	The second street address line of a structured address.
	Code list version	0..1	Example:	Blue Tower
			SDD-ID:	BDT00000129
	Geographical coordinates information	0..1	Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Latitude	1..1	SDD-ID:	BDTG00000179
			Definition:	The code specifying a country.
	Longitude	1..1	SDD-ID:	BDT00000774
			Definition:	The code specifying a country.
			SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
			SDD-ID:	BDTG00000214
			Definition:	The information specifying details on a location using geographical coordinates.
			SDD-ID:	BDT00000085
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
			SDD-ID:	BDT00000089
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Issued capital	0..1	Example:	18°3'59.0616"
		SDD-ID:	BDTG00000225
		Definition:	The monetary amount representing the value of the issued capital of a company.
Issued capital content	1..1	SDD-ID:	BDT00000655
		Definition:	The monetary amount representing the issued capital of a company.
Currency code	0..1	SDD-ID:	BDTG00000590
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	BDT00000589
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Legal structure description	0..1	SDD-ID:	BDTG00000231
		Definition:	The description of the legal structure expressed as text.
Legal structure description content	1..1	SDD-ID:	BDT00000659
		Definition:	The description of the legal structure expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	BDTG00000288
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	BDT00000087
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	BDT00000086
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	BDTG00000230
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	BDT00000658
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Financial institution and financial account information	0..unbounded	SDD-ID:	BDTG00000209
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	BDT00000061
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	BDT00000060
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	BDTG00000207
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	BDT00000058
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	BDT00000059
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	BDTG00000208
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Financial account number type code content	1..1	SDD-ID:	BDT00000645
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution routing number information	0..1	SDD-ID:	BDTG00000210
		Definition:	The information specifying details on a routing number of a financial institution.
Financial routing number	1..1	SDD-ID:	BDT00000062
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code	1..1	SDD-ID:	BDTG00000211
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Financial routing number type code content	1..1	SDD-ID:	BDT00000644
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The version number of the code list.
Additional financial institution description	0..1	SDD-ID:	BDTG00000522
		Definition:	The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID:	BDT00000521
		Definition:	The text value describing the additional financial institution.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Address information	0..1	SDD-ID:	BDTG00000144
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	BDT00000106
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	BDT00000128



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Street address two	0..1	Definition: Example:	The first street address line of a structured address. Avenue Louise 326
Street address three	0..1	SDD-ID: Definition: Example:	BDT00000130 The second street address line of a structured address. Blue Tower
Country code	0..1	SDD-ID: Definition: Example:	BDT00000129 The third street address line of a structured address. Floor 4
Country code content	1..1	SDD-ID: Definition:	BDTG00000179 The code specifying a country.
Code list version	0..1	SDD-ID: Definition:	BDT00000774 The code specifying a country.
Geographical coordinates information	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Latitude	1..1	SDD-ID: Definition:	BDTG00000214 The information specifying details on a location using geographical coordinates.
Longitude	1..1	SDD-ID: Definition: Example:	BDT00000085 The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. 23°26'12.2" S
Referenced distribution management entity shipping information	1..1	SDD-ID: Definition:	BDT00000089 The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 18°3'59.0616"
Entity identification	1..1	SDD-ID: Definition:	BDTG00000958 The information specifying the reference to the distribution management entity, DME, shipping identification
Document content owner	0..1	SDD-ID: Definition:	BDT00000056 The identity of an entity such as a document or an object.
Global location number GLN	0..1	SDD-ID: Definition:	BDTG00000196 The information specifying the party that is responsible for the content of a document.
Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	BDT00000063 The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
Additional party identification content	1..1	SDD-ID: Definition:	BDTG00000577 The information specifying the additional identification details of a party.
Additional party identification type code	1..1	SDD-ID: Definition:	BDT00000578 The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
			BDTG00000579 The code specifying the additional identification type of the party.



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
<ul style="list-style-type: none"> Additional party identification type code content 	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000570 The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
<ul style="list-style-type: none"> Referenced distribution management entity shipping order information 	1..1	SDD-ID: Definition:	BDTG00000959 The information specifying the reference to the DME shipping order identification
<ul style="list-style-type: none"> Entity identification 	1..1	SDD-ID: Definition:	BDT00000056 The identity of an entity such as a document or an object.
<ul style="list-style-type: none"> Document content owner 	0..1	SDD-ID: Definition:	BDTG00000196 The information specifying the party that is responsible for the content of a document.
<ul style="list-style-type: none"> Global location number GLN 	0..1	SDD-ID: Definition:	BDT00000063 The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
<ul style="list-style-type: none"> Additional party identification information 	0..unbounded	SDD-ID: Definition: Usage:	BDTG00000577 The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Additional party identification content 	1..1	SDD-ID: Definition:	BDT00000578 The additional identity of a party.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Additional party identification type code 	1..1	SDD-ID: Definition:	BDTG00000579 The code specifying the additional identification type of the party.
<ul style="list-style-type: none"> <ul style="list-style-type: none"> Additional party identification type code content 	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000570 The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
<ul style="list-style-type: none"> Ship from party information 	1..1	SDD-ID: Definition: Usage:	BDTG00000310 The information specifying the location from which goods are shipped. To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
<ul style="list-style-type: none"> Global location number GLN 	0..1	SDD-ID: Definition:	BDT00000063 The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
<ul style="list-style-type: none"> Additional party identification information 	0..unbounded	SDD-ID: Definition: Usage:	BDTG00000577 The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Additional party identification content	1..1	SDD-ID: BDT00000578 Definition:	Number, GLN. The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: BDTG00000579 Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: BDT00000570 Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Address information	0..1	SDD-ID: BDTG00000144 Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: BDT00000020 Definition:	The name of the city, town or village.
City code	0..1	SDD-ID: BDT00000019 Definition:	The code specifying a city.
County code	0..1	SDD-ID: BDT00000034 Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: BDT00000035 Definition:	The street crossing another street.
Party name	0..1	SDD-ID: BDT00000106 Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID: BDT00000113 Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID: BDT00000114 Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID: BDT00000117 Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: BDT00000127 Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID: BDT00000128 Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Street address two	0..1	SDD-ID: BDT00000130 Definition: The second street address line of a structured address. Example: Blue Tower	
Street address three	0..1	SDD-ID: BDT00000129 Definition: The third street address line of a structured address. Example: Floor 4	
Country code	0..1	SDD-ID: BDTG00000179 Definition: The code specifying a country.	
Country code content	1..1	SDD-ID: BDT00000774 Definition: The code specifying a country.	
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.	
Geographical coordinates information	0..1	SDD-ID: BDTG00000214 Definition: The information specifying details on a location using geographical coordinates.	
Latitude	1..1	SDD-ID: BDT00000085 Definition: The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. Example: 23°26'12.2" S	
Longitude	1..1	SDD-ID: BDT00000089 Definition: The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. Example: 18°3'59.0616"	
Business contact information	0..unbounded	SDD-ID: BDTG00000158 Definition: The information specifying details of the person or department who can give special assistance regarding a business transaction.	
Person name	0..1	SDD-ID: BDT00000112 Definition: The name of an individual person expressed as text.	
Department name	0..1	SDD-ID: BDT00000044 Definition: The name of the department.	
Job title	0..1	SDD-ID: BDT00000083 Definition: The title of a position or the role of a person holding the position.	
Contact type code	0..1	SDD-ID: BDTG00000178 Definition: The code specifying the function or role of a contact person. Used code list: ISO 3166-1 or equivalent representation in specific syntax. Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode	
Contact type code content	1..1	SDD-ID: BDT00000571 Definition: The code specifying the function or role of a contact person.	
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.	
Business contact responsibility description	0..unbounded	SDD-ID: BDTG00000159 Definition: The description of the responsibility of a business contact such as a person or a department expressed as text.	

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
	Business contact responsibility description content	1..1	SDD-ID: Definition:	BDT00000580 The description of the responsibility of a business contact such as a person or a department expressed as text.
	Language code	0..1	SDD-ID: Definition:	BDTG00000523 The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Communication information	0..unbounded	SDD-ID: Definition:	BDTG00000176 The information specifying details of a contact person's communication channel.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	BDTG00000175 The code specifying the channel for communication. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000525 The code specifying the channel for communication. TELEPHONE CommunicationChannelCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	BDT00000032 The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	BDT00000033 The name of a communication channel expressed as text.
	After hours communication information	0..unbounded	SDD-ID: Definition:	BDTG00000145 The information specifying details of communication channels to use after regular business hours.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	BDTG00000175 The code specifying the channel for communication. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000525 The code specifying the channel for communication. TELEPHONE CommunicationChannelCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: BDT00000032 Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: BDT00000033 Definition: The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID: BDTG00000326 Definition: The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID: BDT00000369 Definition: The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID: BDTG00000585 Definition: The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID: BDT00000584 Definition: The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID: BDTG00000587 Definition: The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: BDT00000074 Definition: The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: BDT00000073 Definition: The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: BDTG00000586 Definition: The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: BDT00000583 Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Tax type code	0..1	SDD-ID: BDTG00000328 Definition: The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: BDT00000576 Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Tax description	0..1	SDD-ID: BDTG00000322 Definition: The description of the tax expressed as text.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Tax description content	1..1	SDD-ID:	BDT00000754
		Definition:	The description of the tax expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax registration type code	0..1	SDD-ID:	BDTG00000327
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
Tax registration type code content	1..1	SDD-ID:	BDT00000588
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty registration information	0..unbounded	SDD-ID:	BDTG00000375
		Definition:	The information specifying details of a party registered for customs duty.
Customs authority name	0..1	SDD-ID:	BDT00000370
		Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
Customs registration identification information	1..1	SDD-ID:	BDTG00000621
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
Customs registration identification content	1..1	SDD-ID:	BDT00000622
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
Identification scheme information	0..1	SDD-ID:	BDTG00000587
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	BDT00000074
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	BDT00000073
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	BDT00000583
		Definition:	The code specifying the agency responsible for the identification scheme.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Used code list:	ResponsibleAgencyCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	BDTG00000328
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	BDT00000576
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty description	0..1	SDD-ID:	BDTG00000378
		Definition:	The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID:	BDT00000563
		Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs registration type code	0..1	SDD-ID:	BDTG00000623
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID:	BDT00000624
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID:	BDTG00000262
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	BDT00000102
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	BDTG00000228

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
	Language code content	1..1	Definition:	The code specifying the language of a party.
			SDD-ID:	BDT00000524
	Code list version	0..1	Definition:	The code specifying the language.
			Example:	en
	Currency of party code	0..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
			SDD-ID:	BDT00000028
	Currency of party code content	1..1	Definition:	The version number of the code list.
			SDD-ID:	BDTG00000184
	Code list version	0..1	Definition:	The code specifying the currency of a party.
			Example:	EUR
	Official address	0..1	Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
			SDD-ID:	BDT00000710
	County code	0..1	Definition:	The code specifying the currency of a party.
			Example:	EUR
	City name	0..1	Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
			Link to code list:	https://www.iso.org/iso-4217-currency-codes.html
	City code	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Cross street	0..1	SDD-ID:	BDTG00000246
			Definition:	The registered legal address of the organisation.
	Post office box number	0..1	SDD-ID:	BDT00000034
			Definition:	The code indicating a geographical region in a country.
	Postal code	0..1	SDD-ID:	BDT00000020
			Definition:	The name of the city, town or village.
	Province identity	0..1	SDD-ID:	BDT00000019
			Definition:	The code specifying a city.
	State	0..1	SDD-ID:	BDT00000035
			Definition:	The street crossing another street.
			SDD-ID:	BDT00000113
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
			SDD-ID:	BDT00000114
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
			SDD-ID:	BDT00000117
			Definition:	The identity of a province according to national codes assigned to provinces.
			SDD-ID:	BDT00000127
			Definition:	The political unit that a country can be divided into.
			Example:	California

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
	Street address one	0..1	SDD-ID: Definition: Example:	BDT00000128 The first street address line of a structured address. Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition: Example:	BDT00000130 The second street address line of a structured address. Blue Tower
	Street address three	0..1	SDD-ID: Definition: Example:	BDT00000129 The third street address line of a structured address. Floor 4
	Country code	0..1	SDD-ID: Definition:	BDTG00000179 The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	BDT00000774 The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	BDTG00000214 The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition: Example:	BDT00000085 The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. 23°26'12.2" S
	Longitude	1..1	SDD-ID: Definition: Example:	BDT00000089 The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 18°3'59.0616"
	Issued capital	0..1	SDD-ID: Definition:	BDTG00000225 The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID: Definition:	BDT00000655 The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID: Definition:	BDTG00000590 The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000589 The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Legal structure description	0..1	SDD-ID: Definition:	BDTG00000231 The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID: Definition:	BDT00000659 The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID:	BDTG00000523

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Language code content	1..1	Definition:	The code specifying the language.
		SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	BDTG00000288
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	BDT00000087
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	BDT00000086
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	BDTG00000230
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	BDT00000658
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	BDTG00000209
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	BDT00000061
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	BDT00000060
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	BDTG00000207
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	BDT00000058
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	BDT00000059
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	BDTG00000208
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Financial account number type code content	1..1	SDD-ID:	BDT00000645

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID:	BDTG00000210
			Definition:	The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID:	BDT00000062
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID:	BDTG00000211
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
	Financial routing number type code content	1..1	SDD-ID:	BDT00000644
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Additional financial institution description	0..1	SDD-ID:	BDTG00000522
			Definition:	The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID:	BDT00000521
			Definition:	The text value describing the additional financial institution.
	Language code	0..1	SDD-ID:	BDTG00000523
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	BDT00000524
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	BDTG00000144
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	BDT00000020

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	BDT00000106
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Longitude	1..1	Example: SDD-ID: Definition:	23°26'12.2" S BDT00000089 The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
Ship to party information	1..1	Example: SDD-ID: Definition: Usage:	18°3'59.0616" BDTG00000311 The information specifying the location to which goods are shipped. To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
Global location number GLN	0..1	SDD-ID: Definition:	BDT00000063 The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	BDTG00000577 The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: Definition:	BDT00000578 The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: Definition:	BDTG00000579 The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000570 The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Address information	0..1	SDD-ID: Definition:	BDTG00000144 The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: Definition:	BDT00000020 The name of the city, town or village.
City code	0..1	SDD-ID: Definition:	BDT00000019 The code specifying a city.
County code	0..1	SDD-ID: Definition:	BDT00000034 The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: Definition:	BDT00000035 The street crossing another street.
Party name	0..1	SDD-ID: Definition:	BDT00000106 The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	BDT00000113

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
Postal code		0..1	Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
Province identity		0..1	SDD-ID:	BDT00000114
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
State		0..1	Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Street address one		0..1	SDD-ID:	BDT00000117
			Definition:	The identity of a province according to national codes assigned to provinces.
Street address two		0..1	SDD-ID:	BDT00000127
			Definition:	The political unit that a country can be divided into.
Street address three		0..1	Example:	California
			SDD-ID:	BDT00000128
Country code		0..1	Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
Country code content		1..1	SDD-ID:	BDT00000130
			Definition:	The second street address line of a structured address.
Code list version		0..1	Example:	Blue Tower
			SDD-ID:	BDT00000129
Geographical coordinates information		0..1	Definition:	The third street address line of a structured address.
			Example:	Floor 4
Latitude		1..1	SDD-ID:	BDTG00000179
			Definition:	The code specifying a country.
Longitude		1..1	SDD-ID:	BDT00000774
			Definition:	The code specifying a country.
Business contact information		0..unbounded	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
Person name		0..1	SDD-ID:	BDTG00000214
			Definition:	The information specifying details on a location using geographical coordinates.
			SDD-ID:	BDT00000085
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
			SDD-ID:	BDT00000089
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
			SDD-ID:	BDTG00000158
			Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
			SDD-ID:	BDT00000112
			Definition:	The name of an individual person expressed as text.



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Department name	0..1	SDD-ID:	BDT00000044
		Definition:	The name of the department.
Job title	0..1	SDD-ID:	BDT00000083
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	BDTG00000178
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
Contact type code content	1..1	SDD-ID:	BDT00000571
		Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID:	BDTG00000159
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	BDT00000580
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication information	0..unbounded	SDD-ID:	BDTG00000176
		Definition:	The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	BDT00000032

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID:	BDTG00000145
		Definition:	The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID:	BDTG00000326
		Definition:	The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID:	BDT00000369
		Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID:	BDTG00000585
		Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID:	BDT00000584
		Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID:	BDTG00000587
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	BDT00000074
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	BDT00000073
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	BDT00000583
		Definition:	The code specifying the agency responsible for the identification scheme.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Used code list:	ResponsibleAgencyCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	BDTG00000328
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	BDT00000576
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax description	0..1	SDD-ID:	BDTG00000322
		Definition:	The description of the tax expressed as text.
Tax description content	1..1	SDD-ID:	BDT00000754
		Definition:	The description of the tax expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax registration type code	0..1	SDD-ID:	BDTG00000327
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
Tax registration type code content	1..1	SDD-ID:	BDT00000588
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty registration information	0..unbounded	SDD-ID:	BDTG00000375
		Definition:	The information specifying details of a party registered for customs duty.
Customs authority name	0..1	SDD-ID:	BDT00000370
		Definition:	The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Customs registration identification information	1..1	SDD-ID:	BDTG00000621
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
Customs registration identification content	1..1	SDD-ID:	BDT00000622
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
Identification scheme information	0..1	SDD-ID:	BDTG00000587
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	BDT00000074
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	BDT00000073
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	BDT00000583
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	BDTG00000328
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	BDT00000576
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty description	0..1	SDD-ID:	BDTG00000378
		Definition:	The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID:	BDT00000563
		Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Customs registration type code	0..1	SDD-ID: BDTG00000623	Definition: The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID: BDT00000624	Definition: The code specifying the type of customs registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID: BDT00000028	Definition: The version number of the code list.
Organisation legal information	0..1	SDD-ID: BDTG00000262	Definition: The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID: BDT00000102	Definition: The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID: BDTG00000228	Definition: The code specifying the language of a party.
Language code content	1..1	SDD-ID: BDT00000524	Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028	Definition: The version number of the code list.
Currency of party code	0..1	SDD-ID: BDTG00000184	Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID: BDT00000710	Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax. Link to code list: https://www.iso.org/iso-4217-currency-codes.html
Code list version	0..1	SDD-ID: BDT00000028	Definition: The version number of the code list.
Official address	0..1	SDD-ID: BDTG00000246	Definition: The registered legal address of the organisation.
County code	0..1	SDD-ID: BDT00000034	Definition: The code indicating a geographical region in a country.
City name	0..1	SDD-ID: BDT00000020	Definition: The name of the city, town or village.
City code	0..1	SDD-ID: BDT00000019	Definition: The code specifying a city.

Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
	Cross street	0..1	SDD-ID: Definition:	BDT00000035 The street crossing another street.
	Post office box number	0..1	SDD-ID: Definition:	BDT00000113 The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID: Definition:	BDT00000114 The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID: Definition:	BDT00000117 The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition:	BDT00000127 The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID: Definition:	BDT00000128 The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition:	BDT00000130 The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID: Definition:	BDT00000129 The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID: Definition:	BDTG00000179 The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	BDT00000774 The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	BDTG00000214 The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	BDT00000085 The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID: Definition:	BDT00000089 The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Issued capital	0..1	SDD-ID: Definition:	BDTG00000225 The monetary amount representing the value of the issued capital of a company.

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Issued capital content	1..1	SDD-ID:	BDT00000655
		Definition:	The monetary amount representing the issued capital of a company.
Currency code	0..1	SDD-ID:	BDTG00000590
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	BDT00000589
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Legal structure description	0..1	SDD-ID:	BDTG00000231
		Definition:	The description of the legal structure expressed as text.
Legal structure description content	1..1	SDD-ID:	BDT00000659
		Definition:	The description of the legal structure expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	BDTG00000288
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	BDT00000087
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	BDTG00000086
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	BDTG00000230
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	BDT00000658
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	BDTG00000209
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	BDT00000061



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Financial institution division name	0..1	Definition:	The name of a financial institution expressed as text.
		SDD-ID:	BDT00000060
Financial account information	0..1	Definition:	The name of a division or branch within a financial institution expressed as text.
		SDD-ID:	BDTG00000207
Financial account name	0..1	Definition:	The information specifying details of a financial account.
		SDD-ID:	BDT00000058
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	BDT00000059
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	BDTG00000208
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Financial account number type code content	1..1	SDD-ID:	BDT00000645
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution routing number information	0..1	SDD-ID:	BDTG00000210
		Definition:	The information specifying details on a routing number of a financial institution.
Financial routing number	1..1	SDD-ID:	BDT00000062
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code	1..1	SDD-ID:	BDTG00000211
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Financial routing number type code content	1..1	SDD-ID:	BDT00000644
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Additional financial institution description	0..1	SDD-ID:	BDTG00000522
		Definition:	The additional description of a financial institution expressed as text.



Clinical Trials Despatch advice

Business data terms and groups		Usage	Business data terms and groups description	
<ul style="list-style-type: none"> Additional financial institution description content Language code Language code content Code list version Address information <ul style="list-style-type: none"> City name City code County code Cross street Party name Post office box number Postal code Province identity State Street address one Street address two 	Additional financial institution description content	1..1	SDD-ID:	BDT00000521
			Definition:	The text value describing the additional financial institution.
	Language code	0..1	SDD-ID:	BDTG00000523
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	BDT00000524
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	BDTG00000144
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	BDT00000020
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	BDT00000019
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	BDT00000034
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	BDT00000035
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	BDT00000106
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	BDT00000113
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	BDT00000114
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	BDT00000117
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	BDT00000127
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	BDT00000128
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	BDT00000130

Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Street address three	0..1	Definition: Example:	The second street address line of a structured address. Blue Tower
Country code	0..1	SDD-ID: Definition: Example:	BDT00000129 The third street address line of a structured address. Floor 4
Country code content	1..1	SDD-ID: Definition:	BDTG00000179 The code specifying a country.
Code list version	0..1	SDD-ID: Definition:	BDT00000774 The code specifying a country.
Geographical coordinates information	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list. BDTG00000214 The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID: Definition:	BDT00000085 The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
Longitude	1..1	Example: SDD-ID: Definition:	23°26'12.2" S BDT00000089 The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
Clinical trial despatch advice line	1..unbounded	Example:	18°3'59.0616"
Business document line item number	0..1	Context: SDD-ID:	The despatch advice line is used to specify the details of shipped kits BDT00000049
Parent line item number	0..1	Definition:	The sequence number of a line within the business document.
Logistic unit identification information	1..1	SDD-ID: Definition:	BDT00000105 The line item number of the line item containing information at the higher level pertaining to the current line item.
Serial shipping container code, SSCC	0..1	SDD-ID: Definition:	BDTG00000859 The information specifying the identification details of a logistic unit. BDT00000854 The identity according to the GS1 identification system for unique identification of logistic units.
Additional logistic unit identification information	0..unbounded	Example: SDD-ID: Definition:	950110102081858960 BDTG00000855 The information specifying the additional identification details of a logistic unit.
Additional logistic unit identification content	1..1	SDD-ID: Definition: Example:	BDT00000855 The additional identity of a logistic unit ABD3571/98-7
Additional logistic unit identification type code	0..1	SDD-ID: Definition:	BDTG00000857 The code specifying the type of provided additional logistic unit identification.
Additional logistic unit identification type code content	1..1	SDD-ID: Definition: Example:	BDT00000856 The code of the additional logistic unit identification type. SHIPPER_ASSIGNED



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		Used code list:	AdditionalLogisticUnitIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalLogisticUnitIdentificationTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Kit information	1..unbounded		
Serial number	0..1	SDD-ID:	BDT00000121
		Definition:	The serial number assigned to an individual instance of a specific identified product or trade item to make an instance of a product or trade item unique.
		Usage:	The code need not be strictly numerical and can contain letters and other typographical symbols or may consist entirely of a character string.
Expiration date	0..1	SDD-ID:	BDT00000057
		Definition:	The date after which the product should not be used or consumed.
Temperature tracker identification	0..1	SDD-ID:	BDT00000954
		Definition:	The identification of the temperature tracker.
Kit measurement unit code	0..unbounded	SDD-ID:	BDTG00000955
		Definition:	The code specifying the unit of measure applicable to the medication kit
Measurement unit code content	1..1	SDD-ID:	BDT00000607
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Kit minimum temperature information	0..1	SDD-ID:	BDTG00000950
		Definition:	The information on the minimum temperature allowed according to the handling instructions
		Context:	In a Clinical Trial Despatch Advice this measure refers to storage instructions
Temperature measurement	1..1	SDD-ID:	BDT00000951
		Definition:	The temperature measurement value associated to unit of measure.
Temperature measurement unit code	1..1	SDD-ID:	BDTG00000949
		Definition:	The code specifying the unambiguous representation of a unit of measure of a temperature
Temperature measurement unit code content	1..1	SDD-ID:	BDT00000948
		Definition:	The code specifying the unambiguous representation of a temperature unit of measure
		Used code list:	temperatureMeasurementUnitCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TemperatureMeasurementUnitCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Kit maximum temperature information	0..1	SDD-ID:	BDTG00000952
		Definition:	The information on the maximum temperature allowed according to the handling instructions



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
Temperature measurement	1..1	Context:	In a Clinical Trial Despatch Advice this measure refers to storage instructions
		SDD-ID:	BDT00000951
		Definition:	The temperature measurement value associated to unit of measure.
Temperature measurement unit code	1..1	SDD-ID:	BDTG00000949
		Definition:	The code specifying the unambiguous representation of a unit of measure of a temperature
Temperature measurement unit code content	1..1	SDD-ID:	BDT00000948
		Definition:	The code specifying the unambiguous representation of a temperature unit of measure
		Used code list:	temperatureMeasurementUnitCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TemperatureMeasurementUnitCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Despatched quantity	1..1	SDD-ID:	BDTG00000869
		Definition:	The number of units shipped of the order unit or associated item.
		Usage:	The unit of measure for the quantity is assumed to be the same as for the associated item. Thus the quantity must be specified in the same unit of measure as the item, e.g. case, each, etc.
Despatched quantity content	1..1	SDD-ID:	BDT00000868
		Definition:	The number of units despatched
Measurement unit code	0..1	SDD-ID:	BDTG00000608
		Definition:	The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID:	BDT00000607
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Clinical trial product identification information	1..1	SDD-ID:	BDTG00000947
		Definition:	The information specifying the Global Trade Identification number, GTIN, of a clinical trial product
Global trade item number, GTIN	1..1	SDD-ID:	BDT00000066
		Definition:	The identity according to the GS1 identification system for unique identification of products and services.
		Example:	07300015200192
Storage conditions type code	0..1	SDD-ID:	BDTG00000957
		Definition:	The code specifying the storage conditions
Storage conditions type code content	1..1	SDD-ID:	BDT00000956
		Definition:	The code specifying the storage instructions for the kit
		Example:	12
		Used code list:	StorageConditionsTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:



Clinical Trials Despatch advice

Business data terms and groups	Usage	Business data terms and groups description	
		StorageConditionsTypeCode	
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Kit Security Information	0..unbounde		
Security seal identification	1..1	SDD-ID:	BDT00000946
		Definition:	The identification of the security seal applied.
Kit security seal type code	1..1	SDD-ID:	BDTG00000945
		Definition:	The code identifying the type of seal used on the kit.
Kit security seal type code content	1..1	SDD-ID:	BDT00000944
		Definition:	A code identifying the type of secutirty seal applied to a medication kit
		Example:	1
		Used code list:	SealTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:SealTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.