

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Shipment request		Context:	The Shipment Request message is used to request the shipment of goods in any of the following scenarios: Serialised directed picking or free picking (blinded, open-label non-serialised or open-label serialised).
— Clinical trial protocol identification	1..1	SDD-ID: Definition:	BDT00000960 The information specifying the clinical trial study protocol identification
— Shipment request date	0..1	SDD-ID: Definition:	BDT00000971 The date when the shipment request has been generated
— Shipment request comments	0..1	SDD-ID: Definition:	BDT00000972 The text containing special instructions or requests related to the requested shipment
— Business document effective date time	0..1	SDD-ID: Definition:	BDTG00000197 The date and optional time from when the business document is valid from commercial or legal point of view.
— Date	0..1	SDD-ID: Definition: Example:	BDT00000040 The day of a year as a calendar date. 2020-06-15
— Time	0..1	SDD-ID: Definition: Example:	BDT00000133 The indication of a point in time. 08:01:15
— Revision number	0..1	SDD-ID: Definition:	BDT00000119 The number assigned to a specific release of a document to keep track of changes and updates between revisions.
— Business document creation date time	1..1	SDD-ID: Definition:	BDT00000047 The date and optional time when the business document was issued.
— Business document status code	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000050 The code specifying the status of a business document. ORIGINAL DocumentStatusEnumeration http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentStatusEnumeration
— Business document action code	0..1	SDD-ID: Definition: Usage: Used code list: Link to code list:	BDT00000045 The code indicating the action to be taken by a process within the IT system of the recipient of the business document. By the received code the IT-system can start the relevant IT process such as adding an original business document transaction when the code ADD is specified, or delete a previously received document transaction when the code DELETE is specified (a reference to the document transaction for deletion is required). DocumentActionEnumeration http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentActionEnumeration
— Business document standard version	0..1	SDD-ID: Definition:	BDT00000046 The version number of the standard used for the business document.
— Business document last update date time	0..1	SDD-ID: Definition:	BDT00000048 The last date and time when a business document was updated.



Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Business document effective date time	0..1	SDD-ID: Definition:	BDTG00000197 The date and optional time from when the business document is valid from commercial or legal point of view.
Date	0..1	SDD-ID: Definition: Example:	BDT00000040 The day of a year as a calendar date. 2020-06-15
Time	0..1	SDD-ID: Definition: Example:	BDT00000133 The indication of a point in time. 08:01:15
Clinical trial protocol owner party information	1..1	SDD-ID: Definition:	BDTG00000961 The information specifying details of the party sponsoring the clinical trial
Global location number, GLN	0..1	SDD-ID: Definition: Ref. definition:	BDT00000063 The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	BDTG00000577 The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: Definition:	BDT00000578 The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: Definition:	BDTG00000579 The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000570 The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Address information	0..1	SDD-ID: Definition:	BDTG00000144 The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: Definition:	BDT00000020 The name of the city, town or village.
City code	0..1	SDD-ID: Definition:	BDT00000019 The code specifying a city.
County code	0..1	SDD-ID: Definition:	BDT00000034 The code indicating a geographical region in a country.

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
— Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
— Party name	0..1	SDD-ID:	BDT00000106
		Definition:	The name of the party expressed as text.
— Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
— Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
— Province identity	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
— State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
— Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
— Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
— Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
— Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
— Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
— Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
— Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
— Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
— Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"



Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Business contact information	0..unbounde	SDD-ID:	BDTG00000158
		Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID:	BDT00000112
		Definition:	The name of an individual person expressed as text.
Department name	0..1	SDD-ID:	BDT00000044
		Definition:	The name of the department.
Job title	0..1	SDD-ID:	BDT00000083
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	BDTG00000178
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
Contact type code content	1..1	SDD-ID:	BDT00000571
		Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounde	SDD-ID:	BDTG00000159
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	BDT00000580
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication information	0..unbounde	SDD-ID:	BDTG00000176
		Definition:	The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode

Shipment request

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: BDT00000032 Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: BDT00000033 Definition: The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID: BDTG00000145 Definition: The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID: BDTG00000175 Definition: The code specifying the channel for communication. Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID: BDT00000525 Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: BDT00000032 Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: BDT00000033 Definition: The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID: BDTG00000326 Definition: The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID: BDT00000369 Definition: The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID: BDTG00000585 Definition: The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID: BDT00000584 Definition: The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID: BDTG00000587 Definition: The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: BDT00000074 Definition: The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: BDT00000073



Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Identification scheme responsible agency code	0..1	Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	BDTG00000586
		Definition:	The code specifying the agency responsible for the identification scheme.
		SDD-ID:	BDT00000583
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	BDTG00000328
Tax type code content	1..1	Definition:	The code specifying the type of tax.
		SDD-ID:	BDT00000576
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax description	0..1	SDD-ID:	BDTG00000322
Tax description content	1..1	Definition:	The description of the tax expressed as text.
		SDD-ID:	BDT00000754
		Definition:	The description of the tax expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
Language code content	1..1	Definition:	The code specifying the language.
		SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax registration type code	0..1	SDD-ID:	BDTG00000327
Tax registration type code content	1..1	Definition:	The code specifying the type of tax registration number assigned by a national authority.
		SDD-ID:	BDT00000588
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Organisation legal information	0..1	SDD-ID:	BDTG00000262
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	BDT00000102
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	BDTG00000228
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Currency of party code	0..1	SDD-ID:	BDTG00000184
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID:	BDT00000710
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	https://www.iso.org/iso-4217-currency-codes.html
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Official address	0..1	SDD-ID:	BDTG00000246
		Definition:	The registered legal address of the organisation.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode

Shipment request

Business data terms and groups		Usage	Business data terms and groups description	
	Province identity	0..1	SDD-ID:	BDT00000117
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	BDT00000127
			Definition:	The political unit that a country can be divided into.
	Street address one	0..1	SDD-ID:	BDT00000128
			Definition:	The first street address line of a structured address.
	Street address two	0..1	SDD-ID:	BDT00000130
			Definition:	The second street address line of a structured address.
	Street address three	0..1	SDD-ID:	BDT00000129
			Definition:	The third street address line of a structured address.
	Country code	0..1	SDD-ID:	BDTG00000179
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	BDT00000774
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	BDT00000085
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	SDD-ID:	BDT00000089
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	Issued capital	0..1	SDD-ID:	BDTG00000225
			Definition:	The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID:	BDT00000655
			Definition:	The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID:	BDTG00000590
			Definition:	The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID:	BDT00000589
			Definition:	The code specifying the currency of a monetary amount.
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Legal structure description	0..1	SDD-ID:	BDTG00000231
		Definition:	The description of the legal structure expressed as text.
Legal structure description content	1..1	SDD-ID:	BDT00000659
		Definition:	The description of the legal structure expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	BDTG00000288
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	BDT00000087
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	BDT00000086
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	BDTG00000230
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	BDT00000658
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	BDTG00000209
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	BDT00000061
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	BDT00000060
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	BDTG00000207
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	BDT00000058
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	BDT00000059
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	BDTG00000208



Shipment request

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
	Financial account number type code content	1..1	SDD-ID:	BDT00000645
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID:	BDTG00000210
			Definition:	The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID:	BDT00000062
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID:	BDTG00000211
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
	Financial routing number type code content	1..1	SDD-ID:	BDT00000644
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Additional financial institution description	0..1	SDD-ID:	BDTG00000522
			Definition:	The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID:	BDT00000521
			Definition:	The text value describing the additional financial institution.
	Language code	0..1	SDD-ID:	BDTG00000523
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	BDT00000524
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Address information	0..1	SDD-ID:	BDTG00000144
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	BDT00000106
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.



Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business document identification information	1..1	SDD-ID:	BDTG00000480
		Definition:	The information specifying the identification details of the business document.
Entity identification	1..1	SDD-ID:	BDT00000056
		Definition:	The identity of an entity such as a document or an object.
Document content owner	0..1	SDD-ID:	BDTG00000196
		Definition:	The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	BDT00000578
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	BDT00000570
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Business document sender party information	1..1	SDD-ID:	BDTG00000953
		Definition:	The information specifying the details of the party sending a business document
Global location number, GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.



Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	BDTG00000577 The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: Definition:	BDT00000578 The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: Definition:	BDTG00000579 The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000570 The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Electronic address information	0..1	SDD-ID: Definition:	BDTG00000784 The information about the electronic address of a party
Electronic address identification scheme	1..1	SDD-ID: Definition:	BDT00000786 The identification scheme of of the electronic address
Electronic address identification	1..1	SDD-ID: Definition:	BDT00000785 The identifier of of the electronic address to which a business document should be delivered
Address information	0..1	SDD-ID: Definition:	BDTG00000144 The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: Definition:	BDT00000020 The name of the city, town or village.
City code	0..1	SDD-ID: Definition:	BDT00000019 The code specifying a city.
County code	0..1	SDD-ID: Definition:	BDT00000034 The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: Definition:	BDT00000035 The street crossing another street.
Party name	0..1	SDD-ID: Definition:	BDT00000106 The name of the party expressed as text.
Post office box number	0..1	SDD-ID: Definition:	BDT00000113 The number of a post office box located on the premises of a post office station or other postal service location.

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Postal code	0..1	Synonyms:	P.O. box, postal box
		SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
Province identity	0..1	Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business contact information	0..unbounded	SDD-ID:	BDTG00000158
		Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID:	BDT00000112
		Definition:	The name of an individual person expressed as text.
Department name	0..1	SDD-ID:	BDT00000044
		Definition:	The name of the department.

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Job title	0..1	SDD-ID:	BDT00000083
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	BDTG00000178
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
Contact type code content	1..1	SDD-ID:	BDT00000571
		Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID:	BDTG00000159
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	BDT00000580
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication information	0..unbounded	SDD-ID:	BDTG00000176
		Definition:	The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.



Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Communication channel name	0..1	SDD-ID: BDT00000033 Definition:	The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID: BDTG00000145 Definition:	The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID: BDTG00000175 Definition: Link to code list:	The code specifying the channel for communication. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID: BDT00000525 Definition: Example: Used code list: Link to code list:	The code specifying the channel for communication. TELEPHONE CommunicationChannelCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID: BDT00000032 Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: BDT00000033 Definition:	The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID: BDTG00000326 Definition:	The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID: BDT00000369 Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID: BDTG00000585 Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID: BDT00000584 Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID: BDTG00000587 Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: BDT00000074 Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: BDT00000073 Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: BDTG00000586 Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: BDT00000583 Definition: Used code list: Link to code list:	The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode



Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
		ResponsibleAgencyCode&release=5	
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID: BDTG00000328 Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: BDT00000576 Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Tax description	0..1	SDD-ID: BDTG00000322 Definition:	The description of the tax expressed as text.
Tax description content	1..1	SDD-ID: BDT00000754 Definition:	The description of the tax expressed as text.
Language code	0..1	SDD-ID: BDTG00000523 Definition:	The code specifying the language.
Language code content	1..1	SDD-ID: BDT00000524 Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Tax registration type code	0..1	SDD-ID: BDTG00000327 Definition:	The code specifying the type of tax registration number assigned by a national authority.
Tax registration type code content	1..1	SDD-ID: BDT00000588 Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Customs duty registration information	0..unbounded	SDD-ID: BDTG00000375 Definition:	The information specifying details of a party registered for customs duty.
Customs authority name	0..1	SDD-ID: BDT00000370 Definition:	The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
Customs registration identification information	1..1	SDD-ID: BDTG00000621 Definition:	The information specifying details of the identity assigned to a party registered for



Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
		customs duty according to a national customs register.	
Customs registration identification content	1..1	SDD-ID: BDT00000622 Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
Identification scheme information	0..1	SDD-ID: BDTG00000587 Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: BDT00000074 Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: BDT00000073 Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: BDTG00000586 Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: BDT00000583 Definition: Used code list: Link to code list:	The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID: BDTG00000328 Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: BDT00000576 Definition: Used code list: Link to code list:	The code specifying the type of tax. DutyFeeTaxTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Customs duty description	0..1	SDD-ID: BDTG00000378 Definition:	The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID: BDT00000563 Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID: BDTG00000523 Definition:	The code specifying the language.
Language code content	1..1	SDD-ID: BDT00000524 Definition: Example: Used code list:	The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Customs registration type code	0..1	SDD-ID: BDTG00000623 Definition:	The code specifying the type of customs registration number assigned by a national

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Customs registration type code content	1..1	SDD-ID: BDT00000624 Definition: The code specifying the type of customs registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1	authority.
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.	
Organisation legal information	0..1	SDD-ID: BDTG00000262 Definition: The information specifying details of a legal organisation.	
Organisation name	1..1	SDD-ID: BDT00000102 Definition: The official and legal name of the organisation.	
Language of the party code	0..1	SDD-ID: BDTG00000228 Definition: The code specifying the language of a party.	
Language code content	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .	
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.	
Currency of party code	0..1	SDD-ID: BDTG00000184 Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.	
Currency of party code content	1..1	SDD-ID: BDT00000710 Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax. Link to code list: https://www.iso.org/iso-4217-currency-codes.html	
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.	
Official address	0..1	SDD-ID: BDTG00000246 Definition: The registered legal address of the organisation.	
County code	0..1	SDD-ID: BDT00000034 Definition: The code indicating a geographical region in a country.	
City name	0..1	SDD-ID: BDT00000020 Definition: The name of the city, town or village.	
City code	0..1	SDD-ID: BDT00000019 Definition: The code specifying a city.	
Cross street	0..1	SDD-ID: BDT00000035 Definition: The street crossing another street.	

Shipment request

Business data terms and groups		Usage	Business data terms and groups description	
	Post office box number	0..1	SDD-ID: Definition:	BDT00000113 The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID: Definition:	BDT00000114 The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID: Definition:	BDT00000117 The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition:	BDT00000127 The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID: Definition:	BDT00000128 The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition:	BDT00000130 The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID: Definition:	BDT00000129 The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID: Definition:	BDTG00000179 The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	BDT00000774 The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	BDTG00000214 The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	BDT00000085 The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID: Definition:	BDT00000089 The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Issued capital	0..1	SDD-ID: Definition:	BDTG00000225 The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID: Definition:	BDT00000655 The monetary amount representing the issued capital of a company.

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Currency code	0..1	SDD-ID:	BDTG00000590
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	BDT00000589
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Legal structure description	0..1	SDD-ID:	BDTG00000231
		Definition:	The description of the legal structure expressed as text.
Legal structure description content	1..1	SDD-ID:	BDT00000659
		Definition:	The description of the legal structure expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	BDTG00000288
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	BDT00000087
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	BDT00000086
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	BDTG00000230
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	BDT00000658
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	BDTG00000209
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	BDT00000061
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	BDT00000060

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Financial account information	0..1	Definition:	The name of a division or branch within a financial institution expressed as text.
		SDD-ID:	BDTG00000207
Financial account name	0..1	Definition:	The information specifying details of a financial account.
		SDD-ID:	BDT00000058
Financial account number	1..1	Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number type code	1..1	SDD-ID:	BDT00000059
		Definition:	The number of a financial account expressed as text.
Financial account number type code content	1..1	SDD-ID:	BDTG00000208
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Code list version	0..1	SDD-ID:	BDT00000645
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Financial institution routing number information	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial routing number	1..1	SDD-ID:	BDTG00000210
		Definition:	The information specifying details on a routing number of a financial institution.
Financial routing number type code	1..1	SDD-ID:	BDT00000062
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code content	1..1	SDD-ID:	BDTG00000211
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Financial routing number type code content	1..1	SDD-ID:	BDT00000644
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Additional financial institution description	0..1	SDD-ID:	BDTG00000522
		Definition:	The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID:	BDT00000521
		Definition:	The text value describing the additional financial institution.

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Address information	0..1	SDD-ID:	BDTG00000144
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	BDT00000106
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower



Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Street address three	0..1	SDD-ID: Definition: Example:	BDT00000129 The third street address line of a structured address. Floor 4
Country code	0..1	SDD-ID: Definition:	BDTG00000179 The code specifying a country.
Country code content	1..1	SDD-ID: Definition:	BDT00000774 The code specifying a country.
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Geographical coordinates information	0..1	SDD-ID: Definition:	BDTG00000214 The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID: Definition:	BDT00000085 The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
Longitude	1..1	Example: SDD-ID: Definition:	23°26'12.2" S BDT00000089 The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
Business document receiver party information	1..1	Example: SDD-ID: Definition:	18°3'59.0616" BDTG00000954 The information specifying the details of the party receiving a business document
Global location number, GLN	0..1	SDD-ID: Definition: Ref. definition:	BDT00000063 The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	BDTG00000577 The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: Definition:	BDT00000578 The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: Definition:	BDTG00000579 The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000570 The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Electronic address information	0..1	SDD-ID:	BDTG00000784
		Definition:	The information about the electronic address of a party
— Electronic address identification scheme	1..1	SDD-ID:	BDT00000786
		Definition:	The identification scheme of of the electronic address
— Electronic address identification	1..1	SDD-ID:	BDT00000785
		Definition:	The identifier of of the electronic address to which a business document should be delivered
Address information	0..1	SDD-ID:	BDTG00000144
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
— City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
— City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
— County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
— Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
— Party name	0..1	SDD-ID:	BDT00000106
		Definition:	The name of the party expressed as text.
— Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
— Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
— Province identity	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
— State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
— Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
— Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
— Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
		Example:	Floor 4
Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business contact information	0..unbounded	SDD-ID:	BDTG00000158
		Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID:	BDT00000112
		Definition:	The name of an individual person expressed as text.
Department name	0..1	SDD-ID:	BDT00000044
		Definition:	The name of the department.
Job title	0..1	SDD-ID:	BDT00000083
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	BDTG00000178
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
Contact type code content	1..1	SDD-ID:	BDT00000571
		Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID:	BDTG00000159
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	BDT00000580
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.



Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Communication information	0..unbounded	SDD-ID: Definition:	BDTG00000176 The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID: Definition: Link to code list:	BDTG00000175 The code specifying the channel for communication. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000525 The code specifying the channel for communication. TELEPHONE CommunicationChannelCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Communication channel identification	1..1	SDD-ID: Definition:	BDT00000032 The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: Definition:	BDT00000033 The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID: Definition:	BDTG00000145 The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID: Definition: Link to code list:	BDTG00000175 The code specifying the channel for communication. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000525 The code specifying the channel for communication. TELEPHONE CommunicationChannelCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Communication channel identification	1..1	SDD-ID: Definition:	BDT00000032 The identification of a communication channel, such as a telephone number or an e-



Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
		mail address, expressed as text.	
Communication channel name	0..1	SDD-ID: BDT00000033 Definition:	The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID: BDTG00000326 Definition:	The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID: BDT00000369 Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID: BDTG00000585 Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID: BDT00000584 Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID: BDTG00000587 Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: BDT00000074 Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: BDT00000073 Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: BDTG00000586 Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: BDT00000583 Definition: Used code list: Link to code list:	The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID: BDTG00000328 Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: BDT00000576 Definition: Used code list: Link to code list:	The code specifying the type of tax. DutyFeeTaxTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Tax description	0..1	SDD-ID: BDTG00000322 Definition:	The description of the tax expressed as text.
Tax description content	1..1	SDD-ID: BDT00000754 Definition:	The description of the tax expressed as text.
Language code	0..1	SDD-ID: BDTG00000523 Definition:	The code specifying the language.
Language code content	1..1	SDD-ID: BDT00000524	

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax registration type code	0..1	SDD-ID:	BDTG00000327
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
Tax registration type code content	1..1	SDD-ID:	BDT00000588
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty registration information	0..unbounded	SDD-ID:	BDTG00000375
		Definition:	The information specifying details of a party registered for customs duty.
Customs authority name	0..1	SDD-ID:	BDT00000370
		Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
Customs registration identification information	1..1	SDD-ID:	BDTG00000621
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
Customs registration identification content	1..1	SDD-ID:	BDT00000622
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
Identification scheme information	0..1	SDD-ID:	BDTG00000587
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	BDT00000074
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	BDT00000073
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	BDT00000583
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Tax type code	0..1	SDD-ID:	BDTG00000328
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	BDT00000576
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty description	0..1	SDD-ID:	BDTG00000378
		Definition:	The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID:	BDT00000563
		Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs registration type code	0..1	SDD-ID:	BDTG00000623
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID:	BDT00000624
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID:	BDTG00000262
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	BDT00000102
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	BDTG00000228
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code

Shipment request

Business data terms and groups	Usage	Business data terms and groups description
		list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Currency of party code	0..1	SDD-ID: BDTG00000184 Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID: BDT00000710 Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax. Link to code list: https://www.iso.org/iso-4217-currency-codes.html
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Official address	0..1	SDD-ID: BDTG00000246 Definition: The registered legal address of the organisation.
County code	0..1	SDD-ID: BDT00000034 Definition: The code indicating a geographical region in a country.
City name	0..1	SDD-ID: BDT00000020 Definition: The name of the city, town or village.
City code	0..1	SDD-ID: BDT00000019 Definition: The code specifying a city.
Cross street	0..1	SDD-ID: BDT00000035 Definition: The street crossing another street.
Post office box number	0..1	SDD-ID: BDT00000113 Definition: The number of a post office box located on the premises of a post office station or other postal service location. Synonyms: P.O. box, postal box
Postal code	0..1	SDD-ID: BDT00000114 Definition: The code according to the relevant postal system or service to specify a geographical area. Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID: BDT00000117 Definition: The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: BDT00000127 Definition: The political unit that a country can be divided into. Example: California
Street address one	0..1	SDD-ID: BDT00000128 Definition: The first street address line of a structured address. Example: Avenue Louise 326
Street address two	0..1	SDD-ID: BDT00000130 Definition: The second street address line of a structured address.

Shipment request

Business data terms and groups		Usage	Business data terms and groups description	
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	BDT00000129
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	BDTG00000179
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	BDT00000774
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	BDT00000085
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	BDT00000089
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Issued capital	0..1	SDD-ID:	BDTG00000225
			Definition:	The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID:	BDT00000655
			Definition:	The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID:	BDTG00000590
			Definition:	The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID:	BDT00000589
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Legal structure description	0..1	SDD-ID:	BDTG00000231
			Definition:	The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID:	BDT00000659
			Definition:	The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID:	BDTG00000523
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	BDT00000524
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	list is available at www.iso.org .
Registered legal information	0..unbounded	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Legal registration number	1..1	SDD-ID:	BDTG00000288
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration additional information	0..1	SDD-ID:	BDT00000087
		Definition:	The identification number of an organisation according to a legal register.
Legal registration type code	0..1	SDD-ID:	BDT00000086
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code content	1..1	SDD-ID:	BDTG00000230
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	BDT00000658
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	BDTG00000209
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	BDT00000061
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	BDT00000060
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	BDTG00000207
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	BDT00000058
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	BDT00000059
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	BDTG00000208
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Financial account number type code content	1..1	SDD-ID:	BDT00000645
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Code list version	0..1	SDD-ID:	BDT00000028



Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The version number of the code list.
Financial institution routing number information	0..1	SDD-ID:	BDTG00000210
		Definition:	The information specifying details on a routing number of a financial institution.
Financial routing number	1..1	SDD-ID:	BDT00000062
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code	1..1	SDD-ID:	BDTG00000211
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Financial routing number type code content	1..1	SDD-ID:	BDT00000644
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Additional financial institution description	0..1	SDD-ID:	BDTG00000522
		Definition:	The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID:	BDT00000521
		Definition:	The text value describing the additional financial institution.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Address information	0..1	SDD-ID:	BDTG00000144
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.

Shipment request

Business data terms and groups		Usage	Business data terms and groups description	
	Cross street	0..1	SDD-ID:	BDT00000035
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	BDT00000106
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	BDT00000113
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	BDT00000114
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	BDT00000117
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	BDT00000127
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	BDT00000128
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	BDT00000130
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	BDT00000129
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	BDTG00000179
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	BDT00000774
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	BDT00000085
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	BDT00000089
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"



Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Referenced distribution management entity shipping order information	0..1	SDD-ID:	BDTG00000959
Entity identification	1..1	Definition:	The information specifying the reference to the DME shipping order identification
Document content owner	0..1	SDD-ID:	BDT00000056
Global location number GLN	0..1	Definition:	The identity of an entity such as a document or an object.
Additional party identification information	0..unbounded	SDD-ID:	BDTG00000196
Additional party identification content	1..1	Definition:	The information specifying the party that is responsible for the content of a document.
Additional party identification type code	1..1	SDD-ID:	BDT00000063
Additional party identification type code content	1..1	Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
Code list version	0..1	Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Distribution management entity order priority code	0..1	SDD-ID:	BDTG00000577
Distribution management entity order priority code	1..1	Definition:	The information specifying the additional identification details of a party.
Code list version	0..1	Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Ship from party information	1..1	SDD-ID:	BDT00000578
Global location number GLN	0..1	Definition:	The additional identity of a party.
		SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.
		SDD-ID:	BDT00000570
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
		SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
		SDD-ID:	BDTG00000970
		Definition:	The code specifying the priority assigned to the order.
		SDD-ID:	BDT00000969
		Definition:	The code specifying the priority assigned by the distribution management entity, DME, to the order.
		SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
		SDD-ID:	BDTG00000310
		Definition:	The information specifying the location from which goods are shipped.
		Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
		SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical



Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Additional party identification information	0..unbounde	SDD-ID: Definition: Usage:	locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit. BDTG00000577 The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
— Additional party identification content	1..1	SDD-ID: Definition:	BDT00000578 The additional identity of a party.
— Additional party identification type code	1..1	SDD-ID: Definition:	BDTG00000579 The code specifying the additional identification type of the party.
— Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000570 The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
— Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Address information	0..1	SDD-ID: Definition:	BDTG00000144 The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
— City name	0..1	SDD-ID: Definition:	BDT00000020 The name of the city, town or village.
— City code	0..1	SDD-ID: Definition:	BDT00000019 The code specifying a city.
— County code	0..1	SDD-ID: Definition:	BDT00000034 The code indicating a geographical region in a country.
— Cross street	0..1	SDD-ID: Definition:	BDT00000035 The street crossing another street.
— Party name	0..1	SDD-ID: Definition:	BDT00000106 The name of the party expressed as text.
— Post office box number	0..1	SDD-ID: Definition: Synonyms:	BDT00000113 The number of a post office box located on the premises of a post office station or other postal service location. P.O. box, postal box
— Postal code	0..1	SDD-ID: Definition: Example: Synonyms:	BDT00000114 The code according to the relevant postal system or service to specify a geographical area. SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode
— Province identity	0..1	SDD-ID: Definition:	BDT00000117 The identity of a province according to national codes assigned to provinces.

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
State	0..1	SDD-ID: BDT00000127 Definition: The political unit that a country can be divided into. Example: California	
Street address one	0..1	SDD-ID: BDT00000128 Definition: The first street address line of a structured address. Example: Avenue Louise 326	
Street address two	0..1	SDD-ID: BDT00000130 Definition: The second street address line of a structured address. Example: Blue Tower	
Street address three	0..1	SDD-ID: BDT00000129 Definition: The third street address line of a structured address. Example: Floor 4	
Country code	0..1	SDD-ID: BDTG00000179 Definition: The code specifying a country.	
Country code content	1..1	SDD-ID: BDT00000774 Definition: The code specifying a country.	
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.	
Geographical coordinates information	0..1	SDD-ID: BDTG00000214 Definition: The information specifying details on a location using geographical coordinates.	
Latitude	1..1	SDD-ID: BDT00000085 Definition: The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. Example: 23°26'12.2" S	
Longitude	1..1	SDD-ID: BDT00000089 Definition: The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. Example: 18°3'59.0616"	
Business contact information	0..unbounded	SDD-ID: BDTG00000158 Definition: The information specifying details of the person or department who can give special assistance regarding a business transaction.	
Person name	0..1	SDD-ID: BDT00000112 Definition: The name of an individual person expressed as text.	
Department name	0..1	SDD-ID: BDT00000044 Definition: The name of the department.	
Job title	0..1	SDD-ID: BDT00000083 Definition: The title of a position or the role of a person holding the position.	
Contact type code	0..1	SDD-ID: BDTG00000178 Definition: The code specifying the function or role of a contact person. Used code list: ISO 3166-1 or equivalent representation in specific syntax. Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode	
Contact type code content	1..1	SDD-ID: BDT00000571	

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	Definition:	The code specifying the function or role of a contact person.
		SDD-ID:	BDT00000028
Business contact responsibility description	0..unbounded	Definition:	The version number of the code list.
		SDD-ID:	BDTG00000159
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	BDT00000580
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication information	0..unbounded	SDD-ID:	BDTG00000176
		Definition:	The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID:	BDTG00000145
		Definition:	The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode

Shipment request

Business data terms and groups	Usage	Business data terms and groups description
Communication channel code content	1..1	SDD-ID: BDT00000525 Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: BDT00000032 Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: BDT00000033 Definition: The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID: BDTG00000326 Definition: The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID: BDT00000369 Definition: The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID: BDTG00000585 Definition: The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID: BDT00000584 Definition: The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID: BDTG00000587 Definition: The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: BDT00000074 Definition: The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: BDT00000073 Definition: The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: BDTG00000586 Definition: The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: BDT00000583 Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Tax type code	0..1	SDD-ID: BDTG00000328 Definition: The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: BDT00000576 Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode

Shipment request

Business data terms and groups	Usage	Business data terms and groups description
<ul style="list-style-type: none"> Code list version 	0..1	Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode SDD-ID: BDT00000028 Definition: The version number of the code list.
<ul style="list-style-type: none"> Tax description 	0..1	SDD-ID: BDTG00000322 Definition: The description of the tax expressed as text.
<ul style="list-style-type: none"> Tax description content 	1..1	SDD-ID: BDT00000754 Definition: The description of the tax expressed as text.
<ul style="list-style-type: none"> Language code 	0..1	SDD-ID: BDTG00000523 Definition: The code specifying the language.
<ul style="list-style-type: none"> Language code content 	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
<ul style="list-style-type: none"> Tax registration type code 	0..1	SDD-ID: BDTG00000327 Definition: The code specifying the type of tax registration number assigned by a national authority.
<ul style="list-style-type: none"> Tax registration type code content 	1..1	SDD-ID: BDT00000588 Definition: The code specifying the type of tax registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
<ul style="list-style-type: none"> Customs duty registration information 	0..unbounded	SDD-ID: BDTG00000375 Definition: The information specifying details of a party registered for customs duty.
<ul style="list-style-type: none"> Customs authority name 	0..1	SDD-ID: BDT00000370 Definition: The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
<ul style="list-style-type: none"> Customs registration identification information 	1..1	SDD-ID: BDTG00000621 Definition: The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
<ul style="list-style-type: none"> Customs registration identification content 	1..1	SDD-ID: BDT00000622 Definition: The identity assigned to a party registered for customs duty according to a national customs register.
<ul style="list-style-type: none"> Identification scheme information 	0..1	SDD-ID: BDTG00000587 Definition: The information specifying details of the used identification scheme.
<ul style="list-style-type: none"> Identification scheme name 	0..1	SDD-ID: BDT00000074 Definition: The name of the identification scheme.



Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
Identification scheme agency name	0..1	SDD-ID:	BDT00000073
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	BDT00000583
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	BDTG00000328
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	BDT00000576
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty description	0..1	SDD-ID:	BDTG00000378
		Definition:	The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID:	BDT00000563
		Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs registration type code	0..1	SDD-ID:	BDTG00000623
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID:	BDT00000624
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028

Shipment request

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID:	BDTG00000262
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	BDT00000102
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	BDTG00000228
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Currency of party code	0..1	SDD-ID:	BDTG00000184
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID:	BDT00000710
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	https://www.iso.org/iso-4217-currency-codes.html
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Official address	0..1	SDD-ID:	BDTG00000246
		Definition:	The registered legal address of the organisation.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90

				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
			Province identity	0..1	SDD-ID: BDT00000117 Definition: The identity of a province according to national codes assigned to provinces.
			State	0..1	SDD-ID: BDT00000127 Definition: The political unit that a country can be divided into. Example: California
			Street address one	0..1	SDD-ID: BDT00000128 Definition: The first street address line of a structured address. Example: Avenue Louise 326
			Street address two	0..1	SDD-ID: BDT00000130 Definition: The second street address line of a structured address. Example: Blue Tower
			Street address three	0..1	SDD-ID: BDT00000129 Definition: The third street address line of a structured address. Example: Floor 4
			Country code	0..1	SDD-ID: BDTG00000179 Definition: The code specifying a country.
			Country code content	1..1	SDD-ID: BDT00000774 Definition: The code specifying a country.
			Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
			Geographical coordinates information	0..1	SDD-ID: BDTG00000214 Definition: The information specifying details on a location using geographical coordinates.
			Latitude	1..1	SDD-ID: BDT00000085 Definition: The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. Example: 23°26'12.2" S
			Longitude	1..1	SDD-ID: BDT00000089 Definition: The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. Example: 18°3'59.0616"
			Issued capital	0..1	SDD-ID: BDTG00000225 Definition: The monetary amount representing the value of the issued capital of a company.
			Issued capital content	1..1	SDD-ID: BDT00000655 Definition: The monetary amount representing the issued capital of a company.
			Currency code	0..1	SDD-ID: BDTG00000590 Definition: The code specifying the currency of a monetary amount.
			Currency code content	1..1	SDD-ID: BDT00000589 Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .
			Code list version	0..1	SDD-ID: BDT00000028

		Definition:	The version number of the code list.
	Legal structure description	0..1	SDD-ID: BDTG00000231
	Legal structure description content	1..1	Definition: The description of the legal structure expressed as text. SDD-ID: BDTG00000659
	Language code	0..1	Definition: The description of the legal structure expressed as text. SDD-ID: BDTG00000523
	Language code content	1..1	Definition: The code specifying the language. SDD-ID: BDTG00000524
	Code list version	0..1	Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org . SDD-ID: BDTG0000028
	Registered legal information	0..unbounde	Definition: The version number of the code list. SDD-ID: BDTG00000288
	Legal registration number	1..1	Definition: The information specifying the registered data on a legal entity in accordance with national law. SDD-ID: BDTG0000087
	Legal registration additional information	0..1	Definition: The identification number of an organisation according to a legal register. SDD-ID: BDTG0000086
	Legal registration type code	1..1	Definition: The additional information related to the legal registration expressed as text. SDD-ID: BDTG00000230
	Legal registration type code content	1..1	Definition: The code specifying the type of legal registration. SDD-ID: BDTG00000658
	Code list version	0..1	Definition: The code specifying the type of legal registration. Used code list: LegalRegistrationCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode SDD-ID: BDTG0000028
	Financial institution and financial account information	0..unbounde	Definition: The version number of the code list. SDD-ID: BDTG00000209
	Financial institution name	0..1	Definition: The information specifying details of a financial institution and financial account. SDD-ID: BDTG0000061
	Financial institution division name	0..1	Definition: The name of a financial institution expressed as text. SDD-ID: BDTG0000060
	Financial account information	0..1	Definition: The name of a division or branch within a financial institution expressed as text. SDD-ID: BDTG00000207
	Financial account name	0..1	Definition: The information specifying details of a financial account. SDD-ID: BDTG0000058
	Financial account number	1..1	Definition: The name of a financial account expressed as text. Example: John Doe SDD-ID: BDTG0000059
			Definition: The number of a financial account expressed as text.

Financial account number type code	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDTG00000208 The code specifying the type of a financial account number. FinancialAccountNumberTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Financial account number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000645 The code specifying the type of a financial account number. FinancialAccountNumberTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Financial institution routing number information	0..1	SDD-ID: Definition:	BDTG00000210 The information specifying details on a routing number of a financial institution.
Financial routing number	1..1	SDD-ID: Definition: Business rule:	BDT00000062 The routing number of a financial transaction according to the specified financial routing type. This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDTG00000211 The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Financial routing number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000644 The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Additional financial institution description	0..1	SDD-ID: Definition:	BDTG00000522 The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID: Definition:	BDT00000521 The text value describing the additional financial institution.
Language code	0..1	SDD-ID: Definition:	BDTG00000523 The code specifying the language.
Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028

		Definition:	The version number of the code list.
	Address information	0..1	SDD-ID: BDTG00000144 Definition: The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: BDT00000020 Definition: The name of the city, town or village.
	City code	0..1	SDD-ID: BDT00000019 Definition: The code specifying a city.
	County code	0..1	SDD-ID: BDT00000034 Definition: The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: BDT00000035 Definition: The street crossing another street.
	Party name	0..1	SDD-ID: BDT00000106 Definition: The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: BDT00000113 Definition: The number of a post office box located on the premises of a post office station or other postal service location. Synonyms: P.O. box, postal box
	Postal code	0..1	SDD-ID: BDT00000114 Definition: The code according to the relevant postal system or service to specify a geographical area. Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID: BDT00000117 Definition: The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: BDT00000127 Definition: The political unit that a country can be divided into. Example: California
	Street address one	0..1	SDD-ID: BDT00000128 Definition: The first street address line of a structured address. Example: Avenue Louise 326
	Street address two	0..1	SDD-ID: BDT00000130 Definition: The second street address line of a structured address. Example: Blue Tower
	Street address three	0..1	SDD-ID: BDT00000129 Definition: The third street address line of a structured address. Example: Floor 4
	Country code	0..1	SDD-ID: BDTG00000179 Definition: The code specifying a country.
	Country code content	1..1	SDD-ID: BDT00000774 Definition: The code specifying a country.
	Code list version	0..1	SDD-ID: BDT00000028

		Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: BDTG00000214
	Latitude	1..1	Definition: The information specifying details on a location using geographical coordinates. SDD-ID: BDT00000085 Definition: The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. Example: 23°26'12.2" S
	Longitude	1..1	SDD-ID: BDT00000089 Definition: The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. Example: 18°3'59.0616"
	Ship to party information	1..1	SDD-ID: BDTG00000311 Definition: The information specifying the location to which goods are shipped. Usage: To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
	Global location number GLN	0..1	SDD-ID: BDT00000063 Definition: The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. Ref. definition: GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
	Additional party identification information	0..unbounded	SDD-ID: BDTG00000577 Definition: The information specifying the additional identification details of a party. Usage: The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
	Additional party identification content	1..1	SDD-ID: BDT00000578 Definition: The additional identity of a party.
	Additional party identification type code	1..1	SDD-ID: BDTG00000579 Definition: The code specifying the additional identification type of the party.
	Additional party identification type code content	1..1	SDD-ID: BDT00000570 Definition: The code specifying the additional identification type of the party. Used code list: AdditionalPartyIdentificationTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
	Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
	Address information	0..1	SDD-ID: BDTG00000144 Definition: The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: BDT00000020 Definition: The name of the city, town or village.

City code	0..1	SDD-ID: Definition:	BDT00000019 The code specifying a city.
County code	0..1	SDD-ID: Definition:	BDT00000034 The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: Definition:	BDT00000035 The street crossing another street.
Party name	0..1	SDD-ID: Definition:	BDT00000106 The name of the party expressed as text.
Post office box number	0..1	SDD-ID: Definition:	BDT00000113 The number of a post office box located on the premises of a post office station or other postal service location.
Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box BDT00000114 The code according to the relevant postal system or service to specify a geographical area.
Province identity	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode BDT00000117 The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: Definition: Example:	BDT00000127 The political unit that a country can be divided into. California
Street address one	0..1	SDD-ID: Definition: Example:	BDT00000128 The first street address line of a structured address. Avenue Louise 326
Street address two	0..1	SDD-ID: Definition: Example:	BDT00000130 The second street address line of a structured address. Blue Tower
Street address three	0..1	SDD-ID: Definition: Example:	BDT00000129 The third street address line of a structured address. Floor 4
Country code	0..1	SDD-ID: Definition:	BDTG00000179 The code specifying a country.
Country code content	1..1	SDD-ID: Definition:	BDT00000774 The code specifying a country.
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Geographical coordinates information	0..1	SDD-ID: Definition:	BDTG00000214 The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID: Definition: Example:	BDT00000085 The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. 23°26'12.2" S

Longitude	1..1	SDD-ID: Definition: Example:	BDT00000089 The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 18°3'59.0616"
Business contact information	0..unbounded	SDD-ID: Definition:	BDTG00000158 The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID: Definition:	BDT00000112 The name of an individual person expressed as text.
Department name	0..1	SDD-ID: Definition:	BDT00000044 The name of the department.
Job title	0..1	SDD-ID: Definition:	BDT00000083 The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID: Definition: Used code list: Link to code list:	BDTG00000178 The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
Contact type code content	1..1	SDD-ID: Definition:	BDT00000571 The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID: Definition:	BDTG00000159 The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID: Definition:	BDT00000580 The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID: Definition:	BDTG00000523 The code specifying the language.
Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Communication information	0..unbounded	SDD-ID: Definition:	BDTG00000176 The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID: Definition: Link to code list:	BDTG00000175 The code specifying the channel for communication. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode

			Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000525 The code specifying the channel for communication. TELEPHONE CommunicationChannelCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
			Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
			Communication channel identification	1..1	SDD-ID: Definition:	BDT00000032 The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
			Communication channel name	0..1	SDD-ID: Definition:	BDT00000033 The name of a communication channel expressed as text.
			After hours communication information	0..unbounde	SDD-ID: Definition:	BDTG00000145 The information specifying details of communication channels to use after regular business hours.
			Communication channel code	1..1	SDD-ID: Definition: Link to code list:	BDTG00000175 The code specifying the channel for communication. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
			Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000525 The code specifying the channel for communication. TELEPHONE CommunicationChannelCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
			Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
			Communication channel identification	1..1	SDD-ID: Definition:	BDT00000032 The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
			Communication channel name	0..1	SDD-ID: Definition:	BDT00000033 The name of a communication channel expressed as text.
			Tax registration information	0..unbounde	SDD-ID: Definition:	BDTG00000326 The information specifying details of a party registered for tax.
			Tax authority name	0..1	SDD-ID: Definition:	BDT00000369 The name of the authority administrating the collection of taxes expressed as text.
			Tax registration identification information	1..1	SDD-ID: Definition:	BDTG00000585 The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
			Tax registration identification content	1..1	SDD-ID: Definition:	BDT00000584 The identity assigned to a party registered for tax according to a national tax register.
			Identification scheme information	0..1	SDD-ID:	BDTG00000587

			Definition:	The information specifying details of the used identification scheme.
		Identification scheme name	0..1	SDD-ID: BDT00000074
		Identification scheme agency name	0..1	Definition: The name of the identification scheme. SDD-ID: BDT00000073
		Identification scheme responsible agency code	0..1	Definition: The name of the agency responsible for a identification scheme. SDD-ID: BDTG00000586
		Identification scheme responsible agency code content	1..1	Definition: The code specifying the agency responsible for the identification scheme. SDD-ID: BDT00000583 Used code list: ResponsibleAgencyCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
		Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
		Tax type code	0..1	SDD-ID: BDTG00000328 Definition: The code specifying the type of tax.
		Tax type code content	1..1	SDD-ID: BDT00000576 Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
		Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
		Tax description	0..1	SDD-ID: BDTG00000322 Definition: The description of the tax expressed as text.
		Tax description content	1..1	SDD-ID: BDT00000754 Definition: The description of the tax expressed as text.
		Language code	0..1	SDD-ID: BDTG00000523 Definition: The code specifying the language.
		Language code content	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
		Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
		Tax registration type code	0..1	SDD-ID: BDTG00000327 Definition: The code specifying the type of tax registration number assigned by a national authority.
		Tax registration type code content	1..1	SDD-ID: BDT00000588 Definition: The code specifying the type of tax registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode

			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Customs duty registration information	0..unbounded	SDD-ID: Definition:	BDTG00000375 The information specifying details of a party registered for customs duty.
	Customs authority name	0..1	SDD-ID: Definition:	BDT00000370 The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
	Customs registration identification information	1..1	SDD-ID: Definition:	BDTG00000621 The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
	Customs registration identification content	1..1	SDD-ID: Definition:	BDT00000622 The identity assigned to a party registered for customs duty according to a national customs register.
	Identification scheme information	0..1	SDD-ID: Definition:	BDTG00000587 The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID: Definition:	BDT00000074 The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID: Definition:	BDT00000073 The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID: Definition:	BDTG00000586 The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000583 The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Tax type code	0..1	SDD-ID: Definition:	BDTG00000328 The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000576 The code specifying the type of tax. DutyFeeTaxTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Customs duty description	0..1	SDD-ID: Definition:	BDTG00000378 The description of the customs duty expressed as text.
	Customs duty description content	1..1	SDD-ID: Definition:	BDT00000563 The description of the customs duty expressed as text.

	Language code	0..1	SDD-ID: Definition:	BDTG00000523 The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Customs registration type code	0..1	SDD-ID: Definition:	BDTG00000623 The code specifying the type of customs registration number assigned by a national authority.
	Customs registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000624 The code specifying the type of customs registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Organisation legal information	0..1	SDD-ID: Definition:	BDTG00000262 The information specifying details of a legal organisation.
	Organisation name	1..1	SDD-ID: Definition:	BDT00000102 The official and legal name of the organisation.
	Language of the party code	0..1	SDD-ID: Definition:	BDTG00000228 The code specifying the language of a party.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Currency of party code	0..1	SDD-ID: Definition: Example: Used code list:	BDTG00000184 The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
	Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000710 The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. https://www.iso.org/iso-4217-currency-codes.html
	Code list version	0..1	SDD-ID:	BDT00000028

			Definition:	The version number of the code list.
	Official address	0..1	SDD-ID:	BDTG00000246
			Definition:	The registered legal address of the organisation.
	County code	0..1	SDD-ID:	BDT00000034
			Definition:	The code indicating a geographical region in a country.
	City name	0..1	SDD-ID:	BDT00000020
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	BDT00000019
			Definition:	The code specifying a city.
	Cross street	0..1	SDD-ID:	BDT00000035
			Definition:	The street crossing another street.
	Post office box number	0..1	SDD-ID:	BDT00000113
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	BDT00000114
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	BDT00000117
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	BDT00000127
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	BDT00000128
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	BDT00000130
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	BDT00000129
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	BDTG00000179
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	BDT00000774
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	BDT00000085

			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
		Longitude	1..1	SDD-ID: BDT00000089
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
		Issued capital	0..1	SDD-ID: BDTG00000225
			Definition:	The monetary amount representing the value of the issued capital of a company.
		Issued capital content	1..1	SDD-ID: BDT00000655
			Definition:	The monetary amount representing the issued capital of a company.
		Currency code	0..1	SDD-ID: BDTG00000590
			Definition:	The code specifying the currency of a monetary amount.
		Currency code content	1..1	SDD-ID: BDT00000589
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .
		Code list version	0..1	SDD-ID: BDT00000028
			Definition:	The version number of the code list.
		Legal structure description	0..1	SDD-ID: BDTG00000231
			Definition:	The description of the legal structure expressed as text.
		Legal structure description content	1..1	SDD-ID: BDT00000659
			Definition:	The description of the legal structure expressed as text.
		Language code	0..1	SDD-ID: BDTG00000523
			Definition:	The code specifying the language.
		Language code content	1..1	SDD-ID: BDT00000524
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
		Code list version	0..1	SDD-ID: BDT00000028
			Definition:	The version number of the code list.
		Registered legal information	0..unbounde	SDD-ID: BDTG00000288
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.
		Legal registration number	1..1	SDD-ID: BDT00000087
			Definition:	The identification number of an organisation according to a legal register.
		Legal registration additional information	0..1	SDD-ID: BDT00000086
			Definition:	The additional information related to the legal registration expressed as text.
		Legal registration type code	1..1	SDD-ID: BDTG00000230
			Definition:	The code specifying the type of legal registration.
		Legal registration type code content	1..1	SDD-ID: BDT00000658

		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
	Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
	Financial institution and financial account information	0..unbounded	SDD-ID: BDTG00000209 Definition: The information specifying details of a financial institution and financial account.
	Financial institution name	0..1	SDD-ID: BDT00000061 Definition: The name of a financial institution expressed as text.
	Financial institution division name	0..1	SDD-ID: BDT00000060 Definition: The name of a division or branch within a financial institution expressed as text.
	Financial account information	0..1	SDD-ID: BDTG00000207 Definition: The information specifying details of a financial account.
	Financial account name	0..1	SDD-ID: BDT00000058 Definition: The name of a financial account expressed as text. Example: John Doe
	Financial account number	1..1	SDD-ID: BDT00000059 Definition: The number of a financial account expressed as text.
	Financial account number type code	1..1	SDD-ID: BDTG00000208 Definition: The code specifying the type of a financial account number. Used code list: FinancialAccountNumberTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
	Financial account number type code content	1..1	SDD-ID: BDT00000645 Definition: The code specifying the type of a financial account number. Used code list: FinancialAccountNumberTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
	Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID: BDTG00000210 Definition: The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID: BDT00000062 Definition: The routing number of a financial transaction according to the specified financial routing type. Business rule: This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID: BDTG00000211 Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode

Financial routing number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000644 The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Additional financial institution description	0..1	SDD-ID: Definition:	BDTG00000522 The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID: Definition:	BDT00000521 The text value describing the additional financial institution.
Language code	0..1	SDD-ID: Definition:	BDTG00000523 The code specifying the language.
Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Address information	0..1	SDD-ID: Definition:	BDTG00000144 The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: Definition:	BDT00000020 The name of the city, town or village.
City code	0..1	SDD-ID: Definition:	BDT00000019 The code specifying a city.
County code	0..1	SDD-ID: Definition:	BDT00000034 The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: Definition:	BDT00000035 The street crossing another street.
Party name	0..1	SDD-ID: Definition:	BDT00000106 The name of the party expressed as text.
Post office box number	0..1	SDD-ID: Definition:	BDT00000113 The number of a post office box located on the premises of a post office station or other postal service location.
Postal code	0..1	Synonyms: SDD-ID: Definition: Example: Synonyms:	P.O. box, postal box BDT00000114 The code according to the relevant postal system or service to specify a geographical area. SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode

Province identity	0..1	SDD-ID: Definition:	BDT00000117 The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: Definition: Example:	BDT00000127 The political unit that a country can be divided into. California
Street address one	0..1	SDD-ID: Definition: Example:	BDT00000128 The first street address line of a structured address. Avenue Louise 326
Street address two	0..1	SDD-ID: Definition: Example:	BDT00000130 The second street address line of a structured address. Blue Tower
Street address three	0..1	SDD-ID: Definition: Example:	BDT00000129 The third street address line of a structured address. Floor 4
Country code	0..1	SDD-ID: Definition:	BDTG00000179 The code specifying a country.
Country code content	1..1	SDD-ID: Definition:	BDT00000774 The code specifying a country.
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Geographical coordinates information	0..1	SDD-ID: Definition:	BDTG00000214 The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID: Definition: Example:	BDT00000085 The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. 23°26'12.2" S
Longitude	1..1	SDD-ID: Definition: Example:	BDT00000089 The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 18°3'59.0616"
Requested delivery date time	1..1	SDD-ID: Definition:	BDTG00000291 The date and optional time when the ordered trade items are requested to be delivered.
Date	0..1	SDD-ID: Definition: Example:	BDT00000040 The day of a year as a calendar date. 2020-06-15
Time	0..1	SDD-ID: Definition: Example:	BDT00000133 The indication of a point in time. 08:01:15
Shipment request type code	1..1	SDD-ID: Definition:	BDTG00000974 The code identifying the type of shipment requested
Shipment request type code content	1..1	SDD-ID: Definition:	BDT00000973 The code specifying the type of picking required for the shipment

		Example: Used code list: Link to code list:	FREE_PICKING_FROM_PRELABELLED_STOCK ShipmentRequestTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ShipmentRequestTypeCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Temperature requirements information	0..unbounde		
Temperature qualifier code	1..1	SDD-ID: Definition:	BDTG00000976 The code specifying the context of application of temperature information
Temperature qualifier code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000975 The code identifying the context of application of temperature requirements STORAGE TemperatureQualifierCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TemperatureQualifierCode_EDI
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Kit minimum temperature information	1..1	SDD-ID: Definition:	BDTG00000950 The information on the minimum temperature allowed according to the handling instructions
Temperature measurement	1..1	SDD-ID: Definition:	BDT00000951 The temperature measurement value associated to unit of measure.
Temperature measurement unit code	1..1	SDD-ID: Definition:	BDTG00000949 The code specifying the unambiguous representation of a unit of measure of a temperature
Temperature measurement unit code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000948 The code specifying the unambiguous representation of a temperature unit of measure temperatureMeasurementUnitCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TemperatureMeasurementUnitCode&release=1
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Kit maximum temperature information	1..1	SDD-ID: Definition:	BDTG00000952 The information on the maximum temperature allowed according to the handling instructions
Temperature measurement	1..1	SDD-ID: Definition:	BDT00000951 The temperature measurement value associated to unit of measure.
Temperature measurement unit code	1..1	SDD-ID: Definition:	BDTG00000949 The code specifying the unambiguous representation of a unit of measure of a temperature
Temperature measurement unit code content	1..1	SDD-ID: Definition: Used code list:	BDT00000948 The code specifying the unambiguous representation of a temperature unit of measure temperatureMeasurementUnitCode

		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TemperatureMeasurementUnitCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Precaution requirements information	0..unbounde		
Precaution description	1..1	SDD-ID:	BDT00000979
		Definition:	The text containing the description of the precaution to be applied
Precaution qualifier code	1..1	SDD-ID:	BDTG00000978
		Definition:	The code specifying the context of application of precaution information
Precaution qualifier code content	1..1	SDD-ID:	BDT00000977
		Definition:	The code identifying the context of application of precautions
		Example:	TRANSPORT
		Used code list:	PrecautionQualifierCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:PrecautionQualifierCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Free picking from prelabelled stock kit information	0..unbounde		
Lot number	1..1	SDD-ID:	BDT00000090
		Definition:	The identification number for a lot consisting of products produced within different production batches.
Kit information	1..1		
Medication kit quantity	1..1	SDD-ID:	BDTG00000968
		Definition:	The quantity of medication kits and/or dispensable units
Medication kit quantity content	1..1	SDD-ID:	BDT00000967
		Definition:	The value of the quantity of medication kits.
Measurement unit code	0..1	SDD-ID:	BDTG00000608
		Definition:	The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID:	BDT00000607
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Minimum lifespan from shipment	0..1	SDD-ID:	BDTG00000981
		Definition:	The minimum lifespan of an item from the date of shipment
Minimum lifespan from shipment content	1..1	SDD-ID:	BDT00000980
		Definition:	The length of time, from the shipment date, a product can be stored and remain suitable for its intended function.
		Example:	25
Time period measurement unit code	1..1	SDD-ID:	BDTG00000761
		Definition:	The code specifying the unit of measure for a time period.

Time period measurement unit code content	0..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000134 The code specifying the unit of measure for a time period. WEE TimeMeasurementUnitCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TimeMeasurementUnitCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Clinical trial product identification information	1..1	SDD-ID: Definition:	BDTG00000947 The information specifying the Global Trade Identification number, GTIN, of a clinical trial product
Global trade item number, GTIN	1..1	SDD-ID: Definition: Ref. definition: Example:	BDT00000066 The identity according to the GS1 identification system for unique identification of products and services. GS1 General Specifications: The GS1 identification key used to identify trade items. The key comprises a GS1 Company Prefix, an item reference and check digit. 07300015200192
Picking from existing labelled stock kit information	0..unbounde		
Lot number	1..1	SDD-ID: Definition:	BDT00000090 The identification number for a lot consisting of products produced within different production batches.
Serial number	0..1	SDD-ID: Definition: Usage:	BDT00000121 The serial number assigned to an individual instance of a specific identified product or trade item to make an instance of a product or trade item unique. The code need not be strictly numerical and can contain letters and other typographical symbols or may consist entirely of a character string.
Kit information	1..1		
Medication kit quantity	1..1	SDD-ID: Definition:	BDTG00000968 The quantity of medication kits and/or dispensable units
Medication kit quantity content	1..1	SDD-ID: Definition:	BDT00000967 The value of the quantity of medication kits.
Measurement unit code	0..1	SDD-ID: Definition:	BDTG00000608 The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000607 The code specifying the unambiguous representation of a unit of measure. MeasurementUnitCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&release=1
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Minimum lifespan from shipment	0..1	SDD-ID: Definition:	BDTG00000981 The minimum lifespan of an item from the date of shipment

Minimum lifespan from shipment content	1..1	SDD-ID: Definition: Example:	BDT00000980 The length of time, from the shipment date, a product can be stored and remain suitable for its intended function. 25
Time period measurement unit code	1..1	SDD-ID: Definition:	BDTG00000761 The code specifying the unit of measure for a time period.
Time period measurement unit code content	0..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000134 The code specifying the unit of measure for a time period. WEE TimeMeasurementUnitCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TimeMeasurementUnitCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Clinical trial product identification information	1..1	SDD-ID: Definition:	BDTG00000947 The information specifying the Global Trade Identification number, GTIN, of a clinical trial product
Global trade item number, GTIN	1..1	SDD-ID: Definition: Ref. definition: Example:	BDT00000066 The identity according to the GS1 identification system for unique identification of products and services. GS1 General Specifications: The GS1 identification key used to identify trade items. The key comprises a GS1 Company Prefix, an item reference and check digit. 07300015200192
Labelling just in time kit information	0..unbounde		
Kit component original lot number	0..1	SDD-ID: Definition:	BDT00000892 The original lot number assigned by the manufacturer to a not labeled kit component
Kit information	1..1		
Medication kit quantity	1..1	SDD-ID: Definition:	BDTG00000968 The quantity of medication kits and/or dispensable units
Medication kit quantity content	1..1	SDD-ID: Definition:	BDT00000967 The value of the quantity of medication kits.
Measurement unit code	0..1	SDD-ID: Definition:	BDTG00000608 The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000607 The code specifying the unambiguous representation of a unit of measure. MeasurementUnitCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&release=1
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Minimum lifespan from shipment	0..1	SDD-ID: Definition:	BDTG00000981 The minimum lifespan of an item from the date of shipment

Minimum lifespan from shipment content	1..1	SDD-ID: Definition: Example:	BDT00000980 The length of time, from the shipment date, a product can be stored and remain suitable for its intended function. 25
Time period measurement unit code	1..1	SDD-ID: Definition:	BDTG00000761 The code specifying the unit of measure for a time period.
Time period measurement unit code content	0..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000134 The code specifying the unit of measure for a time period. WEE TimeMeasurementUnitCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:TimeMeasurementUnitCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Clinical trial product identification information	1..1	SDD-ID: Definition:	BDTG00000947 The information specifying the Global Trade Identification number, GTIN, of a clinical trial product
Global trade item number, GTIN	1..1	SDD-ID: Definition: Ref. definition: Example:	BDT00000066 The identity according to the GS1 identification system for unique identification of products and services. GS1 General Specifications: The GS1 identification key used to identify trade items. The key comprises a GS1 Company Prefix, an item reference and check digit. 07300015200192