



## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
<b>Kit status change</b>		Context:	The Kit Status Change is designed to convey an instruction to make a change in kit status or to confirm a kit status has changed.
<b>Referenced original kit status change information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000993</b> The information specifying the reference to the original kit status change request identification
<b>Entity identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000056</b> The identity of an entity such as a document or an object.
<b>Business document creation date time</b>	0..1	SDD-ID: Definition:	<b>BDT00000047</b> The date and optional time when the business document was issued.
<b>Revision number</b>	0..1	SDD-ID: Definition:	<b>BDT00000119</b> The number assigned to a specific release of a document to keep track of changes and updates between revisions.
<b>Referenced document external location</b>	0..1	SDD-ID: Definition:  Usage:	<b>BDT00000118</b> The external location of the referenced document expressed as an uniform resource locator. The external location can be an internet address to a document stored in a server on the internet.
<b>Document line number</b>	0..1	SDD-ID: Definition:	<b>BDT00000049</b> The sequence number of a line within the business document.
<b>Document content owner</b>	0..1	SDD-ID: Definition:	<b>BDTG00000196</b> The information specifying the party that is responsible for the content of a document.
<b>Global location number GLN</b>	0..1	SDD-ID: Definition:  Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.



## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
<b>Kit status change instruction</b>	0..1		
<b>Kit location information</b>	0..1	SDD-ID:	<b>BDTG00000962</b>
		Definition:	The information specifying details of a location where the kits are available.
<b>Global location number GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Address information</b>	0..1	SDD-ID:	<b>BDTG00000144</b>
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
<b>Party name</b>	0..1	SDD-ID:	<b>BDT00000106</b>
		Definition:	The name of the party expressed as text.
<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box

## Clinical Trials Kit status change

Business data terms and groups		Usage	Business data terms and groups description	
	Postal code	0..1	SDD-ID: Definition:	<b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID: Definition:	<b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition:	<b>BDT00000127</b> The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID: Definition:	<b>BDT00000128</b> The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition:	<b>BDT00000130</b> The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID: Definition:	<b>BDT00000129</b> The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID: Definition:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Business contact information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
	Person name	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
	Department name	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
	Job title	0..1	SDD-ID:	<b>BDT00000083</b>



## Clinical Trials Kit status change

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Contact type code</b>	0..1	Definition:	The title of a position or the role of a person holding the position.
			SDD-ID:	<b>BDTG00000178</b>
			Definition:	The code specifying the function or role of a contact person.
	<b>Contact type code content</b>	1..1	Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
	<b>Business contact responsibility description</b>	0..unbounded	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000159</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
			Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
	<b>Language code content</b>	1..1	Definition:	The code specifying the language.
			SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
	<b>Code list version</b>	0..1	Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Communication information</b>	0..unbounded	SDD-ID:	<b>BDT00000028</b>
	<b>Communication channel code</b>	1..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000176</b>
			Definition:	The information specifying details of a contact person's communication channel.
	<b>Communication channel code content</b>	1..1	Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
			SDD-ID:	<b>BDT00000525</b>
			Definition:	The code specifying the channel for communication.
	<b>Code list version</b>	0..1	Example:	TELEPHONE
			Used code list:	CommunicationChannelCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	<b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
			SDD-ID:	<b>BDT00000032</b>
	<b>Communication channel name</b>	0..1	Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
			SDD-ID:	<b>BDT00000033</b>

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description
After hours communication information	0..unbounded	Definition: The name of a communication channel expressed as text. SDD-ID: <b>BDTG00000145</b> Definition: The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID: <b>BDTG00000175</b> Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Communication channel identification	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID: <b>BDTG00000326</b> Definition: The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID: <b>BDT00000369</b> Definition: The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID: <b>BDTG00000585</b> Definition: The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID: <b>BDT00000584</b> Definition: The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>

## Clinical Trials Kit status change

Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Tax type code	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.	
	Tax type code content	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Tax description	0..1	SDD-ID: <b>BDTG00000322</b> Definition: The description of the tax expressed as text.	
	Tax description content	1..1	SDD-ID: <b>BDT00000754</b> Definition: The description of the tax expressed as text.	
	Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.	
	Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Tax registration type code	0..1	SDD-ID: <b>BDTG00000327</b> Definition: The code specifying the type of tax registration number assigned by a national authority.	
	Tax registration type code content	1..1	SDD-ID: <b>BDT00000588</b> Definition: The code specifying the type of tax registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>	
	Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	Customs duty registration information	0..unbounded	SDD-ID: <b>BDTG00000375</b> Definition: The information specifying details of a party registered for customs duty.	
	Customs authority name	0..1	SDD-ID: <b>BDT00000370</b> Definition: The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.	
	Customs registration identification information	1..1	SDD-ID: <b>BDTG00000621</b> Definition: The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.	

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
Customs registration identification content	1..1	SDD-ID:	<b>BDT00000622</b>
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Customs duty description	0..1	SDD-ID:	<b>BDTG00000378</b>
		Definition:	The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID:	<b>BDT00000563</b>
		Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Customs registration type code	0..1	SDD-ID:	<b>BDTG00000623</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.



## Clinical Trials Kit status change

Business data terms and groups		Usage	Business data terms and groups description	
	Customs registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000624</b> The code specifying the type of customs registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Organisation legal information	0..1	SDD-ID: Definition:	<b>BDTG00000262</b> The information specifying details of a legal organisation.
	Organisation name	1..1	SDD-ID: Definition:	<b>BDT00000102</b> The official and legal name of the organisation.
	Language of the party code	0..1	SDD-ID: Definition:	<b>BDTG00000228</b> The code specifying the language of a party.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Currency of party code	0..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000184</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
	Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000710</b> The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Official address	0..1	SDD-ID: Definition:	<b>BDTG00000246</b> The registered legal address of the organisation.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>



## Clinical Trials Kit status change

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
		Province identity	0..1	Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
				SDD-ID:	<b>BDT00000117</b>
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	<b>BDT00000127</b>
				Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
				Definition:	The first street address line of a structured address.
				Example:	Avenue Louise 326
		Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
				Definition:	The second street address line of a structured address.
				Example:	Blue Tower
		Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
				Definition:	The third street address line of a structured address.
				Example:	Floor 4
		Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
				Definition:	The code specifying a country.
		Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
				Definition:	The code specifying a country.
		Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
				Definition:	The version number of the code list.
		Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
				Definition:	The information specifying details on a location using geographical coordinates.
		Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
				Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
				Example:	23°26'12.2" S
		Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
				Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
				Example:	18°3'59.0616"
		Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
				Definition:	The monetary amount representing the value of the issued capital of a company.
		Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
				Definition:	The monetary amount representing the issued capital of a company.
		Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>

## Clinical Trials Kit status change

Business data terms and groups		Usage	Business data terms and groups description	
	Currency code content	1..1	Definition:	The code specifying the currency of a monetary amount.
			SDD-ID:	<b>BDT00000589</b>
	Code list version	0..1	Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
	Legal structure description	0..1	Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			SDD-ID:	<b>BDT00000028</b>
	Legal structure description content	1..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000231</b>
	Language code	0..1	Definition:	The description of the legal structure expressed as text.
			SDD-ID:	<b>BDT00000659</b>
	Language code content	1..1	Definition:	The description of the legal structure expressed as text.
			SDD-ID:	<b>BDTG00000523</b>
	Code list version	0..1	Definition:	The code specifying the language.
			SDD-ID:	<b>BDT00000524</b>
	Registered legal information	0..unbounded	Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Legal registration number	1..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Legal registration additional information	0..1	SDD-ID:	<b>BDTG00000288</b>
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration type code	1..1	SDD-ID:	<b>BDT00000087</b>
			Definition:	The identification number of an organisation according to a legal register.
	Legal registration type code content	1..1	SDD-ID:	<b>BDT00000086</b>
			Definition:	The additional information related to the legal registration expressed as text.
	Code list version	0..1	SDD-ID:	<b>BDTG00000230</b>
			Definition:	The code specifying the type of legal registration.
	Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDT00000658</b>
			Definition:	The code specifying the type of legal registration.
	Financial institution name	0..1	Used code list:	LegalRegistrationCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	Financial institution division name	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000209</b>
			Definition:	The information specifying details of a financial institution and financial account.
			SDD-ID:	<b>BDT00000061</b>
			Definition:	The name of a financial institution expressed as text.
			SDD-ID:	<b>BDT00000060</b>
			Definition:	The name of a division or branch within a financial institution expressed as text.

## Clinical Trials Kit status change

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
			Definition:	The information specifying details of a financial account.
	<b>Financial account name</b>	0..1	SDD-ID:	<b>BDT00000058</b>
			Definition:	The name of a financial account expressed as text.
			Example:	John Doe
	<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
			Definition:	The number of a financial account expressed as text.
	<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000645</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
			Definition:	The information specifying details on a routing number of a financial institution.
	<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDT00000062</b>
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Financial routing number type code content</b>	1..1	SDD-ID:	<b>BDT00000644</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Additional financial institution description</b>	0..1	SDD-ID:	<b>BDTG00000522</b>
			Definition:	The additional description of a financial institution expressed as text.
	<b>Additional financial institution description content</b>	1..1	SDD-ID:	<b>BDT00000521</b>
			Definition:	The text value describing the additional financial institution.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>

## Clinical Trials Kit status change

Business data terms and groups		Usage	Business data terms and groups description	
	Language code content	1..1	Definition:	The code specifying the language.
			SDD-ID:	<b>BDT00000524</b>
	Code list version	0..1	Definition:	The code specifying the language.
			Example:	en
	Address information	0..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			SDD-ID:	<b>BDT00000028</b>
	City name	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000144</b>
	City code	0..1	Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
			SDD-ID:	<b>BDT00000020</b>
	County code	0..1	Definition:	The name of the city, town or village.
			SDD-ID:	<b>BDT00000019</b>
	Cross street	0..1	Definition:	The code specifying a city.
			SDD-ID:	<b>BDT00000034</b>
	Party name	0..1	Definition:	The code indicating a geographical region in a country.
			SDD-ID:	<b>BDT00000035</b>
	Post office box number	0..1	Definition:	The street crossing another street.
			SDD-ID:	<b>BDT00000106</b>
	Postal code	0..1	Definition:	The name of the party expressed as text.
			SDD-ID:	<b>BDT00000113</b>
	Province identity	0..1	Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	State	0..1	Definition:	The code according to the relevant postal system or service to specify a geographical area.
			SDD-ID:	<b>BDT00000114</b>
	Street address one	0..1	Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Street address two	0..1	Definition:	The identity of a province according to national codes assigned to provinces.
			SDD-ID:	<b>BDT00000117</b>
	Street address three	0..1	Definition:	The political unit that a country can be divided into.
			Example:	California
			SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
			SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
			SDD-ID:	<b>BDT00000129</b>



## Clinical Trials Kit status change

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Medication kit status type code	0..1	SDD-ID:	<b>BDTG00000966</b>
			Definition:	The code specifying the status of a medication kit
	Medication kit status type code content	1..1	SDD-ID:	<b>BDT00000965</b>
			Definition:	The code specifying the status of a medication kit
			Example:	DO_NOT_DISPENSE
			Used code list:	StatusCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:StatusCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:StatusCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Serial number	0..1	SDD-ID:	<b>BDT00000121</b>
			Definition:	The serial number assigned to an individual instance of a specific identified product or trade item to make an instance of a product or trade item unique.
			Usage:	The code need not be strictly numerical and can contain letters and other typographical symbols or may consist entirely of a character string.
	Lot number	0..1	SDD-ID:	<b>BDT00000090</b>
			Definition:	The identification number for a lot consisting of products produced within different production batches.
	Clinical trial product identification information	0..1	SDD-ID:	<b>BDTG00000947</b>
			Definition:	The information specifying the Global Trade Identification number, GTIN, of a clinical trial product
	Global trade item number, GTIN	1..1	SDD-ID:	<b>BDT00000066</b>
			Definition:	The identity according to the GS1 identification system for unique identification of products and services.
			Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify trade items.

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
		Example:	The key comprises a GS1 Company Prefix, an item reference and check digit. 07300015200192
— <b>Message function type indicator</b>	0..1	SDD-ID: Definition: Usage rule: Example:	<b>BDT00000987</b> The code specifying the function of the message Available codes: "Instruction" and "Response" Instruction
— <b>Clinical trial protocol identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000960</b> The information specifying the clinical trial study protocol identification
— <b>Business document effective date time</b>	0..1	SDD-ID: Definition:	<b>BDTG00000197</b> The date and optional time from when the business document is valid from commercial or legal point of view.
— <b>Date</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000040</b> The day of a year as a calendar date. 2020-06-15
— <b>Time</b>	0..1	SDD-ID: Definition: Example:	<b>BDT00000133</b> The indication of a point in time. 08:01:15
— <b>Revision number</b>	0..1	SDD-ID: Definition:	<b>BDT00000119</b> The number assigned to a specific release of a document to keep track of changes and updates between revisions.
— <b>Business document creation date time</b>	1..1	SDD-ID: Definition:	<b>BDT00000047</b> The date and optional time when the business document was issued.
— <b>Business document status code</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000050</b> The code specifying the status of a business document. ORIGINAL DocumentStatusEnumeration <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentStatusEnumeration">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentStatusEnumeration</a>
— <b>Business document action code</b>	0..1	SDD-ID: Definition:  Usage:  Used code list: Link to code list:	<b>BDT00000045</b> The code indicating the action to be taken by a process within the IT system of the recipient of the business document.  By the received code the IT-system can start the relevant IT process such as adding an original business document transaction when the code ADD is specified, or delete a previously received document transaction when the code DELETE is specified (a reference to the document transaction for deletion is required).  DocumentActionEnumeration <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentActionEnumeration">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentActionEnumeration</a>
— <b>Business document standard version</b>	0..1	SDD-ID: Definition:	<b>BDT00000046</b> The version number of the standard used for the business document.
— <b>Business document last update date time</b>	0..1	SDD-ID: Definition:	<b>BDT00000048</b> The last date and time when a business document was updated.



## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
<b>Clinical trial protocol owner party information</b>	1..1	SDD-ID:	<b>BDTG00000961</b>
		Definition:	The information specifying details of the party sponsoring the clinical trial
<b>Global location number, GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Address information</b>	0..1	SDD-ID:	<b>BDTG00000144</b>
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
<b>Party name</b>	0..1	SDD-ID:	<b>BDT00000106</b>
		Definition:	The name of the party expressed as text.
<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>



## Clinical Trials Kit status change

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Business contact information	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
			Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
	Person name	0..1	SDD-ID:	<b>BDT00000112</b>
			Definition:	The name of an individual person expressed as text.
	Department name	0..1	SDD-ID:	<b>BDT00000044</b>
			Definition:	The name of the department.
	Job title	0..1	SDD-ID:	<b>BDT00000083</b>
			Definition:	The title of a position or the role of a person holding the position.



## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
<b>Contact type code</b>	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
<b>Contact type code content</b>	1..1	SDD-ID: Definition:	<b>BDTG00000571</b> The code specifying the function or role of a contact person.
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDTG00000028</b> The version number of the code list.
<b>Business contact responsibility description</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Business contact responsibility description content</b>	1..1	SDD-ID: Definition:	<b>BDTG00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDTG00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDTG00000028</b> The version number of the code list.
<b>Communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.
<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDTG00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDTG00000028</b> The version number of the code list.
<b>Communication channel identification</b>	1..1	SDD-ID: Definition:	<b>BDTG00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<b>Communication channel name</b>	0..1	SDD-ID: Definition:	<b>BDTG00000033</b> The name of a communication channel expressed as text.

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
<b>After hours communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
<b>Communication channel code</b>	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Communication channel identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<b>Communication channel name</b>	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
<b>Tax registration information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
<b>Tax authority name</b>	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administering the collection of taxes expressed as text.
<b>Tax registration identification information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
<b>Tax registration identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000584</b> The identity assigned to a party registered for tax according to a national tax register.
<b>Identification scheme information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
<b>Identification scheme name</b>	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
<b>Identification scheme agency name</b>	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax type code</b>	0..1	Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000328</b>
<b>Tax type code content</b>	1..1	Definition:	The code specifying the type of tax.
		SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax description</b>	0..1	SDD-ID:	<b>BDTG00000322</b>
		Definition:	The description of the tax expressed as text.
<b>Tax description content</b>	1..1	SDD-ID:	<b>BDT00000754</b>
		Definition:	The description of the tax expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax registration type code</b>	0..1	SDD-ID:	<b>BDTG00000327</b>
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
<b>Tax registration type code content</b>	1..1	SDD-ID:	<b>BDT00000588</b>
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Organisation legal information</b>	0..1	SDD-ID:	<b>BDTG00000262</b>
		Definition:	The information specifying details of a legal organisation.
<b>Organisation name</b>	1..1	SDD-ID:	<b>BDT00000102</b>
		Definition:	The official and legal name of the organisation.
<b>Language of the party code</b>	0..1	SDD-ID:	<b>BDTG00000228</b>
		Definition:	The code specifying the language of a party.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description
		Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Currency of party code	0..1	SDD-ID: <b>BDTG00000184</b> Definition: The code specifying the currency of a party. Example: EUR
Currency of party code content	1..1	Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax. SDD-ID: <b>BDT00000710</b> Definition: The code specifying the currency of a party. Example: EUR
		Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax. Link to code list: <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Official address	0..1	SDD-ID: <b>BDTG00000246</b> Definition: The registered legal address of the organisation.
County code	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.
City name	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.
City code	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.
Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.
Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition: The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms: P.O. box, postal box
Postal code	0..1	SDD-ID: <b>BDT00000114</b> Definition: The code according to the relevant postal system or service to specify a geographical area. Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID: <b>BDT00000117</b> Definition: The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: <b>BDT00000127</b> Definition: The political unit that a country can be divided into. Example: California
Street address one	0..1	SDD-ID: <b>BDT00000128</b> Definition: The first street address line of a structured address. Example: Avenue Louise 326
Street address two	0..1	SDD-ID: <b>BDT00000130</b>

## Clinical Trials Kit status change

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDTG00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDTG00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDTG00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDTG00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDTG00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
			Definition:	The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID:	<b>BDTG00000655</b>
			Definition:	The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID:	<b>BDTG00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDTG00000028</b>
			Definition:	The version number of the code list.
	Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
			Definition:	The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID:	<b>BDTG00000659</b>
			Definition:	The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDTG00000524</b>
			Definition:	The code specifying the language.
			Example:	en

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	<b>BDT00000087</b>
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	<b>BDT00000086</b>
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	<b>BDTG00000230</b>
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	<b>BDT00000658</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	<b>BDT00000061</b>
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	<b>BDT00000060</b>
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	<b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	<b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	<b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	<b>BDTG00000208</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
Financial account number type code content	1..1	SDD-ID:	<b>BDT00000645</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>



## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Financial institution routing number information	0..1	SDD-ID:	<b>BDTG00000210</b>
		Definition:	The information specifying details on a routing number of a financial institution.
Financial routing number	1..1	SDD-ID:	<b>BDT00000062</b>
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code	1..1	SDD-ID:	<b>BDTG00000211</b>
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
Financial routing number type code content	1..1	SDD-ID:	<b>BDT00000064</b>
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Additional financial institution description	0..1	SDD-ID:	<b>BDTG00000522</b>
		Definition:	The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID:	<b>BDT00000521</b>
		Definition:	The text value describing the additional financial institution.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	<b>BDT00000034</b>

## Clinical Trials Kit status change

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.



## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
<b>Business document identification information</b>	1..1	Example:	18°3'59.0616"
		SDD-ID:	<b>BDTG00000480</b>
		Definition:	The information specifying the identification details of the business document.
<b>Entity identification</b>	1..1	SDD-ID:	<b>BDT00000056</b>
		Definition:	The identity of an entity such as a document or an object.
<b>Document content owner</b>	0..1	SDD-ID:	<b>BDTG00000196</b>
		Definition:	The information specifying the party that is responsible for the content of a document.
<b>Global location number GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Business document sender party information</b>	1..1	SDD-ID:	<b>BDTG00000953</b>
		Definition:	The information specifying the details of the party sending a business document
<b>Global location number, GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
<b>Additional party identification type code</b>	1..1	Definition:	The additional identity of a party.
		SDD-ID:	<b>BDTG00000579</b>
<b>Additional party identification type code content</b>	1..1	Definition:	The code specifying the additional identification type of the party.
		SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Electronic address information</b>	0..1	SDD-ID:	<b>BDTG00000784</b>
		Definition:	The information about the electronic address of a party
<b>Electronic address identification scheme</b>	1..1	SDD-ID:	<b>BDT00000786</b>
		Definition:	The identification scheme of of the electronic address
<b>Electronic address identification</b>	1..1	SDD-ID:	<b>BDT00000785</b>
		Definition:	The identifier of of the electronic address to which a business document should be delivered
<b>Address information</b>	0..1	SDD-ID:	<b>BDTG00000144</b>
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
<b>Party name</b>	0..1	SDD-ID:	<b>BDT00000106</b>
		Definition:	The name of the party expressed as text.
<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
<b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000117</b>
		Definition:	The identity of a province according to national codes assigned to provinces.
<b>State</b>	0..1	SDD-ID:	<b>BDT00000127</b>

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The political unit that a country can be divided into.
		Example:	California
—Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
—Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
—Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
—Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
—Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
—Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
—Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
—Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
—Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
—Business contact information	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
		Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
—Person name	0..1	SDD-ID:	<b>BDT00000112</b>
		Definition:	The name of an individual person expressed as text.
—Department name	0..1	SDD-ID:	<b>BDT00000044</b>
		Definition:	The name of the department.
—Job title	0..1	SDD-ID:	<b>BDT00000083</b>
		Definition:	The title of a position or the role of a person holding the position.
—Contact type code	0..1	SDD-ID:	<b>BDTG00000178</b>
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
—Contact type code content	1..1	SDD-ID:	<b>BDT00000571</b>
		Definition:	The code specifying the function or role of a contact person.



## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	<b>BDT00000580</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Communication information	0..unbounded	SDD-ID:	<b>BDTG00000176</b>
		Definition:	The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID:	<b>BDTG00000145</b>
		Definition:	The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
Communication channel code content	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Communication channel identification	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.	
Communication channel name	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.	
Tax registration information	0..unbounded	SDD-ID: <b>BDTG00000326</b> Definition: The information specifying details of a party registered for tax.	
Tax authority name	0..1	SDD-ID: <b>BDT00000369</b> Definition: The name of the authority administering the collection of taxes expressed as text.	
Tax registration identification information	1..1	SDD-ID: <b>BDTG00000585</b> Definition: The information specifying details of the identity assigned to a party registered for tax according to a national tax register.	
Tax registration identification content	1..1	SDD-ID: <b>BDT00000584</b> Definition: The identity assigned to a party registered for tax according to a national tax register.	
Identification scheme information	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.	
Identification scheme name	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.	
Identification scheme agency name	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.	
Identification scheme responsible agency code	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.	
Identification scheme responsible agency code content	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Tax type code	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.	
Tax type code content	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:</a>	



## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b>	DutyFeeTaxTypeCode
		Definition:	The version number of the code list.
<b>Tax description</b>	0..1	SDD-ID: <b>BDTG00000322</b>	
		Definition:	The description of the tax expressed as text.
<b>Tax description content</b>	1..1	SDD-ID: <b>BDT00000754</b>	
		Definition:	The description of the tax expressed as text.
<b>Language code</b>	0..1	SDD-ID: <b>BDTG00000523</b>	
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b>	
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b>	
		Definition:	The version number of the code list.
<b>Tax registration type code</b>	0..1	SDD-ID: <b>BDTG00000327</b>	
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
<b>Tax registration type code content</b>	1..1	SDD-ID: <b>BDT00000588</b>	
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b>	
		Definition:	The version number of the code list.
<b>Customs duty registration information</b>	0..unbounded	SDD-ID: <b>BDTG00000375</b>	
		Definition:	The information specifying details of a party registered for customs duty.
<b>Customs authority name</b>	0..1	SDD-ID: <b>BDT00000370</b>	
		Definition:	The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
<b>Customs registration identification information</b>	1..1	SDD-ID: <b>BDTG00000621</b>	
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
<b>Customs registration identification content</b>	1..1	SDD-ID: <b>BDT00000622</b>	
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
<b>Identification scheme information</b>	0..1	SDD-ID: <b>BDTG00000587</b>	
		Definition:	The information specifying details of the used identification scheme.
<b>Identification scheme name</b>	0..1	SDD-ID: <b>BDT00000074</b>	
		Definition:	The name of the identification scheme.
<b>Identification scheme agency name</b>	0..1	SDD-ID: <b>BDT00000073</b>	

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description
<ul style="list-style-type: none"> <li>Identification scheme responsible agency code</li> </ul>	0..1	Definition: The name of the agency responsible for a identification scheme. SDD-ID: <b>BDTG00000586</b>
<ul style="list-style-type: none"> <li>Identification scheme responsible agency code content</li> </ul>	1..1	Definition: The code specifying the agency responsible for the identification scheme. SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<ul style="list-style-type: none"> <li>Tax type code</li> </ul>	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.
<ul style="list-style-type: none"> <li>Tax type code content</li> </ul>	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<ul style="list-style-type: none"> <li>Customs duty description</li> </ul>	0..1	SDD-ID: <b>BDTG00000378</b> Definition: The description of the customs duty expressed as text.
<ul style="list-style-type: none"> <li>Customs duty description content</li> </ul>	1..1	SDD-ID: <b>BDT00000563</b> Definition: The description of the customs duty expressed as text.
<ul style="list-style-type: none"> <li>Language code</li> </ul>	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
<ul style="list-style-type: none"> <li>Language code content</li> </ul>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<ul style="list-style-type: none"> <li>Customs registration type code</li> </ul>	0..1	SDD-ID: <b>BDTG00000623</b> Definition: The code specifying the type of customs registration number assigned by a national authority.
<ul style="list-style-type: none"> <li>Customs registration type code content</li> </ul>	1..1	SDD-ID: <b>BDT00000624</b> Definition: The code specifying the type of customs registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
<b>Organisation legal information</b>	0..1	SDD-ID:	<b>BDTG00000262</b>
		Definition:	The information specifying details of a legal organisation.
<b>Organisation name</b>	1..1	SDD-ID:	<b>BDT00000102</b>
		Definition:	The official and legal name of the organisation.
<b>Language of the party code</b>	0..1	SDD-ID:	<b>BDTG00000228</b>
		Definition:	The code specifying the language of a party.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Currency of party code</b>	0..1	SDD-ID:	<b>BDTG00000184</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
<b>Currency of party code content</b>	1..1	SDD-ID:	<b>BDT00000710</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Official address</b>	0..1	SDD-ID:	<b>BDTG00000246</b>
		Definition:	The registered legal address of the organisation.
<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode

## Clinical Trials Kit status change

Business data terms and groups		Usage	Business data terms and groups description	
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
			Definition:	The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
			Definition:	The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
			Definition:	The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
			Definition:	The code specifying the currency of a monetary amount.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
<b>Legal structure description</b>	0..1	SDD-ID:	<b>BDTG00000231</b>
		Definition:	The description of the legal structure expressed as text.
<b>Legal structure description content</b>	1..1	SDD-ID:	<b>BDT00000659</b>
		Definition:	The description of the legal structure expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Registered legal information</b>	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
<b>Legal registration number</b>	1..1	SDD-ID:	<b>BDT00000087</b>
		Definition:	The identification number of an organisation according to a legal register.
<b>Legal registration additional information</b>	0..1	SDD-ID:	<b>BDT00000086</b>
		Definition:	The additional information related to the legal registration expressed as text.
<b>Legal registration type code</b>	1..1	SDD-ID:	<b>BDTG00000230</b>
		Definition:	The code specifying the type of legal registration.
<b>Legal registration type code content</b>	1..1	SDD-ID:	<b>BDT00000658</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Financial institution and financial account information</b>	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
<b>Financial institution name</b>	0..1	SDD-ID:	<b>BDT00000061</b>
		Definition:	The name of a financial institution expressed as text.
<b>Financial institution division name</b>	0..1	SDD-ID:	<b>BDT00000060</b>
		Definition:	The name of a division or branch within a financial institution expressed as text.
<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.
<b>Financial account name</b>	0..1	SDD-ID:	<b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.
<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>

## Clinical Trials Kit status change

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Financial account number type code content	1..1	SDD-ID:	<b>BDT00000645</b>
			Definition:	The code specifying the type of a financial account number.
			Used code list:	FinancialAccountNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID:	<b>BDTG00000210</b>
			Definition:	The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID:	<b>BDT00000062</b>
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID:	<b>BDTG00000211</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Financial routing number type code content	1..1	SDD-ID:	<b>BDT00000644</b>
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Additional financial institution description	0..1	SDD-ID:	<b>BDTG00000522</b>
			Definition:	The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID:	<b>BDT00000521</b>
			Definition:	The text value describing the additional financial institution.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	<b>BDT00000106</b>
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	<b>BDT00000127</b>
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.





## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
<b>Geographical coordinates information</b>	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
<b>Latitude</b>	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
<b>Business document receiver party information</b>	1..1	SDD-ID:	<b>BDTG00000954</b>
		Definition:	The information specifying the details of the party receiving a business document
<b>Global location number, GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Electronic address information</b>	0..1	SDD-ID:	<b>BDTG00000784</b>
		Definition:	The information about the electronic address of a party
<b>Electronic address identification scheme</b>	1..1	SDD-ID:	<b>BDT00000786</b>
		Definition:	The identification scheme of of the electronic address
<b>Electronic address identification</b>	1..1	SDD-ID:	<b>BDT00000785</b>
		Definition:	The identifier of of the electronic address to which a business document should be delivered
<b>Address information</b>	0..1	SDD-ID:	<b>BDTG00000144</b>
		Definition:	The information specifying the name and location of a company or an individual person,

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
		a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.	
City name	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	<b>BDT00000106</b>
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	<b>BDT00000127</b>
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business contact information	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
		Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID:	<b>BDT00000112</b>
		Definition:	The name of an individual person expressed as text.
Department name	0..1	SDD-ID:	<b>BDT00000044</b>
		Definition:	The name of the department.
Job title	0..1	SDD-ID:	<b>BDT00000083</b>
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	<b>BDTG00000178</b>
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
Contact type code content	1..1	SDD-ID:	<b>BDT00000571</b>
		Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	<b>BDT00000580</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Communication information	0..unbounded	SDD-ID:	<b>BDTG00000176</b>
		Definition:	The information specifying details of a contact person's communication channel.

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description
<ul style="list-style-type: none"> <li>Communication channel code</li> </ul>	1..1	SDD-ID: <b>BDTG00000175</b> Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Communication channel code content</li> </ul> </li> </ul>	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Code list version</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<ul style="list-style-type: none"> <li>Communication channel identification</li> </ul>	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<ul style="list-style-type: none"> <li>Communication channel name</li> </ul>	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
<ul style="list-style-type: none"> <li>After hours communication information</li> </ul>	0..unbounded	SDD-ID: <b>BDTG00000145</b> Definition: The information specifying details of communication channels to use after regular business hours.
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Communication channel code</li> </ul> </li> </ul>	1..1	SDD-ID: <b>BDTG00000175</b> Definition: The code specifying the channel for communication. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Communication channel code content</li> </ul> </li> </ul>	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Code list version</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<ul style="list-style-type: none"> <li>Communication channel identification</li> </ul>	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<ul style="list-style-type: none"> <li>Communication channel name</li> </ul>	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
<ul style="list-style-type: none"> <li>Tax registration information</li> </ul>	0..unbounded	SDD-ID: <b>BDTG00000326</b> Definition: The information specifying details of a party registered for tax.
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Tax authority name</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000369</b> Definition: The name of the authority administering the collection of taxes expressed as text.
<ul style="list-style-type: none"> <li>Tax registration identification information</li> </ul>	1..1	SDD-ID: <b>BDTG00000585</b> Definition: The information specifying details of the identity assigned to a party registered for tax

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
		according to a national tax register.	
Tax registration identification content	1..1	SDD-ID:	<b>BDT00000584</b>
		Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax description	0..1	SDD-ID:	<b>BDTG00000322</b>
		Definition:	The description of the tax expressed as text.
Tax description content	1..1	SDD-ID:	<b>BDT00000754</b>
		Definition:	The description of the tax expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
		Definition:	The code specifying the type of tax registration number assigned by a national authority.

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax registration type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000588</b> The code specifying the type of tax registration number assigned by a national authority.
		Used code list: Link to code list:	DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Customs duty registration information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000375</b> The information specifying details of a party registered for customs duty.
<b>Customs authority name</b>	0..1	SDD-ID: Definition:	<b>BDT00000370</b> The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
<b>Customs registration identification information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000621</b> The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
<b>Customs registration identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000622</b> The identity assigned to a party registered for customs duty according to a national customs register.
<b>Identification scheme information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000587</b> The information specifying details of the used identification scheme.
<b>Identification scheme name</b>	0..1	SDD-ID: Definition:	<b>BDT00000074</b> The name of the identification scheme.
<b>Identification scheme agency name</b>	0..1	SDD-ID: Definition:	<b>BDT00000073</b> The name of the agency responsible for a identification scheme.
<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000586</b> The code specifying the agency responsible for the identification scheme.
<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Tax type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
<b>Tax type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.

## Clinical Trials Kit status change

Business data terms and groups	Usage	Business data terms and groups description	
<b>Customs duty description</b>	0..1	SDD-ID:	<b>BDTG00000378</b>
		Definition:	The description of the customs duty expressed as text.
<b>Customs duty description content</b>	1..1	SDD-ID:	<b>BDT00000563</b>
		Definition:	The description of the customs duty expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Customs registration type code</b>	0..1	SDD-ID:	<b>BDTG00000623</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
<b>Customs registration type code content</b>	1..1	SDD-ID:	<b>BDT00000624</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Organisation legal information</b>	0..1	SDD-ID:	<b>BDTG00000262</b>
		Definition:	The information specifying details of a legal organisation.
<b>Organisation name</b>	1..1	SDD-ID:	<b>BDT00000102</b>
		Definition:	The official and legal name of the organisation.
<b>Language of the party code</b>	0..1	SDD-ID:	<b>BDTG00000228</b>
		Definition:	The code specifying the language of a party.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Currency of party code</b>	0..1	SDD-ID:	<b>BDTG00000184</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
<b>Currency of party code content</b>	1..1	SDD-ID:	<b>BDT00000710</b>
		Definition:	The code specifying the currency of a party.

			Example: Used code list: Link to code list:	EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Official address	0..1	SDD-ID: Definition:	<b>BDTG00000246</b> The registered legal address of the organisation.
	County code	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
	City name	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box <b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode <b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition: Example:	<b>BDT00000127</b> The political unit that a country can be divided into. California
	Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
	Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
	Country code	0..1	SDD-ID: Definition:	<b>BDTG000000179</b> The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>



		Definition:	The version number of the code list.
	<b>Geographical coordinates information</b>	0..1	SDD-ID: <b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
	<b>Latitude</b>	1..1	SDD-ID: <b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
	<b>Longitude</b>	1..1	SDD-ID: <b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
	<b>Issued capital</b>	0..1	SDD-ID: <b>BDTG00000225</b>
		Definition:	The monetary amount representing the value of the issued capital of a company.
	<b>Issued capital content</b>	1..1	SDD-ID: <b>BDT00000655</b>
		Definition:	The monetary amount representing the issued capital of a company.
	<b>Currency code</b>	0..1	SDD-ID: <b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
	<b>Currency code content</b>	1..1	SDD-ID: <b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b>
		Definition:	The version number of the code list.
	<b>Legal structure description</b>	0..1	SDD-ID: <b>BDTG00000231</b>
		Definition:	The description of the legal structure expressed as text.
	<b>Legal structure description content</b>	1..1	SDD-ID: <b>BDT00000659</b>
		Definition:	The description of the legal structure expressed as text.
	<b>Language code</b>	0..1	SDD-ID: <b>BDTG00000523</b>
		Definition:	The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b>
		Definition:	The version number of the code list.
	<b>Registered legal information</b>	0..unbounded	SDD-ID: <b>BDTG00000288</b>
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
	<b>Legal registration number</b>	1..1	SDD-ID: <b>BDT00000087</b>
		Definition:	The identification number of an organisation according to a legal register.
	<b>Legal registration additional information</b>	0..1	SDD-ID: <b>BDT00000086</b>

		Definition:	The additional information related to the legal registration expressed as text.
	<b>Legal registration type code</b>	1..1	SDD-ID: <b>BDTG00000230</b>
		Definition:	The code specifying the type of legal registration.
	<b>Legal registration type code content</b>	1..1	SDD-ID: <b>BDT00000658</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
	<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b>
		Definition:	The version number of the code list.
	<b>Financial institution and financial account information</b>	0..unbounded	SDD-ID: <b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
	<b>Financial institution name</b>	0..1	SDD-ID: <b>BDT00000061</b>
		Definition:	The name of a financial institution expressed as text.
	<b>Financial institution division name</b>	0..1	SDD-ID: <b>BDT00000060</b>
		Definition:	The name of a division or branch within a financial institution expressed as text.
	<b>Financial account information</b>	0..1	SDD-ID: <b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.
	<b>Financial account name</b>	0..1	SDD-ID: <b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
	<b>Financial account number</b>	1..1	SDD-ID: <b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.
	<b>Financial account number type code</b>	1..1	SDD-ID: <b>BDTG00000208</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Financial account number type code content</b>	1..1	SDD-ID: <b>BDT00000645</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b>
		Definition:	The version number of the code list.
	<b>Financial institution routing number information</b>	0..1	SDD-ID: <b>BDTG00000210</b>
		Definition:	The information specifying details on a routing number of a financial institution.
	<b>Financial routing number</b>	1..1	SDD-ID: <b>BDT00000062</b>
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	<b>Financial routing number type code</b>	1..1	SDD-ID: <b>BDTG00000211</b>

			Definition: Used code list: Link to code list:	The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Financial routing number type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000644 The code specifying the type of a financial routing number. FinancialRoutingNumberTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Additional financial institution description	0..1	SDD-ID: Definition:	BDTG00000522 The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID: Definition:	BDT00000521 The text value describing the additional financial institution.
	Language code	0..1	SDD-ID: Definition:	BDTG00000523 The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Address information	0..1	SDD-ID: Definition:	BDTG00000144 The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: Definition:	BDT00000020 The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	BDT00000019 The code specifying a city.
	County code	0..1	SDD-ID: Definition:	BDT00000034 The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: Definition:	BDT00000035 The street crossing another street.
	Party name	0..1	SDD-ID: Definition:	BDT00000106 The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: Definition:	BDT00000113 The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: SDD-ID:	P.O. box, postal box BDT00000114

		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
<b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000117</b>
		Definition:	The identity of a province according to national codes assigned to provinces.
<b>State</b>	0..1	SDD-ID:	<b>BDT00000127</b>
		Definition:	The political unit that a country can be divided into.
		Example:	California
<b>Street address one</b>	0..1	SDD-ID:	<b>BDT00000128</b>
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
<b>Street address two</b>	0..1	SDD-ID:	<b>BDT00000130</b>
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
<b>Street address three</b>	0..1	SDD-ID:	<b>BDT00000129</b>
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
<b>Country code</b>	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
<b>Country code content</b>	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Geographical coordinates information</b>	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
<b>Latitude</b>	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"