



Mapping

Model: Inventory report; 1.0; Mapping
Root Element: **Inventory report file**

Schema: InventoryReport; 3.5.1; Mapping
Root Element: **clinicalTrialsInventoryReportMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
001	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Inventory report file/Referenced request for inventory report information/Entity identification	1 .. 80	0 .. 1	requestForInventoryReportIdentification <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/requestForInventoryReportIdentification
002	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Inventory report file/Referenced request for inventory report information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/requestForInventoryReportIdentification/@codeListVersion
003	BDT00000991		0 .. 1	Inventory reporting date time <i>Path:</i> Inventory report file/Inventory report grouping information/Inventory reporting date time		1 .. 1	inventoryReportDate <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/inventoryReportGroupingInformation/inventoryReportDate
004	BDT00000854	14 .. 14	0 .. 1	Serial shipping container code, SSCC <i>Path:</i> Inventory report file/Inventory report grouping information/Logistic unit identification information/Serial shipping container code, SSCC		0 .. 1	sscc <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/inventoryReportGroupingInformation/ecom_LogisticUnitIdentification/sscc
005	BDT00000855	.. 80	1 .. 1	Additional logistic unit identification content <i>Path:</i> Inventory report file/Inventory report grouping information/Logistic unit identification information/Additional logistic unit identification information/Additional logistic unit identification content	1 .. 80	0 .. unbounded	additionalLogisticUnitIdentification <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/inventoryReportGroupingInformation/ecom_LogisticUnitIdentification/additionalLogisticUnitIdentification
006	BDT00000856	.. 80	1 .. 1	Additional logistic unit identification type code content	1 .. 80		additionalLogisticUnitIdentificationTypeCode <i>Path:</i> clinicalTrialsInventoryReportMessage/

Legend: No = Consecutive Number



Mapping

Model: Inventory report; 1.0; Mapping
Root Element: **Inventory report file**

Schema: InventoryReport; 3.5.1; Mapping
Root Element: **clinicalTrialsInventoryReportMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Inventory report file/Inventory report grouping information/Logistic unit identification information/Additional logistic unit identification information/Additional logistic unit identification type code/Additional logistic unit identification type code content			clinicalTrialsInventoryReport/ inventoryReportGroupingInformation/ ecom_LogisticUnitIdentification/ additionalLogisticUnitIdentification/ @additionalLogisticUnitIdentificationTypeCode
007	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Inventory report file/Inventory report grouping information/Logistic unit identification information/Additional logistic unit identification information/Additional logistic unit identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/ inventoryReportGroupingInformation/ ecom_LogisticUnitIdentification/ additionalLogisticUnitIdentification/@codeListVersion
008	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Inventory report file/Inventory report grouping information/Inventory reporting party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/ inventoryReportGroupingInformation/ inventoryReportingLocation/gln
009	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Inventory report file/Inventory report grouping information/Inventory reporting party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/ inventoryReportGroupingInformation/ inventoryReportingLocation/additionalPartyIdentification
010	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Inventory report file/Inventory report grouping information/Inventory reporting party information/Additional party identification information/Additional	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/ inventoryReportGroupingInformation/ inventoryReportingLocation/ additionalPartyIdentification/

Legend: No = Consecutive Number



Mapping

Model: Inventory report; 1.0; Mapping
Root Element: **Inventory report file**

Schema: InventoryReport; 3.5.1; Mapping
Root Element: **clinicalTrialsInventoryReportMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification type code/Additional party identification type code content			@additionalPartyIdentificationTypeCode
011	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Inventory report file/Inventory report grouping information/Inventory reporting party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/inventoryReportGroupingInformation/inventoryReportingLocation/additionalPartyIdentification/@codeListVersion
012	BDT00000967		1 .. 1	Medication kit quantity content <i>Path:</i> Inventory report file/Inventory report grouping information/Inventory reporting line item/Medication kit quantity/Medication kit quantity content		0 .. 1	quantity <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/inventoryReportGroupingInformation/inventoryReportingLineItem/quantity
013	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Inventory report file/Inventory report grouping information/Inventory reporting line item/Medication kit quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/inventoryReportGroupingInformation/inventoryReportingLineItem/quantity/@measurementUnitCode
014	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Inventory report file/Inventory report grouping information/Inventory reporting line item/Medication kit quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/inventoryReportGroupingInformation/inventoryReportingLineItem/quantity/@codeListVersion
015	BDT00000965		1 .. 1	Medication kit status type code content <i>Path:</i> Inventory report file/Inventory report grouping information/Inventory reporting line item/Individual kit information/	1 .. 80	1 .. 1	kitStatusCode <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/inventoryReportGroupingInformation/

Legend: No = Consecutive Number



Mapping

Model: Inventory report; 1.0; Mapping
Root Element: **Inventory report file**

Schema: InventoryReport; 3.5.1; Mapping
Root Element: **clinicalTrialsInventoryReportMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Medication kit status type code/ Medication kit status type code content			inventoryReportingLineItem/individualKitInformation/ kitStatusCode
016	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Inventory report file/Inventory report grouping information/Inventory reporting line item/Individual kit information/ Medication kit status type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/ inventoryReportGroupingInformation/ inventoryReportingLineItem/individualKitInformation/ kitStatusCode/@codeListVersion
017	BDT00000121	.. 20	0 .. 1	Serial number <i>Path:</i> Inventory report file/Inventory report grouping information/Inventory reporting line item/Individual kit information/Serial number	1 .. 20	1 .. 1	kitSerialNumber <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/ inventoryReportGroupingInformation/ inventoryReportingLineItem/individualKitInformation/ kitSerialNumber
018	BDT00000057		0 .. 1	Expiration date <i>Path:</i> Inventory report file/Inventory report grouping information/Inventory reporting line item/Individual kit information/ Expiration date		1 .. 1	kitExpiryDateTime <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/ inventoryReportGroupingInformation/ inventoryReportingLineItem/individualKitInformation/ kitExpiryDateTime
019	BDT00000965		1 .. 1	Medication kit status type code content <i>Path:</i> Inventory report file/Inventory report grouping information/Inventory reporting line item/Medication kit status type code/Medication kit status type code content	1 .. 80	0 .. 1	lotStatusCode <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/ inventoryReportGroupingInformation/ inventoryReportingLineItem/lotStatusCode
020	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Inventory report file/Inventory report grouping information/Inventory reporting line item/Medication kit status type	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/ inventoryReportGroupingInformation/

Legend: No = Consecutive Number



Mapping

Model: Inventory report; 1.0; Mapping
Root Element: **Inventory report file**

Schema: InventoryReport; 3.5.1; Mapping
Root Element: **clinicalTrialsInventoryReportMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Code list version			inventoryReportingLineItem/lotStatusCode/ @codeListVersion
021	BDT00000057		0 .. 1	Expiration date <i>Path:</i> Inventory report file/Inventory report grouping information/Inventory reporting line item/Expiration date		0 .. 1	lotExpiryDateTime <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/ inventoryReportGroupingInformation/ inventoryReportingLineItem/lotExpiryDateTime
022	BDT00000090	.. 80	0 .. 1	Lot number <i>Path:</i> Inventory report file/Inventory report grouping information/Inventory reporting line item/Lot number	1 .. 20	0 .. 1	additionalLotNumber <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/ inventoryReportGroupingInformation/ inventoryReportingLineItem/additionalLotNumber <i>additionalLotNumber</i>
023	BDT00000090	.. 80	0 .. 1	Lot number <i>Path:</i> Inventory report file/Inventory report grouping information/Inventory reporting line item/Lot number	1 .. 20	1 .. 1	kitLotNumber <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/ inventoryReportGroupingInformation/ inventoryReportingLineItem/kitLotNumber
024	BDT00000066	14 .. 14	1 .. 1	Global trade item number, GTIN <i>Path:</i> Inventory report file/Inventory report grouping information/Inventory reporting line item/Clinical trial product identification information/Global trade item number, GTIN		1 .. 1	investigationalProductIdentification <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/ inventoryReportGroupingInformation/ inventoryReportingLineItem/ investigationalProductIdentification
025	BDT00000960	.. 80	1 .. 1	Clinical trial protocol identification <i>Path:</i> Inventory report file/Clinical trial protocol identification	1 .. 20	1 .. 1	protocolID <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/protocolID
026	BDT00000040		0 .. 1	Date <i>Path:</i> Inventory report file/Business document effective date time/Date		1 .. 1	date <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/documentEffectiveDate/date

Legend: No = Consecutive Number



Mapping

Model: Inventory report; 1.0; Mapping
Root Element: **Inventory report file**

Schema: InventoryReport; 3.5.1; Mapping
Root Element: **clinicalTrialsInventoryReportMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
027	BDT00000133		0 .. 1	Time <i>Path:</i> Inventory report file/Business document effective date time/Time		0 .. 1	time <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/documentEffectiveDate/time
028	BDT00000119		0 .. 1	Revision number <i>Path:</i> Inventory report file/Revision number		0 .. 1	revisionNumber <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/revisionNumber
029	BDT00000047		1 .. 1	Business document creation date time <i>Path:</i> Inventory report file/Business document creation date time		1 .. 1	creationDateTime <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/creationDateTime
030	BDT00000050		1 .. 1	Business document status code <i>Path:</i> Inventory report file/Business document status code		1 .. 1	documentStatusCode <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/documentStatusCode
031	BDT00000045		0 .. 1	Business document action code <i>Path:</i> Inventory report file/Business document action code		0 .. 1	documentActionCode <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/documentActionCode
032	BDT00000046		0 .. 1	Business document standard version <i>Path:</i> Inventory report file/Business document standard version	1 .. 80	0 .. 1	documentStructureVersion <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/documentStructureVersion
033	BDT00000048		0 .. 1	Business document last update date time <i>Path:</i> Inventory report file/Business document last update date time		0 .. 1	lastUpdateDateTime <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/lastUpdateDateTime
034	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Inventory report file/Clinical trial protocol owner party information/Global location number, GLN		1 .. 1	protocolOwner <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/protocolOwner
035	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Inventory report file/Business document identification information/Entity identification	1 .. 80	1 .. 1	clinicalTrialInventoryReportIdentification <i>Path:</i> clinicalTrialsInventoryReportMessage/ clinicalTrialsInventoryReport/ clinicalTrialInventoryReportIdentification

Legend: No = Consecutive Number



Mapping

Model: Inventory report; 1.0; Mapping
Root Element: **Inventory report file**

Schema: InventoryReport; 3.5.1; Mapping
Root Element: **clinicalTrialsInventoryReportMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
036	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Inventory report file/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/clinicalTrialsInventoryReportIdentification/@codeListVersion
037	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Inventory report file/Business document sender party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/sender/gln
038	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Inventory report file/Business document sender party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/sender/additionalPartyIdentification
039	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Inventory report file/Business document sender party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/sender/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
040	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Inventory report file/Business document sender party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/sender/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Inventory report; 1.0; Mapping
Root Element: **Inventory report file**

Schema: InventoryReport; 3.5.1; Mapping
Root Element: **clinicalTrialsInventoryReportMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
041	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Inventory report file/Business document receiver party information/Global location number, GLN	0 .. 1		gln <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/receiver/gln
042	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Inventory report file/Business document receiver party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/receiver/additionalPartyIdentification
043	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Inventory report file/Business document receiver party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/receiver/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
044	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Inventory report file/Business document receiver party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsInventoryReportMessage/clinicalTrialsInventoryReport/receiver/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number