



Mapping

Model: Clinical Trials Request for inventory report; 1.0; Mapping
Root Element: **Request for inventory report**

Schema: ClinicalTrialsRequestForInventoryReport; 3.5.1; Mapping
Root Element: **clinicalTrialsRequestForInventoryReportMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
001	BDT00000960	.. 80	1 .. 1	Clinical trial protocol identification <i>Path:</i> Request for inventory report/Clinical trial protocol identification	1 .. 20	1 .. 1	protocolID <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/protocolID
002	BDT00000040		0 .. 1	Date <i>Path:</i> Request for inventory report/Business document effective date time/Date		1 .. 1	date <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/documentEffectiveDate/date
003	BDT00000133		0 .. 1	Time <i>Path:</i> Request for inventory report/Business document effective date time/Time		0 .. 1	time <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/documentEffectiveDate/time
004	BDT00000119		0 .. 1	Revision number <i>Path:</i> Request for inventory report/Revision number		0 .. 1	revisionNumber <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/revisionNumber
005	BDT00000047		1 .. 1	Business document creation date time <i>Path:</i> Request for inventory report/Business document creation date time		1 .. 1	creationDateTime <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/creationDateTime
006	BDT00000050		1 .. 1	Business document status code <i>Path:</i> Request for inventory report/Business document status code		1 .. 1	documentStatusCode <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/documentStatusCode
007	BDT00000045		0 .. 1	Business document action code <i>Path:</i> Request for inventory report/Business document action code		0 .. 1	documentActionCode <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/documentActionCode
008	BDT00000046		0 .. 1	Business document standard version <i>Path:</i> Request for inventory report/Business	1 .. 80	0 .. 1	documentStructureVersion <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/

Legend: No = Consecutive Number



Mapping

Model: Clinical Trials Request for inventory report; 1.0; Mapping
Root Element: **Request for inventory report**

Schema: ClinicalTrialsRequestForInventoryReport; 3.5.1; Mapping
Root Element: **clinicalTrialsRequestForInventoryReportMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				document standard version			clinicalTrialsRequestForInventoryReport/ documentStructureVersion
009	BDT00000048		0 .. 1	Business document last update date time <i>Path:</i> Request for inventory report/Business document last update date time		0 .. 1	lastUpdateDateTime <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/ clinicalTrialsRequestForInventoryReport/ lastUpdateDateTime
010	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Request for inventory report/Clinical trial protocol owner party information/ Global location number, GLN		1 .. 1	protocolOwner <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/ clinicalTrialsRequestForInventoryReport/protocolOwner
011	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Request for inventory report/Business document identification information/ Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/ clinicalTrialsRequestForInventoryReport/ requestForInventoryReportIdentification/ entityIdentification
012	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Request for inventory report/Business document identification information/ Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/ clinicalTrialsRequestForInventoryReport/ requestForInventoryReportIdentification/contentOwner/gln
013	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Request for inventory report/Business document identification information/ Document content owner/Additional party identification information/ Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/ clinicalTrialsRequestForInventoryReport/ requestForInventoryReportIdentification/contentOwner/ additionalPartyIdentification
014	BDT00000570	.. 80	1 .. 1	Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/

Legend: No = Consecutive Number



Mapping

Model: Clinical Trials Request for inventory report; 1.0; Mapping
Root Element: **Request for inventory report**

Schema: ClinicalTrialsRequestForInventoryReport; 3.5.1; Mapping
Root Element: **clinicalTrialsRequestForInventoryReportMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Request for inventory report/Business document identification information/ Document content owner/Additional party identification information/ Additional party identification type code/Additional party identification type code content			clinicalTrialsRequestForInventoryReport/requestForInventoryReportIdentification/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
015	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Request for inventory report/Business document identification information/ Document content owner/Additional party identification information/ Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/requestForInventoryReportIdentification/contentOwner/additionalPartyIdentification/@codeListVersion
016	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Request for inventory report/Business document sender party information/ Global location number, GLN		0 .. 1	gln <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/sender/gln
017	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Request for inventory report/Business document sender party information/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/sender/additionalPartyIdentification
018	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Request for inventory report/Business document sender party information/ Additional party identification	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/sender/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Clinical Trials Request for inventory report; 1.0; Mapping
Root Element: **Request for inventory report**

Schema: ClinicalTrialsRequestForInventoryReport; 3.5.1; Mapping
Root Element: **clinicalTrialsRequestForInventoryReportMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
019	BDT00000028	.. 35	0 .. 1	information/Additional party identification type code/Additional party identification type code content Code list version <i>Path:</i> Request for inventory report/Business document sender party information/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/ clinicalTrialsRequestForInventoryReport/sender/ additionalPartyIdentification/@codeListVersion
020	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Request for inventory report/Business document receiver party information/ Global location number, GLN		0 .. 1	gln <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/ clinicalTrialsRequestForInventoryReport/receiver/gln
021	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Request for inventory report/Business document receiver party information/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/ clinicalTrialsRequestForInventoryReport/receiver/ additionalPartyIdentification
022	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Request for inventory report/Business document receiver party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/ clinicalTrialsRequestForInventoryReport/receiver/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
023	BDT000000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Clinical Trials Request for inventory report; 1.0; Mapping
Root Element: **Request for inventory report**

Schema: ClinicalTrialsRequestForInventoryReport; 3.5.1; Mapping
Root Element: **clinicalTrialsRequestForInventoryReportMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Request for inventory report/Business document receiver party information/Additional party identification information/Additional party identification type code/Code list version			<i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/receiver/additionalPartyIdentification/@codeListVersion
024	BDT00000991		0 .. 1	Inventory reporting date time <i>Path:</i> Request for inventory report/Inventory report request information/Inventory reporting date time		0 .. 1	inventoryReportingDateTime <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/inventoryReportRequestInformation/inventoryReportingDateTime
025	BDT00000995	.. 80	0 .. 1	Medication kit identification content <i>Path:</i> Request for inventory report/Inventory report request information/Medication kit identification information/Medication kit identification content	1 .. 200	1 .. 1	kitIdentification <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/inventoryReportRequestInformation/kitIdentification
026	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Request for inventory report/Inventory report request information/Inventory reporting party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/inventoryReportRequestInformation/inventoryReportingParty/gln
027	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Request for inventory report/Inventory report request information/Inventory reporting party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/inventoryReportRequestInformation/inventoryReportingParty/additionalPartyIdentification
028	BDT00000570	.. 80	1 .. 1	Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/

Legend: No = Consecutive Number



Mapping

Model: Clinical Trials Request for inventory report; 1.0; Mapping
Root Element: **Request for inventory report**

Schema: ClinicalTrialsRequestForInventoryReport; 3.5.1; Mapping
Root Element: **clinicalTrialsRequestForInventoryReportMes
sage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Request for inventory report/Inventory report request information/Inventory reporting party information/Additional party identification information/Additional party identification type code/Additional party identification type code content			clinicalTrialsRequestForInventoryReport/inventoryReportRequestInformation/inventoryReportingParty/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
029	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Request for inventory report/Inventory report request information/Inventory reporting party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/inventoryReportRequestInformation/inventoryReportingParty/additionalPartyIdentification/@codeListVersion
030	BDT000000964	13 .. 13	1 .. 1	Medication kit type <i>Path:</i> Request for inventory report/Inventory report request information/Medication kit type	1 .. 200	1 .. 1	kitType <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/inventoryReportRequestInformation/kitType
031	BDT000000066	14 .. 14	1 .. 1	Global trade item number, GTIN <i>Path:</i> Request for inventory report/Inventory report request information/Clinical trial product identification information/Global trade item number, GTIN		1 .. 1	investigationalProductIdentification <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/inventoryReportRequestInformation/investigationalProductIdentification
032	BDT000000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Request for inventory report/Inventory report request information/Kit location information/Global location number GLN		0 .. 1	gln <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/inventoryReportRequestInformation/inventoryReportingPartyLocation/gln
033	BDT000000578	.. 80	1 .. 1	Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Clinical Trials Request for inventory report; 1.0; Mapping
Root Element: **Request for inventory report**

Schema: ClinicalTrialsRequestForInventoryReport; 3.5.1; Mapping
Root Element: **clinicalTrialsRequestForInventoryReportMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Request for inventory report/Inventory report request information/Kit location information/Additional party identification information/Additional party identification content			<i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/inventoryReportRequestInformation/inventoryReportingPartyLocation/additionalPartyIdentification
034	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Request for inventory report/Inventory report request information/Kit location information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/inventoryReportRequestInformation/inventoryReportingPartyLocation/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
035	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Request for inventory report/Inventory report request information/Kit location information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsRequestForInventoryReportMessage/clinicalTrialsRequestForInventoryReport/inventoryReportRequestInformation/inventoryReportingPartyLocation/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number