



Mapping

Model: Receiving Advice; 1.0; Mapping
Root Element: **Receiving Advice**

Schema: ReceivingAdvice; 3.5.1; Mapping
Root Element: **clinicalTrialsReceivingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
001	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Receiving Advice/Ship to party information/Global location number GLN	0 .. 1		gln <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/shipTo/gln
002	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Receiving Advice/Ship to party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/shipTo/additionalPartyIdentification
003	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Receiving Advice/Ship to party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/shipTo/additionalPartyIdentification/@codeListVersion
004	BDT00000983		0 .. 1	Kit error code content <i>Path:</i> Receiving Advice/Kit Information/Non Compliant Kit Information/Reason for non compliance code/Kit error code content	1 .. 80	1 .. 1	reasonOfNonCopliance <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/kitInformation/nonCompliantKitInformation/reasonOfNonCopliance
005	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Receiving Advice/Kit Information/Non Compliant Kit Information/Reason for non compliance code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/kitInformation/nonCompliantKitInformation/reasonOfNonCopliance/@codeListVersion
006	BDT00000121	.. 20	1 .. 1	Serial number <i>Path:</i> Receiving Advice/Kit Information/Non Compliant Kit Information/Serial number	1 .. 20	1 .. 1	kitSerialNumber <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/kitInformation/nonCompliantKitInformation/kitSerialNumber
007	BDT00000854	14 .. 14	0 .. 1	Serial shipping container code, SSCC	0 .. 1		sscc

Legend: No = Consecutive Number



Mapping

Model: Receiving Advice; 1.0; Mapping
Root Element: **Receiving Advice**

Schema: ReceivingAdvice; 3.5.1; Mapping
Root Element: **clinicalTrialsReceivingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Receiving Advice/Kit Information/ Logistic unit identification information/ Serial shipping container code, SSCC			<i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/kitInformation/ clinicalTrialLogisticUnitIdentification/sscc
008	BDT00000855	.. 80	1 .. 1	Additional logistic unit identification content <i>Path:</i> Receiving Advice/Kit Information/ Logistic unit identification information/ Additional logistic unit identification information/Additional logistic unit identification content	1 .. 80	0 .. unbounded	additionalLogisticUnitIdentification <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/kitInformation/ clinicalTrialLogisticUnitIdentification/ additionalLogisticUnitIdentification
009	BDT00000856	.. 80	1 .. 1	Additional logistic unit identification type code content <i>Path:</i> Receiving Advice/Kit Information/ Logistic unit identification information/ Additional logistic unit identification information/Additional logistic unit identification type code/Additional logistic unit identification type code content	1 .. 80		additionalLogisticUnitIdentificationTypeCode <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/kitInformation/ clinicalTrialLogisticUnitIdentification/ additionalLogisticUnitIdentification/ @additionalLogisticUnitIdentificationTypeCode
010	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Receiving Advice/Kit Information/ Logistic unit identification information/ Additional logistic unit identification information/Additional logistic unit identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/kitInformation/ clinicalTrialLogisticUnitIdentification/ additionalLogisticUnitIdentification/@codeListVersion
011	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Receiving Advice/Kit Information/ Measurement unit code/Measurement unit code content	1 .. 80	0 .. 1	measurementUnitCode <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/kitInformation/ measurementUnitCode

Legend: No = Consecutive Number



Mapping

Model: Receiving Advice; 1.0; Mapping
Root Element: **Receiving Advice**

Schema: ReceivingAdvice; 3.5.1; Mapping
Root Element: **clinicalTrialsReceivingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
012	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Receiving Advice/Kit Information/ Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/kitInformation/ measurementUnitCode/@codeListVersion
013	BDT00000090	.. 80	0 .. 1	Lot number <i>Path:</i> Receiving Advice/Kit Information/Lot number	1 .. 20	0 .. 1	kitLotNumber <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/kitInformation/kitLotNumber
014	BDT00000967		1 .. 1	Medication kit quantity content <i>Path:</i> Receiving Advice/Kit Information/ Medication kit quantity/Medication kit quantity content		1 .. 1	quantity <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/kitInformation/quantity
015	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Receiving Advice/Kit Information/ Medication kit quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/kitInformation/quantity/ @measurementUnitCode
016	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Receiving Advice/Kit Information/ Medication kit quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/kitInformation/quantity/ @codeListVersion
017	BDT00000066	14 .. 14	1 .. 1	Global trade item number, GTIN <i>Path:</i> Receiving Advice/Kit Information/ Clinical trial product identification information/Global trade item number, GTIN		1 .. 1	investigationalProductIdentification <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/kitInformation/ investigationalProductIdentification
018	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Receiving Advice/Referenced system order identification/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/eRPOrderIdentification/ entityIdentification

Legend: No = Consecutive Number



Mapping

Model: Receiving Advice; 1.0; Mapping
Root Element: **Receiving Advice**

Schema: ReceivingAdvice; 3.5.1; Mapping
Root Element: **clinicalTrialsReceivingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
019	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Receiving Advice/Referenced system order identification/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/eRPOrderIdentification/contentOwner/gln
020	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Receiving Advice/Referenced system order identification/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/eRPOrderIdentification/contentOwner/additionalPartyIdentification
021	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Receiving Advice/Referenced system order identification/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/eRPOrderIdentification/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
022	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Receiving Advice/Referenced system order identification/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/eRPOrderIdentification/contentOwner/additionalPartyIdentification/@codeListVersion
023	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Receiving Advice/Shipment requestor party information/Global location number, GLN	0 .. 1		gln <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/shipmentRequestor/gln
024	BDT00000578	.. 80	1 .. 1	Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Receiving Advice; 1.0; Mapping
Root Element: **Receiving Advice**

Schema: ReceivingAdvice; 3.5.1; Mapping
Root Element: **clinicalTrialsReceivingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Receiving Advice/Shipment requestor party information/Additional party identification information/Additional party identification content			<i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/shipmentRequestor/additionalPartyIdentification
025	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Receiving Advice/Shipment requestor party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/shipmentRequestor/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
026	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Receiving Advice/Shipment requestor party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/shipmentRequestor/additionalPartyIdentification/@codeListVersion
027	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Receiving Advice/Shipment receiving party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/shipmentReceivingEntity/gln
028	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Receiving Advice/Shipment receiving party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/shipmentReceivingEntity/additionalPartyIdentification
029	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Receiving Advice/Shipment receiving party information/Additional party	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/shipmentReceivingEntity/additionalPartyIdentification/

Legend: No = Consecutive Number



Mapping

Model: Receiving Advice; 1.0; Mapping
Root Element: **Receiving Advice**

Schema: ReceivingAdvice; 3.5.1; Mapping
Root Element: **clinicalTrialsReceivingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification type code/Additional party identification type code content			@additionalPartyIdentificationTypeCode
030	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Receiving Advice/Shipment receiving party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/shipmentReceivingEntity/additionalPartyIdentification/@codeListVersion
031	BDT00000988		1 .. 1	Medication kit reception date time <i>Path:</i> Receiving Advice/Medication kit reception date time		1 .. 1	kitReceptionDateTime <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/kitReceptionDateTime
032	BDT00000960	.. 80	1 .. 1	Clinical trial protocol identification <i>Path:</i> Receiving Advice/Clinical trial protocol identification	1 .. 20	1 .. 1	protocolID <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/protocolID
033	BDT00000040		0 .. 1	Date <i>Path:</i> Receiving Advice/Business document effective date time/Date		1 .. 1	date <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/documentEffectiveDate/date
034	BDT00000133		0 .. 1	Time <i>Path:</i> Receiving Advice/Business document effective date time/Time		0 .. 1	time <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/documentEffectiveDate/time
035	BDT00000119		0 .. 1	Revision number <i>Path:</i> Receiving Advice/Revision number		0 .. 1	revisionNumber <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/revisionNumber
036	BDT00000047		1 .. 1	Business document creation date time <i>Path:</i> Receiving Advice/Business document creation date time		1 .. 1	creationDateTime <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/creationDateTime
037	BDT00000050		1 .. 1	Business document status code <i>Path:</i> Receiving Advice/Business document		1 .. 1	documentStatusCode <i>Path:</i> clinicalTrialsReceivingAdviceMessage/

Legend: No = Consecutive Number



Mapping

Model: Receiving Advice; 1.0; Mapping
Root Element: **Receiving Advice**

Schema: ReceivingAdvice; 3.5.1; Mapping
Root Element: **clinicalTrialsReceivingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				status code			clinicalTrialsReceivingAdvice/documentStatusCode
038	BDT00000045		0 .. 1	Business document action code <i>Path:</i> Receiving Advice/Business document action code		0 .. 1	documentActionCode <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/documentActionCode
039	BDT00000046		0 .. 1	Business document standard version <i>Path:</i> Receiving Advice/Business document standard version	1 .. 80	0 .. 1	documentStructureVersion <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/documentStructureVersion
040	BDT00000048		0 .. 1	Business document last update date time <i>Path:</i> Receiving Advice/Business document last update date time		0 .. 1	lastUpdateDateTime <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/lastUpdateDateTime
041	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Receiving Advice/Clinical trial protocol owner party information/Global location number, GLN		1 .. 1	protocolOwner <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/protocolOwner
042	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Receiving Advice/Business document identification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/clinicalTrialReceivingAdviceIdentification/entityIdentification
043	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Receiving Advice/Business document identification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/dMESHippingReferenceIdentification/entityIdentification
044	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Receiving Advice/Business document identification information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/clinicalTrialReceivingAdviceIdentification/contentOwner/gln

Legend: No = Consecutive Number



Mapping

Model: Receiving Advice; 1.0; Mapping
Root Element: **Receiving Advice**

Schema: ReceivingAdvice; 3.5.1; Mapping
Root Element: **clinicalTrialsReceivingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
045	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Receiving Advice/Business document identification information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/dMESHippingReferenceIdentification/contentOwner/gln
046	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Receiving Advice/Business document identification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/clinicalTrialReceivingAdviceIdentification/contentOwner/additionalPartyIdentification
047	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Receiving Advice/Business document identification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/dMESHippingReferenceIdentification/contentOwner/additionalPartyIdentification
048	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Receiving Advice/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/clinicalTrialReceivingAdviceIdentification/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
049	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Receiving Advice/Business document identification information/Document content owner/Additional party	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/dMESHippingReferenceIdentification/contentOwner/additionalPartyIdentification/

Legend: No = Consecutive Number



Mapping

Model: Receiving Advice; 1.0; Mapping
Root Element: **Receiving Advice**

Schema: ReceivingAdvice; 3.5.1; Mapping
Root Element: **clinicalTrialsReceivingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification type code/Additional party identification type code content			@additionalPartyIdentificationTypeCode
050	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Receiving Advice/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/clinicalTrialReceivingAdviceIdentification/contentOwner/additionalPartyIdentification/@codeListVersion
051	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Receiving Advice/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/dMESHippingReferenceIdentification/contentOwner/additionalPartyIdentification/@codeListVersion
052	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Receiving Advice/Business document sender party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/sender/gln
053	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Receiving Advice/Business document sender party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/sender/additionalPartyIdentification
054	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Receiving Advice/Business document sender party information/Additional	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsReceivingAdviceMessage/clinicalTrialsReceivingAdvice/sender/additionalPartyIdentification/

Legend: No = Consecutive Number



Mapping

Model: Receiving Advice; 1.0; Mapping
Root Element: **Receiving Advice**

Schema: ReceivingAdvice; 3.5.1; Mapping
Root Element: **clinicalTrialsReceivingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification information/ Additional party identification type code/Additional party identification type code content			@additionalPartyIdentificationTypeCode
055	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Receiving Advice/Business document sender party information/Additional party identification information/ Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/sender/ additionalPartyIdentification/@codeListVersion
056	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Receiving Advice/Business document receiver party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/receiver/gln
057	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Receiving Advice/Business document receiver party information/Additional party identification information/ Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/receiver/ additionalPartyIdentification
058	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Receiving Advice/Business document receiver party information/Additional party identification information/ Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/receiver/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
059	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Receiving Advice/Business document receiver party information/Additional	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/receiver/

Legend: No = Consecutive Number



Mapping

Model: Receiving Advice; 1.0; Mapping
Root Element: **Receiving Advice**

Schema: ReceivingAdvice; 3.5.1; Mapping
Root Element: **clinicalTrialsReceivingAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification information/ Additional party identification type code/Code list version			additionalPartyIdentification/@codeListVersion
060	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Receiving Advice/Referenced distribution management entity shipping order information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/ dMESHippingOrderReference/entityIdentification
061	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Receiving Advice/Referenced distribution management entity shipping order information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/ dMESHippingOrderReference/contentOwner/gln
062	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Receiving Advice/Referenced distribution management entity shipping order information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/ dMESHippingOrderReference/contentOwner/ additionalPartyIdentification
063	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Receiving Advice/Referenced distribution management entity shipping order information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> clinicalTrialsReceivingAdviceMessage/ clinicalTrialsReceivingAdvice/ dMESHippingOrderReference/contentOwner/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
064	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Receiving Advice/Referenced	1 .. 35		codeListVersion <i>Path:</i> clinicalTrialsReceivingAdviceMessage/

Legend: No = Consecutive Number



Mapping

Model: Receiving Advice; 1.0; Mapping					Schema: ReceivingAdvice; 3.5.1; Mapping		
Root Element: Receiving Advice					Root Element: clinicalTrialsReceivingAdviceMessage		
No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				distribution management entity shipping order information/Document content owner/Additional party identification information/Additional party identification type code/Code list version			clinicalTrialsReceivingAdvice/dMEshippingOrderReference/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number