



## Mapping

Model: Shipment request; 1.0; Mapping  
Root Element: **Shipment request; 1.0; Mapping**

Schema: ShipmentRequest; 3.5.1 Guide; Mapping  
Root Element: **shipmentRequestMessage**

| No  | SDD-ID      | Length | Occurrence | Element   | Length   | Occurrence | Element   |
|-----|-------------|--------|------------|---|----------|------------|---|
| 001 | BDT00000960 | .. 80  | 1 .. 1     | <b>Clinical trial protocol identification</b><br><i>Path:</i> Shipment request/Clinical trial protocol identification | 1 .. 20  | 1 .. 1     | <b>protocolIdentification</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/protocolIdentification   |
| 002 | BDT00000971 |        | 0 .. 1     | <b>Shipment request date</b><br><i>Path:</i> Shipment request/Shipment request date                                   |          | 0 .. 1     | <b>requestDateTime</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/requestDateTime                 |
| 003 | BDT00000972 | .. 100 | 0 .. 1     | <b>Shipment request comments</b><br><i>Path:</i> Shipment request/Shipment request comments                           | 1 .. 500 | 0 .. 1     | <b>shipmentRequestComments</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/shipmentRequestComments |
| 004 | BDT00000040 |        | 0 .. 1     | <b>Date</b><br><i>Path:</i> Shipment request/Business document effective date time/Date                               |          | 1 .. 1     | <b>date</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/documentEffectiveDate/date                 |
| 005 | BDT00000133 |        | 0 .. 1     | <b>Time</b><br><i>Path:</i> Shipment request/Business document effective date time/Time                               |          | 0 .. 1     | <b>time</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/documentEffectiveDate/time                 |
| 006 | BDT00000119 |        | 0 .. 1     | <b>Revision number</b><br><i>Path:</i> Shipment request/Revision number   |          | 0 .. 1     | <b>revisionNumber</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/revisionNumber                   |
| 007 | BDT00000047 |        | 1 .. 1     | <b>Business document creation date time</b><br><i>Path:</i> Shipment request/Business document creation date time     |          | 1 .. 1     | <b>creationDateTime</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/creationDateTime               |
| 008 | BDT00000050 |        | 1 .. 1     | <b>Business document status code</b><br><i>Path:</i> Shipment request/Business document status code                   |          | 1 .. 1     | <b>documentStatusCode</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/documentStatusCode           |
| 009 | BDT00000045 |        | 0 .. 1     | <b>Business document action code</b><br><i>Path:</i> Shipment request/Business document action code                   |          | 0 .. 1     | <b>documentActionCode</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/documentActionCode           |
| 010 | BDT00000046 |        | 0 .. 1     | <b>Business document standard version</b>   | 1 .. 80  | 0 .. 1     | <b>documentStructureVersion</b>   |

Legend: No = Consecutive Number



## Mapping

Model: Shipment request; 1.0; Mapping  
Root Element: **Shipment request; 1.0; Mapping**

Schema: ShipmentRequest; 3.5.1 Guide; Mapping  
Root Element: **shipmentRequestMessage**

| No  | SDD-ID       | Length   | Occurrence | Element   | Length  | Occurrence     | Element   |
|-----|--------------|----------|------------|---|---------|----------------|---|
|     |              |          |            | <i>Path:</i> Shipment request/Business document standard version  |         |                | <i>Path:</i> shipmentRequestMessage/shipmentRequest/documentStructureVersion  |
| 011 | BDT00000048  |          | 0 .. 1     | <b>Business document last update date time</b><br><i>Path:</i> Shipment request/Business document last update date time   |         | 0 .. 1         | <b>lastUpdateDateTime</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/lastUpdateDateTime   |
| 012 | BDT00000063  | 13 .. 13 | 0 .. 1     | <b>Global location number, GLN</b><br><i>Path:</i> Shipment request/Clinical trial protocol owner party information/Global location number, GLN   |         | 1 .. 1         | <b>protocolOwner</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/protocolOwner   |
| 013 | BDT00000056  | .. 80    | 1 .. 1     | <b>Entity identification</b><br><i>Path:</i> Shipment request/Business document identification information/Entity identification  | 1 .. 80 | 1 .. 1         | <b>entityIdentification</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/shipmentRequestIdentification/entityIdentification   |
| 014 | BDT00000063  | 13 .. 13 | 0 .. 1     | <b>Global location number GLN</b><br><i>Path:</i> Shipment request/Business document identification information/Document content owner/Global location number GLN   |         | 0 .. 1         | <b>gln</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/shipmentRequestIdentification/contentOwner/gln  |
| 015 | BDT000000578 | .. 80    | 1 .. 1     | <b>Additional party identification content</b><br><i>Path:</i> Shipment request/Business document identification information/Document content owner/Additional party identification information/Additional party identification content | 1 .. 80 | 0 .. unbounded | <b>additionalPartyIdentification</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/shipmentRequestIdentification/contentOwner/additionalPartyIdentification  |
| 016 | BDT000000570 | .. 80    | 1 .. 1     | <b>Additional party identification type code content</b><br><i>Path:</i> Shipment request/Business document identification information/Document content owner/Additional party identification information/Additional                    | 1 .. 80 |                | <b>additionalPartyIdentificationTypeCode</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/shipmentRequestIdentification/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode |

Legend: No = Consecutive Number



## Mapping

Model: Shipment request; 1.0; Mapping  
Root Element: **Shipment request; 1.0; Mapping**

Schema: ShipmentRequest; 3.5.1 Guide; Mapping  
Root Element: **shipmentRequestMessage**

| No  | SDD-ID      | Length   | Occurrence | Element   | Length  | Occurrence     | Element   |
|-----|-------------|----------|------------|---|---------|----------------|---|
| 017 | BDT00000028 | .. 35    | 0 .. 1     | party identification type code/Additional party identification type code content<br><br><b>Code list version</b><br><i>Path:</i> Shipment request/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version | 1 .. 35 |                | <b>codeListVersion</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/shipmentRequestIdentification/contentOwner/additionalPartyIdentification/@codeListVersion         |
| 018 | BDT00000063 | 13 .. 13 | 0 .. 1     | <b>Global location number, GLN</b><br><i>Path:</i> Shipment request/Business document sender party information/Global location number, GLN  |         | 0 .. 1         | <b>gln</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/sender/gln  |
| 019 | BDT00000578 | .. 80    | 1 .. 1     | <b>Additional party identification content</b><br><i>Path:</i> Shipment request/Business document sender party information/Additional party identification information/Additional party identification content  | 1 .. 80 | 0 .. unbounded | <b>additionalPartyIdentification</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/sender/additionalPartyIdentification  |
| 020 | BDT00000570 | .. 80    | 1 .. 1     | <b>Additional party identification type code content</b><br><i>Path:</i> Shipment request/Business document sender party information/Additional party identification information/Additional party identification type code/Additional party identification type code content  | 1 .. 80 |                | <b>additionalPartyIdentificationTypeCode</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/sender/additionalPartyIdentification/@additionalPartyIdentificationTypeCode |
| 021 | BDT00000028 | .. 35    | 0 .. 1     | <b>Code list version</b><br><i>Path:</i> Shipment request/Business document sender party information/Additional party identification information/   | 1 .. 35 |                | <b>codeListVersion</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/sender/additionalPartyIdentification/@codeListVersion   |

Legend: No = Consecutive Number



## Mapping

Model: Shipment request; 1.0; Mapping  
Root Element: **Shipment request; 1.0; Mapping**

Schema: ShipmentRequest; 3.5.1 Guide; Mapping  
Root Element: **shipmentRequestMessage**

| No  | SDD-ID      | Length   | Occurrence | Element  | Length   | Occurrence     | Element   |
|-----|-------------|----------|------------|--|----------|----------------|---|
| 022 | BDT00000063 | 13 .. 13 | 0 .. 1     | Additional party identification type code/Code list version<br><b>Global location number, GLN</b><br><i>Path:</i> Shipment request/Business document receiver party information/Global location number, GLN  | 0 .. 1   |                | <b>gln</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/receiver/gln  |
| 023 | BDT00000578 | .. 80    | 1 .. 1     | <b>Additional party identification content</b><br><i>Path:</i> Shipment request/Business document receiver party information/Additional party identification information/Additional party identification content   | 1 .. 80  | 0 .. unbounded | <b>additionalPartyIdentification</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/receiver/additionalPartyIdentification  |
| 024 | BDT00000570 | .. 80    | 1 .. 1     | <b>Additional party identification type code content</b><br><i>Path:</i> Shipment request/Business document receiver party information/Additional party identification information/Additional party identification type code/Additional party identification type code content | 1 .. 80  |                | <b>additionalPartyIdentificationTypeCode</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/receiver/additionalPartyIdentification/@additionalPartyIdentificationTypeCode |
| 025 | BDT00000028 | .. 35    | 0 .. 1     | <b>Code list version</b><br><i>Path:</i> Shipment request/Business document receiver party information/Additional party identification information/Additional party identification type code/Code list version   | 1 .. 35  |                | <b>codeListVersion</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/receiver/additionalPartyIdentification/@codeListVersion   |
| 026 | BDT00000056 | .. 80    | 1 .. 1     | <b>Entity identification</b><br><i>Path:</i> Shipment request/Referenced distribution management entity shipping order information/Entity identification   | 1 .. 200 | 0 .. 1         | <b>dMESHipmentOrderReference</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/dMESHipmentOrderReference   |
| 027 | BDT00000969 | .. 80    | 1 .. 1     | <b>Distribution management entity order</b>  | 1 .. 80  | 1 .. 1         | <b>dMEOrderPriorityCode</b>   |

Legend: No = Consecutive Number



## Mapping

Model: Shipment request; 1.0; Mapping  
 Root Element: **Shipment request; 1.0; Mapping**

Schema: ShipmentRequest; 3.5.1 Guide; Mapping  
 Root Element: **shipmentRequestMessage**

| No  | SDD-ID      | Length   | Occurrence | Element   | Length  | Occurrence     | Element   |
|-----|-------------|----------|------------|---|---------|----------------|---|
|     |             |          |            | <b>priority code</b><br><i>Path:</i> Shipment request/Distribution management entity order priority code/Distribution management entity order priority code   |         |                | <i>Path:</i> shipmentRequestMessage/shipmentRequest/dMEOrderPriorityCode  |
| 028 | BDT00000028 | .. 35    | 0 .. 1     | <b>Code list version</b><br><i>Path:</i> Shipment request/Distribution management entity order priority code/Code list version  | 1 .. 35 |                | <b>codeListVersion</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/dMEOrderPriorityCode/@codeListVersion   |
| 029 | BDT00000063 | 13 .. 13 | 0 .. 1     | <b>Global location number GLN</b><br><i>Path:</i> Shipment request/Ship from party information/Global location number GLN   |         | 0 .. 1         | <b>gln</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/shipFrom/gln  |
| 030 | BDT00000578 | .. 80    | 1 .. 1     | <b>Additional party identification content</b><br><i>Path:</i> Shipment request/Ship from party information/Additional party identification information/Additional party identification content   | 1 .. 80 | 0 .. unbounded | <b>additionalPartyIdentification</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/shipFrom/additionalPartyIdentification  |
| 031 | BDT00000570 | .. 80    | 1 .. 1     | <b>Additional party identification type code content</b><br><i>Path:</i> Shipment request/Ship from party information/Additional party identification information/Additional party identification type code/Additional party identification type code content | 1 .. 80 |                | <b>additionalPartyIdentificationTypeCode</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/shipFrom/additionalPartyIdentification/@additionalPartyIdentificationTypeCode |
| 032 | BDT00000028 | .. 35    | 0 .. 1     | <b>Code list version</b><br><i>Path:</i> Shipment request/Ship from party information/Additional party identification information/Additional party identification type code/Code list   | 1 .. 35 |                | <b>codeListVersion</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/shipFrom/additionalPartyIdentification/@codeListVersion   |

Legend: No = Consecutive Number



## Mapping

Model: Shipment request; 1.0; Mapping  
Root Element: **Shipment request; 1.0; Mapping**

Schema: ShipmentRequest; 3.5.1 Guide; Mapping  
Root Element: **shipmentRequestMessage**

| No  | SDD-ID       | Length   | Occurrence | Element   | Length  | Occurrence     | Element   |
|-----|--------------|----------|------------|---|---------|----------------|---|
|     |              |          |            | version   |         |                |   |
| 033 | BDT00000063  | 13 .. 13 | 0 .. 1     | <b>Global location number GLN</b><br><i>Path:</i> Shipment request/Ship to party information/Global location number GLN   | 0 .. 1  |                | <b>gln</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/shipTo/gln  |
| 034 | BDT000000578 | .. 80    | 1 .. 1     | <b>Additional party identification content</b><br><i>Path:</i> Shipment request/Ship to party information/Additional party identification information/Additional party identification content   | 1 .. 80 | 0 .. unbounded | <b>additionalPartyIdentification</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/shipTo/additionalPartyIdentification  |
| 035 | BDT000000570 | .. 80    | 1 .. 1     | <b>Additional party identification type code content</b><br><i>Path:</i> Shipment request/Ship to party information/Additional party identification information/Additional party identification type code/Additional party identification type code content | 1 .. 80 |                | <b>additionalPartyIdentificationTypeCode</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/shipTo/additionalPartyIdentification/@additionalPartyIdentificationTypeCode |
| 036 | BDT000000028 | .. 35    | 0 .. 1     | <b>Code list version</b><br><i>Path:</i> Shipment request/Ship to party information/Additional party identification information/Additional party identification type code/Code list version   | 1 .. 35 |                | <b>codeListVersion</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/shipTo/additionalPartyIdentification/@codeListVersion   |
| 037 | BDT000000040 |          | 0 .. 1     | <b>Date</b><br><i>Path:</i> Shipment request/Requested delivery date time/Date  | 1 .. 1  |                | <b>requestedDeliveryDateTime</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/requestedDeliveryDateTime   |
| 038 | BDT000000133 |          | 0 .. 1     | <b>Time</b><br><i>Path:</i> Shipment request/Requested delivery date time/Time  | 1 .. 1  |                | <b>requestedDeliveryDateTime</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/requestedDeliveryDateTime   |
|     | BDT000000973 |          |            |   |         |                |   |

Legend: No = Consecutive Number



## Mapping

Model: Shipment request; 1.0; Mapping  
Root Element: **Shipment request; 1.0; Mapping**

Schema: ShipmentRequest; 3.5.1 Guide; Mapping  
Root Element: **shipmentRequestMessage**

| No  | SDD-ID      | Length | Occurrence | Element  | Length  | Occurrence | Element  |
|-----|-------------|--------|------------|--|---------|------------|--|
| 039 |             | .. 80  | 1 .. 1     | <b>Shipment request type code content</b><br><i>Path:</i> Shipment request/Shipment request type code/Shipment request type code content   | 1 .. 80 | 1 .. 1     | <b>shipmentRequestTypeCode</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/shipmentRequestTypeCode  |
| 040 | BDT00000028 | .. 35  | 0 .. 1     | <b>Code list version</b><br><i>Path:</i> Shipment request/Shipment request type code/Code list version   | 1 .. 35 |            | <b>codeListVersion</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/shipmentRequestTypeCode/@codeListVersion   |
| 041 | BDT00000975 | .. 200 | 1 .. 1     | <b>Temperature qualifier code content</b><br><i>Path:</i> Shipment request/Temperature requirements information/Temperature qualifier code/Temperature qualifier code content  |         | 1 .. 1     | <b>temperatureQualifierCode</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/temperatureInformation/temperatureQualifierCode                                 |
| 042 | BDT00000951 |        | 1 .. 1     | <b>Temperature measurement</b><br><i>Path:</i> Shipment request/Temperature requirements information/Kit minimum temperature information/Temperature measurement   |         | 1 .. 1     | <b>temperatureMinimum</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/temperatureInformation/temperatureMinimum   |
| 043 | BDT00000948 | .. 80  | 1 .. 1     | <b>Temperature measurement unit code content</b><br><i>Path:</i> Shipment request/Temperature requirements information/Kit minimum temperature information/Temperature measurement unit code/Temperature measurement unit code content | 1 .. 80 |            | <b>temperatureMeasurementUnitCode</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/temperatureInformation/temperatureMinimum/@temperatureMeasurementUnitCode |
| 044 | BDT00000028 | .. 35  | 0 .. 1     | <b>Code list version</b><br><i>Path:</i> Shipment request/Temperature requirements information/Kit minimum temperature information/Temperature measurement unit code/Code list version   | 1 .. 35 |            | <b>codeListVersion</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/temperatureInformation/temperatureMinimum/@codeListVersion                               |

Legend: No = Consecutive Number



## Mapping

Model: Shipment request; 1.0; Mapping  
Root Element: **Shipment request; 1.0; Mapping**

Schema: ShipmentRequest; 3.5.1 Guide; Mapping  
Root Element: **shipmentRequestMessage**

| No  | SDD-ID      | Length | Occurrence | Element  | Length   | Occurrence | Element  |
|-----|-------------|--------|------------|--|----------|------------|--|
| 045 | BDT00000951 |        | 1 .. 1     | <b>Temperature measurement</b><br><i>Path:</i> Shipment request/Temperature requirements information/Kit maximum temperature information/Temperature measurement   |          | 1 .. 1     | <b>temperatureMaximum</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/temperatureInformation/temperatureMaximum   |
| 046 | BDT00000948 | .. 80  | 1 .. 1     | <b>Temperature measurement unit code content</b><br><i>Path:</i> Shipment request/Temperature requirements information/Kit maximum temperature information/Temperature measurement unit code/Temperature measurement unit code content | 1 .. 80  |            | <b>temperatureMeasurementUnitCode</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/temperatureInformation/temperatureMaximum/@temperatureMeasurementUnitCode |
| 047 | BDT00000028 | .. 35  | 0 .. 1     | <b>Code list version</b><br><i>Path:</i> Shipment request/Temperature requirements information/Kit maximum temperature information/Temperature measurement unit code/Code list version   | 1 .. 35  |            | <b>codeListVersion</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/temperatureInformation/temperatureMaximum/@codeListVersion                               |
| 048 | BDT00000979 | .. 100 | 1 .. 1     | <b>Precaution description</b><br><i>Path:</i> Shipment request/Precaution requirements information/Precaution description  | 1 .. 500 | 1 .. 1     | <b>precaution</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/precautionInformation/precaution  |
| 049 | BDT00000977 | .. 80  | 1 .. 1     | <b>Precaution qualifier code content</b><br><i>Path:</i> Shipment request/Precaution requirements information/Precaution qualifier code/Precaution qualifier code content  | 1 .. 80  | 1 .. 1     | <b>precautionQualifierCode</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/precautionInformation/precautionQualifierCode                                    |
| 050 | BDT00000028 | .. 35  | 0 .. 1     | <b>Code list version</b><br><i>Path:</i> Shipment request/Precaution requirements information/Precaution   | 1 .. 35  |            | <b>codeListVersion</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/precautionInformation/precautionQualifierCode/   |

Legend: No = Consecutive Number





## Mapping

Model: Shipment request; 1.0; Mapping  
Root Element: **Shipment request; 1.0; Mapping**

Schema: ShipmentRequest; 3.5.1 Guide; Mapping  
Root Element: **shipmentRequestMessage**

| No  | SDD-ID      | Length | Occurrence | Element  | Length  | Occurrence | Element  |
|-----|-------------|--------|------------|--|---------|------------|--|
|     |             |        |            | qualifier code/Code list version   |         |            | @codeListVersion   |
| 051 | BDT00000090 | .. 80  | 1 .. 1     | <b>Lot number</b><br><i>Path:</i> Shipment request/Free picking from prelabelled stock kit information/Lot number  | 1 .. 20 | 1 .. 1     | <b>kitLotNumber</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/freePickingFromPrelabelledStockKitInformation/kitLotNumber  |
| 052 | BDT00000967 |        | 1 .. 1     | <b>Medication kit quantity content</b><br><i>Path:</i> Shipment request/Free picking from prelabelled stock kit information/Kit information/Medication kit quantity/Medication kit quantity content                      |         | 1 .. 1     | <b>quantity</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/freePickingFromPrelabelledStockKitInformation/kitInformation/quantity   |
| 053 | BDT00000607 | .. 80  | 1 .. 1     | <b>Measurement unit code content</b><br><i>Path:</i> Shipment request/Free picking from prelabelled stock kit information/Kit information/Medication kit quantity/Measurement unit code/Measurement unit code content    | 1 .. 80 |            | <b>measurementUnitCode</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/freePickingFromPrelabelledStockKitInformation/kitInformation/quantity/@measurementUnitCode                   |
| 054 | BDT00000028 | .. 35  | 0 .. 1     | <b>Code list version</b><br><i>Path:</i> Shipment request/Free picking from prelabelled stock kit information/Kit information/Medication kit quantity/Measurement unit code/Code list version                            | 1 .. 35 |            | <b>codeListVersion</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/freePickingFromPrelabelledStockKitInformation/kitInformation/quantity/@codeListVersion                           |
| 055 | BDT00000980 |        | 1 .. 1     | <b>Minimum lifespan from shipment content</b><br><i>Path:</i> Shipment request/Free picking from prelabelled stock kit information/Kit information/Minimum lifespan from shipment/Minimum lifespan from shipment content |         | 0 .. 1     | <b>minimumLifespanFromTimeOfShipment</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/freePickingFromPrelabelledStockKitInformation/kitInformation/minimumLifespanFromTimeOfShipment |
| 056 | BDT00000134 |        | 0 .. 1     | <b>Time period measurement unit code content</b>   | 1 .. 80 |            | <b>timeMeasurementUnitCode</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/   |

Legend: No = Consecutive Number



## Mapping

Model: Shipment request; 1.0; Mapping  
Root Element: **Shipment request; 1.0; Mapping**

Schema: ShipmentRequest; 3.5.1 Guide; Mapping  
Root Element: **shipmentRequestMessage**

| No  | SDD-ID      | Length   | Occurrence | Element  | Length  | Occurrence | Element   |
|-----|-------------|----------|------------|--|---------|------------|---|
|     |             |          |            | <i>Path:</i> Shipment request/Free picking from prelabelled stock kit information/Kit information/Minimum lifespan from shipment/Time period measurement unit code/Time period measurement unit code content     |         |            | freePickingFromPrelabelledStockKitInformation/kitInformation/minimumLifespanFromTimeOfShipment/@timeMeasurementUnitCode   |
| 057 | BDT00000028 | .. 35    | 0 .. 1     | <b>Code list version</b><br><i>Path:</i> Shipment request/Free picking from prelabelled stock kit information/Kit information/Minimum lifespan from shipment/Time period measurement unit code/Code list version | 1 .. 35 |            | <b>codeListVersion</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/freePickingFromPrelabelledStockKitInformation/kitInformation/minimumLifespanFromTimeOfShipment/@codeListVersion |
| 058 | BDT00000066 | 14 .. 14 | 1 .. 1     | <b>Global trade item number, GTIN</b><br><i>Path:</i> Shipment request/Free picking from prelabelled stock kit information/Clinical trial product identification information/Global trade item number, GTIN      |         | 1 .. 1     | <b>investigationalProductIdentification</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/freePickingFromPrelabelledStockKitInformation/investigationalProductIdentification         |
| 059 | BDT00000090 | .. 80    | 1 .. 1     | <b>Lot number</b><br><i>Path:</i> Shipment request/Picking from existing labelled stock kit information/Lot number   | 1 .. 20 | 1 .. 1     | <b>kitLotNumber</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/pickingFromExistingLabelledStockKitInformation/kitLotNumber  |
| 060 | BDT00000121 | .. 20    | 0 .. 1     | <b>Serial number</b><br><i>Path:</i> Shipment request/Picking from existing labelled stock kit information/Serial number   | 1 .. 20 | 0 .. 1     | <b>kitSerialNumber</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/pickingFromExistingLabelledStockKitInformation/kitSerialNumber  |
| 061 | BDT00000967 |          | 1 .. 1     | <b>Medication kit quantity content</b><br><i>Path:</i> Shipment request/Picking from existing labelled stock kit information/Kit information/Medication kit quantity/Medication kit quantity content             |         | 1 .. 1     | <b>quantity</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/pickingFromExistingLabelledStockKitInformation/kitInformation/quantity   |

Legend: No = Consecutive Number



## Mapping

Model: Shipment request; 1.0; Mapping  
 Root Element: **Shipment request; 1.0; Mapping**

Schema: ShipmentRequest; 3.5.1 Guide; Mapping  
 Root Element: **shipmentRequestMessage**

| No  | SDD-ID      | Length | Occurrence | Element   | Length  | Occurrence | Element  |
|-----|-------------|--------|------------|---|---------|------------|--|
| 062 | BDT00000607 | .. 80  | 1 .. 1     | <b>Measurement unit code content</b><br><i>Path:</i> Shipment request/Picking from existing labelled stock kit information/Kit information/Medication kit quantity/Measurement unit code/Measurement unit code content  | 1 .. 80 |            | <b>measurementUnitCode</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/pickingFromExistingLabelledStockKitInformation/kitInformation/quantity/@measurementUnitCode                                  |
| 063 | BDT00000028 | .. 35  | 0 .. 1     | <b>Code list version</b><br><i>Path:</i> Shipment request/Picking from existing labelled stock kit information/Kit information/Medication kit quantity/Measurement unit code/Code list version  | 1 .. 35 |            | <b>codeListVersion</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/pickingFromExistingLabelledStockKitInformation/kitInformation/quantity/@codeListVersion  |
| 064 | BDT00000980 |        | 1 .. 1     | <b>Minimum lifespan from shipment content</b><br><i>Path:</i> Shipment request/Picking from existing labelled stock kit information/Kit information/Minimum lifespan from shipment/Minimum lifespan from shipment content   |         | 0 .. 1     | <b>minimumLifespanFromTimeOfShipment</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/pickingFromExistingLabelledStockKitInformation/kitInformation/minimumLifespanFromTimeOfShipment                |
| 065 | BDT00000134 |        | 0 .. 1     | <b>Time period measurement unit code content</b><br><i>Path:</i> Shipment request/Picking from existing labelled stock kit information/Kit information/Minimum lifespan from shipment/Time period measurement unit code/Time period measurement unit code content | 1 .. 80 |            | <b>timeMeasurementUnitCode</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/pickingFromExistingLabelledStockKitInformation/kitInformation/minimumLifespanFromTimeOfShipment/@timeMeasurementUnitCode |
| 066 | BDT00000028 | .. 35  | 0 .. 1     | <b>Code list version</b><br><i>Path:</i> Shipment request/Picking from existing labelled stock kit information/Kit information/Minimum lifespan from  | 1 .. 35 |            | <b>codeListVersion</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/pickingFromExistingLabelledStockKitInformation/kitInformation/minimumLifespanFromTimeOfShipment/                                 |

Legend: No = Consecutive Number



## Mapping

Model: Shipment request; 1.0; Mapping  
Root Element: **Shipment request; 1.0; Mapping**

Schema: ShipmentRequest; 3.5.1 Guide; Mapping  
Root Element: **shipmentRequestMessage**

| No  | SDD-ID      | Length   | Occurrence | Element  | Length  | Occurrence | Element  |
|-----|-------------|----------|------------|--|---------|------------|--|
|     |             |          |            | shipment/Time period measurement unit code/Code list version   |         |            | @codeListVersion   |
| 067 | BDT00000066 | 14 .. 14 | 1 .. 1     | <b>Global trade item number, GTIN</b><br><i>Path:</i> Shipment request/Picking from existing labelled stock kit information/Clinical trial product identification information/Global trade item number, GTIN |         | 1 .. 1     | <b>investigationalProductIdentification</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/pickingFromExistingLabelledStockKitInformation/investigationalProductIdentification |
| 068 | BDT00000892 | .. 80    | 0 .. 1     | <b>Kit component original lot number</b><br><i>Path:</i> Shipment request/Labelling just in time kit information/Kit component original lot number   | 1 .. 20 | 0 .. 1     | <b>inGoingLotNumber</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/labellingJustInTimeKitInformation/inGoingLotNumber  |
| 069 | BDT00000967 |          | 1 .. 1     | <b>Medication kit quantity content</b><br><i>Path:</i> Shipment request/Labelling just in time kit information/Kit information/Medication kit quantity/Medication kit quantity content                       |         | 1 .. 1     | <b>quantity</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/labellingJustInTimeKitInformation/kitInformation/quantity   |
| 070 | BDT00000607 | .. 80    | 1 .. 1     | <b>Measurement unit code content</b><br><i>Path:</i> Shipment request/Labelling just in time kit information/Kit information/Medication kit quantity/Measurement unit code/Measurement unit code content     | 1 .. 80 |            | <b>measurementUnitCode</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/labellingJustInTimeKitInformation/kitInformation/quantity/@measurementUnitCode                       |
| 071 | BDT00000028 | .. 35    | 0 .. 1     | <b>Code list version</b><br><i>Path:</i> Shipment request/Labelling just in time kit information/Kit information/Medication kit quantity/Measurement unit code/Code list version                             | 1 .. 35 |            | <b>codeListVersion</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/labellingJustInTimeKitInformation/kitInformation/quantity/@codeListVersion                               |
| 072 | BDT00000980 |          | 1 .. 1     | <b>Minimum lifespan from shipment content</b><br><i>Path:</i> Shipment request/Labelling just in time kit information/Kit information/Minimum  |         | 0 .. 1     | <b>minimumLifespanFromTimeOfShipment</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/labellingJustInTimeKitInformation/kitInformation/                                      |

Legend: No = Consecutive Number



## Mapping

Model: Shipment request; 1.0; Mapping  
 Root Element: **Shipment request; 1.0; Mapping**

Schema: ShipmentRequest; 3.5.1 Guide; Mapping  
 Root Element: **shipmentRequestMessage**

| No  | SDD-ID      | Length   | Occurrence | Element   | Length  | Occurrence | Element   |
|-----|-------------|----------|------------|---|---------|------------|---|
|     |             |          |            | lifespan from shipment/Minimum<br>lifespan from shipment content  |         |            | minimumLifespanFromTimeOfShipment   |
| 073 | BDT00000134 |          | 0 .. 1     | <b>Time period measurement unit code content</b><br><i>Path:</i> Shipment request/Labelling just in time<br>kit information/Kit information/Minimum<br>lifespan from shipment/Time period<br>measurement unit code/Time period<br>measurement unit code content | 1 .. 80 |            | <b>timeMeasurementUnitCode</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/<br>labellingJustInTimeKitInformation/kitInformation/<br>minimumLifespanFromTimeOfShipment/<br>@timeMeasurementUnitCode |
| 074 | BDT00000028 | .. 35    | 0 .. 1     | <b>Code list version</b><br><i>Path:</i> Shipment request/Labelling just in time<br>kit information/Kit information/Minimum<br>lifespan from shipment/Time period<br>measurement unit code/Code list<br>version   | 1 .. 35 |            | <b>codeListVersion</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/<br>labellingJustInTimeKitInformation/kitInformation/<br>minimumLifespanFromTimeOfShipment/<br>@codeListVersion                 |
| 075 | BDT00000066 | 14 .. 14 | 1 .. 1     | <b>Global trade item number, GTIN</b><br><i>Path:</i> Shipment request/Labelling just in time<br>kit information/Clinical trial product<br>identification information/Global trade<br>item number, GTIN   |         | 1 .. 1     | <b>investigationalProductIdentification</b><br><i>Path:</i> shipmentRequestMessage/shipmentRequest/<br>labellingJustInTimeKitInformation/<br>investigationalProductIdentification                             |

Legend: No = Consecutive Number