



Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
Inventory report file		Context:	The inventory report is used to communicate current levels of inventory for the requested items within a given location
Referenced request for inventory report information	0..1	SDD-ID:	BDTG00000992
		Definition:	The information specifying the details of the request generating the inventory report
Entity identification	1..1	SDD-ID:	BDT00000056
		Definition:	The identity of an entity such as a document or an object.
Business document creation date time	0..1	SDD-ID:	BDT00000047
		Definition:	The date and optional time when the business document was issued.
Revision number	0..1	SDD-ID:	BDT00000119
		Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.
Referenced document external location	0..1	SDD-ID:	BDT00000118
		Definition:	The external location of the referenced document expressed as an uniform resource locator.
		Usage:	The external location can be an internet address to a document stored in a server on the internet.
Document line number	0..1	SDD-ID:	BDT00000049
		Definition:	The sequence number of a line within the business document.
Document content owner	0..1	SDD-ID:	BDTG00000196
		Definition:	The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	BDT00000578
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	BDT00000570
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Inventory report grouping information	0..1		



Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
Inventory reporting date time	0..1	SDD-ID:	BDT00000991
		Definition:	The date and optional time of the requested inventory / of the inventory request.
Logistic unit identification information	0..1	SDD-ID:	BDTG00000859
		Definition:	The information specifying the identification details of a logistic unit.
Serial shipping container code, SSCC	0..1	SDD-ID:	BDT00000854
		Definition:	The identity according to the GS1 identification system for unique identification of logistic units.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify logistic units. The key comprises an Extension digit, GS1 Company Prefix, Serial Reference, and Check Digit.
		Example:	950110102081858960
Additional logistic unit identification information	0..unbounded	SDD-ID:	BDTG00000858
		Definition:	The information specifying the additional identification details of a logistic unit.
Additional logistic unit identification content	1..1	SDD-ID:	BDT00000855
		Definition:	The additional identity of a logistic unit
		Example:	ABD3571/98-7
Additional logistic unit identification type code	0..1	SDD-ID:	BDTG00000857
		Definition:	The code specifying the type of provided additional logistic unit identification.
Additional logistic unit identification type code content	1..1	SDD-ID:	BDT00000856
		Definition:	The code of the additional logistic unit identification type.
		Example:	SHIPPER_ASSIGNED
		Used code list:	AdditionalLogisticUnitIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalLogisticUnitIdentificationTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Inventory reporting party information	0..1	SDD-ID:	BDTG00000986
		Definition:	The information specifying the details of the party reporting the inventory
		Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
Global location number, GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..1	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	BDT00000578



Clinical Trials Inventory report

Business data terms and groups		Usage	Business data terms and groups description	
	Additional party identification type code	1..1	Definition:	The additional identity of a party.
			SDD-ID:	BDTG00000579
	Additional party identification type code content	1..1	Definition:	The code specifying the additional identification type of the party.
			SDD-ID:	BDT00000570
			Definition:	The code specifying the additional identification type of the party.
			Used code list:	AdditionalPartyIdentificationTypeCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	BDTG00000144
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	BDT00000020
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	BDT00000019
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	BDT00000034
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	BDT00000035
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	BDT00000106
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	BDT00000113
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	BDT00000114
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	BDT00000117
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	BDT00000127
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	BDT00000128
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	BDT00000130
			Definition:	The second street address line of a structured address.



Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
Street address three	0..1	Example:	Blue Tower
		SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
Country code	0..1	Example:	Floor 4
		SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business contact information	0..1	SDD-ID:	BDTG00000158
		Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID:	BDT00000112
		Definition:	The name of an individual person expressed as text.
Department name	0..1	SDD-ID:	BDT00000044
		Definition:	The name of the department.
Job title	0..1	SDD-ID:	BDT00000083
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	BDTG00000178
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
Contact type code content	1..1	SDD-ID:	BDT00000571
		Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID:	BDTG00000159
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	BDT00000580
		Definition:	The description of the responsibility of a business contact such as a person or a



Clinical Trials Inventory report

Business data terms and groups		Usage	Business data terms and groups description	
				department expressed as text.
	Language code	0..1	SDD-ID: Definition:	BDTG00000523 The code specifying the language.
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDTG00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID: Definition:	BDTG00000028 The version number of the code list.
	Communication information	0..unbounded	SDD-ID: Definition:	BDTG00000176 The information specifying details of a contact person's communication channel.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	BDTG00000175 The code specifying the channel for communication. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDTG00000525 The code specifying the channel for communication. TELEPHONE CommunicationChannelCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
	Code list version	0..1	SDD-ID: Definition:	BDTG00000028 The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	BDTG00000032 The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	BDTG00000033 The name of a communication channel expressed as text.
	After hours communication information	0..unbounded	SDD-ID: Definition:	BDTG00000145 The information specifying details of communication channels to use after regular business hours.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	BDTG00000175 The code specifying the channel for communication. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDTG00000525 The code specifying the channel for communication. TELEPHONE CommunicationChannelCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
	Code list version	0..1	SDD-ID:	BDTG00000028

Clinical Trials Inventory report

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The version number of the code list.
	Communication channel identification	1..1	SDD-ID:	BDT00000032
			Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID:	BDT00000033
			Definition:	The name of a communication channel expressed as text.
	Tax registration information	0..1	SDD-ID:	BDTG00000326
			Definition:	The information specifying details of a party registered for tax.
	Tax authority name	0..1	SDD-ID:	BDT00000369
			Definition:	The name of the authority administering the collection of taxes expressed as text.
	Tax registration identification information	1..1	SDD-ID:	BDTG00000585
			Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
	Tax registration identification content	1..1	SDD-ID:	BDT00000584
			Definition:	The identity assigned to a party registered for tax according to a national tax register.
	Identification scheme information	0..1	SDD-ID:	BDTG00000587
			Definition:	The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID:	BDT00000074
			Definition:	The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID:	BDT00000073
			Definition:	The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
			Definition:	The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID:	BDT00000583
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Tax type code	0..1	SDD-ID:	BDTG00000328
			Definition:	The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID:	BDT00000576
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Tax description	0..1	SDD-ID:	BDTG00000322
			Definition:	The description of the tax expressed as text.
	Tax description content	1..1	SDD-ID:	BDT00000754
			Definition:	The description of the tax expressed as text.



Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax registration type code	0..1	SDD-ID:	BDTG00000327
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
Tax registration type code content	1..1	SDD-ID:	BDT00000588
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty registration information	0..1	SDD-ID:	BDTG00000375
		Definition:	The information specifying details of a party registered for customs duty.
Customs authority name	0..1	SDD-ID:	BDT00000370
		Definition:	The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
Customs registration identification information	1..1	SDD-ID:	BDTG00000621
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
Customs registration identification content	1..1	SDD-ID:	BDT00000622
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
Identification scheme information	0..1	SDD-ID:	BDTG00000587
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	BDT00000074
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	BDT00000073
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	BDT00000583
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:



Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description
Code list version	0..1	SDD-ID: BDT00000028 Definition: ResponsibleAgencyCode&release=5 The version number of the code list.
Tax type code	0..1	SDD-ID: BDTG00000328 Definition: The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: BDT00000576 Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Customs duty description	0..1	SDD-ID: BDTG00000378 Definition: The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID: BDT00000563 Definition: The description of the customs duty expressed as text.
Language code	0..1	SDD-ID: BDTG00000523 Definition: The code specifying the language.
Language code content	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Customs registration type code	0..1	SDD-ID: BDTG00000623 Definition: The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID: BDT00000624 Definition: The code specifying the type of customs registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Organisation legal information	0..1	SDD-ID: BDTG00000262 Definition: The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID: BDT00000102 Definition: The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID: BDTG00000228 Definition: The code specifying the language of a party.
Language code content	1..1	SDD-ID: BDT00000524

Clinical Trials Inventory report

Business data terms and groups			Usage	Business data terms and groups description	
				Definition:	The code specifying the language.
				Example:	en
				Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
		Code list version	0..1	SDD-ID:	BDT00000028
				Definition:	The version number of the code list.
		Currency of party code	0..1	SDD-ID:	BDTG00000184
				Definition:	The code specifying the currency of a party.
				Example:	EUR
				Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Currency of party code content	1..1	SDD-ID:	BDT00000710
				Definition:	The code specifying the currency of a party.
				Example:	EUR
				Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
				Link to code list:	https://www.iso.org/iso-4217-currency-codes.html
		Code list version	0..1	SDD-ID:	BDT00000028
				Definition:	The version number of the code list.
		Official address	0..1	SDD-ID:	BDTG00000246
				Definition:	The registered legal address of the organisation.
		County code	0..1	SDD-ID:	BDT00000034
				Definition:	The code indicating a geographical region in a country.
		City name	0..1	SDD-ID:	BDT00000020
				Definition:	The name of the city, town or village.
		City code	0..1	SDD-ID:	BDT00000019
				Definition:	The code specifying a city.
		Cross street	0..1	SDD-ID:	BDT00000035
				Definition:	The street crossing another street.
		Post office box number	0..1	SDD-ID:	BDT00000113
				Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
				Synonyms:	P.O. box, postal box
		Postal code	0..1	SDD-ID:	BDT00000114
				Definition:	The code according to the relevant postal system or service to specify a geographical area.
				Example:	SE 190 90
				Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		Province identity	0..1	SDD-ID:	BDT00000117
				Definition:	The identity of a province according to national codes assigned to provinces.
		State	0..1	SDD-ID:	BDT00000127
				Definition:	The political unit that a country can be divided into.
				Example:	California
		Street address one	0..1	SDD-ID:	BDT00000128
				Definition:	The first street address line of a structured address.



Clinical Trials Inventory report

Business data terms and groups		Usage	Business data terms and groups description	
	Street address two	0..1	Example: SDD-ID: Definition: Example:	Avenue Louise 326 BDT00000130 The second street address line of a structured address. Blue Tower
	Street address three	0..1	SDD-ID: Definition: Example:	BDT00000129 The third street address line of a structured address. Floor 4
	Country code	0..1	SDD-ID: Definition:	BDTG00000179 The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	BDT00000774 The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	BDTG00000214 The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	BDT00000085 The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	Example: SDD-ID: Definition:	23°26'12.2" S BDT00000089 The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	Issued capital	0..1	Example: SDD-ID: Definition:	18°3'59.0616" BDTG00000225 The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID: Definition:	BDT00000655 The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID: Definition:	BDTG00000590 The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000589 The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org.
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Legal structure description	0..1	SDD-ID: Definition:	BDTG00000231 The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID: Definition:	BDT00000659 The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID: Definition:	BDTG00000523 The code specifying the language.
	Language code content	1..1	SDD-ID:	BDT00000524

Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	BDTG00000288
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	BDT00000087
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	BDT00000086
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	BDTG00000230
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	BDT00000658
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution and financial account information	0..1	SDD-ID:	BDTG00000209
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	BDT00000061
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	BDT00000060
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	BDTG00000207
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	BDT00000058
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	BDT00000059
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	BDTG00000208
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Financial account number type code content	1..1	SDD-ID:	BDT00000645
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode

Clinical Trials Inventory report

Business data terms and groups		Usage	Business data terms and groups description	
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID:	BDTG00000210
			Definition:	The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID:	BDT00000062
			Definition:	The routing number of a financial transaction according to the specified financial routing type.
			Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID:	BDTG00000211
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
	Financial routing number type code content	1..1	SDD-ID:	BDT00000644
			Definition:	The code specifying the type of a financial routing number.
			Used code list:	FinancialRoutingNumberTypeCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Additional financial institution description	0..1	SDD-ID:	BDTG00000522
			Definition:	The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID:	BDT00000521
			Definition:	The text value describing the additional financial institution.
	Language code	0..1	SDD-ID:	BDTG00000523
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	BDT00000524
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	BDTG00000144
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	BDT00000020
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	BDT00000019

Clinical Trials Inventory report

Business data terms and groups		Usage	Business data terms and groups description	
	County code	0..1	Definition:	The code specifying a city.
			SDD-ID:	BDT00000034
	Cross street	0..1	Definition:	The code indicating a geographical region in a country.
			SDD-ID:	BDT00000035
	Party name	0..1	Definition:	The street crossing another street.
			SDD-ID:	BDT00000106
	Post office box number	0..1	Definition:	The name of the party expressed as text.
			SDD-ID:	BDT00000113
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	BDT00000114
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	BDT00000117
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	BDT00000127
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	BDT00000128
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	BDT00000130
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	BDT00000129
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	BDTG00000179
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	BDT00000774
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	BDT00000085
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	BDT00000089



Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Inventory reporting line item	0..1		
Additional lot number	0..1	SDD-ID:	BDT00001003
		Definition:	The additional identification number for a lot consisting of products produced within different production batches.
Medication kit quantity	0..1	SDD-ID:	BDTG00000968
		Definition:	The quantity of medication kits and/or dispensable units
Medication kit quantity content	1..1	SDD-ID:	BDT00000967
		Definition:	The value of the quantity of medication kits.
Measurement unit code	0..1	SDD-ID:	BDTG00000608
		Definition:	The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID:	BDT00000607
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Individual kit information	0..1		
Medication kit status type code	0..1	SDD-ID:	BDTG00000966
		Definition:	The code specifying the status of a medication kit
Medication kit status type code content	1..1	SDD-ID:	BDT00000965
		Definition:	The code specifying the status of a medication kit
		Example:	DO_NOT_DISPENSE
		Used code list:	StatusCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:StatusCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Serial number	0..1	SDD-ID:	BDT00000121
		Definition:	The serial number assigned to an individual instance of a specific identified product or trade item to make an instance of a product or trade item unique.
		Usage:	The code need not be strictly numerical and can contain letters and other typographical symbols or may consist entirely of a character string.
Expiration date	0..1	SDD-ID:	BDT00000057
		Definition:	The date after which the product should not be used or consumed.
Medication kit status type code	0..1	SDD-ID:	BDTG00000966
		Definition:	The code specifying the status of a medication kit
Medication kit status type code content	1..1	SDD-ID:	BDT00000965
		Definition:	The code specifying the status of a medication kit
		Example:	DO_NOT_DISPENSE



Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
		Used code list:	StatusCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:StatusCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Expiration date	0..1	SDD-ID:	BDT00000057
		Definition:	The date after which the product should not be used or consumed.
Lot number	0..1	SDD-ID:	BDT00000090
		Definition:	The identification number for a lot consisting of products produced within different production batches.
Clinical trial product identification information	0..1	SDD-ID:	BDTG00000947
		Definition:	The information specifying the Global Trade Identification number, GTIN, of a clinical trial product
Global trade item number, GTIN	1..1	SDD-ID:	BDT00000066
		Definition:	The identity according to the GS1 identification system for unique identification of products and services.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify trade items. The key comprises a GS1 Company Prefix, an item reference and check digit.
		Example:	07300015200192
Clinical trial protocol identification	1..1	SDD-ID:	BDT00000960
		Definition:	The information specifying the clinical trial study protocol identification
Business document effective date time	0..1	SDD-ID:	BDTG00000197
		Definition:	The date and optional time from when the business document is valid from commercial or legal point of view.
Date	0..1	SDD-ID:	BDT00000040
		Definition:	The day of a year as a calendar date.
		Example:	2020-06-15
Time	0..1	SDD-ID:	BDT00000133
		Definition:	The indication of a point in time.
		Example:	08:01:15
Revision number	0..1	SDD-ID:	BDT00000119
		Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.
Business document creation date time	1..1	SDD-ID:	BDT00000047
		Definition:	The date and optional time when the business document was issued.
Business document status code	1..1	SDD-ID:	BDT00000050
		Definition:	The code specifying the status of a business document.
		Example:	ORIGINAL
		Used code list:	DocumentStatusEnumeration
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentStatusEnumeration
Business document action code	0..1	SDD-ID:	BDT00000045



Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code indicating the action to be taken by a process within the IT system of the recipient of the business document.
		Usage:	By the received code the IT-system can start the relevant IT process such as adding an original business document transaction when the code ADD is specified, or delete a previously received document transaction when the code DELETE is specified (a reference to the document transaction for deletion is required).
		Used code list:	DocumentActionEnumeration
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentActionEnumeration
Business document standard version	0..1	SDD-ID:	BDT00000046
		Definition:	The version number of the standard used for the business document.
Business document last update date time	0..1	SDD-ID:	BDT00000048
		Definition:	The last date and time when a business document was updated.
Clinical trial protocol owner party information	1..1	SDD-ID:	BDTG00000961
		Definition:	The information specifying details of the party sponsoring the clinical trial
Global location number, GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	BDT00000578
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	BDT00000570
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Address information	0..1	SDD-ID:	BDTG00000144
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.

Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	BDT00000106
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S

Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
Longitude	1..1	SDD-ID: Definition:	BDT00000089 The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business contact information	0..unbounded	SDD-ID: Definition:	BDTG00000158 The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID: Definition:	BDT00000112 The name of an individual person expressed as text.
Department name	0..1	SDD-ID: Definition:	BDT00000044 The name of the department.
Job title	0..1	SDD-ID: Definition:	BDT00000083 The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID: Definition: Used code list: Link to code list:	BDTG00000178 The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
Contact type code content	1..1	SDD-ID: Definition:	BDT00000571 The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID: Definition:	BDTG00000159 The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID: Definition:	BDT00000580 The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID: Definition:	BDTG00000523 The code specifying the language.
Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Communication information	0..unbounded	SDD-ID: Definition:	BDTG00000176 The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID: Definition: Link to code list:	BDTG00000175 The code specifying the channel for communication. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode

Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID:	BDTG00000145
		Definition:	The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID:	BDTG00000326
		Definition:	The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID:	BDT00000369
		Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID:	BDTG00000585
		Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID:	BDT00000584
		Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID:	BDTG00000587

Clinical Trials Inventory report

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The information specifying details of the used identification scheme.
	Identification scheme name	0..1	SDD-ID:	BDT00000074
			Definition:	The name of the identification scheme.
	Identification scheme agency name	0..1	SDD-ID:	BDT00000073
			Definition:	The name of the agency responsible for a identification scheme.
	Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
			Definition:	The code specifying the agency responsible for the identification scheme.
	Identification scheme responsible agency code content	1..1	SDD-ID:	BDT00000583
			Definition:	The code specifying the agency responsible for the identification scheme.
			Used code list:	ResponsibleAgencyCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Tax type code	0..1	SDD-ID:	BDTG00000328
			Definition:	The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID:	BDT00000576
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Tax description	0..1	SDD-ID:	BDTG00000322
			Definition:	The description of the tax expressed as text.
	Tax description content	1..1	SDD-ID:	BDT00000754
			Definition:	The description of the tax expressed as text.
	Language code	0..1	SDD-ID:	BDTG00000523
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	BDT00000524
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Tax registration type code	0..1	SDD-ID:	BDTG00000327
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
	Tax registration type code content	1..1	SDD-ID:	BDT00000588
			Definition:	The code specifying the type of tax registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode

Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Organisation legal information	0..1	SDD-ID: BDTG00000262 Definition: The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID: BDT00000102 Definition: The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID: BDTG00000228 Definition: The code specifying the language of a party.
Language code content	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Currency of party code	0..1	SDD-ID: BDTG00000184 Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID: BDT00000710 Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax. Link to code list: https://www.iso.org/iso-4217-currency-codes.html
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Official address	0..1	SDD-ID: BDTG00000246 Definition: The registered legal address of the organisation.
County code	0..1	SDD-ID: BDT00000034 Definition: The code indicating a geographical region in a country.
City name	0..1	SDD-ID: BDT00000020 Definition: The name of the city, town or village.
City code	0..1	SDD-ID: BDT00000019 Definition: The code specifying a city.
Cross street	0..1	SDD-ID: BDT00000035 Definition: The street crossing another street.
Post office box number	0..1	SDD-ID: BDT00000113 Definition: The number of a post office box located on the premises of a post office station or other postal service location. Synonyms: P.O. box, postal box
Postal code	0..1	SDD-ID: BDT00000114

Clinical Trials Inventory report

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	BDT00000117
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	BDT00000127
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	BDT00000128
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	BDT00000130
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	BDT00000129
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	BDTG00000179
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	BDT00000774
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	BDT00000085
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	BDT00000089
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Issued capital	0..1	SDD-ID:	BDTG00000225
			Definition:	The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID:	BDT00000655
			Definition:	The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID:	BDTG00000590
			Definition:	The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID:	BDT00000589
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR

Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Legal structure description	0..1	SDD-ID:	BDTG00000231
		Definition:	The description of the legal structure expressed as text.
Legal structure description content	1..1	SDD-ID:	BDT00000659
		Definition:	The description of the legal structure expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	BDTG00000288
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	BDT00000087
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	BDT00000086
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	BDTG00000230
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	BDT00000658
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	BDTG00000209
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	BDT00000061
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	BDT00000060
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	BDTG00000207
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	BDT00000058
		Definition:	The name of a financial account expressed as text.



Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
		Example:	John Doe
Financial account number	1..1	SDD-ID:	BDT00000059
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	BDTG00000208
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Financial account number type code content	1..1	SDD-ID:	BDT00000645
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution routing number information	0..1	SDD-ID:	BDTG00000210
		Definition:	The information specifying details on a routing number of a financial institution.
Financial routing number	1..1	SDD-ID:	BDT00000062
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code	1..1	SDD-ID:	BDTG00000211
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Financial routing number type code content	1..1	SDD-ID:	BDT00000644
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Additional financial institution description	0..1	SDD-ID:	BDTG00000522
		Definition:	The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID:	BDT00000521
		Definition:	The text value describing the additional financial institution.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en

Clinical Trials Inventory report

Business data terms and groups		Usage	Business data terms and groups description	
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	BDTG00000144
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	BDT00000020
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	BDT00000019
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	BDT00000034
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	BDT00000035
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	BDT00000106
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	BDT00000113
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	BDT00000114
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	BDT00000117
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	BDT00000127
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	BDT00000128
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	BDT00000130
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	BDT00000129
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	BDTG00000179
			Definition:	The code specifying a country.



Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business document identification information	1..1	SDD-ID:	BDTG00000480
		Definition:	The information specifying the identification details of the business document.
Entity identification	1..1	SDD-ID:	BDT00000056
		Definition:	The identity of an entity such as a document or an object.
Document content owner	0..1	SDD-ID:	BDTG00000196
		Definition:	The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	BDT00000578
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	BDT00000570
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Business document sender party information	1..1	SDD-ID:	BDTG00000953



Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
Global location number, GLN	0..1	Definition:	The information specifying the details of the party sending a business document
		SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	BDT00000578
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	BDT00000570
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Electronic address information	0..1	SDD-ID:	BDTG00000784
		Definition:	The information about the electronic address of a party
Electronic address identification scheme	1..1	SDD-ID:	BDT00000786
		Definition:	The identification scheme of of the electronic address
Electronic address identification	1..1	SDD-ID:	BDT00000785
		Definition:	The identifier of of the electronic address to which a business document should be delivered
Address information	0..1	SDD-ID:	BDTG00000144
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	BDT00000106

Clinical Trials Inventory report

Business data terms and groups		Usage	Business data terms and groups description	
	Post office box number	0..1	Definition:	The name of the party expressed as text.
			SDD-ID:	BDT00000113
	Postal code	0..1	Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Province identity	0..1	SDD-ID:	BDT00000114
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
	State	0..1	Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Street address one	0..1	SDD-ID:	BDT00000117
			Definition:	The identity of a province according to national codes assigned to provinces.
	Street address two	0..1	SDD-ID:	BDT00000127
			Definition:	The political unit that a country can be divided into.
	Street address three	0..1	Example:	California
			SDD-ID:	BDT00000128
	Country code	0..1	Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Country code content	1..1	SDD-ID:	BDT00000130
			Definition:	The second street address line of a structured address.
	Code list version	0..1	Example:	Blue Tower
			SDD-ID:	BDT00000129
	Geographical coordinates information	0..1	Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Latitude	1..1	SDD-ID:	BDTG00000179
			Definition:	The code specifying a country.
	Longitude	1..1	SDD-ID:	BDT00000774
			Definition:	The code specifying a country.
	Business contact information	0..unbounded	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
			SDD-ID:	BDTG00000214
			Definition:	The information specifying details on a location using geographical coordinates.
			SDD-ID:	BDT00000085
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
			SDD-ID:	BDT00000089
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
			SDD-ID:	BDTG00000158
			Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.



Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
Person name	0..1	SDD-ID:	BDT00000112
		Definition:	The name of an individual person expressed as text.
Department name	0..1	SDD-ID:	BDT00000044
		Definition:	The name of the department.
Job title	0..1	SDD-ID:	BDT00000083
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	BDTG00000178
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
Contact type code content	1..1	SDD-ID:	BDT00000571
		Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID:	BDTG00000159
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	BDT00000580
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication information	0..unbounded	SDD-ID:	BDTG00000176
		Definition:	The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID:	BDT00000028

Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID:	BDTG00000145
		Definition:	The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID:	BDTG00000326
		Definition:	The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID:	BDT00000369
		Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID:	BDTG00000585
		Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID:	BDT00000584
		Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID:	BDTG00000587
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	BDT00000074
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	BDT00000073
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
		Definition:	The code specifying the agency responsible for the identification scheme.

Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description
<ul style="list-style-type: none"> Identification scheme responsible agency code content 	1..1	SDD-ID: BDT00000583 Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
<ul style="list-style-type: none"> Tax type code 	0..1	SDD-ID: BDTG00000328 Definition: The code specifying the type of tax.
<ul style="list-style-type: none"> Tax type code content 	1..1	SDD-ID: BDT00000576 Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
<ul style="list-style-type: none"> Tax description 	0..1	SDD-ID: BDTG00000322 Definition: The description of the tax expressed as text.
<ul style="list-style-type: none"> Tax description content 	1..1	SDD-ID: BDT00000754 Definition: The description of the tax expressed as text.
<ul style="list-style-type: none"> Language code 	0..1	SDD-ID: BDTG00000523 Definition: The code specifying the language.
<ul style="list-style-type: none"> Language code content 	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
<ul style="list-style-type: none"> Tax registration type code 	0..1	SDD-ID: BDTG00000327 Definition: The code specifying the type of tax registration number assigned by a national authority.
<ul style="list-style-type: none"> Tax registration type code content 	1..1	SDD-ID: BDT00000588 Definition: The code specifying the type of tax registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
<ul style="list-style-type: none"> Code list version 	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
<ul style="list-style-type: none"> Customs duty registration information 	0..unbounded	SDD-ID: BDTG00000375 Definition: The information specifying details of a party registered for customs duty.
<ul style="list-style-type: none"> Customs authority name 	0..1	SDD-ID: BDT00000370

Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
Customs registration identification information	1..1	SDD-ID:	BDTG00000621
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
Customs registration identification content	1..1	SDD-ID:	BDT00000622
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
Identification scheme information	0..1	SDD-ID:	BDTG00000587
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	BDT00000074
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	BDT00000073
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	BDT00000583
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	BDTG00000328
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	BDT00000576
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty description	0..1	SDD-ID:	BDTG00000378
		Definition:	The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID:	BDT00000563
		Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .

Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs registration type code	0..1	SDD-ID:	BDTG00000623
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID:	BDT00000624
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID:	BDTG00000262
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	BDT00000102
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	BDTG00000228
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Currency of party code	0..1	SDD-ID:	BDTG00000184
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID:	BDT00000710
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	https://www.iso.org/iso-4217-currency-codes.html
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Official address	0..1	SDD-ID:	BDTG00000246
		Definition:	The registered legal address of the organisation.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.

Clinical Trials Inventory report

Business data terms and groups		Usage	Business data terms and groups description	
<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	City code	0..1	SDD-ID:	BDT00000019
			Definition:	The code specifying a city.
	Cross street	0..1	SDD-ID:	BDT00000035
			Definition:	The street crossing another street.
	Post office box number	0..1	SDD-ID:	BDT00000113
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	BDT00000114
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	BDT00000117
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	BDT00000127
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	BDT00000128
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	BDT00000130
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	BDT00000129
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	BDTG00000179
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	BDT00000774
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	BDT00000085
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	BDT00000089
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"

Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
Issued capital	0..1	SDD-ID:	BDTG00000225
		Definition:	The monetary amount representing the value of the issued capital of a company.
Issued capital content	1..1	SDD-ID:	BDT00000655
		Definition:	The monetary amount representing the issued capital of a company.
Currency code	0..1	SDD-ID:	BDTG00000590
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	BDT00000589
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Legal structure description	0..1	SDD-ID:	BDTG00000231
		Definition:	The description of the legal structure expressed as text.
Legal structure description content	1..1	SDD-ID:	BDT00000659
		Definition:	The description of the legal structure expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	BDTG00000288
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	BDT00000087
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	BDT00000086
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	BDTG00000230
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	BDT00000658
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution and financial account	0..unbounded	SDD-ID:	BDTG00000209

Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
information		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	BDT00000061
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	BDT00000060
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	BDTG00000207
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	BDT00000058
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	BDT00000059
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	BDTG00000208
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Financial account number type code content	1..1	SDD-ID:	BDT00000645
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution routing number information	0..1	SDD-ID:	BDTG00000210
		Definition:	The information specifying details on a routing number of a financial institution.
Financial routing number	1..1	SDD-ID:	BDT00000062
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code	1..1	SDD-ID:	BDTG00000211
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Financial routing number type code content	1..1	SDD-ID:	BDT00000644
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.

Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
Additional financial institution description	0..1	SDD-ID:	BDTG00000522
		Definition:	The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID:	BDT00000521
		Definition:	The text value describing the additional financial institution.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Address information	0..1	SDD-ID:	BDTG00000144
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	BDT00000106
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.



Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
		Example:	Avenue Louise 326
—Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
—Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
—Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
—Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
—Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
—Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
—Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
—Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
—Business document receiver party information	1..1	SDD-ID:	BDTG00000954
		Definition:	The information specifying the details of the party receiving a business document
—Global location number, GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
—Additional party identification information	0..unbounded	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
—Additional party identification content	1..1	SDD-ID:	BDT00000578
		Definition:	The additional identity of a party.
—Additional party identification type code	1..1	SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.
—Additional party identification type code content	1..1	SDD-ID:	BDT00000570
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode



Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Electronic address information	0..1	SDD-ID:	BDTG00000784
		Definition:	The information about the electronic address of a party
Electronic address identification scheme	1..1	SDD-ID:	BDT00000786
		Definition:	The identification scheme of of the electronic address
Electronic address identification	1..1	SDD-ID:	BDT00000785
		Definition:	The identifier of of the electronic address to which a business document should be delivered
Address information	0..1	SDD-ID:	BDTG00000144
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	BDT00000106
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	BDT00000130

Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
Street address three	0..1	Definition: Example: SDD-ID: Definition: Example:	The second street address line of a structured address. Blue Tower BDT00000129 The third street address line of a structured address. Floor 4
Country code	0..1	SDD-ID: Definition:	BDTG00000179 The code specifying a country.
Country code content	1..1	SDD-ID: Definition:	BDT00000774 The code specifying a country.
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Geographical coordinates information	0..1	SDD-ID: Definition:	BDTG00000214 The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID: Definition:	BDT00000085 The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
Longitude	1..1	Example: SDD-ID: Definition:	23°26'12.2" S BDT00000089 The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
Business contact information	0..unbounded	Example: SDD-ID: Definition:	18°3'59.0616" BDTG00000158 The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID: Definition:	BDT00000112 The name of an individual person expressed as text.
Department name	0..1	SDD-ID: Definition:	BDT00000044 The name of the department.
Job title	0..1	SDD-ID: Definition:	BDT00000083 The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID: Definition: Used code list: Link to code list:	BDTG00000178 The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
Contact type code content	1..1	SDD-ID: Definition:	BDT00000571 The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID: Definition:	BDTG00000159 The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description	1..1	SDD-ID:	BDT00000580

Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
content		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication information	0..unbounded	SDD-ID:	BDTG00000176
		Definition:	The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID:	BDTG00000145
		Definition:	The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode

Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID:	BDTG00000326
		Definition:	The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID:	BDT00000369
		Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID:	BDTG00000585
		Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID:	BDT00000584
		Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID:	BDTG00000587
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	BDT00000074
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	BDT00000073
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	BDT00000583
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	BDTG00000328
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	BDT00000576
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax description	0..1	SDD-ID:	BDTG00000322
		Definition:	The description of the tax expressed as text.
Tax description content	1..1	SDD-ID:	BDT00000754

Clinical Trials Inventory report

Business data terms and groups	Usage	Business data terms and groups description	
Language code	0..1	Definition:	The description of the tax expressed as text.
Language code content	1..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Code list version	0..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Tax registration type code	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax registration type code content	1..1	SDD-ID:	BDTG00000327
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty registration information	0..unbounded	SDD-ID:	BDTG00000375
Customs authority name	0..1	SDD-ID:	BDT00000370
		Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
Customs registration identification information	1..1	SDD-ID:	BDTG00000621
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
Customs registration identification content	1..1	SDD-ID:	BDT00000622
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
Identification scheme information	0..1	SDD-ID:	BDTG00000587
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	BDT00000074
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	BDT00000073
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	BDT00000583
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode

			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Tax type code	0..1	SDD-ID:	BDTG00000328
			Definition:	The code specifying the type of tax.
	Tax type code content	1..1	SDD-ID:	BDT00000576
			Definition:	The code specifying the type of tax.
			Used code list:	DutyFeeTaxTypeCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Customs duty description	0..1	SDD-ID:	BDTG00000378
			Definition:	The description of the customs duty expressed as text.
	Customs duty description content	1..1	SDD-ID:	BDT00000563
			Definition:	The description of the customs duty expressed as text.
	Language code	0..1	SDD-ID:	BDTG00000523
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	BDT00000524
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Customs registration type code	0..1	SDD-ID:	BDTG00000623
			Definition:	The code specifying the type of customs registration number assigned by a national authority.
	Customs registration type code content	1..1	SDD-ID:	BDT00000624
			Definition:	The code specifying the type of customs registration number assigned by a national authority.
			Used code list:	DutyFeeTaxRegistrationTypeCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Organisation legal information	0..1	SDD-ID:	BDTG00000262
			Definition:	The information specifying details of a legal organisation.
	Organisation name	1..1	SDD-ID:	BDT00000102
			Definition:	The official and legal name of the organisation.
	Language of the party code	0..1	SDD-ID:	BDTG00000228
			Definition:	The code specifying the language of a party.

Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Currency of party code	0..1	SDD-ID: Definition: Example: Used code list:	BDTG00000184 The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000710 The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. https://www.iso.org/iso-4217-currency-codes.html
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Official address	0..1	SDD-ID: Definition:	BDTG00000246 The registered legal address of the organisation.
County code	0..1	SDD-ID: Definition:	BDT00000034 The code indicating a geographical region in a country.
City name	0..1	SDD-ID: Definition:	BDT00000020 The name of the city, town or village.
City code	0..1	SDD-ID: Definition:	BDT00000019 The code specifying a city.
Cross street	0..1	SDD-ID: Definition:	BDT00000035 The street crossing another street.
Post office box number	0..1	SDD-ID: Definition:	BDT00000113 The number of a post office box located on the premises of a post office station or other postal service location.
Postal code	0..1	Synonyms: SDD-ID: Definition: Example: Synonyms:	P.O. box, postal box BDT00000114 The code according to the relevant postal system or service to specify a geographical area. SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID: Definition:	BDT00000117 The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: Definition: Example:	BDT00000127 The political unit that a country can be divided into. California
Street address one	0..1	SDD-ID:	BDT00000128

			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	— Street address two	0..1	SDD-ID:	BDT00000130
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	— Street address three	0..1	SDD-ID:	BDT00000129
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	— Country code	0..1	SDD-ID:	BDTG00000179
			Definition:	The code specifying a country.
	— Country code content	1..1	SDD-ID:	BDT00000774
			Definition:	The code specifying a country.
	— Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	— Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
			Definition:	The information specifying details on a location using geographical coordinates.
	— Latitude	1..1	SDD-ID:	BDT00000085
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north–south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	— Longitude	1..1	SDD-ID:	BDT00000089
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east–west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	— Issued capital	0..1	SDD-ID:	BDTG00000225
			Definition:	The monetary amount representing the value of the issued capital of a company.
	— Issued capital content	1..1	SDD-ID:	BDT00000655
			Definition:	The monetary amount representing the issued capital of a company.
	— Currency code	0..1	SDD-ID:	BDTG00000590
			Definition:	The code specifying the currency of a monetary amount.
	— Currency code content	1..1	SDD-ID:	BDT00000589
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .
	— Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	— Legal structure description	0..1	SDD-ID:	BDTG00000231
			Definition:	The description of the legal structure expressed as text.
	— Legal structure description content	1..1	SDD-ID:	BDT00000659
			Definition:	The description of the legal structure expressed as text.
	— Language code	0..1	SDD-ID:	BDTG00000523
			Definition:	The code specifying the language.

Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Registered legal information	0..unbounded	SDD-ID: Definition:	BDTG00000288 The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID: Definition:	BDT00000087 The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID: Definition:	BDT00000086 The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID: Definition:	BDTG00000230 The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000658 The code specifying the type of legal registration. LegalRegistrationCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID: Definition:	BDTG00000209 The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID: Definition:	BDT00000061 The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID: Definition:	BDT00000060 The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID: Definition:	BDTG00000207 The information specifying details of a financial account.
Financial account name	0..1	SDD-ID: Definition: Example:	BDT00000058 The name of a financial account expressed as text. John Doe
Financial account number	1..1	SDD-ID: Definition:	BDT00000059 The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDTG00000208 The code specifying the type of a financial account number. FinancialAccountNumberTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Financial account number type code content	1..1	SDD-ID: Definition:	BDT00000645 The code specifying the type of a financial account number.

		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
	Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
	Financial institution routing number information	0..1	SDD-ID: BDTG00000210 Definition: The information specifying details on a routing number of a financial institution.
	Financial routing number	1..1	SDD-ID: BDT00000062 Definition: The routing number of a financial transaction according to the specified financial routing type. Business rule: This business data term must be used in conjunction with the Financial routing number type code class.
	Financial routing number type code	1..1	SDD-ID: BDTG00000211 Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
	Financial routing number type code content	1..1	SDD-ID: BDT00000644 Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
	Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
	Additional financial institution description	0..1	SDD-ID: BDTG00000522 Definition: The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID: BDT00000521 Definition: The text value describing the additional financial institution.
	Language code	0..1	SDD-ID: BDTG00000523 Definition: The code specifying the language.
	Language code content	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
	Address information	0..1	SDD-ID: BDTG00000144 Definition: The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: BDT00000020 Definition: The name of the city, town or village.

City code	0..1	SDD-ID: Definition:	BDT00000019 The code specifying a city.
County code	0..1	SDD-ID: Definition:	BDT00000034 The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: Definition:	BDT00000035 The street crossing another street.
Party name	0..1	SDD-ID: Definition:	BDT00000106 The name of the party expressed as text.
Post office box number	0..1	SDD-ID: Definition:	BDT00000113 The number of a post office box located on the premises of a post office station or other postal service location.
Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box BDT00000114 The code according to the relevant postal system or service to specify a geographical area.
Province identity	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode BDT00000117 The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: Definition: Example:	BDT00000127 The political unit that a country can be divided into. California
Street address one	0..1	SDD-ID: Definition: Example:	BDT00000128 The first street address line of a structured address. Avenue Louise 326
Street address two	0..1	SDD-ID: Definition: Example:	BDT00000130 The second street address line of a structured address. Blue Tower
Street address three	0..1	SDD-ID: Definition: Example:	BDT00000129 The third street address line of a structured address. Floor 4
Country code	0..1	SDD-ID: Definition:	BDTG00000179 The code specifying a country.
Country code content	1..1	SDD-ID: Definition:	BDT00000774 The code specifying a country.
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Geographical coordinates information	0..1	SDD-ID: Definition:	BDTG00000214 The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID: Definition: Example:	BDT00000085 The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. 23°26'12.2" S

Longitude

1..1

SDD-ID:

BDT00000089

Definition:

The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.

Example:

18°3'59.0616"