



Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
Shipment confirmation		Context:	The detailed message from the depot back to the DME that confirms that an order will be/ or has been processed.
Requested ship date time	0..1	SDD-ID:	BDTG00000297
		Definition:	The date (and time) when the ordered trade items are requested to be despatched.
Date	0..1	SDD-ID:	BDT00000040
		Definition:	The day of a year as a calendar date.
		Example:	2020-06-15
Time	0..1	SDD-ID:	BDT00000133
		Definition:	The indication of a point in time.
		Example:	08:01:15
Clinical trial protocol identification	1..1	SDD-ID:	BDT00000960
		Definition:	The information specifying the clinical trial study protocol identification
Business document effective date time	0..1	SDD-ID:	BDTG00000197
		Definition:	The date and optional time from when the business document is valid from commercial or legal point of view.
Date	0..1	SDD-ID:	BDT00000040
		Definition:	The day of a year as a calendar date.
		Example:	2020-06-15
Time	0..1	SDD-ID:	BDT00000133
		Definition:	The indication of a point in time.
		Example:	08:01:15
Revision number	0..1	SDD-ID:	BDT00000119
		Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.
Business document creation date time	1..1	SDD-ID:	BDT00000047
		Definition:	The date and optional time when the business document was issued.
Business document status code	1..1	SDD-ID:	BDT00000050
		Definition:	The code specifying the status of a business document.
		Example:	ORIGINAL
		Used code list:	DocumentStatusEnumeration
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentStatusEnumeration
Business document action code	0..1	SDD-ID:	BDT00000045
		Definition:	The code indicating the action to be taken by a process within the IT system of the recipient of the business document.
		Usage:	By the received code the IT-system can start the relevant IT process such as adding an original business document transaction when the code ADD is specified, or delete a previously received document transaction when the code DELETE is specified (a reference to the document transaction for deletion is required).
		Used code list:	DocumentActionEnumeration
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentActionEnumeration
Business document standard version	0..1	SDD-ID:	BDT00000046



Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The version number of the standard used for the business document.
Business document last update date time	0..1	SDD-ID:	BDT00000048
		Definition:	The last date and time when a business document was updated.
Kit shipment information	0..1		
Sufficient stock indicator	0..1	SDD-ID:	BDT00000985
		Definition:	A flag indicating if the stock is enough to fulfill the requested shipment
		Usage rule:	Available codes: "YES" and "NO"
		Example:	NO
Medication kit quantity	0..1	SDD-ID:	BDTG00000968
		Definition:	The quantity of medication kits and/or dispensable units
Medication kit quantity content	1..1	SDD-ID:	BDT00000967
		Definition:	The value of the quantity of medication kits.
Measurement unit code	0..1	SDD-ID:	BDTG00000608
		Definition:	The code specifying the unambiguous representation of a unit of measure.
Measurement unit code content	1..1	SDD-ID:	BDT00000607
		Definition:	The code specifying the unambiguous representation of a unit of measure.
		Used code list:	MeasurementUnitCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Reason for non compliance code	0..1	SDD-ID:	BDTG00000984
		Definition:	The code specifying the type of additional identifier for a shipment.
		Context:	The error code explaining the reason which prevents shipping
Kit error code content	0..1	SDD-ID:	BDT00000983
		Definition:	The code identifying the reason for non compliance
		Used code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:KitErrorCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Clinical trial product identification information	1..1	SDD-ID:	BDTG00000947
		Definition:	The information specifying the Global Trade Identification number, GTIN, of a clinical trial product
Global trade item number, GTIN	1..1	SDD-ID:	BDT00000066
		Definition:	The identity according to the GS1 identification system for unique identification of products and services.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify trade items. The key comprises a GS1 Company Prefix, an item reference and check digit.
		Example:	07300015200192
Referenced initial order number information	0..1	SDD-ID:	BDTG00000983
		Definition:	The initial order number originating the shipment process
		Context:	The order number information applicable only in case of multiple shipments.



Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
Entity identification	1..1	SDD-ID:	BDT00000056
		Definition:	The identity of an entity such as a document or an object.
Document content owner	0..1	SDD-ID:	BDTG00000196
		Definition:	The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	BDT00000578
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	BDT00000570
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Clinical trial protocol owner party information	1..1	SDD-ID:	BDTG00000961
		Definition:	The information specifying details of the party sponsoring the clinical trial
Global location number, GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	BDT00000578
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.



Shipment confirmation

Business data terms and groups		Usage	Business data terms and groups description	
	Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000570 The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Address information	0..1	SDD-ID: Definition:	BDTG00000144 The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: Definition:	BDT00000020 The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	BDT00000019 The code specifying a city.
	County code	0..1	SDD-ID: Definition:	BDT00000034 The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: Definition:	BDT00000035 The street crossing another street.
	Party name	0..1	SDD-ID: Definition:	BDT00000106 The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: Definition:	BDT00000113 The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box BDT00000114 The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode BDT00000117 The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition: Example:	BDT00000127 The political unit that a country can be divided into. California
	Street address one	0..1	SDD-ID: Definition: Example:	BDT00000128 The first street address line of a structured address. Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition: Example:	BDT00000130 The second street address line of a structured address. Blue Tower
	Street address three	0..1	SDD-ID: Definition:	BDT00000129 The third street address line of a structured address.

Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
		Example:	Floor 4
Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
Longitude	1..1	Example:	23°26'12.2" S
		SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business contact information	0..unbounded	SDD-ID:	BDTG00000158
		Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID:	BDT00000112
		Definition:	The name of an individual person expressed as text.
Department name	0..1	SDD-ID:	BDT00000044
		Definition:	The name of the department.
Job title	0..1	SDD-ID:	BDT00000083
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	BDTG00000178
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
Contact type code content	1..1	SDD-ID:	BDT00000571
		Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID:	BDTG00000159
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	BDT00000580
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.



Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Communication information	0..unbounded	SDD-ID: Definition:	BDTG00000176 The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID: Definition: Link to code list:	BDTG00000175 The code specifying the channel for communication. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000525 The code specifying the channel for communication. TELEPHONE CommunicationChannelCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Communication channel identification	1..1	SDD-ID: Definition:	BDT00000032 The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: Definition:	BDT00000033 The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID: Definition:	BDTG00000145 The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID: Definition: Link to code list:	BDTG00000175 The code specifying the channel for communication. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000525 The code specifying the channel for communication. TELEPHONE CommunicationChannelCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Communication channel identification	1..1	SDD-ID: Definition:	BDT00000032 The identification of a communication channel, such as a telephone number or an e-



Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
		mail address, expressed as text.	
Communication channel name	0..1	SDD-ID: BDT00000033	Definition: The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID: BDTG00000326	Definition: The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID: BDT00000369	Definition: The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID: BDTG00000585	Definition: The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID: BDT00000584	Definition: The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID: BDTG00000587	Definition: The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: BDT00000074	Definition: The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: BDT00000073	Definition: The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: BDTG00000586	Definition: The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: BDT00000583	Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID: BDT00000028	Definition: The version number of the code list.
Tax type code	0..1	SDD-ID: BDTG00000328	Definition: The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: BDT00000576	Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID: BDT00000028	Definition: The version number of the code list.
Tax description	0..1	SDD-ID: BDTG00000322	Definition: The description of the tax expressed as text.
Tax description content	1..1	SDD-ID: BDT00000754	Definition: The description of the tax expressed as text.
Language code	0..1	SDD-ID: BDTG00000523	Definition: The code specifying the language.
Language code content	1..1	SDD-ID: BDT00000524	



Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax registration type code	0..1	SDD-ID:	BDTG00000327
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
Tax registration type code content	1..1	SDD-ID:	BDT00000588
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID:	BDTG00000262
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	BDT00000102
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	BDTG00000228
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Currency of party code	0..1	SDD-ID:	BDTG00000184
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID:	BDT00000710
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	https://www.iso.org/iso-4217-currency-codes.html
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Official address	0..1	SDD-ID:	BDTG00000246
		Definition:	The registered legal address of the organisation.

Shipment confirmation

Business data terms and groups		Usage	Business data terms and groups description	
	County code	0..1	SDD-ID: BDT00000034 Definition:	The code indicating a geographical region in a country.
	City name	0..1	SDD-ID: BDT00000020 Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID: BDT00000019 Definition:	The code specifying a city.
	Cross street	0..1	SDD-ID: BDT00000035 Definition:	The street crossing another street.
	Post office box number	0..1	SDD-ID: BDT00000113 Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: P.O. box, postal box SDD-ID: BDT00000114 Definition:	The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode SDD-ID: BDT00000117 Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: BDT00000127 Definition:	The political unit that a country can be divided into.
	Street address one	0..1	Example: California SDD-ID: BDT00000128 Definition:	The first street address line of a structured address.
	Street address two	0..1	Example: Avenue Louise 326 SDD-ID: BDT00000130 Definition:	The second street address line of a structured address.
	Street address three	0..1	Example: Blue Tower SDD-ID: BDT00000129 Definition:	The third street address line of a structured address.
	Country code	0..1	Example: Floor 4 SDD-ID: BDTG00000179 Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID: BDT00000774 Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: BDTG00000214 Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: BDT00000085 Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S

Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
Longitude	1..1	SDD-ID: BDT00000089 Definition: The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. Example: 18°3'59.0616"	
Issued capital	0..1	SDD-ID: BDTG00000225 Definition: The monetary amount representing the value of the issued capital of a company.	
Issued capital content	1..1	SDD-ID: BDT00000655 Definition: The monetary amount representing the issued capital of a company.	
Currency code	0..1	SDD-ID: BDTG00000590 Definition: The code specifying the currency of a monetary amount.	
Currency code content	1..1	SDD-ID: BDT00000589 Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .	
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.	
Legal structure description	0..1	SDD-ID: BDTG00000231 Definition: The description of the legal structure expressed as text.	
Legal structure description content	1..1	SDD-ID: BDT00000659 Definition: The description of the legal structure expressed as text.	
Language code	0..1	SDD-ID: BDTG00000523 Definition: The code specifying the language.	
Language code content	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .	
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.	
Registered legal information	0..unbounded	SDD-ID: BDTG00000288 Definition: The information specifying the registered data on a legal entity in accordance with national law.	
Legal registration number	1..1	SDD-ID: BDT00000087 Definition: The identification number of an organisation according to a legal register.	
Legal registration additional information	0..1	SDD-ID: BDTG00000086 Definition: The additional information related to the legal registration expressed as text.	
Legal registration type code	1..1	SDD-ID: BDTG00000230 Definition: The code specifying the type of legal registration.	
Legal registration type code content	1..1	SDD-ID: BDT00000658 Definition: The code specifying the type of legal registration. Used code list: LegalRegistrationCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:	



Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
		LegalRegistrationCode	
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.	
Financial institution and financial account information	0..unbounded	SDD-ID: BDTG00000209 Definition: The information specifying details of a financial institution and financial account.	
Financial institution name	0..1	SDD-ID: BDT00000061 Definition: The name of a financial institution expressed as text.	
Financial institution division name	0..1	SDD-ID: BDT00000060 Definition: The name of a division or branch within a financial institution expressed as text.	
Financial account information	0..1	SDD-ID: BDTG00000207 Definition: The information specifying details of a financial account.	
Financial account name	0..1	SDD-ID: BDT00000058 Definition: The name of a financial account expressed as text. Example: John Doe	
Financial account number	1..1	SDD-ID: BDT00000059 Definition: The number of a financial account expressed as text.	
Financial account number type code	1..1	SDD-ID: BDTG00000208 Definition: The code specifying the type of a financial account number. Used code list: FinancialAccountNumberTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode	
Financial account number type code content	1..1	SDD-ID: BDT00000645 Definition: The code specifying the type of a financial account number. Used code list: FinancialAccountNumberTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode	
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.	
Financial institution routing number information	0..1	SDD-ID: BDTG00000210 Definition: The information specifying details on a routing number of a financial institution.	
Financial routing number	1..1	SDD-ID: BDT00000062 Definition: The routing number of a financial transaction according to the specified financial routing type. Business rule: This business data term must be used in conjunction with the Financial routing number type code class.	
Financial routing number type code	1..1	SDD-ID: BDTG00000211 Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode	
Financial routing number type code content	1..1	SDD-ID: BDT00000644 Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode	

Shipment confirmation

Business data terms and groups		Usage	Business data terms and groups description	
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Additional financial institution description	0..1	SDD-ID:	BDTG00000522
			Definition:	The additional description of a financial institution expressed as text.
	Additional financial institution description content	1..1	SDD-ID:	BDT00000521
			Definition:	The text value describing the additional financial institution.
	Language code	0..1	SDD-ID:	BDTG00000523
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	BDT00000524
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	BDTG00000144
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	BDT00000020
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	BDT00000019
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	BDT00000034
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	BDT00000035
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	BDT00000106
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	BDT00000113
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	BDT00000114
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	BDT00000117
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	BDT00000127



Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The political unit that a country can be divided into.
		Example:	California
— Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
— Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
— Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
— Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
— Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
— Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
— Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
— Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
— Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
— Business document identification information	1..1	SDD-ID:	BDTG00000480
		Definition:	The information specifying the identification details of the business document.
— Entity identification	1..1	SDD-ID:	BDT00000056
		Definition:	The identity of an entity such as a document or an object.
— Document content owner	0..1	SDD-ID:	BDTG00000196
		Definition:	The information specifying the party that is responsible for the content of a document.
— Global location number GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
— Additional party identification information	0..unbounded	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location



Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
		Number, GLN.	
Additional party identification content	1..1	SDD-ID: BDT00000578 Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: BDTG00000579 Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: BDT00000570 Definition:	The code specifying the additional identification type of the party.
		Used code list: AdditionalPartyIdentificationTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode	
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Business document sender party information	1..1	SDD-ID: BDTG00000953 Definition:	The information specifying the details of the party sending a business document
Global location number, GLN	0..1	SDD-ID: BDT00000063 Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID: BDTG00000577 Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: BDT00000578 Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: BDTG00000579 Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: BDT00000570 Definition:	The code specifying the additional identification type of the party.
		Used code list: AdditionalPartyIdentificationTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode	
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Electronic address information	0..1	SDD-ID: BDTG00000784 Definition:	The information about the electronic address of a party
Electronic address identification scheme	1..1	SDD-ID: BDT00000786 Definition:	The identification scheme of of the electronic address
Electronic address identification	1..1	SDD-ID: BDT00000785 Definition:	The identifier of of the electronic address to which a business document should be delivered

Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
Address information	0..1	SDD-ID:	BDTG00000144
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
— City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
— City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
— County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
— Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
— Party name	0..1	SDD-ID:	BDT00000106
		Definition:	The name of the party expressed as text.
— Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
— Postal code	0..1	SDD-ID:	BDT00000114
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
— Province identity	0..1	SDD-ID:	BDT00000117
		Definition:	The identity of a province according to national codes assigned to provinces.
— State	0..1	SDD-ID:	BDT00000127
		Definition:	The political unit that a country can be divided into.
		Example:	California
— Street address one	0..1	SDD-ID:	BDT00000128
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
— Street address two	0..1	SDD-ID:	BDT00000130
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
— Street address three	0..1	SDD-ID:	BDT00000129
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
— Country code	0..1	SDD-ID:	BDTG00000179
		Definition:	The code specifying a country.
— Country code content	1..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
— Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.

Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	BDT00000089
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business contact information	0..unbounded	SDD-ID:	BDTG00000158
		Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID:	BDT00000112
		Definition:	The name of an individual person expressed as text.
Department name	0..1	SDD-ID:	BDT00000044
		Definition:	The name of the department.
Job title	0..1	SDD-ID:	BDT00000083
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	BDTG00000178
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
Contact type code content	1..1	SDD-ID:	BDT00000571
		Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID:	BDTG00000159
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	BDT00000580
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.

Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
Communication information	0..unbounded	SDD-ID:	BDTG00000176
		Definition:	The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID:	BDTG00000145
		Definition:	The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID:	BDTG00000175
		Definition:	The code specifying the channel for communication.
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID:	BDT00000525
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	BDT00000032
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	BDT00000033
		Definition:	The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID:	BDTG00000326
		Definition:	The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID:	BDT00000369
		Definition:	The name of the authority administering the collection of taxes expressed as text.

Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
Tax registration identification information	1..1	SDD-ID: BDTG00000585 Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID: BDT00000584 Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID: BDTG00000587 Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: BDT00000074 Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: BDT00000073 Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: BDTG00000586 Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: BDT00000583 Definition: Used code list: Link to code list:	The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID: BDTG00000328 Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: BDT00000576 Definition: Used code list: Link to code list:	The code specifying the type of tax. DutyFeeTaxTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Tax description	0..1	SDD-ID: BDTG00000322 Definition:	The description of the tax expressed as text.
Tax description content	1..1	SDD-ID: BDT00000754 Definition:	The description of the tax expressed as text.
Language code	0..1	SDD-ID: BDTG00000523 Definition:	The code specifying the language.
Language code content	1..1	SDD-ID: BDT00000524 Definition: Example: Used code list:	The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition:	The version number of the code list.
Tax registration type code	0..1	SDD-ID: BDTG00000327	



Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
—Tax registration type code content	1..1	SDD-ID:	BDT00000588
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
—Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
—Customs duty registration information	0..unbounded	SDD-ID:	BDTG00000375
		Definition:	The information specifying details of a party registered for customs duty.
—Customs authority name	0..1	SDD-ID:	BDT00000370
		Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
—Customs registration identification information	1..1	SDD-ID:	BDTG00000621
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
—Customs registration identification content	1..1	SDD-ID:	BDT00000622
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
—Identification scheme information	0..1	SDD-ID:	BDTG00000587
		Definition:	The information specifying details of the used identification scheme.
—Identification scheme name	0..1	SDD-ID:	BDT00000074
		Definition:	The name of the identification scheme.
—Identification scheme agency name	0..1	SDD-ID:	BDT00000073
		Definition:	The name of the agency responsible for a identification scheme.
—Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
		Definition:	The code specifying the agency responsible for the identification scheme.
—Identification scheme responsible agency code content	1..1	SDD-ID:	BDT00000583
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
—Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
—Tax type code	0..1	SDD-ID:	BDTG00000328
		Definition:	The code specifying the type of tax.
—Tax type code content	1..1	SDD-ID:	BDT00000576
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode

Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty description	0..1	SDD-ID:	BDTG00000378
		Definition:	The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID:	BDT00000563
		Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs registration type code	0..1	SDD-ID:	BDTG00000623
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID:	BDT00000624
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID:	BDTG00000262
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	BDT00000102
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	BDTG00000228
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Currency of party code	0..1	SDD-ID:	BDTG00000184
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.



Shipment confirmation

Business data terms and groups		Usage	Business data terms and groups description	
	Currency of party code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000710 The code specifying the currency of a party. EUR ISO 4217 three-letter codes or equivalent representation in specific syntax. https://www.iso.org/iso-4217-currency-codes.html
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Official address	0..1	SDD-ID: Definition:	BDTG00000246 The registered legal address of the organisation.
	County code	0..1	SDD-ID: Definition:	BDT00000034 The code indicating a geographical region in a country.
	City name	0..1	SDD-ID: Definition:	BDT00000020 The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	BDT00000019 The code specifying a city.
	Cross street	0..1	SDD-ID: Definition:	BDT00000035 The street crossing another street.
	Post office box number	0..1	SDD-ID: Definition:	BDT00000113 The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box BDT00000114 The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode BDT00000117 The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition: Example:	BDT00000127 The political unit that a country can be divided into. California
	Street address one	0..1	SDD-ID: Definition: Example:	BDT00000128 The first street address line of a structured address. Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition: Example:	BDT00000130 The second street address line of a structured address. Blue Tower
	Street address three	0..1	SDD-ID: Definition: Example:	BDT00000129 The third street address line of a structured address. Floor 4
	Country code	0..1	SDD-ID: Definition:	BDTG000000179 The code specifying a country.
	Country code content	1..1	SDD-ID:	BDT00000774

Shipment confirmation

Business data terms and groups		Usage	Business data terms and groups description	
	Code list version	0..1	Definition:	The code specifying a country.
			SDD-ID:	BDT00000028
	Geographical coordinates information	0..1	Definition:	The version number of the code list.
			SDD-ID:	BDTG00000214
	Latitude	1..1	Definition:	The information specifying details on a location using geographical coordinates.
			SDD-ID:	BDT00000085
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	BDT00000089
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Issued capital	0..1	SDD-ID:	BDTG00000225
			Definition:	The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID:	BDT00000655
			Definition:	The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID:	BDTG00000590
			Definition:	The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID:	BDT00000589
			Definition:	The code specifying the currency of a monetary amount.
			Example:	EUR
			Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Legal structure description	0..1	SDD-ID:	BDTG00000231
			Definition:	The description of the legal structure expressed as text.
	Legal structure description content	1..1	SDD-ID:	BDT00000659
			Definition:	The description of the legal structure expressed as text.
	Language code	0..1	SDD-ID:	BDTG00000523
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	BDT00000524
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Registered legal information	0..unbounded	SDD-ID:	BDTG00000288
			Definition:	The information specifying the registered data on a legal entity in accordance with national law.
	Legal registration number	1..1	SDD-ID:	BDT00000087

Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
Legal registration additional information	0..1	Definition:	The identification number of an organisation according to a legal register.
		SDD-ID:	BDT00000086
Legal registration type code	1..1	Definition:	The additional information related to the legal registration expressed as text.
		SDD-ID:	BDTG00000230
Legal registration type code content	1..1	Definition:	The code specifying the type of legal registration.
		SDD-ID:	BDT00000658
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	BDTG00000209
Financial institution name	0..1	SDD-ID:	BDT00000061
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	BDT00000060
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	BDTG00000207
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	BDT00000058
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	BDT00000059
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	BDTG00000208
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Financial account number type code content	1..1	SDD-ID:	BDT00000645
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution routing number information	0..1	SDD-ID:	BDTG00000210
		Definition:	The information specifying details on a routing number of a financial institution.
Financial routing number	1..1	SDD-ID:	BDT00000062
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number

Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description
Financial routing number type code	1..1	SDD-ID: BDTG00000211 Definition: type code class. Used code list: FinancialRoutingNumberTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Financial routing number type code content	1..1	SDD-ID: BDT00000644 Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Additional financial institution description	0..1	SDD-ID: BDTG00000522 Definition: The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID: BDT00000521 Definition: The text value describing the additional financial institution.
Language code	0..1	SDD-ID: BDTG00000523 Definition: The code specifying the language.
Language code content	1..1	SDD-ID: BDT00000524 Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: BDT00000028 Definition: The version number of the code list.
Address information	0..1	SDD-ID: BDTG00000144 Definition: The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: BDT00000020 Definition: The name of the city, town or village.
City code	0..1	SDD-ID: BDT00000019 Definition: The code specifying a city.
County code	0..1	SDD-ID: BDT00000034 Definition: The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: BDT00000035 Definition: The street crossing another street.
Party name	0..1	SDD-ID: BDT00000106 Definition: The name of the party expressed as text.
Post office box number	0..1	SDD-ID: BDT00000113 Definition: The number of a post office box located on the premises of a post office station or other postal service location.



Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box BDT00000114 The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
Province identity	0..1	Synonyms: SDD-ID: Definition:	postcode, post code, PIN Code, ZIP Code, Eircode BDT00000117 The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: Definition: Example:	BDT00000127 The political unit that a country can be divided into. California
Street address one	0..1	SDD-ID: Definition: Example:	BDT00000128 The first street address line of a structured address. Avenue Louise 326
Street address two	0..1	SDD-ID: Definition: Example:	BDT00000130 The second street address line of a structured address. Blue Tower
Street address three	0..1	SDD-ID: Definition: Example:	BDT00000129 The third street address line of a structured address. Floor 4
Country code	0..1	SDD-ID: Definition:	BDTG00000179 The code specifying a country.
Country code content	1..1	SDD-ID: Definition:	BDT00000774 The code specifying a country.
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Geographical coordinates information	0..1	SDD-ID: Definition:	BDTG00000214 The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID: Definition: Example:	BDT00000085 The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. 23°26'12.2" S
Longitude	1..1	SDD-ID: Definition: Example:	BDT00000089 The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 18°3'59.0616"
Business document receiver party information	1..1	SDD-ID: Definition:	BDTG00000954 The information specifying the details of the party receiving a business document
Global location number, GLN	0..1	SDD-ID: Definition: Ref. definition:	BDT00000063 The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and



Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
			check digit.
Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	BDTG00000577 The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: Definition:	BDT00000578 The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: Definition:	BDTG00000579 The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000570 The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Electronic address information	0..1	SDD-ID: Definition:	BDTG00000784 The information about the electronic address of a party
Electronic address identification scheme	1..1	SDD-ID: Definition:	BDT00000786 The identification scheme of of the electronic address
Electronic address identification	1..1	SDD-ID: Definition:	BDT00000785 The identifier of of the electronic address to which a business document should be delivered
Address information	0..1	SDD-ID: Definition:	BDTG00000144 The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: Definition:	BDT00000020 The name of the city, town or village.
City code	0..1	SDD-ID: Definition:	BDT00000019 The code specifying a city.
County code	0..1	SDD-ID: Definition:	BDT00000034 The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: Definition:	BDT00000035 The street crossing another street.
Party name	0..1	SDD-ID: Definition:	BDT00000106 The name of the party expressed as text.
Post office box number	0..1	SDD-ID: Definition:	BDT00000113 The number of a post office box located on the premises of a post office station or other postal service location.
Postal code	0..1	Synonyms: SDD-ID:	P.O. box, postal box BDT00000114

Shipment confirmation

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	BDT00000117
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	BDT00000127
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	BDT00000128
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	BDT00000130
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	BDT00000129
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	BDTG00000179
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	BDT00000774
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	BDTG00000214
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	BDT00000085
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	BDT00000089
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Business contact information	0..unbounded	SDD-ID:	BDTG00000158
			Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
	Person name	0..1	SDD-ID:	BDT00000112
			Definition:	The name of an individual person expressed as text.
	Department name	0..1	SDD-ID:	BDT00000044
			Definition:	The name of the department.
	Job title	0..1	SDD-ID:	BDT00000083
			Definition:	The title of a position or the role of a person holding the position.



Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
Contact type code	0..1	SDD-ID: Definition: Used code list: Link to code list:	BDTG00000178 The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode
Contact type code content	1..1	SDD-ID: Definition:	BDT00000571 The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID: Definition:	BDTG00000159 The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID: Definition:	BDT00000580 The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID: Definition:	BDTG00000523 The code specifying the language.
Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Communication information	0..unbounded	SDD-ID: Definition:	BDTG00000176 The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID: Definition: Link to code list:	BDTG00000175 The code specifying the channel for communication. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000525 The code specifying the channel for communication. TELEPHONE CommunicationChannelCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Communication channel identification	1..1	SDD-ID: Definition:	BDT00000032 The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: Definition:	BDT00000033 The name of a communication channel expressed as text.

Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
After hours communication information	0..unbounded	SDD-ID: Definition:	BDTG00000145 The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID: Definition: Link to code list:	BDTG00000175 The code specifying the channel for communication. http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	BDT00000525 The code specifying the channel for communication. TELEPHONE CommunicationChannelCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Communication channel identification	1..1	SDD-ID: Definition:	BDT00000032 The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID: Definition:	BDT00000033 The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID: Definition:	BDTG00000326 The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID: Definition:	BDT00000369 The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID: Definition:	BDTG00000585 The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID: Definition:	BDT00000584 The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID: Definition:	BDTG00000587 The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: Definition:	BDT00000074 The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: Definition:	BDT00000073 The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: Definition:	BDTG00000586 The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000583 The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID:	BDT00000028



Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	BDTG00000328
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	BDT00000576
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax description	0..1	SDD-ID:	BDTG00000322
		Definition:	The description of the tax expressed as text.
Tax description content	1..1	SDD-ID:	BDT00000754
		Definition:	The description of the tax expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax registration type code	0..1	SDD-ID:	BDTG00000327
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
Tax registration type code content	1..1	SDD-ID:	BDT00000588
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty registration information	0..unbounded	SDD-ID:	BDTG00000375
		Definition:	The information specifying details of a party registered for customs duty.
Customs authority name	0..1	SDD-ID:	BDT00000370
		Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
Customs registration identification information	1..1	SDD-ID:	BDTG00000621
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
Customs registration identification content	1..1	SDD-ID:	BDT00000622

Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
Identification scheme information	0..1	SDD-ID:	BDTG00000587
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	BDT00000074
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	BDT00000073
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	BDTG00000586
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	BDT00000583
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&release=5
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	BDTG00000328
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	BDT00000576
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs duty description	0..1	SDD-ID:	BDTG00000378
		Definition:	The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID:	BDT00000563
		Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Customs registration type code	0..1	SDD-ID:	BDTG00000623
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID:	BDT00000624

Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&release=1
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID:	BDTG00000262
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	BDT00000102
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	BDTG00000228
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	BDT00000524
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Currency of party code	0..1	SDD-ID:	BDTG00000184
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID:	BDT00000710
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	https://www.iso.org/iso-4217-currency-codes.html
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Official address	0..1	SDD-ID:	BDTG00000246
		Definition:	The registered legal address of the organisation.
County code	0..1	SDD-ID:	BDT00000034
		Definition:	The code indicating a geographical region in a country.
City name	0..1	SDD-ID:	BDT00000020
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	BDT00000019
		Definition:	The code specifying a city.
Cross street	0..1	SDD-ID:	BDT00000035
		Definition:	The street crossing another street.
Post office box number	0..1	SDD-ID:	BDT00000113
		Definition:	The number of a post office box located on the premises of a post office station or

Shipment confirmation

Business data terms and groups		Usage	Business data terms and groups description	
	Postal code	0..1	Synonyms:	other postal service location. P.O. box, postal box
			SDD-ID:	BDT00000114
	Province identity	0..1	Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
	State	0..1	Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
			SDD-ID:	BDT00000117
	Street address one	0..1	Definition:	The identity of a province according to national codes assigned to provinces.
			SDD-ID:	BDT00000127
	Street address two	0..1	Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address three	0..1	SDD-ID:	BDT00000128
			Definition:	The first street address line of a structured address.
	Country code	0..1	Example:	Avenue Louise 326
			SDD-ID:	BDT00000130
	Country code content	1..1	Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Code list version	0..1	SDD-ID:	BDT00000129
			Definition:	The third street address line of a structured address.
	Geographical coordinates information	0..1	Example:	Floor 4
			SDD-ID:	BDTG00000179
	Latitude	1..1	Definition:	The code specifying a country.
			SDD-ID:	BDT00000774
	Longitude	1..1	Definition:	The code specifying a country.
			SDD-ID:	BDT00000028
	Issued capital	0..1	Definition:	The version number of the code list.
			SDD-ID:	BDTG00000214
	Issued capital content	1..1	Definition:	The information specifying details on a location using geographical coordinates.
			SDD-ID:	BDT00000085
	Currency code	0..1	Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
			SDD-ID:	BDT00000089
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
			SDD-ID:	BDTG00000225
			Definition:	The monetary amount representing the value of the issued capital of a company.
			SDD-ID:	BDT00000655
			Definition:	The monetary amount representing the issued capital of a company.
			SDD-ID:	BDTG00000590
			Definition:	The code specifying the currency of a monetary amount.



Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000589 The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Legal structure description	0..1	SDD-ID: Definition:	BDTG00000231 The description of the legal structure expressed as text.
Legal structure description content	1..1	SDD-ID: Definition:	BDT00000659 The description of the legal structure expressed as text.
Language code	0..1	SDD-ID: Definition:	BDTG00000523 The code specifying the language.
Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Registered legal information	0..unbounded	SDD-ID: Definition:	BDTG00000288 The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID: Definition:	BDT00000087 The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID: Definition:	BDT00000086 The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID: Definition:	BDTG00000230 The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	BDT00000658 The code specifying the type of legal registration. LegalRegistrationCode http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode
Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID: Definition:	BDTG00000209 The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID: Definition:	BDT00000061 The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID: Definition:	BDT00000060 The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	BDTG00000207



Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	BDT00000058
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	BDT00000059
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	BDTG00000208
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Financial account number type code content	1..1	SDD-ID:	BDT00000645
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Financial institution routing number information	0..1	SDD-ID:	BDTG00000210
		Definition:	The information specifying details on a routing number of a financial institution.
Financial routing number	1..1	SDD-ID:	BDT00000062
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code	1..1	SDD-ID:	BDTG00000211
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Financial routing number type code content	1..1	SDD-ID:	BDT00000644
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Additional financial institution description	0..1	SDD-ID:	BDTG00000522
		Definition:	The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID:	BDT00000521
		Definition:	The text value describing the additional financial institution.
Language code	0..1	SDD-ID:	BDTG00000523
		Definition:	The code specifying the language.

Shipment confirmation

Business data terms and groups		Usage	Business data terms and groups description	
	Language code content	1..1	SDD-ID: Definition: Example: Used code list:	BDT00000524 The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at www.iso.org .
	Code list version	0..1	SDD-ID: Definition:	BDT00000028 The version number of the code list.
	Address information	0..1	SDD-ID: Definition:	BDTG00000144 The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: Definition:	BDT00000020 The name of the city, town or village.
	City code	0..1	SDD-ID: Definition:	BDT00000019 The code specifying a city.
	County code	0..1	SDD-ID: Definition:	BDT00000034 The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: Definition:	BDT00000035 The street crossing another street.
	Party name	0..1	SDD-ID: Definition:	BDT00000106 The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: Definition:	BDT00000113 The number of a post office box located on the premises of a post office station or other postal service location.
	Postal code	0..1	Synonyms: SDD-ID: Definition:	P.O. box, postal box BDT00000114 The code according to the relevant postal system or service to specify a geographical area.
	Province identity	0..1	Example: Synonyms: SDD-ID: Definition:	SE 190 90 postcode, post code, PIN Code, ZIP Code, Eircode BDT00000117 The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition: Example:	BDT00000127 The political unit that a country can be divided into. California
	Street address one	0..1	SDD-ID: Definition: Example:	BDT00000128 The first street address line of a structured address. Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition: Example:	BDT00000130 The second street address line of a structured address. Blue Tower
	Street address three	0..1	SDD-ID: Definition:	BDT00000129 The third street address line of a structured address.



Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
		Example:	Floor 4
Country code	0..1	SDD-ID:	BDTG00000179
Country code content	1..1	Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	BDT00000774
		Definition:	The code specifying a country.
Geographical coordinates information	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Latitude	1..1	SDD-ID:	BDTG00000214
		Definition:	The information specifying details on a location using geographical coordinates.
Longitude	1..1	SDD-ID:	BDT00000085
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Referenced distribution management entity shipping order information	0..1	SDD-ID:	BDT00000089
Entity identification	1..1	Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
Document content owner	0..1	Example:	18°3'59.0616"
Global location number GLN	0..1	SDD-ID:	BDTG00000959
		Definition:	The information specifying the reference to the DME shipping order identification
Additional party identification information	0..unbounded	SDD-ID:	BDT00000056
		Definition:	The identity of an entity such as a document or an object.
Additional party identification content	1..1	SDD-ID:	BDTG00000196
Additional party identification type code	1..1	Definition:	The information specifying the party that is responsible for the content of a document.
Additional party identification type code content	1..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
		SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
		SDD-ID:	BDT00000578
		Definition:	The additional identity of a party.
		SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.
		SDD-ID:	BDT00000570
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode



Shipment confirmation

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Referenced shipment request information	0..1	SDD-ID:	BDTG00000982
		Definition:	The information specifying the details of a reference to the shipment request
Entity identification	1..1	SDD-ID:	BDT00000056
		Definition:	The identity of an entity such as a document or an object.
Business document creation date time	0..1	SDD-ID:	BDT00000047
		Definition:	The date and optional time when the business document was issued.
Revision number	0..1	SDD-ID:	BDT00000119
		Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.
Referenced document external location	0..1	SDD-ID:	BDT00000118
		Definition:	The external location of the referenced document expressed as an uniform resource locator.
		Usage:	The external location can be an internet address to a document stored in a server on the internet.
Document line number	0..1	SDD-ID:	BDT00000049
		Definition:	The sequence number of a line within the business document.
Document content owner	0..1	SDD-ID:	BDTG00000196
		Definition:	The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID:	BDT00000063
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	BDTG00000577
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	BDT00000578
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	BDTG00000579
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	BDT00000570
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode
Code list version	0..1	SDD-ID:	BDT00000028
		Definition:	The version number of the code list.
Logistics service business document type code	0..1	SDD-ID:	BDTG00000757



Shipment confirmation

Business data terms and groups		Usage	Business data terms and groups description	
<div><div></div><div>Logistics service business document type code content</div><div>Code list version</div><div>Requested delivery date time</div><div>Date</div><div>Time</div></div>			Definition:	The code specifying the type of logistics service business document.
		0..1	SDD-ID:	BDT00000758
			Definition:	The code specifying the type of logistics service business document.
			Used code list:	LogisticServiceReferenceTypeCode
			Link to code list:	http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LogisticServiceReferenceTypeCode
		0..1	SDD-ID:	BDT00000028
			Definition:	The version number of the code list.
		1..1	SDD-ID:	BDTG00000291
			Definition:	The date and optional time when the ordered trade items are requested to be delivered.
		0..1	SDD-ID:	BDT00000040
			Definition:	The day of a year as a calendar date.
			Example:	2020-06-15
		0..1	SDD-ID:	BDT00000133
			Definition:	The indication of a point in time.
			Example:	08:01:15