



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
<b>Receiving Advice</b>		Context:	This message is sent from the receiver of the shipment (e.g. trial site) to the creator the shipment request (e.g. the DME) to confirm the goods received
<b>Ship to party information</b>	0..1	SDD-ID: Definition: Usage:	<b>BDTG00000311</b> The information specifying the location to which goods are shipped. To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
<b>Global location number GLN</b>	0..1	SDD-ID: Definition:  Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
<b>County code</b>	0..1	SDD-ID: Definition:	<b>BDT00000034</b> The code indicating a geographical region in a country.
<b>Cross street</b>	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
<b>Party name</b>	0..1	SDD-ID: Definition:	<b>BDT00000106</b> The name of the party expressed as text.
<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
Postal code	0..1	Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
		SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
Province identity	0..1	Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
		SDD-ID:	<b>BDT00000117</b>
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	<b>BDT00000127</b>
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business contact information	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
		Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID:	<b>BDT00000112</b>
		Definition:	The name of an individual person expressed as text.

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
Department name	0..1	SDD-ID:	<b>BDT00000044</b>
		Definition:	The name of the department.
Job title	0..1	SDD-ID:	<b>BDT00000083</b>
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	<b>BDTG00000178</b>
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
Contact type code content	1..1	SDD-ID:	<b>BDT00000571</b>
		Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	<b>BDT00000580</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Communication information	0..unbounded	SDD-ID:	<b>BDTG00000176</b>
		Definition:	The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID:	<b>BDTG00000145</b>
		Definition:	The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID:	<b>BDTG00000326</b>
		Definition:	The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID:	<b>BDT00000369</b>
		Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID:	<b>BDTG00000585</b>
		Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID:	<b>BDT00000584</b>
		Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
		Definition:	The code specifying the agency responsible for the identification scheme.

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
		Used code list:	ResponsibleAgencyCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax description	0..1	SDD-ID:	<b>BDTG00000322</b>
		Definition:	The description of the tax expressed as text.
Tax description content	1..1	SDD-ID:	<b>BDT00000754</b>
		Definition:	The description of the tax expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
Tax registration type code content	1..1	SDD-ID:	<b>BDT00000588</b>
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Customs duty registration information	0..unbounded	SDD-ID:	<b>BDTG00000375</b>
		Definition:	The information specifying details of a party registered for customs duty.
Customs authority name	0..1	SDD-ID:	<b>BDT00000370</b>
		Definition:	The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
<b>Customs registration identification information</b>	1..1	SDD-ID:	<b>BDTG00000621</b>
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
<b>Customs registration identification content</b>	1..1	SDD-ID:	<b>BDT00000622</b>
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
<b>Identification scheme information</b>	0..1	SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
<b>Identification scheme name</b>	0..1	SDD-ID:	<b>BDT00000074</b>
		Definition:	The name of the identification scheme.
<b>Identification scheme agency name</b>	0..1	SDD-ID:	<b>BDT00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
<b>Identification scheme responsible agency code</b>	0..1	SDD-ID:	<b>BDTG00000586</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID:	<b>BDT00000583</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax type code</b>	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
<b>Tax type code content</b>	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Customs duty description</b>	0..1	SDD-ID:	<b>BDTG00000378</b>
		Definition:	The description of the customs duty expressed as text.
<b>Customs duty description content</b>	1..1	SDD-ID:	<b>BDT00000563</b>
		Definition:	The description of the customs duty expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
Customs registration type code	0..1	SDD-ID: <b>BDTG00000623</b>	Definition: The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID: <b>BDT00000624</b>	Definition: The code specifying the type of customs registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b>	Definition: The version number of the code list.
Organisation legal information	0..1	SDD-ID: <b>BDTG00000262</b>	Definition: The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID: <b>BDT00000102</b>	Definition: The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID: <b>BDTG00000228</b>	Definition: The code specifying the language of a party.
Language code content	1..1	SDD-ID: <b>BDT00000524</b>	Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b>	Definition: The version number of the code list.
Currency of party code	0..1	SDD-ID: <b>BDTG00000184</b>	Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID: <b>BDT00000710</b>	Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax. Link to code list: <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b>	Definition: The version number of the code list.
Official address	0..1	SDD-ID: <b>BDTG00000246</b>	Definition: The registered legal address of the organisation.
County code	0..1	SDD-ID: <b>BDT00000034</b>	Definition: The code indicating a geographical region in a country.
City name	0..1	SDD-ID: <b>BDT00000020</b>	Definition: The name of the city, town or village.
City code	0..1	SDD-ID: <b>BDT00000019</b>	Definition: The code specifying a city.



## Clinical Trials Receiving Advice

Business data terms and groups		Usage	Business data terms and groups description	
	Cross street	0..1	SDD-ID: Definition:	<b>BDT00000035</b> The street crossing another street.
	Post office box number	0..1	SDD-ID: Definition:	<b>BDT00000113</b> The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID: Definition:	<b>BDT00000114</b> The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID: Definition:	<b>BDT00000117</b> The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: Definition:	<b>BDT00000127</b> The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID: Definition:	<b>BDT00000128</b> The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition:	<b>BDT00000130</b> The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID: Definition:	<b>BDT00000129</b> The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID: Definition:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Issued capital	0..1	SDD-ID: Definition:	<b>BDTG00000225</b> The monetary amount representing the value of the issued capital of a company.



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
		Definition:	The monetary amount representing the issued capital of a company.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
		Definition:	The description of the legal structure expressed as text.
Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
		Definition:	The description of the legal structure expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	<b>BDT00000087</b>
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	<b>BDTG00000086</b>
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	<b>BDTG00000230</b>
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	<b>BDT00000658</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	<b>BDT00000061</b>



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
<b>Financial institution division name</b>	0..1	Definition:	The name of a financial institution expressed as text.
		SDD-ID:	<b>BDT00000060</b>
<b>Financial account information</b>	0..1	Definition:	The name of a division or branch within a financial institution expressed as text.
		SDD-ID:	<b>BDTG00000207</b>
<b>Financial account name</b>	0..1	Definition:	The information specifying details of a financial account.
		SDD-ID:	<b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.
<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000645</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
		Definition:	The information specifying details on a routing number of a financial institution.
<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDT00000062</b>
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
<b>Financial routing number type code content</b>	1..1	SDD-ID:	<b>BDT00000644</b>
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Additional financial institution description</b>	0..1	SDD-ID:	<b>BDTG00000522</b>
		Definition:	The additional description of a financial institution expressed as text.

## Clinical Trials Receiving Advice

Business data terms and groups		Usage	Business data terms and groups description	
<div> <div>Additional financial institution description content</div> <div>Language code</div> <div>Language code content</div> <div>Code list version</div> <div>Address information</div> <div>City name</div> <div>City code</div> <div>County code</div> <div>Cross street</div> <div>Party name</div> <div>Post office box number</div> <div>Postal code</div> <div>Province identity</div> <div>State</div> <div>Street address one</div> <div>Street address two</div> </div>	Additional financial institution description content	1..1	SDD-ID:	<b>BDT00000521</b>
			Definition:	The text value describing the additional financial institution.
	Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
			Definition:	The code specifying the language.
	Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
			Definition:	The code specifying the language.
			Example:	en
			Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
			Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Party name	0..1	SDD-ID:	<b>BDT00000106</b>
			Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Kit Information	0..1		
Non Compliant Kit Information	0..1		
Reason for non compliance code	1..1	SDD-ID:	<b>BDTG00000984</b>
		Definition:	The code specifying the type of additional identifier for a shipment.
Kit error code content	0..1	SDD-ID:	<b>BDT00000983</b>
		Definition:	The code identifying the reason for non compliance
		Used code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:KiitErrorCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:KiitErrorCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Serial number	1..1	SDD-ID:	<b>BDT00000121</b>
		Definition:	The serial number assigned to an individual instance of a specific identified product or trade item to make an instance of a product or trade item unique.
		Usage:	The code need not be strictly numerical and can contain letters and other typographical symbols or may consist entirely of a character string.
Logistic unit identification information	0..1	SDD-ID:	<b>BDTG00000859</b>
		Definition:	The information specifying the identification details of a logistic unit.
Serial shipping container code, SSCC	0..1	SDD-ID:	<b>BDT00000854</b>
		Definition:	The identity according to the GS1 identification system for unique identification of logistic units.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify logistic units. The key comprises an Extension digit, GS1 Company Prefix, Serial Reference, and



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description
<b>Additional logistic unit identification information</b>	0..unbounded	<p>Example: 950110102081858960</p> <p>SDD-ID: <b>BDTG00000858</b></p> <p>Definition: The information specifying the additional identification details of a logistic unit.</p>
<b>Additional logistic unit identification content</b>	1..1	<p>SDD-ID: <b>BDT00000855</b></p> <p>Definition: The additional identity of a logistic unit</p> <p>Example: ABD3571/98-7</p>
<b>Additional logistic unit identification type code</b>	0..1	<p>SDD-ID: <b>BDTG00000857</b></p> <p>Definition: The code specifying the type of provided additional logistic unit identification.</p>
<b>Additional logistic unit identification type code content</b>	1..1	<p>SDD-ID: <b>BDT00000856</b></p> <p>Definition: The code of the additional logistic unit identification type.</p> <p>Example: SHIPPER_ASSIGNED</p> <p>Used code list: AdditionalLogisticUnitIdentificationTypeCode</p> <p>Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalLogisticUnitIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalLogisticUnitIdentificationTypeCode</a></p>
<b>Code list version</b>	0..1	<p>SDD-ID: <b>BDT00000028</b></p> <p>Definition: The version number of the code list.</p>
<b>Measurement unit code</b>	0..1	<p>SDD-ID: <b>BDTG00000608</b></p> <p>Definition: The code specifying the unambiguous representation of a unit of measure.</p>
<b>Measurement unit code content</b>	1..1	<p>SDD-ID: <b>BDT00000607</b></p> <p>Definition: The code specifying the unambiguous representation of a unit of measure.</p> <p>Used code list: MeasurementUnitCode</p> <p>Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a></p>
<b>Code list version</b>	0..1	<p>SDD-ID: <b>BDT00000028</b></p> <p>Definition: The version number of the code list.</p>
<b>Lot number</b>	0..1	<p>SDD-ID: <b>BDT00000090</b></p> <p>Definition: The identification number for a lot consisting of products produced within different production batches.</p>
<b>Medication kit quantity</b>	0..1	<p>SDD-ID: <b>BDTG00000968</b></p> <p>Definition: The quantity of medication kits and/or dispensable units</p>
<b>Medication kit quantity content</b>	1..1	<p>SDD-ID: <b>BDT00000967</b></p> <p>Definition: The value of the quantity of medication kits.</p>
<b>Measurement unit code</b>	0..1	<p>SDD-ID: <b>BDTG00000608</b></p> <p>Definition: The code specifying the unambiguous representation of a unit of measure.</p>
<b>Measurement unit code content</b>	1..1	<p>SDD-ID: <b>BDT00000607</b></p> <p>Definition: The code specifying the unambiguous representation of a unit of measure.</p> <p>Used code list: MeasurementUnitCode</p> <p>Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:MeasurementUnitCode&amp;release=1</a></p>
<b>Code list version</b>	0..1	<p>SDD-ID: <b>BDT00000028</b></p> <p>Definition: The version number of the code list.</p>
<b>Clinical trial product identification information</b>	1..1	<p>SDD-ID: <b>BDTG00000947</b></p>



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
<b>Global trade item number, GTIN</b>	1..1	Definition:	The information specifying the Global Trade Identification number, GTIN, of a clinical trial product
		SDD-ID:	<b>BDT00000066</b>
		Definition:	The identity according to the GS1 identification system for unique identification of products and services.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify trade items. The key comprises a GS1 Company Prefix, an item reference and check digit.
		Example:	07300015200192
<b>Referenced system order identification</b>	0..1	SDD-ID:	<b>BDTG00000960</b>
		Definition:	The information specifying the receiving party's system shipping order identification
<b>Entity identification</b>	1..1	SDD-ID:	<b>BDT00000056</b>
		Definition:	The identity of an entity such as a document or an object.
<b>Document content owner</b>	0..1	SDD-ID:	<b>BDTG00000196</b>
		Definition:	The information specifying the party that is responsible for the content of a document.
<b>Global location number GLN</b>	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Shipment requestor party information</b>	0..1	SDD-ID:	<b>BDTG00000989</b>
		Definition:	The information specifying the details of the party requesting the shipment
		Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
<b>Buyer party registered in the European Union indicator</b>	0..1	SDD-ID:	<b>BDT00000404</b>
		Definition:	The code indicating if the company specified as the buyer is registered as a company in



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description
<b>Global location number, GLN</b>	0..1	Usage: a member state of the European Union. The business data term is used for fighting illicit trade. SDD-ID: <b>BDT00000063</b> Definition: The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. Ref. definition: GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID: <b>BDTG00000577</b> Definition: The information specifying the additional identification details of a party. Usage: The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID: <b>BDT00000578</b> Definition: The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID: <b>BDTG00000579</b> Definition: The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID: <b>BDT00000570</b> Definition: The code specifying the additional identification type of the party. Used code list: AdditionalPartyIdentificationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Electronic address information</b>	0..1	SDD-ID: <b>BDTG00000784</b> Definition: The information about the electronic address of a party
<b>Electronic address identification scheme</b>	1..1	SDD-ID: <b>BDT00000786</b> Definition: The identification scheme of of the electronic address
<b>Electronic address identification</b>	1..1	SDD-ID: <b>BDT00000785</b> Definition: The identifier of of the electronic address to which a business document should be delivered
<b>Address information</b>	0..1	SDD-ID: <b>BDTG00000144</b> Definition: The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
<b>City name</b>	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.
<b>City code</b>	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.
<b>County code</b>	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.
<b>Cross street</b>	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
Party name	0..1	SDD-ID:	<b>BDT00000106</b>
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	<b>BDT00000127</b>
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business contact information	0..unbounded	SDD-ID:	<b>BDTG00000158</b>
		Definition:	The information specifying details of the person or department who can give special



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
		assistance regarding a business transaction.	
Person name	0..1	SDD-ID:	<b>BDT00000112</b>
		Definition:	The name of an individual person expressed as text.
Department name	0..1	SDD-ID:	<b>BDT00000044</b>
		Definition:	The name of the department.
Job title	0..1	SDD-ID:	<b>BDT00000083</b>
		Definition:	The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID:	<b>BDTG00000178</b>
		Definition:	The code specifying the function or role of a contact person.
		Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
Contact type code content	1..1	SDD-ID:	<b>BDT00000571</b>
		Definition:	The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Business contact responsibility description	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Business contact responsibility description content	1..1	SDD-ID:	<b>BDT00000580</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Communication information	0..unbounded	SDD-ID:	<b>BDTG00000176</b>
		Definition:	The information specifying details of a contact person's communication channel.
Communication channel code	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID:	<b>BDTG00000145</b>
		Definition:	The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID:	<b>BDTG00000326</b>
		Definition:	The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID:	<b>BDT00000369</b>
		Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID:	<b>BDTG00000585</b>
		Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID:	<b>BDT00000584</b>
		Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency	0..1	SDD-ID:	<b>BDTG00000586</b>

## Clinical Trials Receiving Advice

Business data terms and groups		Usage	Business data terms and groups description	
	<b>code</b>		Definition:	The code specifying the agency responsible for the identification scheme.
	<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Tax type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000328</b> The code specifying the type of tax.
	<b>Tax type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Tax description</b>	0..1	SDD-ID: Definition:	<b>BDTG00000322</b> The description of the tax expressed as text.
	<b>Tax description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000754</b> The description of the tax expressed as text.
	<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
	<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Tax registration type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000327</b> The code specifying the type of tax registration number assigned by a national authority.
	<b>Tax registration type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000588</b> The code specifying the type of tax registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Customs duty registration information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000375</b> The information specifying details of a party registered for customs duty.

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
Customs authority name	0..1	SDD-ID: <b>BDT00000370</b> Definition:	The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
Customs registration identification information	1..1	SDD-ID: <b>BDTG00000621</b> Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
Customs registration identification content	1..1	SDD-ID: <b>BDT00000622</b> Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
Identification scheme information	0..1	SDD-ID: <b>BDTG00000587</b> Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID: <b>BDT00000074</b> Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID: <b>BDT00000073</b> Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID: <b>BDTG00000586</b> Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID: <b>BDT00000583</b> Definition: Used code list: Link to code list:	The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID: <b>BDTG00000328</b> Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID: <b>BDT00000576</b> Definition: Used code list: Link to code list:	The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition:	The version number of the code list.
Customs duty description	0..1	SDD-ID: <b>BDTG00000378</b> Definition:	The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID: <b>BDT00000563</b> Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition:	The code specifying the language.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: Example: Used code list:	The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Customs registration type code</b>	0..1	SDD-ID: <b>BDTG00000623</b> Definition: The version number of the code list.
<b>Customs registration type code content</b>	1..1	SDD-ID: <b>BDT00000624</b> Definition: The code specifying the type of customs registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Organisation legal information</b>	0..1	SDD-ID: <b>BDTG00000262</b> Definition: The information specifying details of a legal organisation.
<b>Organisation name</b>	1..1	SDD-ID: <b>BDT00000102</b> Definition: The official and legal name of the organisation.
<b>Language of the party code</b>	0..1	SDD-ID: <b>BDTG00000228</b> Definition: The code specifying the language of a party.
<b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Currency of party code</b>	0..1	SDD-ID: <b>BDTG00000184</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.
<b>Currency of party code content</b>	1..1	SDD-ID: <b>BDT00000710</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax. Link to code list: <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Official address</b>	0..1	SDD-ID: <b>BDTG00000246</b> Definition: The registered legal address of the organisation.
<b>County code</b>	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.
<b>City name</b>	0..1	SDD-ID: <b>BDT00000020</b>

## Clinical Trials Receiving Advice

Business data terms and groups		Usage	Business data terms and groups description	
	<b>City code</b>	0..1	Definition:	The name of the city, town or village.
			SDD-ID:	<b>BDT00000019</b>
	<b>Cross street</b>	0..1	Definition:	The code specifying a city.
			SDD-ID:	<b>BDT00000035</b>
	<b>Post office box number</b>	0..1	Definition:	The street crossing another street.
			SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	<b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	<b>State</b>	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	<b>Street address one</b>	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	<b>Street address two</b>	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	<b>Street address three</b>	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	<b>Country code</b>	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	<b>Country code content</b>	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	<b>Geographical coordinates information</b>	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	<b>Latitude</b>	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
		Example:	18°3'59.0616"
Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
		Definition:	The monetary amount representing the value of the issued capital of a company.
Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
		Definition:	The monetary amount representing the issued capital of a company.
Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>
		Definition:	The code specifying the currency of a monetary amount.
Currency code content	1..1	SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Legal structure description	0..1	SDD-ID:	<b>BDTG00000231</b>
		Definition:	The description of the legal structure expressed as text.
Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
		Definition:	The description of the legal structure expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	<b>BDT00000087</b>
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	<b>BDT00000086</b>
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	<b>BDTG00000230</b>
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	<b>BDT00000658</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
<b>Financial institution and financial account information</b>	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
<b>Financial institution name</b>	0..1	SDD-ID:	<b>BDT00000061</b>
		Definition:	The name of a financial institution expressed as text.
<b>Financial institution division name</b>	0..1	SDD-ID:	<b>BDT00000060</b>
		Definition:	The name of a division or branch within a financial institution expressed as text.
<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.
<b>Financial account name</b>	0..1	SDD-ID:	<b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.
<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000645</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
		Definition:	The information specifying details on a routing number of a financial institution.
<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDT00000062</b>
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
<b>Financial routing number type code content</b>	1..1	SDD-ID:	<b>BDT00000644</b>
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The version number of the code list.
Additional financial institution description	0..1	SDD-ID:	<b>BDTG00000522</b>
		Definition:	The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID:	<b>BDT00000521</b>
		Definition:	The text value describing the additional financial institution.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	<b>BDT00000106</b>
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
		Definition:	The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID:	<b>BDT00000127</b>
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	<b>BDT00000128</b>



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Shipment receiving party information	0..1	SDD-ID:	<b>BDTG00000990</b>
		Definition:	The information specifying the details of the shipment receiving party
		Usage:	To identify a party or a location, either of "BDT00000063 Global location number, GLN" or "BDT00000578 Additional party identification content" is used, or both.
Buyer party registered in the European Union indicator	0..1	SDD-ID:	<b>BDT00000404</b>
		Definition:	The code indicating if the company specified as the buyer is registered as a company in a member state of the European Union.
		Usage:	The business data term is used for fighting illicit trade.
Global location number, GLN	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Electronic address information	0..1	SDD-ID:	<b>BDTG00000784</b>
		Definition:	The information about the electronic address of a party
Electronic address identification scheme	1..1	SDD-ID:	<b>BDT00000786</b>
		Definition:	The identification scheme of of the electronic address
Electronic address identification	1..1	SDD-ID:	<b>BDT00000785</b>
		Definition:	The identifier of of the electronic address to which a business document should be delivered
Address information	0..1	SDD-ID:	<b>BDTG00000144</b>
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
City code	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
County code	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
Party name	0..1	SDD-ID:	<b>BDT00000106</b>
		Definition:	The name of the party expressed as text.
Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
		Definition:	The identity of a province according to national codes assigned to provinces.

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
State	0..1	SDD-ID: <b>BDT00000127</b> Definition: The political unit that a country can be divided into. Example: California	
Street address one	0..1	SDD-ID: <b>BDT00000128</b> Definition: The first street address line of a structured address. Example: Avenue Louise 326	
Street address two	0..1	SDD-ID: <b>BDT00000130</b> Definition: The second street address line of a structured address. Example: Blue Tower	
Street address three	0..1	SDD-ID: <b>BDT00000129</b> Definition: The third street address line of a structured address. Example: Floor 4	
Country code	0..1	SDD-ID: <b>BDTG00000179</b> Definition: The code specifying a country.	
Country code content	1..1	SDD-ID: <b>BDT00000774</b> Definition: The code specifying a country.	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Geographical coordinates information	0..1	SDD-ID: <b>BDTG00000214</b> Definition: The information specifying details on a location using geographical coordinates.	
Latitude	1..1	SDD-ID: <b>BDT00000085</b> Definition: The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. Example: 23°26'12.2" S	
Longitude	1..1	SDD-ID: <b>BDT00000089</b> Definition: The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. Example: 18°3'59.0616"	
Business contact information	0..unbounded	SDD-ID: <b>BDTG00000158</b> Definition: The information specifying details of the person or department who can give special assistance regarding a business transaction.	
Person name	0..1	SDD-ID: <b>BDT00000112</b> Definition: The name of an individual person expressed as text.	
Department name	0..1	SDD-ID: <b>BDT00000044</b> Definition: The name of the department.	
Job title	0..1	SDD-ID: <b>BDT00000083</b> Definition: The title of a position or the role of a person holding the position.	
Contact type code	0..1	SDD-ID: <b>BDTG00000178</b> Definition: The code specifying the function or role of a contact person. Used code list: ISO 3166-1 or equivalent representation in specific syntax. Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>	
Contact type code content	1..1	SDD-ID: <b>BDT00000571</b>	

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
<b>Code list version</b>	0..1	Definition:	The code specifying the function or role of a contact person.
		SDD-ID:	<b>BDT00000028</b>
<b>Business contact responsibility description</b>	0..unbounded	Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000159</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000176</b>
		Definition:	The information specifying details of a contact person's communication channel.
<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<b>Communication channel name</b>	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
<b>After hours communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000145</b>
		Definition:	The information specifying details of communication channels to use after regular business hours.
<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description
<ul style="list-style-type: none"> <li>Communication channel code content</li> </ul>	1..1	SDD-ID: <b>BDT00000525</b> Definition: The code specifying the channel for communication. Example: TELEPHONE Used code list: CommunicationChannelCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<ul style="list-style-type: none"> <li>Communication channel identification</li> </ul>	1..1	SDD-ID: <b>BDT00000032</b> Definition: The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<ul style="list-style-type: none"> <li>Communication channel name</li> </ul>	0..1	SDD-ID: <b>BDT00000033</b> Definition: The name of a communication channel expressed as text.
<ul style="list-style-type: none"> <li>Tax registration information</li> </ul>	0..unbounded	SDD-ID: <b>BDTG00000326</b> Definition: The information specifying details of a party registered for tax.
<ul style="list-style-type: none"> <li>Tax authority name</li> </ul>	0..1	SDD-ID: <b>BDT00000369</b> Definition: The name of the authority administering the collection of taxes expressed as text.
<ul style="list-style-type: none"> <li>Tax registration identification information</li> </ul>	1..1	SDD-ID: <b>BDTG00000585</b> Definition: The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
<ul style="list-style-type: none"> <li>Tax registration identification content</li> </ul>	1..1	SDD-ID: <b>BDT00000584</b> Definition: The identity assigned to a party registered for tax according to a national tax register.
<ul style="list-style-type: none"> <li>Identification scheme information</li> </ul>	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.
<ul style="list-style-type: none"> <li>Identification scheme name</li> </ul>	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.
<ul style="list-style-type: none"> <li>Identification scheme agency name</li> </ul>	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.
<ul style="list-style-type: none"> <li>Identification scheme responsible agency code</li> </ul>	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.
<ul style="list-style-type: none"> <li>Identification scheme responsible agency code content</li> </ul>	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<ul style="list-style-type: none"> <li>Tax type code</li> </ul>	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.
<ul style="list-style-type: none"> <li>Tax type code content</li> </ul>	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a> SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<ul style="list-style-type: none"> <li>Tax description</li> </ul>	0..1	SDD-ID: <b>BDTG00000322</b> Definition: The description of the tax expressed as text.
<ul style="list-style-type: none"> <li>Tax description content</li> </ul>	1..1	SDD-ID: <b>BDT00000754</b> Definition: The description of the tax expressed as text.
<ul style="list-style-type: none"> <li>Language code</li> </ul>	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
<ul style="list-style-type: none"> <li>Language code content</li> </ul>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<ul style="list-style-type: none"> <li>Tax registration type code</li> </ul>	0..1	SDD-ID: <b>BDTG00000327</b> Definition: The code specifying the type of tax registration number assigned by a national authority.
<ul style="list-style-type: none"> <li>Tax registration type code content</li> </ul>	1..1	SDD-ID: <b>BDT00000588</b> Definition: The code specifying the type of tax registration number assigned by a national authority. Used code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">DutyFeeTaxRegistrationTypeCode</a> Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<ul style="list-style-type: none"> <li>Customs duty registration information</li> </ul>	0..unbounded	SDD-ID: <b>BDTG00000375</b> Definition: The information specifying details of a party registered for customs duty.
<ul style="list-style-type: none"> <li>Customs authority name</li> </ul>	0..1	SDD-ID: <b>BDT00000370</b> Definition: The name of the authority administrating the collection of duties, taxes and fees at a country border expressed as text.
<ul style="list-style-type: none"> <li>Customs registration identification information</li> </ul>	1..1	SDD-ID: <b>BDTG00000621</b> Definition: The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
<ul style="list-style-type: none"> <li>Customs registration identification content</li> </ul>	1..1	SDD-ID: <b>BDT00000622</b> Definition: The identity assigned to a party registered for customs duty according to a national customs register.
<ul style="list-style-type: none"> <li>Identification scheme information</li> </ul>	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.
<ul style="list-style-type: none"> <li>Identification scheme name</li> </ul>	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Customs duty description	0..1	SDD-ID:	<b>BDTG00000378</b>
		Definition:	The description of the customs duty expressed as text.
Customs duty description content	1..1	SDD-ID:	<b>BDT00000563</b>
		Definition:	The description of the customs duty expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Customs registration type code	0..1	SDD-ID:	<b>BDTG00000623</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID:	<b>BDT00000624</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The version number of the code list.
<b>Organisation legal information</b>	0..1	SDD-ID:	<b>BDTG00000262</b>
		Definition:	The information specifying details of a legal organisation.
<b>Organisation name</b>	1..1	SDD-ID:	<b>BDT00000102</b>
		Definition:	The official and legal name of the organisation.
<b>Language of the party code</b>	0..1	SDD-ID:	<b>BDTG00000228</b>
		Definition:	The code specifying the language of a party.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Currency of party code</b>	0..1	SDD-ID:	<b>BDTG00000184</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
<b>Currency of party code content</b>	1..1	SDD-ID:	<b>BDT00000710</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Official address</b>	0..1	SDD-ID:	<b>BDTG00000246</b>
		Definition:	The registered legal address of the organisation.
<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90

## Clinical Trials Receiving Advice

Business data terms and groups		Usage	Business data terms and groups description	
	<b>Province identity</b>	0..1	Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode SDD-ID: <b>BDT00000117</b> Definition: The identity of a province according to national codes assigned to provinces.	
	<b>State</b>	0..1	SDD-ID: <b>BDT00000127</b> Definition: The political unit that a country can be divided into. Example: California	
	<b>Street address one</b>	0..1	SDD-ID: <b>BDT00000128</b> Definition: The first street address line of a structured address. Example: Avenue Louise 326	
	<b>Street address two</b>	0..1	SDD-ID: <b>BDT00000130</b> Definition: The second street address line of a structured address. Example: Blue Tower	
	<b>Street address three</b>	0..1	SDD-ID: <b>BDT00000129</b> Definition: The third street address line of a structured address. Example: Floor 4	
	<b>Country code</b>	0..1	SDD-ID: <b>BDTG00000179</b> Definition: The code specifying a country.	
	<b>Country code content</b>	1..1	SDD-ID: <b>BDT00000774</b> Definition: The code specifying a country.	
	<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
	<b>Geographical coordinates information</b>	0..1	SDD-ID: <b>BDTG00000214</b> Definition: The information specifying details on a location using geographical coordinates.	
	<b>Latitude</b>	1..1	SDD-ID: <b>BDT00000085</b> Definition: The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. Example: 23°26'12.2" S	
	<b>Longitude</b>	1..1	SDD-ID: <b>BDT00000089</b> Definition: The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. Example: 18°3'59.0616"	
	<b>Issued capital</b>	0..1	SDD-ID: <b>BDTG00000225</b> Definition: The monetary amount representing the value of the issued capital of a company.	
	<b>Issued capital content</b>	1..1	SDD-ID: <b>BDT00000655</b> Definition: The monetary amount representing the issued capital of a company.	
	<b>Currency code</b>	0..1	SDD-ID: <b>BDTG00000590</b> Definition: The code specifying the currency of a monetary amount.	
	<b>Currency code content</b>	1..1	SDD-ID: <b>BDT00000589</b> Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
	<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b>	

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
<b>Legal structure description</b>	0..1	Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000231</b>
<b>Legal structure description content</b>	1..1	Definition:	The description of the legal structure expressed as text.
		SDD-ID:	<b>BDT00000659</b>
<b>Language code</b>	0..1	Definition:	The description of the legal structure expressed as text.
		SDD-ID:	<b>BDTG00000523</b>
<b>Language code content</b>	1..1	Definition:	The code specifying the language.
		SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Registered legal information</b>	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
<b>Legal registration number</b>	1..1	SDD-ID:	<b>BDT00000087</b>
		Definition:	The identification number of an organisation according to a legal register.
<b>Legal registration additional information</b>	0..1	SDD-ID:	<b>BDT00000086</b>
		Definition:	The additional information related to the legal registration expressed as text.
<b>Legal registration type code</b>	1..1	SDD-ID:	<b>BDTG00000230</b>
		Definition:	The code specifying the type of legal registration.
<b>Legal registration type code content</b>	1..1	SDD-ID:	<b>BDT00000658</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Financial institution and financial account information</b>	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
<b>Financial institution name</b>	0..1	SDD-ID:	<b>BDT00000061</b>
		Definition:	The name of a financial institution expressed as text.
<b>Financial institution division name</b>	0..1	SDD-ID:	<b>BDT00000060</b>
		Definition:	The name of a division or branch within a financial institution expressed as text.
<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.
<b>Financial account name</b>	0..1	SDD-ID:	<b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
Financial account number type code	1..1	SDD-ID: <b>BDTG00000208</b> Definition: The code specifying the type of a financial account number. Used code list: FinancialAccountNumberTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>	
Financial account number type code content	1..1	SDD-ID: <b>BDT00000645</b> Definition: The code specifying the type of a financial account number. Used code list: FinancialAccountNumberTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Financial institution routing number information	0..1	SDD-ID: <b>BDTG00000210</b> Definition: The information specifying details on a routing number of a financial institution.	
Financial routing number	1..1	SDD-ID: <b>BDT00000062</b> Definition: The routing number of a financial transaction according to the specified financial routing type. Business rule: This business data term must be used in conjunction with the Financial routing number type code class.	
Financial routing number type code	1..1	SDD-ID: <b>BDTG00000211</b> Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>	
Financial routing number type code content	1..1	SDD-ID: <b>BDT00000644</b> Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Additional financial institution description	0..1	SDD-ID: <b>BDTG00000522</b> Definition: The additional description of a financial institution expressed as text.	
Additional financial institution description content	1..1	SDD-ID: <b>BDT00000521</b> Definition: The text value describing the additional financial institution.	
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.	
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
Code list version	0..1	SDD-ID: <b>BDT00000028</b>	



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
<b>Address information</b>	0..1	Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000144</b>
		Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
<b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
<b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
<b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
<b>Party name</b>	0..1	SDD-ID:	<b>BDT00000106</b>
		Definition:	The name of the party expressed as text.
<b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
<b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000117</b>
		Definition:	The identity of a province according to national codes assigned to provinces.
<b>State</b>	0..1	SDD-ID:	<b>BDT00000127</b>
		Definition:	The political unit that a country can be divided into.
		Example:	California
<b>Street address one</b>	0..1	SDD-ID:	<b>BDT00000128</b>
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
<b>Street address two</b>	0..1	SDD-ID:	<b>BDT00000130</b>
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
<b>Street address three</b>	0..1	SDD-ID:	<b>BDT00000129</b>
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
<b>Country code</b>	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
<b>Country code content</b>	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
<b>Geographical coordinates information</b>	0..1	Definition:	The version number of the code list.
<b>Latitude</b>	1..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
<b>Medication kit reception date time</b>	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
<b>Clinical trial protocol identification</b>	1..1	SDD-ID:	<b>BDT00000988</b>
		Definition:	The date and optional time when the items were received
<b>Shipment request date</b>	0..1	SDD-ID:	<b>BDT00000960</b>
		Definition:	The information specifying the clinical trial study protocol identification
<b>Business document effective date time</b>	0..1	SDD-ID:	<b>BDT00000971</b>
		Definition:	The date when the shipment request has been generated
<b>Date</b>	0..1	SDD-ID:	<b>BDTG00000197</b>
		Definition:	The date and optional time from when the business document is valid from commercial or legal point of view.
<b>Time</b>	0..1	SDD-ID:	<b>BDT00000040</b>
		Definition:	The day of a year as a calendar date.
		Example:	2020-06-15
<b>Revision number</b>	0..1	SDD-ID:	<b>BDT00000133</b>
		Definition:	The indication of a point in time.
		Example:	08:01:15
<b>Business document creation date time</b>	1..1	SDD-ID:	<b>BDT00000119</b>
		Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.
<b>Business document status code</b>	1..1	SDD-ID:	<b>BDT00000047</b>
		Definition:	The date and optional time when the business document was issued.
		Example:	<b>BDT00000050</b>
		Definition:	The code specifying the status of a business document.
		Example:	ORIGINAL
		Used code list:	DocumentStatusEnumeration
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentStatusEnumeration">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentStatusEnumeration</a>
<b>Business document action code</b>	0..1	SDD-ID:	<b>BDT00000045</b>
		Definition:	The code indicating the action to be taken by a process within the IT system of the recipient of the business document.
		Usage:	By the received code the IT-system can start the relevant IT process such as adding an original business document transaction when the code ADD is specified, or delete a previously received document transaction when the code DELETE is specified (a



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
		Used code list:	reference to the document transaction for deletion is required).
		Link to code list:	DocumentActionEnumeration <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentActionEnumeration">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DocumentActionEnumeration</a>
Business document standard version	0..1	SDD-ID: Definition:	<b>BDT00000046</b> The version number of the standard used for the business document.
Business document last update date time	0..1	SDD-ID: Definition:	<b>BDT00000048</b> The last date and time when a business document was updated.
Business document effective date time	0..1	SDD-ID: Definition:	<b>BDTG00000197</b> The date and optional time from when the business document is valid from commercial or legal point of view.
Date	0..1	SDD-ID: Definition: Example:	<b>BDT00000040</b> The day of a year as a calendar date. 2020-06-15
Time	0..1	SDD-ID: Definition: Example:	<b>BDT00000133</b> The indication of a point in time. 08:01:15
Clinical trial protocol owner party information	1..1	SDD-ID: Definition:	<b>BDTG000000961</b> The information specifying details of the party sponsoring the clinical trial
Global location number, GLN	0..1	SDD-ID: Definition:  Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG000000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID: Definition:	<b>BDT000000578</b> The additional identity of a party.
Additional party identification type code	1..1	SDD-ID: Definition:	<b>BDTG000000579</b> The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT000000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID: Definition:	<b>BDT000000028</b> The version number of the code list.
Address information	0..1	SDD-ID: Definition:	<b>BDTG000000144</b> The information specifying the name and location of a company or an individual person,

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description
		a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.
City code	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.
County code	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.
Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition: The name of the party expressed as text.
Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition: The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms: P.O. box, postal box
Postal code	0..1	SDD-ID: <b>BDT00000114</b> Definition: The code according to the relevant postal system or service to specify a geographical area.
		Example: SE 190 90
		Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID: <b>BDT00000117</b> Definition: The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: <b>BDT00000127</b> Definition: The political unit that a country can be divided into.
		Example: California
Street address one	0..1	SDD-ID: <b>BDT00000128</b> Definition: The first street address line of a structured address.
		Example: Avenue Louise 326
Street address two	0..1	SDD-ID: <b>BDT00000130</b> Definition: The second street address line of a structured address.
		Example: Blue Tower
Street address three	0..1	SDD-ID: <b>BDT00000129</b> Definition: The third street address line of a structured address.
		Example: Floor 4
Country code	0..1	SDD-ID: <b>BDTG000000179</b> Definition: The code specifying a country.
Country code content	1..1	SDD-ID: <b>BDT000000774</b> Definition: The code specifying a country.
Code list version	0..1	SDD-ID: <b>BDT000000028</b> Definition: The version number of the code list.
Geographical coordinates information	0..1	SDD-ID: <b>BDTG000000214</b> Definition: The information specifying details on a location using geographical coordinates.

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
<b>Latitude</b>	1..1	SDD-ID: Definition:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
<b>Longitude</b>	1..1	Example: SDD-ID: Definition:	23°26'12.2" S <b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
<b>Business contact information</b>	0..unbounded	Example: SDD-ID: Definition:	18°3'59.0616" <b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
<b>Person name</b>	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
<b>Department name</b>	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
<b>Job title</b>	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
<b>Contact type code</b>	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
<b>Contact type code content</b>	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Business contact responsibility description</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000159</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Business contact responsibility description content</b>	1..1	SDD-ID: Definition:	<b>BDT00000580</b> The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Language code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000523</b> The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Communication information</b>	0..unbounded	SDD-ID: Definition:	<b>BDTG00000176</b> The information specifying details of a contact person's communication channel.



## Clinical Trials Receiving Advice

Business data terms and groups		Usage	Business data terms and groups description	
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	After hours communication information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000145</b> The information specifying details of communication channels to use after regular business hours.
	Communication channel code	1..1	SDD-ID: Definition: Link to code list:	<b>BDTG00000175</b> The code specifying the channel for communication. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Communication channel code content	1..1	SDD-ID: Definition: Example: Used code list: Link to code list:	<b>BDT00000525</b> The code specifying the channel for communication. TELEPHONE CommunicationChannelCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
	Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	Communication channel identification	1..1	SDD-ID: Definition:	<b>BDT00000032</b> The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
	Communication channel name	0..1	SDD-ID: Definition:	<b>BDT00000033</b> The name of a communication channel expressed as text.
	Tax registration information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000326</b> The information specifying details of a party registered for tax.
	Tax authority name	0..1	SDD-ID: Definition:	<b>BDT00000369</b> The name of the authority administering the collection of taxes expressed as text.
	Tax registration identification information	1..1	SDD-ID: Definition:	<b>BDTG00000585</b> The information specifying details of the identity assigned to a party registered for tax

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description
		according to a national tax register.
<b>Tax registration identification content</b>	1..1	SDD-ID: <b>BDT00000584</b> Definition: The identity assigned to a party registered for tax according to a national tax register.
<b>Identification scheme information</b>	0..1	SDD-ID: <b>BDTG00000587</b> Definition: The information specifying details of the used identification scheme.
<b>Identification scheme name</b>	0..1	SDD-ID: <b>BDT00000074</b> Definition: The name of the identification scheme.
<b>Identification scheme agency name</b>	0..1	SDD-ID: <b>BDT00000073</b> Definition: The name of the agency responsible for a identification scheme.
<b>Identification scheme responsible agency code</b>	0..1	SDD-ID: <b>BDTG00000586</b> Definition: The code specifying the agency responsible for the identification scheme.
<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: <b>BDT00000583</b> Definition: The code specifying the agency responsible for the identification scheme. Used code list: ResponsibleAgencyCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Tax type code</b>	0..1	SDD-ID: <b>BDTG00000328</b> Definition: The code specifying the type of tax.
<b>Tax type code content</b>	1..1	SDD-ID: <b>BDT00000576</b> Definition: The code specifying the type of tax. Used code list: DutyFeeTaxTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Tax description</b>	0..1	SDD-ID: <b>BDTG00000322</b> Definition: The description of the tax expressed as text.
<b>Tax description content</b>	1..1	SDD-ID: <b>BDT00000754</b> Definition: The description of the tax expressed as text.
<b>Language code</b>	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Tax registration type code</b>	0..1	SDD-ID: <b>BDTG00000327</b> Definition: The code specifying the type of tax registration number assigned by a national authority.



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description
<b>Tax registration type code content</b>	1..1	SDD-ID: <b>BDT00000588</b> Definition: The code specifying the type of tax registration number assigned by a national authority. Used code list: DutyFeeTaxRegistrationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Organisation legal information</b>	0..1	SDD-ID: <b>BDTG00000262</b> Definition: The information specifying details of a legal organisation.
<b>Organisation name</b>	1..1	SDD-ID: <b>BDT00000102</b> Definition: The official and legal name of the organisation.
<b>Language of the party code</b>	0..1	SDD-ID: <b>BDTG00000228</b> Definition: The code specifying the language of a party.
<b>Language code content</b>	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Currency of party code</b>	0..1	SDD-ID: <b>BDTG00000184</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax.
<b>Currency of party code content</b>	1..1	SDD-ID: <b>BDT00000710</b> Definition: The code specifying the currency of a party. Example: EUR Used code list: ISO 4217 three-letter codes or equivalent representation in specific syntax. Link to code list: <a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Official address</b>	0..1	SDD-ID: <b>BDTG00000246</b> Definition: The registered legal address of the organisation.
<b>County code</b>	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.
<b>City name</b>	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.
<b>City code</b>	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.
<b>Cross street</b>	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.
<b>Post office box number</b>	0..1	SDD-ID: <b>BDT00000113</b>

## Clinical Trials Receiving Advice

Business data terms and groups		Usage	Business data terms and groups description	
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
	Province identity	0..1	Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
			SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S
	Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
			Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
			Example:	18°3'59.0616"
	Issued capital	0..1	SDD-ID:	<b>BDTG00000225</b>
			Definition:	The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID:	<b>BDT00000655</b>
			Definition:	The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID:	<b>BDTG00000590</b>

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
<b>Currency code content</b>	1..1	Definition:	The code specifying the currency of a monetary amount.
		SDD-ID:	<b>BDT00000589</b>
		Definition:	The code specifying the currency of a monetary amount.
		Example:	EUR
		Used code list:	ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Legal structure description</b>	0..1	SDD-ID:	<b>BDTG00000231</b>
		Definition:	The description of the legal structure expressed as text.
<b>Legal structure description content</b>	1..1	SDD-ID:	<b>BDT00000659</b>
		Definition:	The description of the legal structure expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Registered legal information</b>	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
<b>Legal registration number</b>	1..1	SDD-ID:	<b>BDT00000087</b>
		Definition:	The identification number of an organisation according to a legal register.
<b>Legal registration additional information</b>	0..1	SDD-ID:	<b>BDT00000086</b>
		Definition:	The additional information related to the legal registration expressed as text.
<b>Legal registration type code</b>	1..1	SDD-ID:	<b>BDTG00000230</b>
		Definition:	The code specifying the type of legal registration.
<b>Legal registration type code content</b>	1..1	SDD-ID:	<b>BDT00000658</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Financial institution and financial account information</b>	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
<b>Financial institution name</b>	0..1	SDD-ID:	<b>BDT00000061</b>
		Definition:	The name of a financial institution expressed as text.
<b>Financial institution division name</b>	0..1	SDD-ID:	<b>BDT00000060</b>
		Definition:	The name of a division or branch within a financial institution expressed as text.

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
<b>Financial account information</b>	0..1	SDD-ID:	<b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.
<b>Financial account name</b>	0..1	SDD-ID:	<b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
<b>Financial account number</b>	1..1	SDD-ID:	<b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.
<b>Financial account number type code</b>	1..1	SDD-ID:	<b>BDTG00000208</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Financial account number type code content</b>	1..1	SDD-ID:	<b>BDT00000645</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Financial institution routing number information</b>	0..1	SDD-ID:	<b>BDTG00000210</b>
		Definition:	The information specifying details on a routing number of a financial institution.
<b>Financial routing number</b>	1..1	SDD-ID:	<b>BDT00000062</b>
		Definition:	The routing number of a financial transaction according to the specified financial routing type.
		Business rule:	This business data term must be used in conjunction with the Financial routing number type code class.
<b>Financial routing number type code</b>	1..1	SDD-ID:	<b>BDTG00000211</b>
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
<b>Financial routing number type code content</b>	1..1	SDD-ID:	<b>BDT00000644</b>
		Definition:	The code specifying the type of a financial routing number.
		Used code list:	FinancialRoutingNumberTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Additional financial institution description</b>	0..1	SDD-ID:	<b>BDTG00000522</b>
		Definition:	The additional description of a financial institution expressed as text.
<b>Additional financial institution description content</b>	1..1	SDD-ID:	<b>BDT00000521</b>
		Definition:	The text value describing the additional financial institution.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>

## Clinical Trials Receiving Advice

Business data terms and groups		Usage	Business data terms and groups description	
	Language code content	1..1	Definition:	The code specifying the language.
			SDD-ID:	<b>BDT00000524</b>
	Code list version	0..1	Definition:	The code specifying the language.
			Example:	en
	Address information	0..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
			SDD-ID:	<b>BDT00000028</b>
	City name	0..1	Definition:	The version number of the code list.
			SDD-ID:	<b>BDTG00000144</b>
	City code	0..1	Definition:	The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
			SDD-ID:	<b>BDT00000020</b>
	County code	0..1	Definition:	The name of the city, town or village.
			SDD-ID:	<b>BDT00000019</b>
	Cross street	0..1	Definition:	The code specifying a city.
			SDD-ID:	<b>BDT00000034</b>
	Party name	0..1	Definition:	The code indicating a geographical region in a country.
			SDD-ID:	<b>BDT00000035</b>
	Post office box number	0..1	Definition:	The street crossing another street.
			SDD-ID:	<b>BDT00000106</b>
	Postal code	0..1	Definition:	The name of the party expressed as text.
			SDD-ID:	<b>BDT00000113</b>
	Province identity	0..1	Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	State	0..1	Definition:	The code according to the relevant postal system or service to specify a geographical area.
			SDD-ID:	<b>BDT00000114</b>
	Street address one	0..1	Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Street address two	0..1	Definition:	The identity of a province according to national codes assigned to provinces.
			SDD-ID:	<b>BDT00000117</b>
	Street address three	0..1	Definition:	The political unit that a country can be divided into.
			Example:	California
			SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
			SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
			SDD-ID:	<b>BDT00000129</b>



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business document identification information	1..1	SDD-ID:	<b>BDTG00000480</b>
		Definition:	The information specifying the identification details of the business document.
Entity identification	1..1	SDD-ID:	<b>BDT00000056</b>
		Definition:	The identity of an entity such as a document or an object.
Document content owner	0..1	SDD-ID:	<b>BDTG00000196</b>
		Definition:	The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:</a>



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
<b>Code list version</b>	0..1	SDD-ID: Definition:	AdditionalPartyIdentificationTypeCode <b>BDT00000028</b> The version number of the code list.
<b>Business document sender party information</b>	1..1	SDD-ID: Definition:	<b>BDTG00000953</b> The information specifying the details of the party sending a business document
<b>Global location number, GLN</b>	0..1	SDD-ID: Definition: Ref. definition:	<b>BDT00000063</b> The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
<b>Additional party identification information</b>	0..unbounded	SDD-ID: Definition: Usage:	<b>BDTG00000577</b> The information specifying the additional identification details of a party. The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
<b>Additional party identification content</b>	1..1	SDD-ID: Definition:	<b>BDT00000578</b> The additional identity of a party.
<b>Additional party identification type code</b>	1..1	SDD-ID: Definition:	<b>BDTG00000579</b> The code specifying the additional identification type of the party.
<b>Additional party identification type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000570</b> The code specifying the additional identification type of the party. AdditionalPartyIdentificationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
<b>Electronic address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000784</b> The information about the electronic address of a party
<b>Electronic address identification scheme</b>	1..1	SDD-ID: Definition:	<b>BDT00000786</b> The identification scheme of of the electronic address
<b>Electronic address identification</b>	1..1	SDD-ID: Definition:	<b>BDT00000785</b> The identifier of of the electronic address to which a business document should be delivered
<b>Address information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000144</b> The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
<b>City name</b>	0..1	SDD-ID: Definition:	<b>BDT00000020</b> The name of the city, town or village.
<b>City code</b>	0..1	SDD-ID: Definition:	<b>BDT00000019</b> The code specifying a city.
<b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
<b>Cross street</b>	0..1	Definition:	The code indicating a geographical region in a country.
		SDD-ID:	<b>BDT00000035</b>
<b>Party name</b>	0..1	Definition:	The street crossing another street.
		SDD-ID:	<b>BDT00000106</b>
<b>Post office box number</b>	0..1	Definition:	The name of the party expressed as text.
		SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
<b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
<b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000117</b>
		Definition:	The identity of a province according to national codes assigned to provinces.
<b>State</b>	0..1	SDD-ID:	<b>BDT00000127</b>
		Definition:	The political unit that a country can be divided into.
		Example:	California
<b>Street address one</b>	0..1	SDD-ID:	<b>BDT00000128</b>
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
<b>Street address two</b>	0..1	SDD-ID:	<b>BDT00000130</b>
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
<b>Street address three</b>	0..1	SDD-ID:	<b>BDT00000129</b>
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
<b>Country code</b>	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
<b>Country code content</b>	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Geographical coordinates information</b>	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
<b>Latitude</b>	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
<b>Longitude</b>	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
<b>Business contact information</b>	0..unbounded	Example:	18°3'59.0616"
<b>Person name</b>	0..1	SDD-ID:	<b>BDTG00000158</b>
<b>Department name</b>	0..1	Definition:	The information specifying details of the person or department who can give special assistance regarding a business transaction.
<b>Job title</b>	0..1	SDD-ID:	<b>BDT00000112</b>
<b>Contact type code</b>	0..1	Definition:	The name of an individual person expressed as text.
<b>Contact type code content</b>	1..1	SDD-ID:	<b>BDT00000044</b>
<b>Code list version</b>	0..1	Definition:	The name of the department.
<b>Business contact responsibility description</b>	0..unbounded	SDD-ID:	<b>BDT00000083</b>
<b>Business contact responsibility description content</b>	1..1	Definition:	The title of a position or the role of a person holding the position.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000178</b>
<b>Language code content</b>	1..1	Definition:	The code specifying the function or role of a contact person.
<b>Code list version</b>	0..1	Used code list:	ISO 3166-1 or equivalent representation in specific syntax.
<b>Communication information</b>	0..unbounded	Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDT00000571</b>
<b>Communication channel code content</b>	1..1	Definition:	The code specifying the function or role of a contact person.
		SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000159</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
		SDD-ID:	<b>BDT00000580</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
		SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
		SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
		SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
		SDD-ID:	<b>BDTG00000176</b>
		Definition:	The information specifying details of a contact person's communication channel.
		SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
		SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
After hours communication information	0..unbounded	SDD-ID:	<b>BDTG00000145</b>
		Definition:	The information specifying details of communication channels to use after regular business hours.
Communication channel code	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Communication channel code content	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID:	<b>BDTG00000326</b>
		Definition:	The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID:	<b>BDT00000369</b>
		Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID:	<b>BDTG00000585</b>
		Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID:	<b>BDT00000584</b>
		Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
		Definition:	The name of the identification scheme.

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax description	0..1	SDD-ID:	<b>BDTG00000322</b>
		Definition:	The description of the tax expressed as text.
Tax description content	1..1	SDD-ID:	<b>BDT00000754</b>
		Definition:	The description of the tax expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax registration type code	0..1	SDD-ID:	<b>BDTG00000327</b>
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
Tax registration type code content	1..1	SDD-ID:	<b>BDT00000588</b>
		Definition:	The code specifying the type of tax registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The version number of the code list.
<b>Customs duty registration information</b>	0..unbounded	SDD-ID:	<b>BDTG00000375</b>
		Definition:	The information specifying details of a party registered for customs duty.
<b>Customs authority name</b>	0..1	SDD-ID:	<b>BDT00000370</b>
		Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
<b>Customs registration identification information</b>	1..1	SDD-ID:	<b>BDTG00000621</b>
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
<b>Customs registration identification content</b>	1..1	SDD-ID:	<b>BDT00000622</b>
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
<b>Identification scheme information</b>	0..1	SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
<b>Identification scheme name</b>	0..1	SDD-ID:	<b>BDT00000074</b>
		Definition:	The name of the identification scheme.
<b>Identification scheme agency name</b>	0..1	SDD-ID:	<b>BDT00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
<b>Identification scheme responsible agency code</b>	0..1	SDD-ID:	<b>BDTG00000586</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID:	<b>BDT00000583</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Tax type code</b>	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
<b>Tax type code content</b>	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Customs duty description</b>	0..1	SDD-ID:	<b>BDTG00000378</b>
		Definition:	The description of the customs duty expressed as text.
<b>Customs duty description content</b>	1..1	SDD-ID:	<b>BDT00000563</b>
		Definition:	The description of the customs duty expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Customs registration type code	0..1	SDD-ID:	<b>BDTG00000623</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
Customs registration type code content	1..1	SDD-ID:	<b>BDT00000624</b>
		Definition:	The code specifying the type of customs registration number assigned by a national authority.
		Used code list:	DutyFeeTaxRegistrationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Organisation legal information	0..1	SDD-ID:	<b>BDTG00000262</b>
		Definition:	The information specifying details of a legal organisation.
Organisation name	1..1	SDD-ID:	<b>BDT00000102</b>
		Definition:	The official and legal name of the organisation.
Language of the party code	0..1	SDD-ID:	<b>BDTG00000228</b>
		Definition:	The code specifying the language of a party.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Currency of party code	0..1	SDD-ID:	<b>BDTG00000184</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
Currency of party code content	1..1	SDD-ID:	<b>BDT00000710</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Official address	0..1	SDD-ID:	<b>BDTG00000246</b>
		Definition:	The registered legal address of the organisation.

## Clinical Trials Receiving Advice

Business data terms and groups		Usage	Business data terms and groups description	
	County code	0..1	SDD-ID:	<b>BDT00000034</b>
			Definition:	The code indicating a geographical region in a country.
	City name	0..1	SDD-ID:	<b>BDT00000020</b>
			Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID:	<b>BDT00000019</b>
			Definition:	The code specifying a city.
	Cross street	0..1	SDD-ID:	<b>BDT00000035</b>
			Definition:	The street crossing another street.
	Post office box number	0..1	SDD-ID:	<b>BDT00000113</b>
			Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID:	<b>BDT00000114</b>
			Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID:	<b>BDT00000117</b>
			Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID:	<b>BDT00000127</b>
			Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
			Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
			Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
			Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
			Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
			Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
			Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
			Definition:	The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
			Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
			Example:	23°26'12.2" S



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
Longitude	1..1	SDD-ID: <b>BDT00000089</b> Definition: The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. Example: 18°3'59.0616"	
Issued capital	0..1	SDD-ID: <b>BDTG00000225</b> Definition: The monetary amount representing the value of the issued capital of a company.	
Issued capital content	1..1	SDD-ID: <b>BDT00000655</b> Definition: The monetary amount representing the issued capital of a company.	
Currency code	0..1	SDD-ID: <b>BDTG00000590</b> Definition: The code specifying the currency of a monetary amount.	
Currency code content	1..1	SDD-ID: <b>BDT00000589</b> Definition: The code specifying the currency of a monetary amount. Example: EUR Used code list: ISO 4217 or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Legal structure description	0..1	SDD-ID: <b>BDTG00000231</b> Definition: The description of the legal structure expressed as text.	
Legal structure description content	1..1	SDD-ID: <b>BDT00000659</b> Definition: The description of the legal structure expressed as text.	
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.	
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Registered legal information	0..unbounded	SDD-ID: <b>BDTG00000288</b> Definition: The information specifying the registered data on a legal entity in accordance with national law.	
Legal registration number	1..1	SDD-ID: <b>BDT00000087</b> Definition: The identification number of an organisation according to a legal register.	
Legal registration additional information	0..1	SDD-ID: <b>BDTG00000086</b> Definition: The additional information related to the legal registration expressed as text.	
Legal registration type code	1..1	SDD-ID: <b>BDTG00000230</b> Definition: The code specifying the type of legal registration.	
Legal registration type code content	1..1	SDD-ID: <b>BDT00000658</b> Definition: The code specifying the type of legal registration. Used code list: LegalRegistrationCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:</a>	



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description
<b>Code list version</b>	0..1	SDD-ID: LegalRegistrationCode Definition: <b>BDT00000028</b> The version number of the code list.
<b>Financial institution and financial account information</b>	0..unbounded	SDD-ID: <b>BDTG00000209</b> Definition: The information specifying details of a financial institution and financial account.
<b>Financial institution name</b>	0..1	SDD-ID: <b>BDT00000061</b> Definition: The name of a financial institution expressed as text.
<b>Financial institution division name</b>	0..1	SDD-ID: <b>BDT00000060</b> Definition: The name of a division or branch within a financial institution expressed as text.
<b>Financial account information</b>	0..1	SDD-ID: <b>BDTG00000207</b> Definition: The information specifying details of a financial account.
<b>Financial account name</b>	0..1	SDD-ID: <b>BDT00000058</b> Definition: The name of a financial account expressed as text. Example: John Doe
<b>Financial account number</b>	1..1	SDD-ID: <b>BDT00000059</b> Definition: The number of a financial account expressed as text.
<b>Financial account number type code</b>	1..1	SDD-ID: <b>BDTG00000208</b> Definition: The code specifying the type of a financial account number. Used code list: FinancialAccountNumberTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Financial account number type code content</b>	1..1	SDD-ID: <b>BDT00000065</b> Definition: The code specifying the type of a financial account number. Used code list: FinancialAccountNumberTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
<b>Code list version</b>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
<b>Financial institution routing number information</b>	0..1	SDD-ID: <b>BDTG00000210</b> Definition: The information specifying details on a routing number of a financial institution.
<b>Financial routing number</b>	1..1	SDD-ID: <b>BDT00000062</b> Definition: The routing number of a financial transaction according to the specified financial routing type. Business rule: This business data term must be used in conjunction with the Financial routing number type code class.
<b>Financial routing number type code</b>	1..1	SDD-ID: <b>BDTG00000211</b> Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
<b>Financial routing number type code content</b>	1..1	SDD-ID: <b>BDT00000064</b> Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Additional financial institution description	0..1	SDD-ID: <b>BDTG00000522</b> Definition: The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID: <b>BDT00000521</b> Definition: The text value describing the additional financial institution.
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Address information	0..1	SDD-ID: <b>BDTG00000144</b> Definition: The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
City name	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.
City code	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.
County code	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.
Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.
Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition: The name of the party expressed as text.
Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition: The number of a post office box located on the premises of a post office station or other postal service location. Synonyms: P.O. box, postal box
Postal code	0..1	SDD-ID: <b>BDT00000114</b> Definition: The code according to the relevant postal system or service to specify a geographical area. Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode
Province identity	0..1	SDD-ID: <b>BDT00000117</b> Definition: The identity of a province according to national codes assigned to provinces.
State	0..1	SDD-ID: <b>BDT00000127</b>



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The political unit that a country can be divided into.
		Example:	California
Street address one	0..1	SDD-ID:	<b>BDT00000128</b>
		Definition:	The first street address line of a structured address.
		Example:	Avenue Louise 326
Street address two	0..1	SDD-ID:	<b>BDT00000130</b>
		Definition:	The second street address line of a structured address.
		Example:	Blue Tower
Street address three	0..1	SDD-ID:	<b>BDT00000129</b>
		Definition:	The third street address line of a structured address.
		Example:	Floor 4
Country code	0..1	SDD-ID:	<b>BDTG00000179</b>
		Definition:	The code specifying a country.
Country code content	1..1	SDD-ID:	<b>BDT00000774</b>
		Definition:	The code specifying a country.
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Geographical coordinates information	0..1	SDD-ID:	<b>BDTG00000214</b>
		Definition:	The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID:	<b>BDT00000085</b>
		Definition:	The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
		Example:	23°26'12.2" S
Longitude	1..1	SDD-ID:	<b>BDT00000089</b>
		Definition:	The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
		Example:	18°3'59.0616"
Business document receiver party information	1..1	SDD-ID:	<b>BDTG00000954</b>
		Definition:	The information specifying the details of the party receiving a business document
Global location number, GLN	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
<ul style="list-style-type: none"> <li>Additional party identification type code content</li> </ul>	1..1	Definition: The code specifying the additional identification type of the party. SDD-ID: <b>BDT00000570</b> Definition: The code specifying the additional identification type of the party. Used code list: AdditionalPartyIdentificationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>	
<ul style="list-style-type: none"> <li>Code list version</li> </ul>	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
<ul style="list-style-type: none"> <li>Electronic address information</li> </ul>	0..1	SDD-ID: <b>BDTG00000784</b> Definition: The information about the electronic address of a party	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Electronic address identification scheme</li> </ul> </li> </ul>	1..1	SDD-ID: <b>BDT00000786</b> Definition: The identification scheme of of the electronic address	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Electronic address identification</li> </ul> </li> </ul>	1..1	SDD-ID: <b>BDT00000785</b> Definition: The identifier of of the electronic address to which a business document should be delivered	
<ul style="list-style-type: none"> <li>Address information</li> </ul>	0..1	SDD-ID: <b>BDTG00000144</b> Definition: The information specifying the name and location of a company or an individual person, a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>City name</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000020</b> Definition: The name of the city, town or village.	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>City code</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000019</b> Definition: The code specifying a city.	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>County code</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000034</b> Definition: The code indicating a geographical region in a country.	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Cross street</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000035</b> Definition: The street crossing another street.	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Party name</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000106</b> Definition: The name of the party expressed as text.	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Post office box number</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000113</b> Definition: The number of a post office box located on the premises of a post office station or other postal service location. Synonyms: P.O. box, postal box	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Postal code</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000114</b> Definition: The code according to the relevant postal system or service to specify a geographical area. Example: SE 190 90 Synonyms: postcode, post code, PIN Code, ZIP Code, Eircode	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Province identity</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000117</b> Definition: The identity of a province according to national codes assigned to provinces.	
<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>State</li> </ul> </li> </ul>	0..1	SDD-ID: <b>BDT00000127</b> Definition: The political unit that a country can be divided into. Example: California	

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT00000128</b> The first street address line of a structured address. Avenue Louise 326
Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT00000130</b> The second street address line of a structured address. Blue Tower
Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT00000129</b> The third street address line of a structured address. Floor 4
Country code	0..1	SDD-ID: Definition:	<b>BDTG00000179</b> The code specifying a country.
Country code content	1..1	SDD-ID: Definition:	<b>BDT00000774</b> The code specifying a country.
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG00000214</b> The information specifying details on a location using geographical coordinates.
Latitude	1..1	SDD-ID: Definition: Example:	<b>BDT00000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. 23°26'12.2" S
Longitude	1..1	SDD-ID: Definition: Example:	<b>BDT00000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. 18°3'59.0616"
Business contact information	0..unbounded	SDD-ID: Definition:	<b>BDTG00000158</b> The information specifying details of the person or department who can give special assistance regarding a business transaction.
Person name	0..1	SDD-ID: Definition:	<b>BDT00000112</b> The name of an individual person expressed as text.
Department name	0..1	SDD-ID: Definition:	<b>BDT00000044</b> The name of the department.
Job title	0..1	SDD-ID: Definition:	<b>BDT00000083</b> The title of a position or the role of a person holding the position.
Contact type code	0..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDTG00000178</b> The code specifying the function or role of a contact person. ISO 3166-1 or equivalent representation in specific syntax. <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ContactTypeCode</a>
Contact type code content	1..1	SDD-ID: Definition:	<b>BDT00000571</b> The code specifying the function or role of a contact person.
Code list version	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
<b>Business contact responsibility description</b>	0..unbounded	SDD-ID:	<b>BDTG00000159</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Business contact responsibility description content</b>	1..1	SDD-ID:	<b>BDT00000580</b>
		Definition:	The description of the responsibility of a business contact such as a person or a department expressed as text.
<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000176</b>
		Definition:	The information specifying details of a contact person's communication channel.
<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
<b>Communication channel identification</b>	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
<b>Communication channel name</b>	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
<b>After hours communication information</b>	0..unbounded	SDD-ID:	<b>BDTG00000145</b>
		Definition:	The information specifying details of communication channels to use after regular business hours.
<b>Communication channel code</b>	1..1	SDD-ID:	<b>BDTG00000175</b>
		Definition:	The code specifying the channel for communication.
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
<b>Communication channel code content</b>	1..1	SDD-ID:	<b>BDT00000525</b>
		Definition:	The code specifying the channel for communication.



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
		Example:	TELEPHONE
		Used code list:	CommunicationChannelCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:CommunicationChannelCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Communication channel identification	1..1	SDD-ID:	<b>BDT00000032</b>
		Definition:	The identification of a communication channel, such as a telephone number or an e-mail address, expressed as text.
Communication channel name	0..1	SDD-ID:	<b>BDT00000033</b>
		Definition:	The name of a communication channel expressed as text.
Tax registration information	0..unbounded	SDD-ID:	<b>BDTG00000326</b>
		Definition:	The information specifying details of a party registered for tax.
Tax authority name	0..1	SDD-ID:	<b>BDT00000369</b>
		Definition:	The name of the authority administering the collection of taxes expressed as text.
Tax registration identification information	1..1	SDD-ID:	<b>BDTG00000585</b>
		Definition:	The information specifying details of the identity assigned to a party registered for tax according to a national tax register.
Tax registration identification content	1..1	SDD-ID:	<b>BDT00000584</b>
		Definition:	The identity assigned to a party registered for tax according to a national tax register.
Identification scheme information	0..1	SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
Identification scheme name	0..1	SDD-ID:	<b>BDT00000074</b>
		Definition:	The name of the identification scheme.
Identification scheme agency name	0..1	SDD-ID:	<b>BDT00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
Identification scheme responsible agency code	0..1	SDD-ID:	<b>BDTG00000586</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
Identification scheme responsible agency code content	1..1	SDD-ID:	<b>BDT00000583</b>
		Definition:	The code specifying the agency responsible for the identification scheme.
		Used code list:	ResponsibleAgencyCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Tax type code	0..1	SDD-ID:	<b>BDTG00000328</b>
		Definition:	The code specifying the type of tax.
Tax type code content	1..1	SDD-ID:	<b>BDT00000576</b>
		Definition:	The code specifying the type of tax.
		Used code list:	DutyFeeTaxTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
<b>Tax description</b>	0..1	Definition:	The version number of the code list.
<b>Tax description content</b>	1..1	SDD-ID:	<b>BDTG00000322</b>
<b>Language code</b>	0..1	Definition:	The description of the tax expressed as text.
<b>Language code content</b>	1..1	SDD-ID:	<b>BDTG00000754</b>
<b>Code list version</b>	0..1	Definition:	The description of the tax expressed as text.
<b>Tax registration type code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
<b>Tax registration type code content</b>	1..1	Definition:	The code specifying the language.
<b>Code list version</b>	0..1	SDD-ID:	<b>BDTG00000524</b>
<b>Customs duty registration information</b>	0..unbounded	Definition:	The code specifying the language.
<b>Customs authority name</b>	0..1	Example:	en
<b>Customs registration identification information</b>	1..1	Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
<b>Customs registration identification content</b>	1..1	Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
<b>Identification scheme information</b>	0..1	SDD-ID:	<b>BDTG00000028</b>
<b>Identification scheme name</b>	0..1	Definition:	The version number of the code list.
<b>Identification scheme agency name</b>	0..1	SDD-ID:	<b>BDTG00000375</b>
<b>Identification scheme responsible agency</b>	0..1	Definition:	The information specifying details of a party registered for customs duty.
		SDD-ID:	<b>BDTG00000370</b>
		Definition:	The name of the authority administering the collection of duties, taxes and fees at a country border expressed as text.
		SDD-ID:	<b>BDTG00000621</b>
		Definition:	The information specifying details of the identity assigned to a party registered for customs duty according to a national customs register.
		SDD-ID:	<b>BDTG00000622</b>
		Definition:	The identity assigned to a party registered for customs duty according to a national customs register.
		SDD-ID:	<b>BDTG00000587</b>
		Definition:	The information specifying details of the used identification scheme.
		SDD-ID:	<b>BDTG00000074</b>
		Definition:	The name of the identification scheme.
		SDD-ID:	<b>BDTG00000073</b>
		Definition:	The name of the agency responsible for a identification scheme.
		SDD-ID:	<b>BDTG00000586</b>

## Clinical Trials Receiving Advice

Business data terms and groups		Usage	Business data terms and groups description	
	<b>code</b>		Definition:	The code specifying the agency responsible for the identification scheme.
	<b>Identification scheme responsible agency code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000583</b> The code specifying the agency responsible for the identification scheme. ResponsibleAgencyCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:ResponsibleAgencyCode&amp;release=5</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Tax type code</b>	0..1	SDD-ID:	<b>BDTG00000328</b>
	<b>Tax type code content</b>	1..1	Definition: SDD-ID: Definition: Used code list: Link to code list:	The code specifying the type of tax. <b>BDT00000576</b> The code specifying the type of tax. DutyFeeTaxTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxTypeCode</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Customs duty description</b>	0..1	SDD-ID:	<b>BDTG00000378</b>
	<b>Customs duty description content</b>	1..1	Definition: SDD-ID: Definition:	The description of the customs duty expressed as text. <b>BDT00000563</b> The description of the customs duty expressed as text.
	<b>Language code</b>	0..1	SDD-ID:	<b>BDTG00000523</b>
	<b>Language code content</b>	1..1	Definition: SDD-ID: Definition: Example: Used code list:	The code specifying the language. <b>BDT00000524</b> The code specifying the language. en ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Customs registration type code</b>	0..1	SDD-ID: Definition:	<b>BDTG00000623</b> The code specifying the type of customs registration number assigned by a national authority.
	<b>Customs registration type code content</b>	1..1	SDD-ID: Definition: Used code list: Link to code list:	<b>BDT00000624</b> The code specifying the type of customs registration number assigned by a national authority. DutyFeeTaxRegistrationTypeCode <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:DutyFeeTaxRegistrationTypeCode&amp;release=1</a>
	<b>Code list version</b>	0..1	SDD-ID: Definition:	<b>BDT00000028</b> The version number of the code list.
	<b>Organisation legal information</b>	0..1	SDD-ID: Definition:	<b>BDTG00000262</b> The information specifying details of a legal organisation.

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
— <b>Organisation name</b>	1..1	SDD-ID:	<b>BDT00000102</b>
		Definition:	The official and legal name of the organisation.
— <b>Language of the party code</b>	0..1	SDD-ID:	<b>BDTG00000228</b>
		Definition:	The code specifying the language of a party.
— <b>Language code content</b>	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
— <b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
— <b>Currency of party code</b>	0..1	SDD-ID:	<b>BDTG00000184</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
— <b>Currency of party code content</b>	1..1	SDD-ID:	<b>BDT00000710</b>
		Definition:	The code specifying the currency of a party.
		Example:	EUR
		Used code list:	ISO 4217 three-letter codes or equivalent representation in specific syntax.
		Link to code list:	<a href="https://www.iso.org/iso-4217-currency-codes.html">https://www.iso.org/iso-4217-currency-codes.html</a>
— <b>Code list version</b>	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
— <b>Official address</b>	0..1	SDD-ID:	<b>BDTG00000246</b>
		Definition:	The registered legal address of the organisation.
— <b>County code</b>	0..1	SDD-ID:	<b>BDT00000034</b>
		Definition:	The code indicating a geographical region in a country.
— <b>City name</b>	0..1	SDD-ID:	<b>BDT00000020</b>
		Definition:	The name of the city, town or village.
— <b>City code</b>	0..1	SDD-ID:	<b>BDT00000019</b>
		Definition:	The code specifying a city.
— <b>Cross street</b>	0..1	SDD-ID:	<b>BDT00000035</b>
		Definition:	The street crossing another street.
— <b>Post office box number</b>	0..1	SDD-ID:	<b>BDT00000113</b>
		Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
		Synonyms:	P.O. box, postal box
— <b>Postal code</b>	0..1	SDD-ID:	<b>BDT00000114</b>
		Definition:	The code according to the relevant postal system or service to specify a geographical area.
		Example:	SE 190 90
		Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
— <b>Province identity</b>	0..1	SDD-ID:	<b>BDT00000117</b>
		Definition:	The identity of a province according to national codes assigned to provinces.

## Clinical Trials Receiving Advice

Business data terms and groups		Usage	Business data terms and groups description	
	State	0..1	SDD-ID: Definition: Example:	<b>BDT000000127</b> The political unit that a country can be divided into. California
	Street address one	0..1	SDD-ID: Definition: Example:	<b>BDT000000128</b> The first street address line of a structured address. Avenue Louise 326
	Street address two	0..1	SDD-ID: Definition: Example:	<b>BDT000000130</b> The second street address line of a structured address. Blue Tower
	Street address three	0..1	SDD-ID: Definition: Example:	<b>BDT000000129</b> The third street address line of a structured address. Floor 4
	Country code	0..1	SDD-ID: Definition:	<b>BDTG000000179</b> The code specifying a country.
	Country code content	1..1	SDD-ID: Definition:	<b>BDT000000774</b> The code specifying a country.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT000000028</b> The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: Definition:	<b>BDTG000000214</b> The information specifying details on a location using geographical coordinates.
	Latitude	1..1	SDD-ID: Definition:	<b>BDT000000085</b> The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface.
	Longitude	1..1	SDD-ID: Definition:	<b>BDT000000089</b> The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface.
	Issued capital	0..1	SDD-ID: Definition:	<b>BDTG000000225</b> The monetary amount representing the value of the issued capital of a company.
	Issued capital content	1..1	SDD-ID: Definition:	<b>BDT000000655</b> The monetary amount representing the issued capital of a company.
	Currency code	0..1	SDD-ID: Definition:	<b>BDTG000000590</b> The code specifying the currency of a monetary amount.
	Currency code content	1..1	SDD-ID: Definition: Example: Used code list:	<b>BDT000000589</b> The code specifying the currency of a monetary amount. EUR ISO 4217 or equivalent representation in specific syntax. The code list is available at www.iso.org.
	Code list version	0..1	SDD-ID: Definition:	<b>BDT000000028</b> The version number of the code list.
	Legal structure description	0..1	SDD-ID: Definition:	<b>BDTG000000231</b> The description of the legal structure expressed as text.

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
Legal structure description content	1..1	SDD-ID:	<b>BDT00000659</b>
		Definition:	The description of the legal structure expressed as text.
Language code	0..1	SDD-ID:	<b>BDTG00000523</b>
		Definition:	The code specifying the language.
Language code content	1..1	SDD-ID:	<b>BDT00000524</b>
		Definition:	The code specifying the language.
		Example:	en
		Used code list:	ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Registered legal information	0..unbounded	SDD-ID:	<b>BDTG00000288</b>
		Definition:	The information specifying the registered data on a legal entity in accordance with national law.
Legal registration number	1..1	SDD-ID:	<b>BDT00000087</b>
		Definition:	The identification number of an organisation according to a legal register.
Legal registration additional information	0..1	SDD-ID:	<b>BDT00000086</b>
		Definition:	The additional information related to the legal registration expressed as text.
Legal registration type code	1..1	SDD-ID:	<b>BDTG00000230</b>
		Definition:	The code specifying the type of legal registration.
Legal registration type code content	1..1	SDD-ID:	<b>BDT00000658</b>
		Definition:	The code specifying the type of legal registration.
		Used code list:	LegalRegistrationCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LegalRegistrationCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Financial institution and financial account information	0..unbounded	SDD-ID:	<b>BDTG00000209</b>
		Definition:	The information specifying details of a financial institution and financial account.
Financial institution name	0..1	SDD-ID:	<b>BDT00000061</b>
		Definition:	The name of a financial institution expressed as text.
Financial institution division name	0..1	SDD-ID:	<b>BDT00000060</b>
		Definition:	The name of a division or branch within a financial institution expressed as text.
Financial account information	0..1	SDD-ID:	<b>BDTG00000207</b>
		Definition:	The information specifying details of a financial account.
Financial account name	0..1	SDD-ID:	<b>BDT00000058</b>
		Definition:	The name of a financial account expressed as text.
		Example:	John Doe
Financial account number	1..1	SDD-ID:	<b>BDT00000059</b>
		Definition:	The number of a financial account expressed as text.
Financial account number type code	1..1	SDD-ID:	<b>BDTG00000208</b>
		Definition:	The code specifying the type of a financial account number.
		Used code list:	FinancialAccountNumberTypeCode

## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description
		Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
Financial account number type code content	1..1	SDD-ID: <b>BDT00000645</b> Definition: The code specifying the type of a financial account number. Used code list: FinancialAccountNumberTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialAccountNumberTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Financial institution routing number information	0..1	SDD-ID: <b>BDTG00000210</b> Definition: The information specifying details on a routing number of a financial institution.
Financial routing number	1..1	SDD-ID: <b>BDT00000062</b> Definition: The routing number of a financial transaction according to the specified financial routing type. Business rule: This business data term must be used in conjunction with the Financial routing number type code class.
Financial routing number type code	1..1	SDD-ID: <b>BDTG00000211</b> Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
Financial routing number type code content	1..1	SDD-ID: <b>BDT00000644</b> Definition: The code specifying the type of a financial routing number. Used code list: FinancialRoutingNumberTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:FinancialRoutingNumberTypeCode</a>
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Additional financial institution description	0..1	SDD-ID: <b>BDTG00000522</b> Definition: The additional description of a financial institution expressed as text.
Additional financial institution description content	1..1	SDD-ID: <b>BDT00000521</b> Definition: The text value describing the additional financial institution.
Language code	0..1	SDD-ID: <b>BDTG00000523</b> Definition: The code specifying the language.
Language code content	1..1	SDD-ID: <b>BDT00000524</b> Definition: The code specifying the language. Example: en Used code list: ISO 639-1 two-letter codes or equivalent representation in specific syntax. The code list is available at <a href="http://www.iso.org">www.iso.org</a> .
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.
Address information	0..1	SDD-ID: <b>BDTG00000144</b> Definition: The information specifying the name and location of a company or an individual person,



## Clinical Trials Receiving Advice

Business data terms and groups		Usage	Business data terms and groups description	
				a building, apartment or other structure, including codes such as a postal code to aid in the routing of mail.
	City name	0..1	SDD-ID: <b>BDT00000020</b> Definition:	The name of the city, town or village.
	City code	0..1	SDD-ID: <b>BDT00000019</b> Definition:	The code specifying a city.
	County code	0..1	SDD-ID: <b>BDT00000034</b> Definition:	The code indicating a geographical region in a country.
	Cross street	0..1	SDD-ID: <b>BDT00000035</b> Definition:	The street crossing another street.
	Party name	0..1	SDD-ID: <b>BDT00000106</b> Definition:	The name of the party expressed as text.
	Post office box number	0..1	SDD-ID: <b>BDT00000113</b> Definition:	The number of a post office box located on the premises of a post office station or other postal service location.
			Synonyms:	P.O. box, postal box
	Postal code	0..1	SDD-ID: <b>BDT00000114</b> Definition:	The code according to the relevant postal system or service to specify a geographical area.
			Example:	SE 190 90
			Synonyms:	postcode, post code, PIN Code, ZIP Code, Eircode
	Province identity	0..1	SDD-ID: <b>BDT00000117</b> Definition:	The identity of a province according to national codes assigned to provinces.
	State	0..1	SDD-ID: <b>BDT00000127</b> Definition:	The political unit that a country can be divided into.
			Example:	California
	Street address one	0..1	SDD-ID: <b>BDT00000128</b> Definition:	The first street address line of a structured address.
			Example:	Avenue Louise 326
	Street address two	0..1	SDD-ID: <b>BDT00000130</b> Definition:	The second street address line of a structured address.
			Example:	Blue Tower
	Street address three	0..1	SDD-ID: <b>BDT00000129</b> Definition:	The third street address line of a structured address.
			Example:	Floor 4
	Country code	0..1	SDD-ID: <b>BDTG000000179</b> Definition:	The code specifying a country.
	Country code content	1..1	SDD-ID: <b>BDT000000774</b> Definition:	The code specifying a country.
	Code list version	0..1	SDD-ID: <b>BDT000000028</b> Definition:	The version number of the code list.
	Geographical coordinates information	0..1	SDD-ID: <b>BDTG000000214</b> Definition:	The information specifying details on a location using geographical coordinates.





## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
Latitude	1..1	SDD-ID: <b>BDT00000085</b> Definition: The geographic coordinate which run as a circle parallel to the equator and specifies the north-south position of a point on the Earth's surface. Example: 23°26'12.2" S	
Longitude	1..1	SDD-ID: <b>BDT00000089</b> Definition: The geographic coordinate which run as a circle parallel to the Prime Meridian and specifies the east-west position of a point on the Earth's surface. Example: 18°3'59.0616"	
Referenced distribution management entity shipping order information	0..1	SDD-ID: <b>BDTG00000959</b> Definition: The information specifying the reference to the DME shipping order identification	
Entity identification	1..1	SDD-ID: <b>BDT00000056</b> Definition: The identity of an entity such as a document or an object.	
Document content owner	0..1	SDD-ID: <b>BDTG00000196</b> Definition: The information specifying the party that is responsible for the content of a document.	
Global location number GLN	0..1	SDD-ID: <b>BDT00000063</b> Definition: The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations. Ref. definition: GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.	
Additional party identification information	0..unbounded	SDD-ID: <b>BDTG00000577</b> Definition: The information specifying the additional identification details of a party. Usage: The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.	
Additional party identification content	1..1	SDD-ID: <b>BDT00000578</b> Definition: The additional identity of a party.	
Additional party identification type code	1..1	SDD-ID: <b>BDTG00000579</b> Definition: The code specifying the additional identification type of the party.	
Additional party identification type code content	1..1	SDD-ID: <b>BDT00000570</b> Definition: The code specifying the additional identification type of the party. Used code list: AdditionalPartyIdentificationTypeCode Link to code list: <a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>	
Code list version	0..1	SDD-ID: <b>BDT00000028</b> Definition: The version number of the code list.	
Referenced shipment request information	0..1	SDD-ID: <b>BDTG00000982</b> Definition: The information specifying the details of a reference to the shipment request	
Entity identification	1..1	SDD-ID: <b>BDT00000056</b> Definition: The identity of an entity such as a document or an object.	
Business document creation date time	0..1	SDD-ID: <b>BDT00000047</b> Definition: The date and optional time when the business document was issued.	
Revision number	0..1	SDD-ID: <b>BDT00000119</b>	



## Clinical Trials Receiving Advice

Business data terms and groups	Usage	Business data terms and groups description	
		Definition:	The number assigned to a specific release of a document to keep track of changes and updates between revisions.
Referenced document external location	0..1	SDD-ID:	<b>BDT00000118</b>
		Definition:	The external location of the referenced document expressed as an uniform resource locator.
		Usage:	The external location can be an internet address to a document stored in a server on the internet.
Document line number	0..1	SDD-ID:	<b>BDT00000049</b>
		Definition:	The sequence number of a line within the business document.
Document content owner	0..1	SDD-ID:	<b>BDTG00000196</b>
		Definition:	The information specifying the party that is responsible for the content of a document.
Global location number GLN	0..1	SDD-ID:	<b>BDT00000063</b>
		Definition:	The identity according to the GS1 identification system for unique identification of legal entities, roles and functions, physical and digital locations.
		Ref. definition:	GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.
Additional party identification information	0..unbounded	SDD-ID:	<b>BDTG00000577</b>
		Definition:	The information specifying the additional identification details of a party.
		Usage:	The business data term group is optional to use. If used then one or more additional identities of the party can be given in addition to or instead of a GS1 Global Location Number, GLN.
Additional party identification content	1..1	SDD-ID:	<b>BDT00000578</b>
		Definition:	The additional identity of a party.
Additional party identification type code	1..1	SDD-ID:	<b>BDTG00000579</b>
		Definition:	The code specifying the additional identification type of the party.
Additional party identification type code content	1..1	SDD-ID:	<b>BDT00000570</b>
		Definition:	The code specifying the additional identification type of the party.
		Used code list:	AdditionalPartyIdentificationTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:AdditionalPartyIdentificationTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.
Logistics service business document type code	0..1	SDD-ID:	<b>BDTG00000757</b>
		Definition:	The code specifying the type of logistics service business document.
Logistics service business document type code content	0..1	SDD-ID:	<b>BDT00000758</b>
		Definition:	The code specifying the type of logistics service business document.
		Used code list:	LogisticServiceReferenceTypeCode
		Link to code list:	<a href="http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LogisticServiceReferenceTypeCode">http://apps.gs1.org/GDD/Pages/clDetails.aspx?semanticURN=urn:gs1:gdd:cl:LogisticServiceReferenceTypeCode</a>
Code list version	0..1	SDD-ID:	<b>BDT00000028</b>
		Definition:	The version number of the code list.