



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
001	BDT00000040		0 .. 1	Date <i>Path:</i> Despatch advice/Business document effective date time/Date		1 .. 1	date <i>Path:</i> despatchAdviceMessage/despatchAdvice/documentEffectiveDate/date
002	BDT00000133		0 .. 1	Time <i>Path:</i> Despatch advice/Business document effective date time/Time		0 .. 1	time <i>Path:</i> despatchAdviceMessage/despatchAdvice/documentEffectiveDate/time
003	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/revisionNumber
004	BDT00000047		1 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Business document creation date time		1 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/creationDateTime
005	BDT00000050		1 .. 1	Business document status code <i>Path:</i> Despatch advice/Business document status code		1 .. 1	documentStatusCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/documentStatusCode
006	BDT00000045		0 .. 1	Business document action code <i>Path:</i> Despatch advice/Business document action code		0 .. 1	documentActionCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/documentActionCode
007	BDT00000046		0 .. 1	Business document standard version <i>Path:</i> Despatch advice/Business document standard version	1 .. 80	0 .. 1	documentStructureVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/documentStructureVersion
008	BDT00000048		0 .. 1	Business document last update date time <i>Path:</i> Despatch advice/Business document last update date time		0 .. 1	lastUpdateDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/lastUpdateDateTime
009	BDT00000792	.. 80	0 .. 1	Pickup location rack identification <i>Path:</i> Despatch advice/Pickup location rack identification	1 .. 35	0 .. unbounded	rackIDAtPickUpLocation <i>Path:</i> despatchAdviceMessage/despatchAdvice/rackIDAtPickUpLocation
010	BDT00000942		0 .. 1	Message total number of lines <i>Path:</i> Despatch advice/Message total number		0 .. 1	totalNumberOfLines <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				of lines			totalNumberOfLines
011	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Business document identification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceIdentification/entityIdentification
012	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Business document identification information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceIdentification/contentOwner/gln
013	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Business document identification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceIdentification/contentOwner/additionalPartyIdentification
014	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceIdentification/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
015	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Code list	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceIdentification/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
016	BDT00000791	.. 80	1 .. 1	Despatch advice type code content <i>Path:</i> Despatch advice/Despatch Advice type code/Despatch advice type code content	1 .. 80	0 .. 1	despatchAdviceTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTypeCode
017	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch Advice type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTypeCode/@codeListVersion
018	BDT00000796	.. 80	1 .. 1	Delivery type code content <i>Path:</i> Despatch advice/Delivery type code/Delivery type code content	1 .. 80	0 .. 1	deliveryTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryTypeCode
019	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Delivery type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryTypeCode/@codeListVersion
020	BDT00000794		1 .. 1	Total deposit monetary amount content <i>Path:</i> Despatch advice/Total deposit monetary amount/Total deposit monetary amount content		0 .. unbounded	totalDepositAmount <i>Path:</i> despatchAdviceMessage/despatchAdvice/totalDepositAmount
021	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Total deposit monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/totalDepositAmount/@currencyCode
022	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Total deposit monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/totalDepositAmount/@codeListVersion
023	BDT00000670	.. 70	1 .. 1	Notation content <i>Path:</i> Despatch advice/Notation/Notation content	1 .. 500	0 .. 1	note <i>Path:</i> despatchAdviceMessage/despatchAdvice/note

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
024	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Notation/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/note/@languageCode
025	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Notation/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/note/@codeListVersion
026	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Despatch advice/Buyer party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/gln
027	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Buyer party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/additionalPartyIdentification
028	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Buyer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
029	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/additionalPartyIdentification/@codeListVersion
030	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Buyer party	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/City name			address/city
031	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Buyer party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/cityCode
032	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Buyer party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/countyCode
033	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Buyer party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/crossStreet
034	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Buyer party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/name
035	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Buyer party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/pOBoxNumber
036	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Buyer party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/postalCode
037	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Buyer party information/Address information/	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Province identity			
038	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Buyer party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/state
039	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Buyer party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/streetAddressOne
040	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Buyer party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/streetAddressTwo
041	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Buyer party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/streetAddressThree
042	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Buyer party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/countryCode
043	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/countryCode/@codeListVersion
044	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Buyer party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
045	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Buyer party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/geographicalCoordinates/longitude
046	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/personName
047	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/departmentName
048	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/jobTitle
049	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/contactTypeCode
050	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/responsibility

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
051	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Buyer party information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/responsibility/@languageCode
052	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/responsibility/@codeListVersion
053	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/communicationChannel/communicationChannelCode
054	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/communicationChannel/communicationChannelCode/@codeListVersion
055	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Communication information/Communication channel	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/communicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification			
056	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/communicationChannel/communicationChannelName
057	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Buyer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/afterHoursCommunicationChannel/communicationChannelCode
058	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Buyer party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/afterHoursCommunicationChannel/communicationValue
059	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Buyer party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/afterHoursCommunicationChannel/communicationChannelName
060	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
061	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
062	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
063	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
064	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
065	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
		.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
066	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
067	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
068	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxDescription
069	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
070	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax description/Language code/Code list version			dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
071	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
072	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
073	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
074	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
075	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
076	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
077	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
078	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
079	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
080	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
		.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
081	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs duty description/Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxDescription
082	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs duty description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
083	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs duty description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
084	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
085	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs registration type	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Code list version			
086	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/organisationName
087	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/languageOfThePartyCode
088	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/languageOfThePartyCode/@codeListVersion
089	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/currencyOfPartyCode
090	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/currencyOfPartyCode/@codeListVersion
091	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/countyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
092	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/city
093	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/cityCode
094	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/crossStreet
095	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/pOBoxNumber
096	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/postalCode
097	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/provinceCode
098	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Buyer party information/Organisation legal	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/state

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
099	BDT00000128	.. 200	0 .. 1	information/Official address/State Street address one <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/streetAddressOne
100	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/streetAddressTwo
101	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/streetAddressThree
102	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/countryCode
103	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/countryCode/@codeListVersion
104	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Geographical coordinates information/ Latitude			
105	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
106	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ organisationDetails/issuedCapital
107	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ organisationDetails/issuedCapital/@currencyCode
108	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ organisationDetails/issuedCapital/@codeListVersion
109	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ organisationDetails/legalStructure
110	BDT00000524	.. 80	1 .. 1	Language code content	1 .. 80		languageCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Legal structure description/Language code/Language code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/legalStructure/@languageCode
111	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/legalStructure/@codeListVersion
112	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/legalRegistration/legalRegistrationNumber
113	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
114	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/legalRegistration/legalRegistrationType
115	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
116	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/financialInstitutionName
117	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/financialInstitutionBranchName
118	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/financialAccount/financialAccountName
119	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/financialAccount/financialAccountNumber
120	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Buyer party	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			financialAccountNumberTypeCode
121	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
122	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
123	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
124	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Financial institution routing number information/	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial routing number type code/ Code list version			
125	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/additionalFinancialInformation/description
126	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
127	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
128	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/city
129	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Buyer party information/Financial institution and	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/cityCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/City code			
130	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/countyCode
131	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/crossStreet
132	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/name
133	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/pOBoxNumber
134	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/postalCode
135	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Buyer party information/Financial institution and	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Province identity			
136	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/state
137	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/streetAddressOne
138	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/streetAddressTwo
139	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/streetAddressThree
140	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/countryCode
141	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Country code/Code list version			financialInstitutionInformation/address/countryCode/@codeListVersion
142	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/geographicalCoordinates/latitude
143	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/geographicalCoordinates/longitude
144	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Despatch advice/Seller party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/gln
145	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Seller party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/additionalPartyIdentification
146	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Seller party information/Additional party identification information/Additional	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
147	BDT00000028	.. 35	0 .. 1	party identification type code/Additional party identification type code content Code list version <i>Path:</i> Despatch advice/Seller party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/additionalPartyIdentification/@codeListVersion
148	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Seller party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/city
149	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Seller party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/cityCode
150	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Seller party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/countyCode
151	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Seller party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/crossStreet
152	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Seller party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/name
153	BDT00000113	.. 80	0 .. 1	Post office box number	1 .. 80	0 .. 1	pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Seller party information/Address information/Post office box number			<i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/pOBoxNumber
154	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Seller party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/postalCode
155	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Seller party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/provinceCode
156	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Seller party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/state
157	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Seller party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/streetAddressOne
158	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Seller party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/streetAddressTwo
159	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Seller party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/streetAddressThree
160	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Seller party information/Address information/	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
161	BDT00000028	.. 35	0 .. 1	Country code/Country code content Code list version <i>Path:</i> Despatch advice/Seller party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/countryCode/@codeListVersion
162	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Seller party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/geographicalCoordinates/latitude
163	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Seller party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/geographicalCoordinates/longitude
164	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Seller party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/personName
165	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Seller party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/departmentName
166	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Seller party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/jobTitle
167	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Seller party	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Contact type code/Contact type code content			contactTypeCode
168	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/ contactTypeCode/@codeListVersion
169	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Seller party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/ responsibility
170	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Seller party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/ responsibility/@languageCode
171	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/ responsibility/@codeListVersion
172	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Seller party	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel code/Communication channel code content			communicationChannel/communicationChannelCode
173	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
174	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Seller party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/ communicationChannel/communicationValue
175	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Seller party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/ communicationChannel/communicationChannelName
176	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Seller party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/ afterHoursCommunicationChannel/ communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
177	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
178	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Seller party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/afterHoursCommunicationChannel/communicationValue
179	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Seller party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/afterHoursCommunicationChannel/communicationChannelName
180	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
181	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
182	BDT000000074	.. 80	0 .. 1	Identification scheme name	1 .. 80		identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
183	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
184	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
185	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
186	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
187	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
188	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription
189	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
190	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
191	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
192	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
193	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
194	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
195	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
196	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
197	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency	1 .. 80		identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code content <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
198	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
199	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
200	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
201	BDT000000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs duty description/	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
202	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs duty description/ Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
203	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs duty description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
204	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
205	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
206	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ organisationDetails/organisationName
207	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Language of the party	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/ languageOfThePartyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
208	BDT00000028	.. 35	0 .. 1	code/Language code content Code list version <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/languageOfThePartyCode/@codeListVersion
209	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/currencyOfPartyCode
210	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/currencyOfPartyCode/@codeListVersion
211	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/countyCode
212	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/city
213	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/cityCode
	BDT00000035						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
214		.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/crossStreet
215	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/pOBoxNumber
216	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/postalCode
217	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/provinceCode
218	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/state
219	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/streetAddressOne
220	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Seller party	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Street address two			organisationDetails/officialAddress/streetAddressTwo
221	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ organisationDetails/officialAddress/streetAddressThree
222	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ organisationDetails/officialAddress/countryCode
223	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ organisationDetails/officialAddress/countryCode/ @codeListVersion
224	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
225	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ organisationDetails/officialAddress/ geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
226	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/issuedCapital
227	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/issuedCapital/@currencyCode
228	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/issuedCapital/@codeListVersion
229	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/legalStructure
230	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/legalStructure/@languageCode
231	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Organisation legal	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/legalStructure/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Legal structure description/Language code/Code list version			
232	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/legalRegistration/legalRegistrationNumber
233	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
234	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/legalRegistration/legalRegistrationType
235	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
236	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Seller party information/Financial institution and	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/financialInstitutionName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial institution name			
237	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/financialInstitutionBranchName
238	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/financialAccount/financialAccountName
239	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/financialAccount/financialAccountNumber
240	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
241	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Financial institution and	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial account information/Financial account number type code/Code list version			financialAccountNumberTypeCode/@codeListVersion
242	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
243	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
244	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
245	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Additional financial institution description/	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional financial institution description content			
246	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
247	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
248	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/city
249	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/cityCode
250	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/countyCode
251	BDT00000035	.. 200	0 .. 1	Cross street	1 .. 200	0 .. 1	crossStreet

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Cross street			<i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/crossStreet
252	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/name
253	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/pOBoxNumber
254	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/postalCode
255	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/provinceCode
256	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/state
257	BDT00000128	.. 200	0 .. 1	Street address one	1 .. 200	0 .. 1	streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Street address one			<i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/streetAddressOne
258	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/streetAddressTwo
259	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/streetAddressThree
260	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/countryCode
261	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/countryCode/@codeListVersion
262	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Geographical coordinates information/Latitude			
263	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
264	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Despatch advice/Consignee party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/gln
265	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Consignee party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ additionalPartyIdentification
266	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Consignee party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
267	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
268	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Consignee party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/city
269	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Consignee party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/cityCode
270	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Consignee party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/countyCode
271	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Consignee party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/crossStreet
272	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Consignee party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/name
273	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Consignee party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/pOBoxNumber
274	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Consignee party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/postalCode
275	BDT00000117	80 ..	0 .. 1	Province identity	1 .. 80	0 .. 1	provinceCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Consignee party information/Address information/Province identity			<i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/provinceCode
276	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Consignee party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/state
277	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Consignee party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/streetAddressOne
278	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Consignee party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/streetAddressTwo
279	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Consignee party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/streetAddressThree
280	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Consignee party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/countryCode
281	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/countryCode/@codeListVersion
282	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Consignee party information/Address information/	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Geographical coordinates information/ Latitude			
283	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Consignee party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ address/geographicalCoordinates/longitude
284	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ contact/personName
285	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ contact/departmentName
286	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ contact/jobTitle
287	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ contact/contactTypeCode
288	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ contact/contactTypeCode/@codeListVersion
	BDT00000580			Business contact responsibility			

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
289		.. 70	1 .. 1	description content <i>Path:</i> Despatch advice/Consignee party information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/responsibility
290	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Consignee party information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/responsibility/@languageCode
291	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/responsibility/@codeListVersion
292	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/communicationChannel/communicationChannelCode
293	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Communication information/Communication channel	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/communicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Communication channel code content/Code list version			
294	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/communicationChannel/communicationValue
295	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/communicationChannel/communicationChannelName
296	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/afterHoursCommunicationChannel/communicationChannelCode
297	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
298	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Consignee party	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/After hours communication information/Communication channel identification			contact/afterHoursCommunicationChannel/ communicationValue
299	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Consignee party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ contact/afterHoursCommunicationChannel/ communicationChannelName
300	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
301	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
302	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
303	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Consignee party information/Tax registration	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration identification information/Identification scheme information/Identification scheme agency name			@identificationSchemeAgencyName
304	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
305	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
306	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
307	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax type code/Code list	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
308	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxDescription
309	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
310	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
311	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
312	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
313	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
314	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
315	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
316	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
317	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
318	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
		.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
319	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
320	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
321	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs duty description/Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxDescription
322	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs duty description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
323	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs duty registration information/Customs duty description/ Language code/Code list version			dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
324	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
325	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
326	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ organisationDetails/organisationName
327	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ address/languageOfThePartyCode
328	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ address/languageOfThePartyCode/ @codeListVersion
329	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Consignee party	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Currency of party code/ Currency of party code content			address/currencyOfPartyCode
330	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Currency of party code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ address/currencyOfPartyCode/@codeListVersion
331	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ organisationDetails/officialAddress/countyCode
332	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ organisationDetails/officialAddress/city
333	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ organisationDetails/officialAddress/cityCode
334	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ organisationDetails/officialAddress/crossStreet
335	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Post office	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ organisationDetails/officialAddress/pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				box number			
336	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/officialAddress/postalCode
337	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/officialAddress/provinceCode
338	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/officialAddress/state
339	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/officialAddress/streetAddressOne
340	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/officialAddress/streetAddressTwo
341	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/officialAddress/streetAddressThree
	BDT00000774						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
342			1 .. 1	Country code content <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/officialAddress/countryCode
343	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/officialAddress/countryCode/@codeListVersion
344	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/officialAddress/geographicalCoordinates/latitude
345	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/officialAddress/geographicalCoordinates/longitude
346	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/issuedCapital
347	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Consignee party information/Organisation legal	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/issuedCapital/@currencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Issued capital/Currency code/Currency code content			
348	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/issuedCapital/@codeListVersion
349	BDT000000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/legalStructure
350	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/legalStructure/@languageCode
351	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/legalStructure/@codeListVersion
352	BDT000000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/legalRegistration/legalRegistrationNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
353	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
354	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/legalRegistration/legalRegistrationType
355	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
356	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/financialInstitutionName
357	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/financialInstitutionBranchName
358	BDT00000058	.. 80	0 .. 1	Financial account name	1 .. 80	0 .. 1	financialAccountName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Financial account information/Financial account name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/financialAccount/financialAccountName
359	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/financialAccount/financialAccountNumber
360	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
361	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
362	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
363	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
364	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
365	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/additionalFinancialInformation/description
366	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
367		.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
368	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ financialInstitutionInformation/address/city
369	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ financialInstitutionInformation/address/cityCode
370	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ financialInstitutionInformation/address/countyCode
371	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ financialInstitutionInformation/address/crossStreet
372	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ financialInstitutionInformation/address/name

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
373	BDT00000113	.. 80	0 .. 1	information/Party name Post office box number <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/pOBoxNumber
374	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/postalCode
375	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/provinceCode
376	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/state
377	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/streetAddressOne
378	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
379	BDT00000129	.. 200	0 .. 1	information/Street address two Street address three <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/streetAddressThree
380	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/countryCode
381	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/countryCode/@codeListVersion
382	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/geographicalCoordinates/latitude
383	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
384	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Ultimate consignee party information/Global location number GLN	0 .. 1		gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/gln
385	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Ultimate consignee party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/additionalPartyIdentification
386	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
387	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/additionalPartyIdentification/@codeListVersion
388	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/city
389	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/cityCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
390	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/countyCode
391	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/crossStreet
392	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/name
393	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/pOBoxNumber
394	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/postalCode
395	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/provinceCode
396	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/state
397	BDT00000128	.. 200	0 .. 1	Street address one	1 .. 200	0 .. 1	streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Street address one			<i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/streetAddressOne
398	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/streetAddressTwo
399	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/streetAddressThree
400	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/countryCode
401	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/countryCode/@codeListVersion
402	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/geographicalCoordinates/latitude
403	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/geographicalCoordinates/longitude
	BDT00000112						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
404		.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/personName
405	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/departmentName
406	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/jobTitle
407	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/contactTypeCode
408	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/contactTypeCode/@codeListVersion
409	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/responsibility

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
410	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/responsibility/@languageCode
411	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/responsibility/@codeListVersion
412	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Communication information/Communication channel code	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/communicationChannel/communicationChannelCode
413	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/communicationChannel/communicationValue
414	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/communicationChannel/communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
415	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelCode
416	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationValue
417	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelName
418	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
419	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
420	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Ultimate consignee	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
421	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
422	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
423	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
424	BDT00000576	.. 80	1 .. 1	Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax type code/Tax type code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
425	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
426	BDT000000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription
427	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
428	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
429	BDT000000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
430	BDT000000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax registration type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
431	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
432	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
433	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
434	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
	BDT00000583						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
435		.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
436	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
437	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
438	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
439	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Ultimate consignee	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Customs duty registration information/Customs duty description/Customs duty description content			ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription
440	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs duty description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
441	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs duty description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
442	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
443	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
444	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/organisationName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
445	BDT00000524	.. 80	1 .. 1	information/Organisation name Language code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/languageOfThePartyCode
446	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/languageOfThePartyCode/@codeListVersion
447	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/currencyOfPartyCode
448	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/currencyOfPartyCode/@codeListVersion
449	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/countyCode
450	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/city

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
451	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/cityCode
452	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/crossStreet
453	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/pOBoxNumber
454	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/postalCode
455	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/provinceCode
456	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/state
457	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/Street address one			streetAddressOne
458	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/streetAddressTwo
459	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/streetAddressThree
460	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/countryCode
461	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/countryCode/@codeListVersion
462	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/geographicalCoordinates/latitude
463	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Ultimate consignee	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Organisation legal information/Official address/Geographical coordinates information/Longitude			ultimateConsignee/organisationDetails/officialAddress/geographicalCoordinates/longitude
464	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/issuedCapital
465	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/issuedCapital/@currencyCode
466	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/issuedCapital/@codeListVersion
467	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/legalStructure
468	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Language	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/legalStructure/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
469	BDT00000028	.. 35	0 .. 1	code content Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/legalStructure/@codeListVersion
470	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationNumber
471	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
472	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationType
473	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration type	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Code list version			
474	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/financialInstitutionName
475	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/financialInstitutionBranchName
476	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountName
477	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumber
478	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
479	BDT00000028	.. 35	0 .. 1	account number type code content Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
480	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
481	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
482	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
	BDT00000521						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
483		.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description
484	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
485	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
486	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/address/city
487	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				and financial account information/ Address information/City code			address/cityCode
488	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ address/countyCode
489	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ address/crossStreet
490	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ address/name
491	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ address/pOBoxNumber
492	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ address/postalCode
493	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Ultimate consignee	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Financial institution and financial account information/ Address information/Province identity			ultimateConsignee/financialInstitutionInformation/ address/provinceCode
494	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ address/state
495	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ address/streetAddressOne
496	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ address/streetAddressTwo
497	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ address/streetAddressThree
498	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
499	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/address/countryCode/@codeListVersion
500	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/address/geographicalCoordinates/latitude
501	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/address/geographicalCoordinates/longitude
502	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Ship from party information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/gln
503	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Ship from party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/additionalPartyIdentification
504	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Ship from party	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/additionalPartyIdentification/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional party identification information/Additional party identification type code/Additional party identification type code content			@additionalPartyIdentificationTypeCode
505	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/additionalPartyIdentification/@codeListVersion
506	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Ship from party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/city
507	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Ship from party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/cityCode
508	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Ship from party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/countyCode
509	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Ship from party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/crossStreet
510	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Ship from party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/name

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
511	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Ship from party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/pOBoxNumber
512	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Ship from party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/postalCode
513	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Ship from party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/provinceCode
514	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Ship from party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/state
515	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Ship from party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/streetAddressOne
516	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Ship from party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/streetAddressTwo
517	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Ship from party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/streetAddressThree
518	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Ship from party	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/ Country code/Country code content			address/countryCode
519	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Address information/ Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ address/countryCode/ @codeListVersion
520	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Ship from party information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ address/geographicalCoordinates/latitude
521	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Ship from party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ address/geographicalCoordinates/longitude
522	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ contact/personName
523	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ contact/departmentName
524	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ contact/jobTitle
525	BDT00000571	.. 80	1 .. 1	Contact type code content	1 .. 80	0 .. 1	contactTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship from party information/Business contact information/Contact type code/Contact type code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/contactTypeCode
526	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/contactTypeCode/@codeListVersion
527	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/responsibility
528	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/responsibility/@languageCode
529	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/responsibility/@codeListVersion
530	BDT00000525		1 .. 1	Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/communicationChannel/communicationChannelCode
531	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/communicationChannel/communicationChannelCode/@codeListVersion
532	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/communicationChannel/communicationValue
533	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/communicationChannel/communicationChannelName
534	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Ship from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/afterHoursCommunicationChannel/communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
535	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
536	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Ship from party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/afterHoursCommunicationChannel/communicationValue
537	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Ship from party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/afterHoursCommunicationChannel/communicationChannelName
538	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
539	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
540	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
541	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
542	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
543	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				list version			
544	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
545	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
546	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription
547	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
548	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
549	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax registration type code/	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
550	BDT00000028	.. 35	0 .. 1	Tax registration type code content Code list version <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
551	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
552	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
553	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
554	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
555	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
556	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
557	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
558	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
559	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Ship from party	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs duty registration information/Customs duty description/ Customs duty description content			dutyFeeTaxRegistration/dutyFeeTaxDescription
560	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs duty description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
561	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs duty description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
562	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
563	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
564	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ organisationDetails/organisationName
565	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship from party	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Language of the party code/Language code content			address/languageOfThePartyCode
566	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ address/languageOfThePartyCode/@codeListVersion
567	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Currency of party code/ Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ address/currencyOfPartyCode
568	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Currency of party code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ address/currencyOfPartyCode/@codeListVersion
569	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ organisationDetails/officialAddress/countyCode
570	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ organisationDetails/officialAddress/city
571	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Ship from party information/Organisation legal	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ organisationDetails/officialAddress/cityCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
572	BDT00000035	.. 200	0 .. 1	information/Official address/City code Cross street <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/officialAddress/crossStreet
573	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/officialAddress/pOBoxNumber
574	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/officialAddress/postalCode
575	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/officialAddress/provinceCode
576	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/officialAddress/state
577	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/officialAddress/streetAddressOne
	BDT00000130						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
578		.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/officialAddress/streetAddressTwo
579	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/officialAddress/streetAddressThree
580	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/officialAddress/countryCode
581	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/officialAddress/countryCode/@codeListVersion
582	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/issuedCapital
583	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/issuedCapital/@currencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
584	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/issuedCapital/@codeListVersion
585	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/legalStructure
586	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/legalStructure/@languageCode
587	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/legalStructure/@codeListVersion
588	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/legalRegistration/legalRegistrationNumber
589	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Ship from party	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Registered legal information/Legal registration additional information			organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
590	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/legalRegistration/legalRegistrationType
591	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
592	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/financialInstitutionName
593	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/financialInstitutionBranchName
594	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Ship from party information/Financial institution and	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial account information/Financial account name			financialAccountName
595	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumber
596	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
597	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
598	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
599	BDT00000644	.. 80	1 .. 1	Financial routing number type code	1 .. 80	1 .. 1	financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
600	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
601	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/additionalFinancialInformation/description
602	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
603	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version			financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
604	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ financialInstitutionInformation/address/city
605	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ financialInstitutionInformation/address/cityCode
606	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ financialInstitutionInformation/address/countyCode
607	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ financialInstitutionInformation/address/crossStreet
608	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ financialInstitutionInformation/address/name
609	BDT00000113	.. 80	0 .. 1	Post office box number	1 .. 80	0 .. 1	pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Post office box number			<i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/pOBoxNumber
610	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/postalCode
611	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/provinceCode
612	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/state
613	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/streetAddressOne
614	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/streetAddressTwo
615	BDT00000129	.. 200	0 .. 1	Street address three	1 .. 200	0 .. 1	streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Street address three			<i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/streetAddressThree
616	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/countryCode
617	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/countryCode/@codeListVersion
618	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/geographicalCoordinates/latitude
619	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/geographicalCoordinates/longitude
620	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Ship to party		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/gln

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Global location number GLN			
621	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Ship to party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ additionalPartyIdentification
622	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Ship to party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
623	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ additionalPartyIdentification/@codeListVersion
624	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Ship to party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ address/city
625	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Ship to party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ address/cityCode
626	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Ship to party	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/County code			address/countyCode
627	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Ship to party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/crossStreet
628	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Ship to party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/name
629	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Ship to party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/pOBoxNumber
630	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Ship to party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/postalCode
631	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Ship to party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/provinceCode
632	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Ship to party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/state
633	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Ship to party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
634	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Ship to party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/streetAddressTwo
635	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Ship to party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/streetAddressThree
636	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Ship to party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/countryCode
637	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/countryCode/@codeListVersion
638	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Ship to party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/geographicalCoordinates/latitude
639	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Ship to party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/geographicalCoordinates/longitude
640	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/personName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
641	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/departmentName
642	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/jobTitle
643	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/contactTypeCode
644	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/contactTypeCode/@codeListVersion
645	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/responsibility
646	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Business contact	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/responsibility/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
647	BDT00000028	.. 35	0 .. 1	responsibility description/Language code/Language code content Code list version <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/responsibility/@codeListVersion
648	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/communicationChannel/communicationChannelCode
649	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/communicationChannel/communicationChannelCode/@codeListVersion
650	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/communicationChannel/communicationValue
651	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Ship to party	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel name			contact/communicationChannel/ communicationChannelName
652	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ contact/afterHoursCommunicationChannel/ communicationChannelCode
653	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
654	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Ship to party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ contact/afterHoursCommunicationChannel/ communicationValue
655	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Ship to party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ contact/afterHoursCommunicationChannel/ communicationChannelName
	BDT00000369						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
656		.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
657	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
658	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
659	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
660	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration identification information/Identification	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			
661	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
662	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
663	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
664	BDT000000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxDescription
665	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship to party information/Tax registration	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxDescription/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax description/Language code/Language code content			@languageCode
666	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
667	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
668	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
669	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
670	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
671	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs registration identification information/Identification scheme information/Identification scheme name			@identificationSchemeName
672	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
673	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
674	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
675	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Ship to party	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs duty registration information/Tax type code/Tax type code content			dutyFeeTaxRegistration/dutyFeeTaxTypeCode
676	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
677	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs duty description/ Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxDescription
678	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs duty description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
679	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs duty description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
680	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
681	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs registration type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
682	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/organisationName
683	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/languageOfThePartyCode
684	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/languageOfThePartyCode/@codeListVersion
685	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/currencyOfPartyCode
686	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/currencyOfPartyCode/@codeListVersion
687	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Ship to party	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/County code			organisationDetails/officialAddress/countyCode
688	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ organisationDetails/officialAddress/city
689	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ organisationDetails/officialAddress/cityCode
690	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ organisationDetails/officialAddress/crossStreet
691	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ organisationDetails/officialAddress/pOBoxNumber
692	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ organisationDetails/officialAddress/postalCode
693	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ organisationDetails/officialAddress/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
694	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/state
695	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/streetAddressOne
696	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/streetAddressTwo
697	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/streetAddressThree
698	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/countryCode
699	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/countryCode/@codeListVersion
700	BDT00000085	.. 80	1 .. 1	Latitude	1 .. 80	1 .. 1	latitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Geographical coordinates information/Latitude			<i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/geographicalCoordinates/latitude
701	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/geographicalCoordinates/longitude
702	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/issuedCapital
703	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/issuedCapital/@currencyCode
704	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/issuedCapital/@codeListVersion
705	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Legal structure	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/legalStructure

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description/Legal structure description content			
706	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/legalStructure/@languageCode
707	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/legalStructure/@codeListVersion
708	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/legalRegistration/legalRegistrationNumber
709	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
710	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Registered legal information/Legal registration type	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/legalRegistration/legalRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Legal registration type code content			
711	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
712	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/financialInstitutionName
713	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/financialInstitutionBranchName
714	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/financialAccount/financialAccountName
715	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
716	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
717	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
718	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
719	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
720	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
721	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/additionalFinancialInformation/description
722	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
723	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
724	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/city

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
725	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/cityCode
726	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/countyCode
727	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/crossStreet
728	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/name
729	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/pOBoxNumber
730	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/postalCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
731	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/provinceCode
732	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/state
733	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/streetAddressOne
734	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/streetAddressTwo
735	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/streetAddressThree
736	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Country code/Country code	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
737	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/countryCode/@codeListVersion
738	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/geographicalCoordinates/latitude
739	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/geographicalCoordinates/longitude
740	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Pick up from party information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/gln
741	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Pick up from party information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/additionalPartyIdentification
742	BDT000000570	.. 80	1 .. 1	Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Pick up from party information/Additional party identification/Additional party identification type code/Additional party identification type code content			<i>pickUpLocation/additionalPartyIdentification/@additionalPartyIdentificationTypeCode</i>
743	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/additionalPartyIdentification/@codeListVersion
744	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Pick up from party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/city
745	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Pick up from party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/cityCode
746	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Pick up from party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/countyCode
747	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Pick up from party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/crossStreet
748	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Pick up from party information/Address information/Party	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/name

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
749	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Pick up from party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/pOBoxNumber
750	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Pick up from party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/postalCode
751	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Pick up from party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/provinceCode
752	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Pick up from party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/state
753	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Pick up from party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/streetAddressOne
754	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Pick up from party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/streetAddressTwo
755	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Pick up from party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/streetAddressThree
756	BDT00000774		1 .. 1	Country code content	1 .. 80	0 .. 1	countryCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Pick up from party information/Address information/Country code/Country code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/countryCode
757	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/countryCode/@codeListVersion
758	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Pick up from party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/geographicalCoordinates/latitude
759	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Pick up from party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/geographicalCoordinates/longitude
760	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/personName
761	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/departmentName
762	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/jobTitle
	BDT00000571						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
763		.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/contactTypeCode
764	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/contactTypeCode/@codeListVersion
765	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/responsibility
766	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/responsibility/@languageCode
767	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/responsibility/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
768	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/communicationChannel/communicationChannelCode
769	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/communicationChannel/communicationChannelCode/@codeListVersion
770	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/communicationChannel/communicationValue
771	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/communicationChannel/communicationChannelName
772	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/After hours communication information/Communication channel	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/afterHoursCommunicationChannel/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Communication channel code content			communicationChannelCode
773	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
774	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/afterHoursCommunicationChannel/communicationValue
775	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/afterHoursCommunicationChannel/communicationChannelName
776	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
777	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax registration identification information/Tax	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
778	BDT00000074	.. 80	0 .. 1	registration identification content Identification scheme name <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
779	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
780	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
781	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme responsible agency code/Code list version			
782	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
783	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
784	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription
785	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
786	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
787	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Pick up from party information/Tax registration	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration type code/ Tax registration type code content			dutyFeeTaxRegistrationType
788	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType/@codeListVersion
789	BDT000000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/dutyFeeTaxRegistration/ dutyFeeTaxAgencyName
790	BDT000000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID
791	BDT000000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/@identificationSchemeName
792	BDT000000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
793	BDT00000583	.. 80	1 .. 1	scheme agency name Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
794	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
795	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
796	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
797	BDT00000563	.. 70	1 .. 1	Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs duty description/Customs duty description content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription
798	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs duty description/ Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
799	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs duty description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
800	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
801	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
802	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/organisationName
803	BDT00000524	.. 80	1 .. 1	Language code content	1 .. 80	0 .. 1	languageOfThePartyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Language of the party code/Language code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/languageOfThePartyCode
804	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/languageOfThePartyCode/@codeListVersion
805	BDT000000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/currencyOfPartyCode
806	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/currencyOfPartyCode/@codeListVersion
807	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/officialAddress/countyCode
808	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/officialAddress/city
809	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Pick up from party	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/City code			pickUpLocation/organisationDetails/officialAddress/ cityCode
810	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/organisationDetails/officialAddress/ crossStreet
811	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/organisationDetails/officialAddress/ pOBoxNumber
812	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/organisationDetails/officialAddress/ postalCode
813	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/organisationDetails/officialAddress/ provinceCode
814	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/organisationDetails/officialAddress/state
815	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/organisationDetails/officialAddress/ streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
816	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/officialAddress/streetAddressTwo
817	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/officialAddress/streetAddressThree
818	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/issuedCapital
819	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/issuedCapital/@currencyCode
820	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/issuedCapital/@codeListVersion
821	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Legal structure description/Legal structure description	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/legalStructure

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
822	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/legalStructure/@languageCode
823	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/legalStructure/@codeListVersion
824	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/legalRegistration/legalRegistrationNumber
825	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
826	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/legalRegistration/legalRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
827	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
828	BDT000000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/financialInstitutionName
829	BDT000000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/financialInstitutionBranchName
830	BDT000000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/financialAccount/financialAccountName
831	BDT000000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/financialAccount/financialAccountNumber
832	BDT000000645	.. 80	1 .. 1	Financial account number type code	1 .. 80	1 .. 1	financialAccountNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
833	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
834	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
835	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
836	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial institution routing number information/ Financial routing number type code/ Code list version			financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
837	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Additional financial institution description/ Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/financialInstitutionInformation/ additionalFinancialInformation/description
838	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
839	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
840	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/financialInstitutionInformation/address/city
841	BDT00000019	.. 80	0 .. 1	City code	1 .. 80	0 .. 1	cityCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/City code			<i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/cityCode
842	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/countyCode
843	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/crossStreet
844	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/name
845	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/pOBoxNumber
846	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/postalCode
847	BDT00000117	80 ..	0 .. 1	Province identity	1 .. 80	0 .. 1	provinceCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Province identity			<i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/provinceCode
848	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/state
849	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/streetAddressOne
850	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/streetAddressTwo
851	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/streetAddressThree
852	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
853	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/countryCode/@codeListVersion
854	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/geographicalCoordinates/latitude
855	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/geographicalCoordinates/longitude
856	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Storage location information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/gln
857	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Storage location information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/additionalPartyIdentification
858	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Storage location	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/additionalPartyIdentification/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional party identification information/Additional party identification type code/Additional party identification type code content			@additionalPartyIdentificationTypeCode
859	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/additionalPartyIdentification/@codeListVersion
860	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Storage location information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/city
861	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Storage location information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/cityCode
862	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Storage location information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/countyCode
863	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Storage location information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/crossStreet
864	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Storage location information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/name

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
865	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Storage location information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/pOBoxNumber
866	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Storage location information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/postalCode
867	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Storage location information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/provinceCode
868	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Storage location information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/state
869	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Storage location information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/streetAddressOne
870	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Storage location information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/streetAddressTwo
871	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Storage location information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/streetAddressThree
872	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Storage location	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/ Country code/Country code content			inventoryLocation/address/countryCode
873	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Address information/ Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/address/countryCode/ @codeListVersion
874	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Storage location information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/address/geographicalCoordinates/ latitude
875	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Storage location information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/address/geographicalCoordinates/ longitude
876	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Storage location information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/contact/personName
877	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Storage location information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/contact/departmentName
878	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Storage location information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/contact/jobTitle
879	BDT00000571	.. 80	1 .. 1	Contact type code content	1 .. 80	0 .. 1	contactTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Storage location information/Business contact information/Contact type code/Contact type code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/contactTypeCode
880	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/contactTypeCode/@codeListVersion
881	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Storage location information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/responsibility
882	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Storage location information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/responsibility/@languageCode
883	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/responsibility/@codeListVersion
884	BDT00000525		1 .. 1	Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/communicationChannel/communicationChannelCode
885	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/communicationChannel/communicationChannelCode/@codeListVersion
886	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Storage location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/communicationChannel/communicationValue
887	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Storage location information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/communicationChannel/communicationChannelName
888	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/afterHoursCommunicationChannel/communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
889	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
890	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Storage location information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/afterHoursCommunicationChannel/communicationValue
891	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Storage location information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/afterHoursCommunicationChannel/communicationChannelName
892	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
893	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
894	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
895	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
896	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
897	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				list version			
898	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
899	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
900	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription
901	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
902	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
903	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax registration type code/	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
904	BDT00000028	.. 35	0 .. 1	Tax registration type code content Code list version <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
905	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
906	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
907	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
908	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
909	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
910	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
911	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
912	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
913	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Storage location	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs duty registration information/Customs duty description/ Customs duty description content			inventoryLocation/dutyFeeTaxRegistration/ dutyFeeTaxDescription
914	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs duty description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@languageCode
915	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs duty description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@codeListVersion
916	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType
917	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType/@codeListVersion
918	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/organisationDetails/organisationName
919	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Storage location	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Language of the party code/Language code content			inventoryLocation/address/languageOfThePartyCode
920	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/address/languageOfThePartyCode/ @codeListVersion
921	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Currency of party code/ Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/address/currencyOfPartyCode
922	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Currency of party code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/address/currencyOfPartyCode/ @codeListVersion
923	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/organisationDetails/officialAddress/ countyCode
924	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/organisationDetails/officialAddress/city
925	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Storage location information/Organisation legal	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/organisationDetails/officialAddress/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/City code			cityCode
926	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/organisationDetails/officialAddress/ crossStreet
927	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/organisationDetails/officialAddress/ pOBoxNumber
928	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/organisationDetails/officialAddress/ postalCode
929	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/organisationDetails/officialAddress/ provinceCode
930	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/organisationDetails/officialAddress/ state
931	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/organisationDetails/officialAddress/ streetAddressOne
	BDT00000130						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
932		.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/streetAddressTwo
933	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/streetAddressThree
934	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/countryCode
935	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/countryCode/@codeListVersion
936	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/geographicalCoordinates/latitude
937	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Geographical coordinates information/ Longitude			
938	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/organisationDetails/issuedCapital
939	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/organisationDetails/issuedCapital/ @currencyCode
940	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/organisationDetails/issuedCapital/ @codeListVersion
941	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/organisationDetails/legalStructure
942	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/organisationDetails/legalStructure/ @languageCode
943	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Legal structure description/Language code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/legalStructure/@codeListVersion
944	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationNumber
945	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
946	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationType
947	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
948	BDT00000061	.. 80	0 .. 1	Financial institution name	1 .. 80	0 .. 1	financialInstitutionName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Financial institution name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/financialInstitutionName
949	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/financialInstitutionBranchName
950	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountName
951	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumber
952	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
953	BDT000000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
954	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
955	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
956	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
957	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Storage location information/Financial institution and	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Additional financial institution description/Additional financial institution description content			
958	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
959	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
960	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/city
961	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/cityCode
962	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/countyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
963	BDT00000035	.. 200	0 .. 1	information/County code Cross street <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/crossStreet
964	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/name
965	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/pOBoxNumber
966	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/postalCode
967	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/provinceCode
968	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/state

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
969	BDT00000128	.. 200	0 .. 1	information/State Street address one <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/streetAddressOne
970	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/streetAddressTwo
971	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/streetAddressThree
972	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/countryCode
973	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/countryCode/@codeListVersion
974	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Storage location	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			inventoryLocation/financialInstitutionInformation/address/geographicalCoordinates/latitude
975	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/geographicalCoordinates/longitude
976	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Despatch advice/Carrier party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/gln
977	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Carrier party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/additionalPartyIdentification
978	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Carrier party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
979	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Additional party identification information/Additional	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification type code/Code list version			
980	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Carrier party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/city
981	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Carrier party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/cityCode
982	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Carrier party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/countyCode
983	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Carrier party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/crossStreet
984	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Carrier party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/name
985	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Carrier party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/pOBoxNumber
986	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Carrier party information/Address information/Postal	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/postalCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code			
987	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Carrier party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/provinceCode
988	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Carrier party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/state
989	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Carrier party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/streetAddressOne
990	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Carrier party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/streetAddressTwo
991	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Carrier party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/streetAddressThree
992	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Carrier party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/countryCode
993	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/countryCode/@codeListVersion
994	BDT00000085	.. 80	1 .. 1	Latitude	1 .. 80	1 .. 1	latitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Carrier party information/Address information/Geographical coordinates information/Latitude			<i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/geographicalCoordinates/latitude
995	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Carrier party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/geographicalCoordinates/longitude
996	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/personName
997	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/departmentName
998	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/jobTitle
999	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/contactTypeCode
100	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Contact type code/Code list	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/contactTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
100	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/responsibility
100	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/responsibility/@languageCode
100	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/responsibility/@codeListVersion
100	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/communicationChannel/communicationChannelCode
100	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Carrier party	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel identification			contact/communicationChannel/communicationValue
100	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/ contact/communicationChannel/ communicationChannelName
100	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Carrier party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/ contact/afterHoursCommunicationChannel/ communicationChannelCode
100	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
100	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Carrier party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/ contact/afterHoursCommunicationChannel/ communicationValue
	BDT00000033						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
101		.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Carrier party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/afterHoursCommunicationChannel/communicationChannelName
101	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
101	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
101	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
101	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
101	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
101	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
101	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
101	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
101	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Carrier party	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax description/Tax description content			dutyFeeTaxRegistration/dutyFeeTaxDescription
102	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
102	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
102	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
102	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
102	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/ organisationDetails/organisationName
102	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Carrier party information/Organisation legal	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/ address/languageOfThePartyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Language of the party code/Language code content			
102	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/languageOfThePartyCode/@codeListVersion
102	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/currencyOfPartyCode
102	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/currencyOfPartyCode/@codeListVersion
102	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/countyCode
103	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/city
103	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/cityCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
103	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/crossStreet
103	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/pOBoxNumber
103	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/postalCode
103	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/provinceCode
103	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/state
103	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/streetAddressOne
103	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Carrier party	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Street address two			organisationDetails/officialAddress/streetAddressTwo
103	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/streetAddressThree
104	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/countryCode
104	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/countryCode/@codeListVersion
104	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/geographicalCoordinates/latitude
104	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
104	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/issuedCapital
104	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/issuedCapital/@currencyCode
104	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/issuedCapital/@codeListVersion
104	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/legalStructure
104	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/legalStructure/@languageCode
104	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Organisation legal	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/legalStructure/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Legal structure description/Language code/Code list version			
105	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/legalRegistration/legalRegistrationNumber
105	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
105	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/legalRegistration/legalRegistrationType
105	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
105	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Carrier party information/Financial institution and	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/financialInstitutionName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial institution name			
105	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/financialInstitutionBranchName
105	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/financialAccount/financialAccountName
105	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/financialAccount/financialAccountNumber
105	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
105	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Financial institution and	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial account information/Financial account number type code/Code list version			financialAccountNumberTypeCode/@codeListVersion
106	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
106	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
106	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
106	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Additional financial institution description/	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional financial institution description content			
106	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
106	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
106	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/city
106	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/cityCode
106	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/countyCode
106	BDT00000035	.. 200	0 .. 1	Cross street	1 .. 200	0 .. 1	crossStreet

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Cross street			<i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/crossStreet
107	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/name
107	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/pOBoxNumber
107	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/postalCode
107	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/provinceCode
107	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/state
107	BDT00000128	.. 200	0 .. 1	Street address one	1 .. 200	0 .. 1	streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Street address one			<i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/streetAddressOne
107	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/streetAddressTwo
107	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/streetAddressThree
107	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/countryCode
107	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/countryCode/@codeListVersion
108	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Geographical coordinates information/Latitude			
108	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
108	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Freight forwarder party information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/gln
108	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Freight forwarder party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/additionalPartyIdentification
108	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Freight forwarder party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
108	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/additionalPartyIdentification/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
108	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/ City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/city
108	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/ City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/cityCode
108	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/ County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/countyCode
108	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/ Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/crossStreet
109	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/ Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/name
109	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/ Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/pOBoxNumber
109	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/ Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/postalCode
109	BDT00000117	80 ..	0 .. 1	Province identity	1 .. 80	0 .. 1	provinceCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Province identity			<i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/provinceCode
109	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/state
109	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/streetAddressOne
109	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/streetAddressTwo
109	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/streetAddressThree
109	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/countryCode
109	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/countryCode/@codeListVersion
110	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Freight forwarder	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Address information/ Geographical coordinates information/ Latitude			freightForwarder/address/geographicalCoordinates/ latitude
110	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/address/geographicalCoordinates/ longitude
110	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/contact/personName
110	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/contact/departmentName
110	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/contact/jobTitle
110	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/contact/contactTypeCode
110	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/contact/contactTypeCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
110	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/responsibility
110	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/responsibility/@languageCode
110	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/responsibility/@codeListVersion
111	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/communicationChannel/communicationChannelCode
111	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/communicationChannel/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication information/Communication channel code/Communication channel code content/Code list version			communicationChannelCode/@codeListVersion
111	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/contact/communicationChannel/ communicationValue
111	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/contact/communicationChannel/ communicationChannelName
111	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/contact/ afterHoursCommunicationChannel/ communicationChannelCode
111	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
	BDT00000032						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
111		.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/afterHoursCommunicationChannel/communicationValue
111	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/afterHoursCommunicationChannel/communicationChannelName
111	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
111	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
112	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
112	BDT00000073	.. 80	0 .. 1	Identification scheme agency name	1 .. 80		identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
112	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
112	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
112	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
112	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Tax registration information/Tax type code/Code list version			freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
112	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription
112	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
112	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
112	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
113	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
113	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Freight forwarder	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Organisation legal information/Organisation name			freightForwarder/organisationDetails/organisationName
113	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/languageOfThePartyCode
113	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/languageOfThePartyCode/@codeListVersion
113	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/currencyOfPartyCode
113	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/currencyOfPartyCode/@codeListVersion
113	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/countyCode
113	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/city

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/City name			
113	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/cityCode
113	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/crossStreet
114	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/pOBoxNumber
114	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/postalCode
114	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/provinceCode
114	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/state
114	BDT00000128	.. 200	0 .. 1	Street address one	1 .. 200	0 .. 1	streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Street address one			<i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/streetAddressOne
114	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/streetAddressTwo
114	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/streetAddressThree
114	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/countryCode
114	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/countryCode/@codeListVersion
114	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
115	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/geographicalCoordinates/longitude
115	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/issuedCapital
115	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/issuedCapital/@currencyCode
115	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/issuedCapital/@codeListVersion
115	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/legalStructure
115	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/legalStructure/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Legal structure description/Language code/Language code content			@languageCode
115	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/legalStructure/@codeListVersion
115	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/legalRegistration/legalRegistrationNumber
115	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
115	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/legalRegistration/legalRegistrationType
116	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/legalRegistration/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Registered legal information/Legal registration type code/Code list version			legalRegistrationType/@codeListVersion
116	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/financialInstitutionName
116	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/financialInstitutionBranchName
116	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountName
116	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumber
116	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial account information/Financial account number type code/Financial account number type code content			
116	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
116	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
116	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
116	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
117	BDT00000521	.. 70	1 .. 1	type code/Code list version Additional financial institution description content <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description
117	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
117	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
117	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/city
117	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Freight forwarder	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Financial institution and financial account information/Address information/City code			freightForwarder/financialInstitutionInformation/address/cityCode
117	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/countyCode
117	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/crossStreet
117	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/name
117	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/pOBoxNumber
117	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/postalCode
118	BDT00000117	80 ..	0 .. 1	Province identity	1 .. 80	0 .. 1	provinceCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/Province identity			<i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/provinceCode
118	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/state
118	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/streetAddressOne
118	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/streetAddressTwo
118	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/streetAddressThree
118	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/Country code/	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
118	BDT00000028	.. 35	0 .. 1	Country code content Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/countryCode/@codeListVersion
118	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/geographicalCoordinates/latitude
118	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/geographicalCoordinates/longitude
118	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Bill to party information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/gln
119	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Bill to party information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/additionalPartyIdentification
119	BDT00000570	.. 80	1 .. 1	Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Bill to party information/Additional party identification/Additional party identification type code/Additional party identification type code content			additionalPartyIdentification/@additionalPartyIdentificationTypeCode
119	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/additionalPartyIdentification/@codeListVersion
119	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Bill to party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/city
119	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Bill to party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/cityCode
119	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Bill to party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/countyCode
119	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Bill to party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/crossStreet
119	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Bill to party information/Address information/Party	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/name

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
119	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Bill to party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/pOBoxNumber
119	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Bill to party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/postalCode
120	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Bill to party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/provinceCode
120	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Bill to party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/state
120	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Bill to party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/streetAddressOne
120	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Bill to party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/streetAddressTwo
120	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Bill to party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/streetAddressThree
120	BDT00000774		1 .. 1	Country code content	1 .. 80	0 .. 1	countryCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Bill to party information/Address information/Country code/Country code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/countryCode
120	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/countryCode/@codeListVersion
120	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Bill to party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/geographicalCoordinates/latitude
120	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Bill to party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/geographicalCoordinates/longitude
120	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/personName
121	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/departmentName
121	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/jobTitle
	BDT00000571						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
121		.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/contactTypeCode
121	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/contactTypeCode/@codeListVersion
121	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/responsibility
121	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/responsibility/@languageCode
121	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/responsibility/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
121	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/communicationChannel/communicationChannelCode
121	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/communicationChannel/communicationChannelCode/@codeListVersion
121	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/communicationChannel/communicationValue
122	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/communicationChannel/communicationChannelName
122	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Bill to party information/Business contact information/After hours communication information/Communication channel	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/afterHoursCommunicationChannel/communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Communication channel code content			
122	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
122	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Bill to party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/afterHoursCommunicationChannel/communicationValue
122	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Bill to party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/afterHoursCommunicationChannel/communicationChannelName
122	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
122	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax registration identification information/Tax	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
122	BDT00000074	.. 80	0 .. 1	registration identification content Identification scheme name <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
122	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
122	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
123	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme responsible agency code/Code list version			
123	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
123	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
123	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxDescription
123	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
123	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
123	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Bill to party information/Tax registration	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration type code/ Tax registration type code content			
123	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
123	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
123	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
124	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
124	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
124	BDT00000583	.. 80	1 .. 1	scheme agency name Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
124	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
124	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
124	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
124	BDT00000563	.. 70	1 .. 1	Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs duty description/Customs duty description content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxDescription
124	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs duty description/ Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
124	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs duty description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
124	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
125	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
125	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/organisationName
125	BDT00000524	.. 80	1 .. 1	Language code content	1 .. 80	0 .. 1	languageOfThePartyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Language of the party code/Language code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/languageOfThePartyCode
125	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/languageOfThePartyCode/@codeListVersion
125	BDT000000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/currencyOfPartyCode
125	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/currencyOfPartyCode/@codeListVersion
125	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/countyCode
125	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/city
125	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Bill to party	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/City code			organisationDetails/officialAddress/cityCode
125	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ organisationDetails/officialAddress/crossStreet
126	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ organisationDetails/officialAddress/pOBoxNumber
126	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ organisationDetails/officialAddress/postalCode
126	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ organisationDetails/officialAddress/provinceCode
126	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ organisationDetails/officialAddress/state
126	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ organisationDetails/officialAddress/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
126	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/streetAddressTwo
126	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/streetAddressThree
126	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/countryCode
126	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/countryCode/@codeListVersion
126	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/geographicalCoordinates/latitude
127	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Geographical coordinates information/ Longitude			
127	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ organisationDetails/issuedCapital
127	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ organisationDetails/issuedCapital/@currencyCode
127	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ organisationDetails/issuedCapital/@codeListVersion
127	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ organisationDetails/legalStructure
127	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ organisationDetails/legalStructure/@languageCode
127	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Legal structure description/Language code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/legalStructure/@codeListVersion
127	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/legalRegistration/legalRegistrationNumber
127	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
127	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/legalRegistration/legalRegistrationType
128	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
128	BDT00000061	.. 80	0 .. 1	Financial institution name	1 .. 80	0 .. 1	financialInstitutionName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Financial institution name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/financialInstitutionName
128	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/financialInstitutionBranchName
128	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/financialAccount/financialAccountName
128	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/financialAccount/financialAccountNumber
128	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
128	BDT000000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
128	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
128	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
128	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
129	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Bill to party information/Financial institution and	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Additional financial institution description/Additional financial institution description content			
129	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
129	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
129	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/city
129	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/cityCode
129	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/countyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
129	BDT00000035	.. 200	0 .. 1	information/County code Cross street <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/crossStreet
129	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/name
129	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/pOBoxNumber
129	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/postalCode
130	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/provinceCode
130	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/state

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
130	BDT00000128	.. 200	0 .. 1	information/State Street address one <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/streetAddressOne
130	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/streetAddressTwo
130	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/streetAddressThree
130	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/countryCode
130	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/countryCode/@codeListVersion
130	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Bill to party	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			financialInstitutionInformation/address/geographicalCoordinates/latitude
130	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/geographicalCoordinates/longitude
130	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Despatch advice/Logistic service provider party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/gln
131	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistic service provider party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/additionalPartyIdentification
131	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistic service provider party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
131	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Additional	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/additionalPartyIdentification/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification information/ Additional party identification type code/Code list version			@codeListVersion
131	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/address/city
131	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/address/cityCode
131	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/address/countyCode
131	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/address/crossStreet
131	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/address/name
131	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/address/pOBoxNumber
131	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Logistic service	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				provider party information/Address information/Postal code			logisticServiceProvider/address/postalCode
132	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/provinceCode
132	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/state
132	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/streetAddressOne
132	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/streetAddressTwo
132	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/streetAddressThree
132	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/countryCode
132	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				provider party information/Address information/Country code/Code list version			logisticServiceProvider/address/countryCode/@codeListVersion
132	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/geographicalCoordinates/latitude
132	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/geographicalCoordinates/longitude
132	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/personName
133	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/departmentName
133	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/jobTitle
133	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/contactTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
133	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/contactTypeCode/@codeListVersion
133	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/responsibility
133	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/responsibility/@languageCode
133	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/responsibility/@codeListVersion
133	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Communication information/Communication channel	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Communication channel code content			
133	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/communicationChannel/communicationChannelCode/@codeListVersion
133	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/communicationChannel/communicationValue
134	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/communicationChannel/communicationChannelName
134	BDT000000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/afterHoursCommunicationChannel/communicationChannelCode
134	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				provider party information/Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version			logisticServiceProvider/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
134	BDT000000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/contact/ afterHoursCommunicationChannel/communicationValue
134	BDT000000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/contact/ afterHoursCommunicationChannel/ communicationChannelName
134	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/dutyFeeTaxRegistration/ dutyFeeTaxAgencyName
134	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID
134	BDT000000074	.. 80	0 .. 1	Identification scheme name	1 .. 80		identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
134	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
134	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
135	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
135	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
135	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
135	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/dutyFeeTaxRegistration/dutyFeeTaxDescription
135	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
135	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
135	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Logistic service provider party information/Tax	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration information/Tax registration type code/Tax registration type code content			dutyFeeTaxRegistrationType
135	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
135	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/organisationName
135	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/languageOfThePartyCode
136	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/languageOfThePartyCode/@codeListVersion
136	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/currencyOfPartyCode
136	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/currencyOfPartyCode/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				legal information/Currency of party code/Code list version			@codeListVersion
136	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/countyCode
136	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/city
136	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/cityCode
136	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/crossStreet
136	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/pOBoxNumber
136	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				legal information/Official address/Postal code			officialAddress/postalCode
136	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/provinceCode
137	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/state
137	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/streetAddressOne
137	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/streetAddressTwo
137	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/streetAddressThree
137	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/countryCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
137	BDT00000028	.. 35	0 .. 1	Country code/Country code content Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/countryCode/@codeListVersion
137	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/geographicalCoordinates/latitude
137	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/geographicalCoordinates/longitude
137	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/issuedCapital
137	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/issuedCapital/@currencyCode
138	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				provider party information/Organisation legal information/Issued capital/Currency code/Code list version			logisticServiceProvider/organisationDetails/issuedCapital/@codeListVersion
138	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/legalStructure
138	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/legalStructure/@languageCode
138	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/legalStructure/@codeListVersion
138	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/legalRegistration/legalRegistrationNumber
138	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Registered legal	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
138	BDT00000658	.. 80	1 .. 1	information/Legal registration additional information Legal registration type code content <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/legalRegistration/legalRegistrationType
138	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
138	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/financialInstitutionName
138	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/financialInstitutionBranchName
139	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/financialAccount/financialAccountNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
139	BDT00000059	.. 80	1 .. 1	information/Financial account information/Financial account name Financial account number <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/financialInstitutionInformation/ financialAccount/financialAccountName
139	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/financialInstitutionInformation/ financialAccount/financialAccountNumberTypeCode
139	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/financialInstitutionInformation/ financialAccount/financialAccountNumberTypeCode/ @codeListVersion
139	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/financialInstitutionInformation/ financialRoutingNumber/financialRoutingNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
139	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
139	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
139	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/additionalFinancialInformation/description
139	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
139	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
140	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/city
140	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/cityCode
140	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/countyCode
140	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Cross	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
140	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/name
140	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/pOBoxNumber
140	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/postalCode
140	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/provinceCode
140	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/state

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
140	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/streetAddressOne
141	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/streetAddressTwo
141	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/streetAddressThree
141	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/countryCode
141	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
141	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/geographicalCoordinates/latitude
141	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/geographicalCoordinates/longitude
141	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced promotional deal information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/promotionalDeal/entityIdentification
141	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced promotional deal information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/promotionalDeal/creationDateTime
141	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced promotional deal information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/promotionalDeal/revisionNumber
141	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced promotional deal information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/promotionalDeal/lineItemNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
142	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced promotional deal information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/promotionalDeal/referencedDocumentUrl
142	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced promotional deal information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/promotionalDeal/contentOwner/gln
142	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/promotionalDeal/contentOwner/additionalPartyIdentification
142	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/promotionalDeal/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
142	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/promotionalDeal/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
142	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced invoice document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoice/entityIdentification
142	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced invoice document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoice/creationDateTime
142	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced invoice document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoice/revisionNumber
142	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced invoice document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoice/referencedDocumentUri
142	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced invoice document information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoice/lineltemNumber
143	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced invoice document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoice/contentOwner/gln
143	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoice/contentOwner/additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
143	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
143	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoice/contentOwner/additionalPartyIdentification/@codeListVersion
143	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced order response document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/orderResponse/entityIdentification
143	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced order response document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/orderResponse/creationDateTime
143	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced order response document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/orderResponse/revisionNumber
143	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced order response document information/		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/orderResponse/lineItemNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Document line number			
143	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced order response document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/orderResponse/referencedDocumentUrl
143	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced order response document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/orderResponse/contentOwner/gln
144	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced order response document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/orderResponse/contentOwner/additionalPartyIdentification
144	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced order response document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/orderResponse/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
144	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced order response document information/Document content owner/Additional party identification information/	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/orderResponse/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional party identification type code/Code list version			
144	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced delivery note document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryNote/entityIdentification
144	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced delivery note document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryNote/creationDateTime
144	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced delivery note document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryNote/revisionNumber
144	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced delivery note document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryNote/referencedDocumentUri
144	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced delivery note document information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryNote/lineltemNumber
144	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced delivery note document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryNote/contentOwner/gln
144	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced delivery	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryNote/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				note document information/Document content owner/Additional party identification information/Additional party identification content			contentOwner/additionalPartyIdentification
145	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryNote/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
145	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryNote/contentOwner/additionalPartyIdentification/@codeListVersion
145	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced delivery schedule information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliverySchedule/entityIdentification
145	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced delivery schedule information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliverySchedule/creationDateTime
145	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced delivery schedule information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliverySchedule/revisionNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
145	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced delivery schedule information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliverySchedule/referencedDocumentUrl
145	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced delivery schedule information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliverySchedule/lineltemNumber
145	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced delivery schedule information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliverySchedule/contentOwner/gln
145	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced delivery schedule information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliverySchedule/contentOwner/additionalPartyIdentification
145	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced delivery schedule information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliverySchedule/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
146	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced delivery schedule information/Document content owner/Additional party identification	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliverySchedule/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional party identification type code/Code list version			
146	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced contract information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/contract/entityIdentification
146	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced contract information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/contract/creationDateTime
146	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced contract information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/contract/revisionNumber
146	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced contract information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/contract/referencedDocumentUrl
146	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced contract information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/contract/lineItemNumber
146	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced contract information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/contract/contentOwner/gln
146	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced contract information/Document content owner/Additional party identification information/Additional party	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/contract/contentOwner/additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification content			
146	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced contract information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/contract/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
146	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced contract information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/contract/contentOwner/additionalPartyIdentification/@codeListVersion
147	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced blanket order document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/blanketOrder/entityIdentification
147	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced blanket order document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/blanketOrder/creationDateTime
147	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced blanket order document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/blanketOrder/revisionNumber
147	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced blanket	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/blanketOrder/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				order document information/Referenced document external location			referencedDocumentUrl
147	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced blanket order document information/Document line number	0 .. 1		lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/blanketOrder/lineltemNumber
147	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced blanket order document information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/blanketOrder/contentOwner/gln
147	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced blanket order document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/blanketOrder/contentOwner/additionalPartyIdentification
147	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced blanket order document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/blanketOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
147	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced blanket order document information/Document content owner/Additional party identification information/Additional	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/blanketOrder/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification type code/Code list version			
147	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced customer document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/customerDocumentReference/entityIdentification
148	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced customer document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/customerDocumentReference/creationDateTime
148	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced customer document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/customerDocumentReference/revisionNumber
148	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced customer document information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/customerDocumentReference/lineItemNumber
148	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced customer document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/customerDocumentReference/referencedDocumentUri
148	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced customer document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/customerDocumentReference/contentOwner/gln
148	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced customer document information/Document	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/customerDocumentReference/contentOwner/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content owner/Additional party identification information/Additional party identification content			additionalPartyIdentification
148	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/customerDocumentReference/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
148	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/customerDocumentReference/contentOwner/additionalPartyIdentification/@codeListVersion
148	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/declarantsCustomsIdentity/entityIdentification
148	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/declarantsCustomsIdentity/creationDateTime
149	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/declarantsCustomsIdentity/revisionNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
149	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/declarantsCustomsIdentity/referencedDocumentUri
149	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Document line number		0 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/declarantsCustomsIdentity/lineltemNumber
149	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/declarantsCustomsIdentity/contentOwner/gln
149	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/declarantsCustomsIdentity/contentOwner/additionalPartyIdentification
149	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/declarantsCustomsIdentity/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
149	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Document	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/declarantsCustomsIdentity/contentOwner/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content owner/Additional party identification information/Additional party identification type code/Code list version			additionalPartyIdentification/@codeListVersion
149	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced product certification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/productCertification/entityIdentification
149	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced product certification information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/productCertification/creationDateTime
149	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced product certification information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/productCertification/revisionNumber
150	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced product certification information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/productCertification/referencedDocumentUri
150	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced product certification information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/productCertification/lineltemNumber
150	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced product certification information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/productCertification/contentOwner/gln
	BDT00000578						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
150		.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced product certification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/productCertification/contentOwner/additionalPartyIdentification
150	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced product certification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/productCertification/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
150	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced product certification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/productCertification/contentOwner/additionalPartyIdentification/@codeListVersion
150	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced purchase order document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/purchaseOrder/entityIdentification
150	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced purchase order document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/purchaseOrder/creationDateTime
150	BDT00000119		0 .. 1	Revision number		0 .. 1	revisionNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Referenced purchase order document information/Revision number			<i>Path:</i> despatchAdviceMessage/despatchAdvice/purchaseOrder/revisionNumber
150	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced purchase order document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/purchaseOrder/referencedDocumentUri
151	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced purchase order document information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/purchaseOrder/lineltemNumber
151	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced purchase order document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/purchaseOrder/contentOwner/gln
151	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced purchase order document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/purchaseOrder/contentOwner/additionalPartyIdentification
151	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced purchase order document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/purchaseOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
151	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced purchase order document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/purchaseOrder/contentOwner/additionalPartyIdentification/@codeListVersion
151	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced returns instruction information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/returnsInstruction/entityIdentification
151	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced returns instruction information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/returnsInstruction/creationDateTime
151	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced returns instruction information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/returnsInstruction/revisionNumber
151	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced returns instruction information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/returnsInstruction/lineItemNumber
151	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced returns instruction information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/returnsInstruction/referencedDocumentUrl
152	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced returns instruction information/Document content owner/Global location number		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/returnsInstruction/contentOwner/gln

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				GLN			
152	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced returns instruction information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/returnsInstruction/contentOwner/additionalPartyIdentification
152	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced returns instruction information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/returnsInstruction/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
152	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced returns instruction information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/returnsInstruction/contentOwner/additionalPartyIdentification/@codeListVersion
152	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced technical specification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/specification/entityIdentification
152	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced technical specification information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/specification/creationDateTime

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
152	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced technical specification information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/specification/revisionNumber
152	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced technical specification information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/specification/lineltemNumber
152	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced technical specification information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/specification/referencedDocumentUrl
152	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced technical specification information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/specification/contentOwner/gln
153	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced technical specification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/specification/contentOwner/additionalPartyIdentification
153	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced technical specification information/Document content owner/Additional party identification information/Additional party identification type code/Additional	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/specification/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
153	BDT00000028	.. 35	0 .. 1	party identification type code content Code list version <i>Path:</i> Despatch advice/Referenced technical specification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/specification/contentOwner/additionalPartyIdentification/@codeListVersion
153	BDT00000849		1 .. 1	Total number of corresponding despatch advices <i>Path:</i> Despatch advice/Referenced split delivery information/Total number of corresponding despatch advices	1 .. 1		totalNumberOfCorrespondingDespatchAdvices <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/totalNumberOfCorrespondingDespatchAdvices
153	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced split delivery information/Referenced despatch advice information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/correspondingDespatchAdvice/entityIdentification
153	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced split delivery information/Referenced despatch advice information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/correspondingDespatchAdvice/creationDateTime
153	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced split delivery information/Referenced despatch advice information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/correspondingDespatchAdvice/revisionNumber
153	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced split		0 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				delivery information/Referenced despatch advice information/Document line number			splitDeliveryReference/correspondingDespatchAdvice/lineItemNumber
153	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced split delivery information/Referenced despatch advice information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/correspondingDespatchAdvice/referencedDocumentUri
153	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced split delivery information/Referenced despatch advice information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/correspondingDespatchAdvice/contentOwner/gln
154	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced split delivery information/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/correspondingDespatchAdvice/contentOwner/additionalPartyIdentification
154	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced split delivery information/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/correspondingDespatchAdvice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
154		.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced split delivery information/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/correspondingDespatchAdvice/contentOwner/additionalPartyIdentification/@codeListVersion
154	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced transport instruction information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/transportInstruction/entityIdentification
154	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced transport instruction information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/transportInstruction/creationDateTime
154	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced transport instruction information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/transportInstruction/revisionNumber
154	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced transport instruction information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/transportInstruction/lineItemNumber
154	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced transport instruction information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/transportInstruction/referencedDocumentUri
154	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced transport instruction information/Document		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/transportInstruction/contentOwner/gln

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content owner/Global location number GLN			
154	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced transport instruction information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ transportInstruction/contentOwner/ additionalPartyIdentification
155	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced transport instruction information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ transportInstruction/contentOwner/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
155	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced transport instruction information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ transportInstruction/contentOwner/ additionalPartyIdentification/@codeListVersion
155	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Despatch advice/Goods receiving party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/gln
155	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Goods receiving party information/Additional party	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification content			
155	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Goods receiving party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
155	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/additionalPartyIdentification/@codeListVersion
155	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Goods receiving party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/city
155	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Goods receiving party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/cityCode
155	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Goods receiving party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/countyCode
155	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Cross	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				street			
156	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/name
156	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/pOBoxNumber
156	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/postalCode
156	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/provinceCode
156	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Goods receiving party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/state
156	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/streetAddressOne
156	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/streetAddressTwo
156	BDT00000129	.. 200	0 .. 1	Street address three	1 .. 200	0 .. 1	streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Goods receiving party information/Address information/Street address three			<i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/streetAddressThree
156	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/countryCode
156	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/countryCode/@codeListVersion
157	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/geographicalCoordinates/latitude
157	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/geographicalCoordinates/longitude
157	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/personName
157	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/departmentName
	BDT00000083						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
157		.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/jobTitle
157	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/contactTypeCode
157	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/contactTypeCode/@codeListVersion
157	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/responsibility
157	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/responsibility/@languageCode
157	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Business contact responsibility description/Language code/Code list version			contact/responsibility/@codeListVersion
158	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ contact/communicationChannel/ communicationChannelCode
158	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ contact/communicationChannel/ communicationChannelCode/@codeListVersion
158	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ contact/communicationChannel/communicationValue
158	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ contact/communicationChannel/ communicationChannelName
	BDT00000525						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
158			1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/afterHoursCommunicationChannel/communicationChannelCode
158	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
158	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/afterHoursCommunicationChannel/communicationValue
158	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/afterHoursCommunicationChannel/communicationChannelName
158	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
158	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
159	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
159	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
159	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
159	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
		.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
159	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
159	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
159	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxDescription
159	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
159	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax description/Language code/Code list version			dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
159	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
160	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
160	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
160	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
160	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
160	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
160	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
160	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
160	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
160	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
		.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
160	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs duty description/Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxDescription
161	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs duty description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
161	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs duty description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
161	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
161	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs registration type	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Code list version			
161	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/organisationName
161	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/languageOfThePartyCode
161	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/languageOfThePartyCode/@codeListVersion
161	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/currencyOfPartyCode
161	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/currencyOfPartyCode/@codeListVersion
161	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/countyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
162	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/city
162	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/cityCode
162	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/crossStreet
162	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/pOBoxNumber
162	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/postalCode
162	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/provinceCode
162	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/state

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
162	BDT00000128	.. 200	0 .. 1	information/Official address/State Street address one <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/streetAddressOne
162	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/streetAddressTwo
162	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/streetAddressThree
163	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/countryCode
163	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/countryCode/@codeListVersion
163	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Geographical coordinates information/ Latitude			
163	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
163	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ organisationDetails/issuedCapital
163	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ organisationDetails/issuedCapital/@currencyCode
163	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ organisationDetails/issuedCapital/@codeListVersion
163	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ organisationDetails/legalStructure
163	BDT00000524	.. 80	1 .. 1	Language code content	1 .. 80		languageCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Legal structure description/Language code/Language code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/legalStructure/@languageCode
163	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/legalStructure/@codeListVersion
164	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/legalRegistration/legalRegistrationNumber
164	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
164	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/legalRegistration/legalRegistrationType
164	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
164	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/financialInstitutionName
164	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/financialInstitutionBranchName
164	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/financialAccount/financialAccountName
164	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/financialAccount/financialAccountNumber
164	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Goods receiving party	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			financialAccountNumberTypeCode
164	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
165	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
165	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
165	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Financial institution routing number information/	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial routing number type code/ Code list version			
165	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/additionalFinancialInformation/description
165	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
165	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
165	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/city
165	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/cityCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/City code			
165	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/countyCode
165	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/crossStreet
166	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/name
166	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/pOBoxNumber
166	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/postalCode
166	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Province identity			
166	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/state
166	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/streetAddressOne
166	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/streetAddressTwo
166	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/streetAddressThree
166	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/countryCode
166	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Country code/Code list version			financialInstitutionInformation/address/countryCode/@codeListVersion
167	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/geographicalCoordinates/latitude
167	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/geographicalCoordinates/longitude
167	BDT00000455		0 .. 1	Actual ship date time <i>Path:</i> Despatch advice/Goods delivery dates information/Actual ship date time		0 .. 1	actualShipDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/actualShipDateTime
167	BDT00000456		0 .. 1	Despatch date time <i>Path:</i> Despatch advice/Goods delivery dates information/Despatch date time		0 .. 1	despatchDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/despatchDateTime
167	BDT00000457		0 .. 1	Estimated delivery date time <i>Path:</i> Despatch advice/Goods delivery dates information/Estimated delivery date time		0 .. 1	estimatedDeliveryDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/estimatedDeliveryDateTime
167	BDT00000458		0 .. 1	Estimated delivery date time at ultimate consignee <i>Path:</i> Despatch advice/Goods delivery dates information/Estimated delivery date		0 .. 1	estimatedDeliveryDateTimeAtUltimateConsignee <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/estimatedDeliveryDateTimeAtUltimateConsignee

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				time at ultimate consignee			
167	BDT00000459		0 .. 1	Goods loading date time <i>Path:</i> Despatch advice/Goods delivery dates information/Goods loading date time		0 .. 1	loadingDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/loadingDateTime
167	BDT00000460		0 .. 1	Goods pick up date time <i>Path:</i> Despatch advice/Goods delivery dates information/Goods pick up date time		0 .. 1	pickUpDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/pickUpDateTime
167	BDT00000461		0 .. 1	Seller released goods date time <i>Path:</i> Despatch advice/Goods delivery dates information/Seller released goods date time		0 .. 1	releaseDateTimeOfSupplier <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/releaseDateTimeOfSupplier
167	BDT00000009		0 .. 1	Begin period date <i>Path:</i> Despatch advice/Goods delivery dates information/Estimated delivery period/Begin period date		0 .. 1	beginDate <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/estimatedDeliveryPeriod/beginDate
168	BDT00000010		0 .. 1	Begin time period <i>Path:</i> Despatch advice/Goods delivery dates information/Estimated delivery period/Begin time period		0 .. 1	beginTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/estimatedDeliveryPeriod/beginTime
168	BDT00000054		0 .. 1	End date period <i>Path:</i> Despatch advice/Goods delivery dates information/Estimated delivery period/End date period		0 .. 1	endDate <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/estimatedDeliveryPeriod/endDate
168	BDT00000055		0 .. 1	End time period <i>Path:</i> Despatch advice/Goods delivery dates information/Estimated delivery period/End time period		0 .. 1	endTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/estimatedDeliveryPeriod/endTime
168	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced additional		0 .. 1	transactionalReferenceDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business document creation date time			transactionalGenericReference/transactionalReferenceDateTime
168	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Despatch advice/Referenced additional information/Business document reference identification	1 .. 200	1 .. 1	transactionalReferenceValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/transactionalGenericReference/transactionalReferenceValue
168	BDT00000699	.. 80	1 .. 1	Referenced document type code content <i>Path:</i> Despatch advice/Referenced additional information/Referenced document type code/Referenced document type code content	1 .. 80	1 .. 1	transactionalReferenceTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/transactionalGenericReference/transactionalReferenceTypeCode
168	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced additional information/Referenced document type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/transactionalGenericReference/transactionalReferenceTypeCode/@codeListVersion
168	BDT00000799	.. 80	0 .. 1	Transport means name <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means name	1 .. 80	0 .. 1	transportMeansName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportMeansName
168	BDT00000687	.. 80	1 .. 1	Transport means type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means type code/Transport means type code content	1 .. 80	0 .. 1	transportMeansType <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportMeansType
168	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportMeansType/@codeListVersion
	BDT00000625						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
169		.. 80	0 .. 1	Transport means identification content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means identification/Transport means identification content	1 .. 80	0 .. 1	transportMeansID <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/transportMeansID
169	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/ transportMeansID/@identificationSchemeName
169	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/ transportMeansID/@identificationSchemeAgencyName
169	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/ transportMeansID/@identificationSchemeAgencyCode
169	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means identification/Identification scheme information/Identification scheme	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/ transportMeansID/ @identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				responsible agency code/Code list version			
169	BDT00000688	.. 80	1 .. 1	Transport mode code content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport mode code/Transport mode code content	1 .. 80	0 .. 1	transportModeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportModeCode
169	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Transport mode code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportModeCode/@codeListVersion
169	BDT00000626	.. 80	1 .. 1	Transport route identification content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport route identification/Transport route identification content	1 .. 80	0 .. 1	routeID <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/routeID
169	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Despatch advice transport information/Transport route identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/routeID/@identificationSchemeName
169	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Despatch advice transport information/Transport route identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/routeID/@identificationSchemeAgencyName
170	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport route	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/routeID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content			
170	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/routeID/@identificationSchemeAgencyCodeCodeListVersion
170	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/billOfLadingNumber/entityIdentification
170	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/billOfLadingNumber/creationDateTime
170	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/billOfLadingNumber/revisionNumber
170	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				lading document information/ Referenced document external location			billOfLadingNumber/referencedDocumentUrl
170	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Document line number	0 .. 1		lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/ billOfLadingNumber/lineltemNumber
170	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/ billOfLadingNumber/contentOwner/gln
170	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/ billOfLadingNumber/contentOwner/ additionalPartyIdentification
170	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/ billOfLadingNumber/contentOwner/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
171	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/billOfLadingNumber/contentOwner/additionalPartyIdentification/@codeListVersion
171	BDT00000802	.. 500	0 .. 1	Carrier track and trace URL <i>Path:</i> Despatch advice/Despatch advice transport information/Carrier track and trace information/Carrier track and trace URL	1 .. 200	0 .. 1	carrierTrackAndTraceURL <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/carrierTrackAndTraceInformation/carrierTrackAndTraceURL
171	BDT00000803	.. 80	0 .. 1	Package tracking number <i>Path:</i> Despatch advice/Despatch advice transport information/Carrier track and trace information/Package tracking number	1 .. 70	0 .. 1	packageTrackingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/carrierTrackAndTraceInformation/packageTrackingNumber
171	BDT00000493	4 .. 30	0 .. 1	Global identification number for consignment, GINC <i>Path:</i> Despatch advice/Despatch advice transport information/Consignment identification information/Global identification number for consignment, GINC		0 .. 1	ginc <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/consignmentIdentification/ginc
171	BDT00000004	.. 80	1 .. 1	Additional consignment identification content <i>Path:</i> Despatch advice/Despatch advice transport information/Consignment identification information/Additional consignment identification information/Additional consignment	1 .. 80	0 .. unbounded	additionalConsignmentIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/consignmentIdentification/additionalConsignmentIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
171	BDT00000487	.. 80	1 .. 1	identification content Additional consignment identification type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Consignment identification information/Additional consignment identification information/Additional consignment identification type code/Additional consignment identification type code content	1 .. 80		additionalConsignmentIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/consignmentIdentification/additionalConsignmentIdentification/@additionalConsignmentIdentificationTypeCode
171	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Consignment identification information/Additional consignment identification information/Additional consignment identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/consignmentIdentification/additionalConsignmentIdentification/@codeListVersion
171	BDT00000080		0 .. 1	Signature required indicator <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Signature required indicator		0 .. 1	isSignatureRequired <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/isSignatureRequired
171	BDT000000649		1 .. 1	Incoterms code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Incoterms code/Incoterms code content	1 .. 80	0 .. 1	incotermsCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/incotermsCode
171	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transport information/Delivery terms information/Incoterms code/Code list version			despatchAdviceTransportInformation/deliveryTerms/incotermsCode/@codeListVersion
172	BDT00000535	.. 80	1 .. 1	Alternative delivery terms code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Alternative delivery terms code/Alternative delivery terms code content	1 .. 80	0 .. 1	alternateDeliveryTermsCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/alternateDeliveryTermsCode
172	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Alternative delivery terms code/Code description	1 .. 80		codeDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/alternateDeliveryTermsCode/@codeDescription
172	BDT00000023	.. 80	0 .. 1	Code list agency code <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Alternative delivery terms code/Code list agency code	1 .. 80		codeListAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyCode
172	BDT00000024	.. 35	0 .. 1	Code list agency code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Alternative delivery terms code/Code list agency code list version	1 .. 35		codeListAgencyCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyCodeListVersion
172	BDT00000025	.. 80	0 .. 1	Code list agency name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Alternative delivery terms code/Code list agency name	1 .. 80		codeListAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyName
172	BDT00000026	.. 80	0 .. 1	Code list name	1 .. 80		codeListName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Alternative delivery terms code/Code list name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/alternateDeliveryTermsCode/@codeListName
172	BDT00000027	.. 500	0 .. 1	Code list URL <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Alternative delivery terms code/Code list URL			codeListURI <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/alternateDeliveryTermsCode/@codeListURI
172	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Alternative delivery terms code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/alternateDeliveryTermsCode/@codeListVersion
172	BDT00000641	.. 70	1 .. 1	Delivery instructions description content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery instructions description/Delivery instructions description content	1 .. 500	0 .. 1	deliveryInstructions <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryInstructions
172	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery instructions description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryInstructions/@languageCode
173	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery instructions	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryInstructions/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description/Language code/Code list version			
173	BDT00000701	.. 80	1 .. 1	Transport cost payment code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Transport cost payment code/Transport cost payment code content	1 .. 80	0 .. 1	deliveryCostPayment <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryCostPayment
173	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Transport cost payment code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryCostPayment/@codeListVersion
173	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/gln
173	BDT00000132	.. 80	0 .. 1	Sub location identification <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Sub location identification	1 .. 80	0 .. 1	sublocationIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/sublocationIdentification
173	BDT00000088	.. 80	0 .. 1	Logistics location name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Logistics location name	1 .. 80	0 .. 1	locationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/locationName
173	BDT00000137	.. 20	0 .. 1	Universal Time Coordinated UTC offset		0 .. 1	utcOffset

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Universal Time Coordinated UTC offset			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/utcOffset
173	BDT00000690	.. 80	1 .. 1	United Nations location code, UN/LOCODE content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/UN location code, UN/LOCODE/United Nations location code, UN/LOCODE content	1 .. 80	0 .. 1	unLocationCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/unLocationCode
173	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/UN location code, UN/LOCODE/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/unLocationCode/@codeListVersion
173	BDT00000627	.. 80	1 .. 1	Physical location identification content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Additional physical location identification/Physical location identification content	1 .. 80	0 .. unbounded	additionalLocationIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification
174	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Additional physical location	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
174	BDT00000073	.. 80	0 .. 1	identification/Identification scheme information/Identification scheme agency name Identification scheme agency name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeAgencyName
174	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeAgencyCode
174	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeAgencyCodeCodeListVersion
174	BDT00000744	.. 70	1 .. 1	Specific instructions location description	1 .. 200	0 .. 1	locationSpecificInstructions

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Specific instructions location description/Specific instructions location description content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/locationSpecificInstructions
174	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Specific instructions location description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/locationSpecificInstructions/@languageCode
174	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Specific instructions location description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/locationSpecificInstructions/@codeListVersion
174	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/languageOfThePartyCode
174	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Language of the party code/Code list version			languageOfThePartyCode/@codeListVersion
174	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Currency of party code/ Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/address/currencyOfPartyCode
175	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Currency of party code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/address/currencyOfPartyCode/ @codeListVersion
175	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/address/city
175	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/address/cityCode
175	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/address/countyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/County code			
175	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/crossStreet
175	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/name
175	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/pOBoxNumber
175	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/postalCode
175	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
175	BDT00000127	.. 80	0 .. 1	information/Address information/ Province identity State <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/address/state
176	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/address/streetAddressOne
176	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/address/streetAddressTwo
176	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/address/streetAddressThree
176	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
176	BDT000000028	.. 35	0 .. 1	Country code/Country code content Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/countryCode/@codeListVersion
176	BDT000000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/geographicalCoordinates/latitude
176	BDT000000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/geographicalCoordinates/longitude
176	BDT000000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/contact/personName
176	BDT000000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Delivery terms for location information/Business contact information/Department name			deliveryTermsLocation/contact/departmentName
176	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/contact/jobTitle
177	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/contact/contactTypeCode
177	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/contact/contactTypeCode/ @codeListVersion
177	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Business contact responsibility description/Business	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/contact/responsibility

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
177	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/contact/responsibility/@languageCode
177	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/contact/responsibility/@codeListVersion
177	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/contact/communicationChannel/communicationChannelCode
177	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/contact/communicationChannel/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version			communicationChannelCode/@codeListVersion
177	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationValue
177	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationChannelName
177	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode
178	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
178	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/contact/afterHoursCommunicationChannel/communicationValue
178	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/contact/afterHoursCommunicationChannel/communicationChannelName
178	BDT000000745	.. 80	1 .. 1	Day of the week code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Regular operating hours information/Day of the week code/Day of the week code content		1 .. 1	dayOfTheWeekCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/regularOperatingHours/dayOfTheWeekCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
178	BDT00000078		0 .. 1	Business operational indicator <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Regular operating hours information/Business operational indicator		1 .. 1	isOperational <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/regularOperatingHours/isOperational
178	BDT00000021		0 .. 1	Closing time <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Regular operating hours information/Closing time		0 .. 1	closingTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/regularOperatingHours/closingTime
178	BDT00000098		0 .. 1	Opening time <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Regular operating hours information/Opening time		0 .. 1	openingTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/regularOperatingHours/openingTime
178	BDT00000078		0 .. 1	Business operational indicator <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Special operating hours information/Business operational indicator		1 .. 1	isOperational <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/specialOperatingHours/isOperational
178	BDT00000126		0 .. 1	Special date <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Special operating hours		1 .. 1	specialDate <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/specialOperatingHours/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Special date			specialDate
178	BDT00000021		0 .. 1	Closing time <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Special operating hours information/Closing time		0 .. 1	closingTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/specialOperatingHours/closingTime
179	BDT00000098		0 .. 1	Opening time <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Special operating hours information/Opening time		0 .. 1	openingTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/specialOperatingHours/openingTime
179	BDT00000669	.. 80	1 .. 1	Name of special day content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Special operating hours information/Name of special day/Name of special day content	1 .. 80	0 .. 1	specialDateName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/specialOperatingHours/specialDateName
179	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Special operating hours information/Name of special day/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/specialOperatingHours/specialDateName/@languageCode
179	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Delivery terms for location information/Special operating hours information/Name of special day/ Language code/Code list version			deliveryTermsLocation/specialOperatingHours/ specialDateName/@codeListVersion
179	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driver/personName
179	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driver/ departmentName
179	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driver/jobTitle
179	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driver/ contactTypeCode
179	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driver/ contactTypeCode/@codeListVersion
179	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driver/responsibility

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact responsibility description/Business contact responsibility description content			
180	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driver/responsibility/@languageCode
180	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driver/responsibility/@codeListVersion
180	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driver/communicationChannel/communicationChannelCode
180	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driver/communicationChannel/communicationChannelCode/@codeListVersion
	BDT00000032						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
180		.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driver/ communicationChannel/communicationValue
180	BDT000000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driver/ communicationChannel/communicationChannelName
180	BDT000000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driver/ afterHoursCommunicationChannel/ communicationChannelCode
180	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driver/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
180	BDT000000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/After hours communication information/Communication channel	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driver/ afterHoursCommunicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification			
180	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driver/afterHoursCommunicationChannel/communicationChannelName
181	BDT00000112	.. 70	1 .. 1	Person name <i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Person name	1 .. 200	1 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driverID/personName
181	BDT00000823		0 .. 1	Date of birth <i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Date of birth		0 .. 1	dateOfBirth <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driverID/dateOfBirth
181	BDT00000824	.. 200	0 .. 1	Gender information <i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Gender information		0 .. 1	gender <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driverID/gender
181	BDT00000825		1 .. 1	Nationality code content <i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Nationality code/Nationality code content	1 .. 80	0 .. unbounded	nationality <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driverID/nationality
181	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Nationality code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driverID/nationality/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
181	BDT00000831	.. 70	0 .. 1	Identity document issuer <i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Identity document information/Identity document issuer	1 .. 80	0 .. 1	identityDocumentIssuer <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driverID/ identityDocument/identityDocumentIssuer
181	BDT00000828	.. 70	1 .. 1	Identity document number <i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Identity document information/Identity document number	1 .. 80	1 .. 1	identityDocumentNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driverID/ identityDocument/identityDocumentNumber
181	BDT00000830	.. 70	1 .. 1	Identity document type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Identity document information/Identity document type code/Identity document type code content	1 .. 80	1 .. 1	identityDocumentType <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driverID/ identityDocument/identityDocumentType
181	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Identity document information/Identity document type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driverID/ identityDocument/identityDocumentType/ @codeListVersion
181	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/receiver/ personName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
182	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/departmentName
182	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/jobTitle
182	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/contactTypeCode
182	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/contactTypeCode/@codeListVersion
182	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/responsibility
182	BDT00000524	.. 80	1 .. 1	Language code content	1 .. 80		languageCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Business contact responsibility description/Language code/Language code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/responsibility/@languageCode
182	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/responsibility/@codeListVersion
182	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/communicationChannel/communicationChannelCode
182	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/communicationChannel/communicationChannelCode/@codeListVersion
182	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				organisation contact information/ Communication information/ Communication channel identification			communicationChannel/communicationValue
183	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/receiver/ communicationChannel/communicationChannelName
183	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/receiver/ afterHoursCommunicationChannel/ communicationChannelCode
183	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/receiver/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
183	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/receiver/ afterHoursCommunicationChannel/communicationValue
	BDT00000033						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
183		.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/receiver/ afterHoursCommunicationChannel/ communicationChannelName
183	BDT00000112	.. 70	1 .. 1	Person name <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact identification information/Person name	1 .. 200	1 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/receiverID/ personName
183	BDT00000823		0 .. 1	Date of birth <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact identification information/Date of birth		0 .. 1	dateOfBirth <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/receiverID/ dateOfBirth
183	BDT00000824	.. 200	0 .. 1	Gender information <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact identification information/Gender information		0 .. 1	gender <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/receiverID/gender
183	BDT00000825		1 .. 1	Nationality code content <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact identification information/Nationality code/Nationality code content	1 .. 80	0 .. unbounded	nationality <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/receiverID/ nationality
183	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/receiverID/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				organisation contact identification information/Nationality code/Code list version			nationality/@codeListVersion
184	BDT00000831	.. 70	0 .. 1	Identity document issuer <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact identification information/Identity document information/Identity document issuer	1 .. 80	0 .. 1	identityDocumentIssuer <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiverID/identityDocument/identityDocumentIssuer
184	BDT00000828	.. 70	1 .. 1	Identity document number <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact identification information/Identity document information/Identity document number	1 .. 80	1 .. 1	identityDocumentNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiverID/identityDocument/identityDocumentNumber
184	BDT00000830	.. 70	1 .. 1	Identity document type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact identification information/Identity document information/Identity document type code/Identity document type code content	1 .. 80	1 .. 1	identityDocumentType <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiverID/identityDocument/identityDocumentType
184	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact identification information/Identity document information/Identity document type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiverID/identityDocument/identityDocumentType/@codeListVersion
	BDT00000500						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
184		4 .. 30	0 .. 1	Global shipment identification number, GSIN <i>Path:</i> Despatch advice/Despatch advice transport information/Shipment identification/Global shipment identification number, GSIN		0 .. 1	gsin <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/shipmentIdentification/gsin
184	BDT00000517	.. 80	1 .. 1	Additional shipment identification content <i>Path:</i> Despatch advice/Despatch advice transport information/Shipment identification/Additional shipment identification information/Additional shipment identification content	1 .. 80	0 .. unbounded	additionalShipmentIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/shipmentIdentification/additionalShipmentIdentification
184	BDT00000515	.. 80	1 .. 1	Additional shipment identification type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Shipment identification/Additional shipment identification information/Additional shipment identification type code/Additional shipment identification type code content	1 .. 80		additionalShipmentIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/shipmentIdentification/additionalShipmentIdentification/@additionalShipmentIdentificationTypeCode
184	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Shipment identification/Additional shipment identification information/Additional shipment identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/shipmentIdentification/additionalShipmentIdentification/@codeListVersion
184	BDT00000834	.. 80	1 .. 1	Transport seal identification content <i>Path:</i> Despatch advice/Despatch advice	1 .. 80	1 .. 1	sealIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transport information/Transport seal information/Transport seal identification/Transport seal identification content			despatchAdviceTransportInformation/transportSeal/sealIdentification
184	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportSeal/sealIdentification/@identificationSchemeName
185	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportSeal/sealIdentification/@identificationSchemeAgencyName
185	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportSeal/sealIdentification/@identificationSchemeAgencyCode
185	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportSeal/sealIdentification/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification/Identification scheme information/Identification scheme responsible agency code/Code list version			@identificationSchemeAgencyCodeCodeListVersion
185	BDT00000835	.. 80	1 .. 1	Transport seal type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal type code/Transport seal type code content	1 .. 80	1 .. 1	sealTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportSeal/sealTypeCode
185	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportSeal/sealTypeCode/@codeListVersion
185	BDT00000839	.. 80	1 .. 1	Transport seal affixing party role code content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal affixing party role code/Transport seal affixing party role code content	1 .. 80	0 .. 1	sealAffixingPartyRole <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportSeal/sealAffixingPartyRole
185	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal affixing party role code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportSeal/sealAffixingPartyRole/@codeListVersion
185	BDT00000841	.. 80	1 .. 1	Transport seal condition code content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal condition	1 .. 80	0 .. 1	sealConditionCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportSeal/sealConditionCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Transport seal condition code content			
185	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal condition code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportSeal/sealConditionCode/@codeListVersion
185	BDT00000066	14 .. 14	1 .. 1	Global trade item number, GTIN <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Trade item identification information/Global trade item number, GTIN		0 .. 1	gtin <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/despatchAdviceItemTotal/tradeItemIdentification/gtin
186	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Trade item identification information/Additional trade item identification information/Additional trade item identification content	1 .. 80	0 .. unbounded	additionalTradeItemIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/despatchAdviceItemTotal/tradeItemIdentification/additionalTradeItemIdentification
186	BDT00000518	.. 80	1 .. 1	Additional trade item identification type code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Trade item identification information/Additional trade item identification information/Additional trade item identification type code/Additional trade item identification type code content	1 .. 80		additionalTradeItemIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/despatchAdviceItemTotal/tradeItemIdentification/additionalTradeItemIdentification/@additionalTradeItemIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
186	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Trade item identification information/Additional trade item identification information/Additional trade item identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/despatchAdviceItemTotal/tradeItemIdentification/additionalTradeItemIdentification/@codeListVersion
186	BDT00000746	.. 70	1 .. 1	Measurement value content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Physical measurement information/Measurement value/Measurement value content		1 .. 1	measurementValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/despatchAdviceItemTotal/unitMeasurement/measurementValue
186	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Physical measurement information/Measurement value/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/despatchAdviceItemTotal/unitMeasurement/measurementValue/@measurementUnitCode
186	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Physical measurement information/Measurement value/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/despatchAdviceItemTotal/unitMeasurement/measurementValue/@codeListVersion
186	BDT00000666	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Despatch advice/Despatch advice total	1 .. 80	1 .. 1	measurementType <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipment information/Despatch advice total trade item information/Physical measurement information/Measurement type code/Measurement type code content			despatchAdviceTotals/despatchAdviceItemTotal/unitMeasurement/measurementType
186	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Physical measurement information/Measurement type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/despatchAdviceItemTotal/unitMeasurement/measurementType/@codeListVersion
186	BDT00000810		0 .. 1	Total package quantity <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Total package quantity	1 .. 1		totalPackageQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/totalPackageQuantity
186	BDT00000664	.. 80	1 .. 1	Package type code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Package type code/Package type code content	1 .. 80	1 .. 1	packageTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/packageTypeCode
187	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Package type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/packageTypeCode/@codeListVersion
187	BDT00000752		1 .. 1	Trade item volume content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total		0 .. 1	totalGrossVolume <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/totalGrossVolume

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipment information/Total gross volume information/Trade item volume content			
187	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Total gross volume information/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/totalGrossVolume/@measurementUnitCode
187	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Total gross volume information/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/totalGrossVolume/@codeListVersion
187	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Total gross weight information/Trade item weight content		0 .. 1	totalGrossWeight <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/totalGrossWeight
187	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Total gross weight information/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/totalGrossWeight/@measurementUnitCode
187	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Total gross weight	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/totalGrossWeight/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Measurement unit code/ Code list version			
187	BDT00000814		0 .. 1	Total returnable packaging quantity <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Total returnable packaging quantity		1 .. 1	packagingQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTotals/packageTotal/ returnablePackaging/packagingQuantity
187	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Current holder registration information/Tax registration identification content	1 .. 80	0 .. 1	currentHolderRegistration <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTotals/packageTotal/ returnablePackaging/currentHolderRegistration
187	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Current holder registration information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTotals/packageTotal/ returnablePackaging/currentHolderRegistration/ @identificationSchemeName
188	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Current holder registration information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTotals/packageTotal/ returnablePackaging/currentHolderRegistration/ @identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
188	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Current holder registration information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/currentHolderRegistration/@identificationSchemeAgencyCode
188	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Current holder registration information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/currentHolderRegistration/@identificationSchemeAgencyCodeCodeListVersion
188	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/New holder registration information/Tax registration identification content	1 .. 80	0 .. 1	newHolderRegistration <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/newHolderRegistration
188	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/newHolderRegistration/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Packaging information/New holder registration information/Identification scheme information/Identification scheme name			@identificationSchemeName
188	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/New holder registration information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/newHolderRegistration/@identificationSchemeAgencyName
188	BDT000000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/New holder registration information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/newHolderRegistration/@identificationSchemeAgencyCode
188	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/New holder registration information/Identification scheme information/Identification scheme responsible agency code/Code	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/newHolderRegistration/@identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				list version			
188	BDT00000818	.. 80	1 .. 1	Packaging condition code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Packaging condition code/Packaging condition code content	1 .. 80	0 .. 1	packagingConditionCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/packagingConditionCode
188	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Packaging condition code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/packagingConditionCode/@codeListVersion
189	BDT00000065	.. 29	0 .. 1	Global returnable asset identifier, GRAI <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Returnable asset identification information/Global returnable asset identifier, GRAI		0 .. 1	grai <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/returnableAssetIdentification/grai
189	BDT00000743	.. 80	1 .. 1	Additional returnable asset identification content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Returnable asset identification information/Additional returnable asset identification content	1 .. 80	0 .. unbounded	additionalReturnableAssetIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/returnableAssetIdentification/additionalReturnableAssetIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
189	BDT00000514	.. 80	1 .. 1	Additional returnable asset identification type code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification type code/Additional returnable asset identification type code content	1 .. 80		additionalReturnableAssetIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/returnableAssetIdentification/additionalReturnableAssetIdentification/@additionalReturnableAssetIdentificationTypeCode
189	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/returnableAssetIdentification/additionalReturnableAssetIdentification/@codeListVersion
189	BDT00000746	.. 70	1 .. 1	Measurement value content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Physical measurement information/Measurement value/Measurement value content		1 .. 1	measurementValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/unitMeasurement/measurementValue
189	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Physical	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/unitMeasurement/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				measurement information/ Measurement value/Measurement unit code/Measurement unit code content			measurementValue/@measurementUnitCode
189	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Physical measurement information/ Measurement value/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTotals/unitMeasurement/ measurementValue/@codeListVersion
189	BDT00000066	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Physical measurement information/ Measurement type code/Measurement type code content	1 .. 80	1 .. 1	measurementType <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTotals/unitMeasurement/ measurementType
189	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Physical measurement information/ Measurement type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTotals/unitMeasurement/ measurementType/@codeListVersion
189	BDT00000045		0 .. 1	Estimated delivery date time at ultimate consignee <i>Path:</i> Despatch advice/Logistics unit information/Estimated delivery date time at ultimate consignee		0 .. 1	estimatedDeliveryDateTimeAtUltimateConsignee <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ estimatedDeliveryDateTimeAtUltimateConsignee
190	BDT00000076	.. 80	0 .. 1	Structure level identification number <i>Path:</i> Despatch advice/Logistics unit information/Structure level identification number		0 .. 1	levelIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/levelIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
190	BDT00000765	.. 6	0 .. 1	Logistics unit hierarchical level identification number <i>Path:</i> Despatch advice/Logistics unit information/Logistics unit hierarchical level identification number	0 .. 1		parentLevelIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/parentLevelIdentification
190	BDT00000851		0 .. 1	Logistic units quantity <i>Path:</i> Despatch advice/Logistics unit information/Logistic units quantity	0 .. 1		quantityOfLogisticUnits <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/quantityOfLogisticUnits
190	BDT00000853		0 .. 1	Children logistic units quantity <i>Path:</i> Despatch advice/Logistics unit information/Children logistic units quantity	0 .. 1		quantityOfChildren <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/quantityOfChildren
190	BDT00000664	.. 80	1 .. 1	Package type code content <i>Path:</i> Despatch advice/Logistics unit information/Package type code/Package type code content	1 .. 80	0 .. 1	packageTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/packageTypeCode
190	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Package type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/packageTypeCode/@codeListVersion
190	BDT00000664	.. 80	1 .. 1	Package type code content <i>Path:</i> Despatch advice/Logistics unit information/Child package type code/Package type code content	1 .. 80	0 .. 1	childPackageTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/childPackageTypeCode
190	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Child package type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/childPackageTypeCode/@codeListVersion
190	BDT00000854	14 .. 14	0 .. 1	Serial shipping container code, SSCC	0 .. 1		sscc

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Logistic unit identification information/Serial shipping container code, SSCC			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitIdentification/sscc
190	BDT00000855	.. 80	1 .. 1	Additional logistic unit identification content <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit identification information/Additional logistic unit identification information/Additional logistic unit identification content	1 .. 80	0 .. unbounded	additionalLogisticUnitIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitIdentification/additionalLogisticUnitIdentification
191	BDT00000856	.. 80	1 .. 1	Additional logistic unit identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit identification information/Additional logistic unit identification information/Additional logistic unit identification type code/Additional logistic unit identification type code content	1 .. 80		additionalLogisticUnitIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitIdentification/additionalLogisticUnitIdentification/@additionalLogisticUnitIdentificationTypeCode
191	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit identification information/Additional logistic unit identification information/Additional logistic unit identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitIdentification/additionalLogisticUnitIdentification/@codeListVersion
191	BDTG00000190		1 .. 1	Depth measurement <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Logistic unit measurements		1 .. 1	depth <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitMeasurement/dimension/depth

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
191	BDTG00000220		1 .. 1	information/Depth measurement Height measurement <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Logistic unit measurements information/Height measurement		1 .. 1	height <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitMeasurement/dimension/height
191	BDTG00000360		1 .. 1	Width measurement <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Logistic unit measurements information/Width measurement		1 .. 1	width <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitMeasurement/dimension/width
191	BDT00000746	.. 70	1 .. 1	Measurement value content <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Physical measurement information/Measurement value/Measurement value content		1 .. 1	measurementValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitMeasurement/unitMeasurement/measurementValue
191	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Physical measurement information/Measurement value/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitMeasurement/unitMeasurement/measurementValue/@measurementUnitCode
191	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Physical measurement information/Measurement value/Measurement unit code/Code list	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitMeasurement/unitMeasurement/measurementValue/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
191	BDT00000666	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Physical measurement information/Measurement type code/Measurement type code content	1 .. 80	1 .. 1	measurementType <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitMeasurement/unitMeasurement/measurementType
191	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Physical measurement information/Measurement type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitMeasurement/unitMeasurement/measurementType/@codeListVersion
192	BDT00000814		0 .. 1	Total returnable packaging quantity <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Total returnable packaging quantity		1 .. 1	packagingQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/packagingQuantity
192	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Current holder registration information/Tax registration identification content	1 .. 80	0 .. 1	currentHolderRegistration <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/currentHolderRegistration
192	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Current holder registration information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/currentHolderRegistration/@identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
192	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Current holder registration information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/currentHolderRegistration/@identificationSchemeAgencyName
192	BDT000000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Current holder registration information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/currentHolderRegistration/@identificationSchemeAgencyCode
192	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Current holder registration information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/currentHolderRegistration/@identificationSchemeAgencyCodeCodeListVersion
192	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/New holder registration information/Tax registration identification content	1 .. 80	0 .. 1	newHolderRegistration <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/newHolderRegistration

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
192	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/New holder registration information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/newHolderRegistration/@identificationSchemeName
192	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/New holder registration information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/newHolderRegistration/@identificationSchemeAgencyName
192	BDT000000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/New holder registration information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/newHolderRegistration/@identificationSchemeAgencyCode
193	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/New holder registration information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/newHolderRegistration/@identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
193	BDT00000818	.. 80	1 .. 1	Packaging condition code content <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Packaging condition code/ Packaging condition code content	1 .. 80	0 .. 1	packagingConditionCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/returnablePackaging/ packagingConditionCode
193	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Packaging condition code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/returnablePackaging/ packagingConditionCode/@codeListVersion
193	BDT00000065	.. 29	0 .. 1	Global returnable asset identifier, GRAI <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Returnable asset identification information/Global returnable asset identifier, GRAI		0 .. 1	grai <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/returnablePackaging/ returnableAssetIdentification/grai
193	BDT00000743	.. 80	1 .. 1	Additional returnable asset identification content <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification content	1 .. 80	0 .. unbounded	additionalReturnableAssetIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/returnablePackaging/ returnableAssetIdentification/ additionalReturnableAssetIdentification
193	BDT00000514	.. 80	1 .. 1	Additional returnable asset identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Returnable asset	1 .. 80		additionalReturnableAssetIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/returnablePackaging/ returnableAssetIdentification/ additionalReturnableAssetIdentification/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional returnable asset identification information/Additional returnable asset identification type code/Additional returnable asset identification type code content			@additionalReturnableAssetIdentificationTypeCode
193	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/returnableAssetIdentification/additionalReturnableAssetIdentification/@codeListVersion
193	BDT00000065	.. 29	0 .. 1	Global returnable asset identifier, GRAI <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Individual returnable asset identification information/Global returnable asset identifier, GRAI		0 .. 1	grai <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/individualReturnableAssetIdentification/grai
193	BDT00000743	.. 80	1 .. 1	Additional returnable asset identification content <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Individual returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification content	1 .. 80	0 .. unbounded	additionalReturnableAssetIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/individualReturnableAssetIdentification/additionalReturnableAssetIdentification
193	BDT00000514	.. 80	1 .. 1	Additional returnable asset identification	1 .. 80		additionalReturnableAssetIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				type code content <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Individual returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification type code/Additional returnable asset identification type code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/individualReturnableAssetIdentification/additionalReturnableAssetIdentification/@additionalReturnableAssetIdentificationTypeCode
194	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Individual returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/individualReturnableAssetIdentification/additionalReturnableAssetIdentification/@codeListVersion
194	BDT00000861	.. 29	0 .. 1	Global individual asset identifier, GIAI <i>Path:</i> Despatch advice/Logistics unit information/Individual asset identification information/Global individual asset identifier, GIAI		0 .. 1	giai <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/individualAssetIdentification/giai
194	BDT00000862	.. 80	1 .. 1	Additional individual asset identification content <i>Path:</i> Despatch advice/Logistics unit information/Individual asset identification information/Additional individual asset identification information/Additional individual asset	1 .. 80	0 .. unbounded	additionalIndividualAssetIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/individualAssetIdentification/additionalIndividualAssetIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
194	BDT00000863	.. 80	1 .. 1	identification content Additional individual asset identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Individual asset identification information/Additional individual asset identification information/Additional individual asset identification type code/Additional individual asset identification type code content	1 .. 80		additionalIndividualAssetIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/individualAssetIdentification/additionalIndividualAssetIdentification/@additionalIndividualAssetIdentificationTypeCode
194	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Individual asset identification information/Additional individual asset identification information/Additional individual asset identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/individualAssetIdentification/additionalIndividualAssetIdentification/@codeListVersion
194	BDT00000802	.. 500	0 .. 1	Carrier track and trace URL <i>Path:</i> Despatch advice/Logistics unit information/Carrier track and trace information/Carrier track and trace URL	1 .. 200	0 .. 1	carrierTrackAndTraceURL <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/carrierTrackAndTraceInformation/carrierTrackAndTraceURL
194	BDT00000803	.. 80	0 .. 1	Package tracking number <i>Path:</i> Despatch advice/Logistics unit information/Carrier track and trace information/Package tracking number	1 .. 70	0 .. 1	packageTrackingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/carrierTrackAndTraceInformation/packageTrackingNumber
194	BDT00000854	14 .. 14	0 .. 1	Serial shipping container code, SSCC		0 .. 1	sscc

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Parent logistic unit identification information/Serial shipping container code, SSCC			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/parentLogisticUnitId/sscc
194	BDT00000855	.. 80	1 .. 1	Additional logistic unit identification content <i>Path:</i> Despatch advice/Logistics unit information/Parent logistic unit identification information/Additional logistic unit identification information/Additional logistic unit identification content	1 .. 80	0 .. unbounded	additionalLogisticUnitIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/parentLogisticUnitId/additionalLogisticUnitIdentification
194	BDT00000856	.. 80	1 .. 1	Additional logistic unit identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Parent logistic unit identification information/Additional logistic unit identification information/Additional logistic unit identification type code/Additional logistic unit identification type code content	1 .. 80		additionalLogisticUnitIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/parentLogisticUnitId/additionalLogisticUnitIdentification/@additionalLogisticUnitIdentificationTypeCode
195	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Parent logistic unit identification information/Additional logistic unit identification information/Additional logistic unit identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/parentLogisticUnitId/additionalLogisticUnitIdentification/@codeListVersion
195	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/gln

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Global location number GLN			
195	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/ additionalPartyIdentification
195	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
195	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/ additionalPartyIdentification/@codeListVersion
195	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/address/ city
195	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Logistics unit	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Address information/City code			despatchAdviceLogisticUnit/ultimateConsignee/address/cityCode
195	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/countyCode
195	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/crossStreet
195	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/name
196	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/pOBoxNumber
196	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/postalCode
196	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Logistics unit	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Address information/Province identity			despatchAdviceLogisticUnit/ultimateConsignee/address/provinceCode
196	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/state
196	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/streetAddressOne
196	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/streetAddressTwo
196	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/streetAddressThree
196	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/countryCode
196	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/ Country code/Code list version			countryCode/@codeListVersion
196	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/address/ geographicalCoordinates/latitude
197	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/address/ geographicalCoordinates/longitude
197	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/contact/ personName
197	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/contact/ departmentName
197	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/contact/ jobTitle
197	BDT00000571	.. 80	1 .. 1	Contact type code content	1 .. 80	0 .. 1	contactTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Contact type code/Contact type code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/contactTypeCode
197	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/contactTypeCode/@codeListVersion
197	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/responsibility
197	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/responsibility/@languageCode
197	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/responsibility/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
197	BDT00000525		1 .. 1	information/Business contact responsibility description/Language code/Code list version Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/contact/ communicationChannel/communicationChannelCode
198	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
198	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/contact/ communicationChannel/communicationValue
198	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Communication	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/contact/ communicationChannel/communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
198	BDT00000525		1 .. 1	information/Communication channel name Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelCode
198	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
198	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationValue
198	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
198	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
198	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
198	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
199	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
199	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency	1 .. 80		identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
199	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
199	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
199	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
199	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription
199	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
199	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
199	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
199	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
200	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
200	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
200	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
200	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
200	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
200	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
200	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
200	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
200	BDT000000563	.. 70	1 .. 1	Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs duty description/ Customs duty description content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription
200	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs duty description/ Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
201	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs duty description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
201	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
201	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
	BDT00000102						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
201		.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/organisationName
201	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/languageOfThePartyCode
201	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/languageOfThePartyCode/@codeListVersion
201	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/currencyOfPartyCode
201	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/currencyOfPartyCode/@codeListVersion
201	BDT00000034	.. 80	0 .. 1	County code	1 .. 80	0 .. 1	countyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/County code			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/officialAddress/countyCode
201	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/officialAddress/city
202	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/officialAddress/cityCode
202	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/officialAddress/crossStreet
202	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/officialAddress/pOBoxNumber
202	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Postal code			organisationDetails/officialAddress/postalCode
202	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/ organisationDetails/officialAddress/provinceCode
202	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/ organisationDetails/officialAddress/state
202	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/ organisationDetails/officialAddress/streetAddressOne
202	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/ organisationDetails/officialAddress/streetAddressTwo
202	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Street	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/ organisationDetails/officialAddress/streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
202	BDT00000774		1 .. 1	address three Country code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/officialAddress/countryCode
203	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/officialAddress/countryCode/@codeListVersion
203	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/officialAddress/geographicalCoordinates/latitude
203	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/officialAddress/geographicalCoordinates/longitude
203	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Issued capital/Issued capital content			organisationDetails/issuedCapital
203	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/issuedCapital/@currencyCode
203	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/issuedCapital/@codeListVersion
203	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/legalStructure
203	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/legalStructure/@languageCode
203	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/legalStructure/@codeListVersion
203	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationNumber
204	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
204	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationType
204	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/legalRegistration/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Registered legal information/Legal registration type code/Code list version			legalRegistrationType/@codeListVersion
204	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/financialInstitutionName
204	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/financialInstitutionBranchName
204	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountName
204	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumber
204	BDT00000645	.. 80	1 .. 1	Financial account number type code	1 .. 80	1 .. 1	financialAccountNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
204	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
204	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
205	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
205	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
205	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description
205	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
205	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Language code/Code list version			
205	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/city
205	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/cityCode
205	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/countyCode
205	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/crossStreet
205	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/name

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
206	BDT00000113	.. 80	0 .. 1	information/Party name Post office box number <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/pOBoxNumber
206	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/postalCode
206	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/provinceCode
206	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/state
206	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
206	BDT00000130	.. 200	0 .. 1	information/Street address one Street address two <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/streetAddressTwo
206	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/streetAddressThree
206	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/countryCode
206	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/countryCode/@codeListVersion
206	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			financialInstitutionInformation/address/geographicalCoordinates/latitude
207	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/geographicalCoordinates/longitude
207	BDT00000049	.. 6	0 .. 1	Business document line item number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Business document line item number		1 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineitem/lineltemNumber
207	BDT00000105	.. 6	0 .. 1	Parent line item number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Parent line item number		0 .. 1	parentLineitemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineitem/parentLineitemNumber
207	BDT00000460		0 .. 1	Goods pick up date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Goods pick up date time		0 .. 1	pickUpDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineitem/pickUpDateTime
207	BDT00000878		0 .. 1	First in first out date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/First in first out date time		0 .. 1	firstInFirstOutDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineitem/firstInFirstOutDateTime
207	BDT00000879		0 .. 1	Item scanned at pos indicator <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Item		0 .. 1	hasItemBeenScannedAtPos <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineitem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scanned at pos indicator			hasItemBeenScannedAtPos
207	BDT00000566		1 .. 1	Total requested quantity content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Total requested quantity/Total requested quantity content		0 .. 1	requestedQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/requestedQuantity
207	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Total requested quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/requestedQuantity/@measurementUnitCode
207	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Total requested quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/requestedQuantity/@codeListVersion
207	BDT00000868		1 .. 1	Despatched quantity content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched quantity/Despatched quantity content		1 .. 1	despatchedQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/despatchedQuantity
208	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/despatchedQuantity/@measurementUnitCode
208	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched quantity/Measurement unit	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/despatchedQuantity/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
208	BDT00000871		1 .. 1	code/Code list version Corresponding quantity content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Corresponding quantity/Corresponding quantity content		0 .. 1	correspondingQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/correspondingQuantity
208	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Corresponding quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/correspondingQuantity/@measurementUnitCode
208	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Corresponding quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/correspondingQuantity/@codeListVersion
208	BDT00000875		1 .. 1	Actual processed quantity content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Actual processed quantity/Actual processed quantity content		0 .. 1	actualProcessedQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/actualProcessedQuantity
208	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Actual processed quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/actualProcessedQuantity/@measurementUnitCode
208	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Actual	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				processed quantity/Measurement unit code/Code list version			actualProcessedQuantity/@codeListVersion
208	BDT00000872		1 .. 1	Country of last processing code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Country of last processing code/ Country of last processing code content	1 .. 80	0 .. 1	countryOfLastProcessing <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ countryOfLastProcessing
208	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Country of last processing code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ countryOfLastProcessing/@codeListVersion
209	BDT00000572		1 .. 1	Country of origin code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Country of origin code/Country of origin code content	1 .. 80	0 .. 1	countryOfOrigin <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ countryOfOrigin
209	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Country of origin code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ countryOfOrigin/@codeListVersion
209	BDT00000711		1 .. 1	Free goods quantity content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Free goods quantity/Free goods quantity content		0 .. 1	freeGoodsQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ freeGoodsQuantity
209	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Free goods quantity/Measurement unit	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ freeGoodsQuantity/@measurementUnitCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
209	BDT00000028	.. 35	0 .. 1	code/Measurement unit code content Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Free goods quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/freeGoodsQuantity/@codeListVersion
209	BDT00000647	.. 80	1 .. 1	Handling instruction code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Handling instruction code/Handling instruction code content	1 .. 80	0 .. unbounded	handlingInstructionCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/handlingInstructionCode
209	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Handling instruction code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/handlingInstructionCode/@codeListVersion
209	BDT00000877		1 .. 1	Duty fee tax liability code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Duty fee tax liability code/Duty fee tax liability code content	1 .. 80	0 .. unbounded	dutyFeeTaxLiability <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dutyFeeTaxLiability
209	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Duty fee tax liability code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dutyFeeTaxLiability/@codeListVersion
209	BDT00000880	.. 80	1 .. 1	Inventory status type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Inventory status type code/Inventory status type code content	1 .. 80	0 .. 1	inventoryStatusType <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/inventoryStatusType

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
210	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Inventory status type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/inventoryStatusType/@codeListVersion
210	BDT00000670	.. 70	1 .. 1	Notation content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Notation/Notation content	1 .. 500	0 .. 1	note <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/note
210	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Notation/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/note/@languageCode
210	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Notation/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/note/@codeListVersion
210	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/personName
210	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/departmentName
210	BDT00000083	.. 70	0 .. 1	Job title	1 .. 70	0 .. 1	jobTitle

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Job title			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/jobTitle
210	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/contactTypeCode
210	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/contactTypeCode/@codeListVersion
210	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/responsibility
211	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/responsibility/@languageCode
211	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/Cost accounting contact information/ Business contact responsibility description/Language code/Code list version			despatchAdviceLogisticUnit/despatchAdviceLineItem/ costAccountingContact/responsibility/@codeListVersion
211	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ costAccountingContact/communicationChannel/ communicationChannelCode
211	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ costAccountingContact/communicationChannel/ communicationChannelCode/@codeListVersion
211	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ costAccountingContact/communicationChannel/ communicationValue
211	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/ Communication information/	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ costAccountingContact/communicationChannel/ communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
211	BDT00000525		1 .. 1	Communication channel name Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/afterHoursCommunicationChannel/communicationChannelCode
211	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
211	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/afterHoursCommunicationChannel/communicationValue
211	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/afterHoursCommunicationChannel/communicationChannelName
212	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Coupon clearing house identification information/Global location number GLN			despatchAdviceLogisticUnit/despatchAdviceLineItem/ couponClearingHouse/gln
212	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Coupon clearing house identification information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ couponClearingHouse/additionalPartyIdentification
212	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Coupon clearing house identification information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ couponClearingHouse/additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
212	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Coupon clearing house identification information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ couponClearingHouse/additionalPartyIdentification/ @codeListVersion
212	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Account holder identification information/Global location number GLN			customer/gln
212	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Account holder identification information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customer/additionalPartyIdentification
212	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Account holder identification information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customer/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
212	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Account holder identification information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customer/additionalPartyIdentification/@codeListVersion
212	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced customer document	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerDocumentReference/entityIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
212	BDT00000047		0 .. 1	information/Entity identification Business document creation date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced customer document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerDocumentReference/creationDateTime
213	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced customer document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerDocumentReference/revisionNumber
213	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced customer document information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerDocumentReference/lineItemNumber
213	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced customer document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerDocumentReference/referencedDocumentUri
213	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced customer document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerDocumentReference/contentOwner/gln
213	BDT00000578	.. 80	1 .. 1	Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerDocumentReference/contentOwner/additionalPartyIdentification
213	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerDocumentReference/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
213	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerDocumentReference/contentOwner/additionalPartyIdentification/@codeListVersion
213	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/purchaseOrder/entityIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
213	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/purchaseOrder/creationDateTime
213	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/purchaseOrder/revisionNumber
214	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/purchaseOrder/referencedDocumentUri
214	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/purchaseOrder/lineItemNumber
214	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/purchaseOrder/contentOwner/gln
214	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Referenced purchase order document information/Document content owner/ Additional party identification information/Additional party identification content			despatchAdviceLogisticUnit/despatchAdviceLineItem/ purchaseOrder/contentOwner/additionalPartyIdentification
214	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced purchase order document information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ purchaseOrder/contentOwner/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
214	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced purchase order document information/Document content owner/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ purchaseOrder/contentOwner/ additionalPartyIdentification/@codeListVersion
214	BDT000000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced promotional deal information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ promotionalDeal/entityIdentification
214	BDT000000047		0 .. 1	Business document creation date time		0 .. 1	creationDateTime

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced promotional deal information/Business document creation date time			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/promotionalDeal/creationDateTime
214	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced promotional deal information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/promotionalDeal/revisionNumber
214	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced promotional deal information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/promotionalDeal/lineItemNumber
215	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced promotional deal information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/promotionalDeal/referencedDocumentUrl
215	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced promotional deal information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/promotionalDeal/contentOwner/gln
215	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification content			promotionalDeal/contentOwner/additionalPartyIdentification
215	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/promotionalDeal/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
215	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/promotionalDeal/contentOwner/additionalPartyIdentification/@codeListVersion
215	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced contract information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/contract/entityIdentification
215	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Logistics unit		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Referenced contract information/ Business document creation date time			despatchAdviceLogisticUnit/despatchAdviceLineItem/ contract/creationDateTime
215	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced contract information/ Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ contract/revisionNumber
215	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced contract information/ Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ contract/referencedDocumentUri
215	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced contract information/ Document line number		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ contract/lineItemNumber
216	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced contract information/ Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ contract/contentOwner/gln
216	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced contract information/ Document content owner/Additional party identification information/	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ contract/contentOwner/additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
216	BDT00000570	.. 80	1 .. 1	Additional party identification content Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced contract information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/contract/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
216	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced contract information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/contract/contentOwner/additionalPartyIdentification/@codeListVersion
216	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerReference/entityIdentification
216	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerReference/creationDateTime
216	BDT00000119		0 .. 1	Revision number		0 .. 1	revisionNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Revision number			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerReference/revisionNumber
216	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Document line number	0 .. 1		lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerReference/lineItemNumber
216	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerReference/referencedDocumentUrl
216	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerReference/contentOwner/gln
217	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerReference/contentOwner/additionalPartyIdentification
217	BDT00000570	.. 80	1 .. 1	Additional party identification type code	1 .. 80		additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerReference/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
217	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerReference/contentOwner/additionalPartyIdentification/@codeListVersion
217	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced delivery note document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/deliveryNote/entityIdentification
217	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced delivery note document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/deliveryNote/creationDateTime
217	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Logistics unit		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Referenced delivery note document information/Revision number			despatchAdviceLogisticUnit/despatchAdviceLineItem/ deliveryNote/revisionNumber
217	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced delivery note document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ deliveryNote/referencedDocumentUri
217	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced delivery note document information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ deliveryNote/lineItemNumber
217	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced delivery note document information/Document content owner/ Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ deliveryNote/contentOwner/gln
217	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced delivery note document information/Document content owner/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ deliveryNote/contentOwner/additionalPartyIdentification
218	BDT00000570	.. 80	1 .. 1	Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			despatchAdviceLogisticUnit/despatchAdviceLineItem/deliveryNote/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
218	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/deliveryNote/contentOwner/additionalPartyIdentification/@codeListVersion
218	BDT00000941		0 .. 1	First available delivery date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatch advice quantity variance information/First available delivery date time		0 .. 1	firstDeliveryDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/despatchAdviceQuantityVariance/firstDeliveryDateTime
218	BDT00000927		0 .. 1	Delivery variance date <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatch advice quantity variance information/Delivery variance date		0 .. 1	deliveryDateVariance <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/despatchAdviceQuantityVariance/deliveryDateVariance
218	BDT00000923	.. 80	1 .. 1	Variance reason type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 80	1 .. 1	varianceReasonCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Despatch advice quantity variance information/Variance reason type code/Variance reason type code content			despatchAdviceQuantityVariance/varianceReasonCode
218	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatch advice quantity variance information/Variance reason type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/despatchAdviceQuantityVariance/varianceReasonCode/@codeListVersion
218	BDT00000926		1 .. 1	Variance quantity content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatch advice quantity variance information/Variance quantity/Variance quantity content		0 .. 1	varianceQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/despatchAdviceQuantityVariance/varianceQuantity
218	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatch advice quantity variance information/Variance quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/despatchAdviceQuantityVariance/varianceQuantity/@measurementUnitCode
218	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatch advice quantity variance information/Variance quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/despatchAdviceQuantityVariance/varianceQuantity/@codeListVersion
	BDT00000928						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
218		.. 80	1 .. 1	Remaining quantity status code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatch advice quantity variance information/Remaining quantity status code/Remaining quantity status code content	1 .. 80	0 .. 1	remainingQuantityStatusCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/despatchAdviceQuantityVariance/despatchAdviceQuantityVariance/remainingQuantityStatusCode
219	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatch advice quantity variance information/Remaining quantity status code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/despatchAdviceQuantityVariance/despatchAdviceQuantityVariance/remainingQuantityStatusCode/@codeListVersion
219	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Item owner identification information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/itemOwner/gln
219	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Item owner identification information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/itemOwner/additionalPartyIdentification
219	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Item owner identification information/	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/itemOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional party identification information/Additional party identification type code/Additional party identification type code content			
219	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Item owner identification information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/itemOwner/additionalPartyIdentification/@codeListVersion
219	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of last processing information/Party identification information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/partyIdentification/gln
219	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of last processing information/Party identification information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/partyIdentification/additionalPartyIdentification
219	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/partyIdentification/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Location of last processing information/Party identification information/Additional party identification/Additional party identification type code/Additional party identification type code content			additionalPartyIdentification/@additionalPartyIdentificationTypeCode
219	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of last processing information/Party identification information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/partyIdentification/additionalPartyIdentification/@codeListVersion
219	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of last processing information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/currencyOfPartyCode
220	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of last processing information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/currencyOfPartyCode/@codeListVersion
220	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of last processing	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Language of the party code/Language code content			languageOfThePartyCode
220	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/languageOfThePartyCode/@codeListVersion
220	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/city
220	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/cityCode
220	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/countyCode
220	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Cross street			
220	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/name
220	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoundingBox <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/pOBoundingBox
220	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/postalCode
221	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/ Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/provinceCode
221	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/state

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
221	BDT00000128	.. 200	0 .. 1	information/Address information/State Street address one <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/streetAddressOne
221	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/streetAddressTwo
221	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/streetAddressThree
221	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/countryCode
221	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Country code/Code list version			
221	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfLastProcessing/address/ geographicalCoordinates/latitude
221	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfLastProcessing/address/ geographicalCoordinates/longitude
221	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfLastProcessing/contactInformation/ personName
222	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfLastProcessing/contactInformation/ departmentName
222	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Location of last processing information/Business contact information/Job title			locationOfLastProcessing/contactInformation/jobTitle
222	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/contactTypeCode
222	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/contactTypeCode/@codeListVersion
222	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/responsibility/@languageCode
222	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Business contact	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/responsibility/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
222	BDT00000525		1 .. 1	responsibility description/Language code/Code list version Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/communicationChannel/communicationChannelCode
222	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/communicationChannel/communicationChannelCode/@codeListVersion
222	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/communicationChannel/communicationValue
222	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Location of last processing information/Business contact information/Communication information/Communication channel name			locationOfLastProcessing/contactInformation/communicationChannel/communicationChannelName
223	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/afterHoursCommunicationChannel/communicationChannelCode
223	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
223	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/afterHoursCommunicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
223	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/afterHoursCommunicationChannel/communicationChannelName
223	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Party identification information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/partyIdentification/gln
223	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Party identification information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/partyIdentification/additionalPartyIdentification
223	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Party identification information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/partyIdentification/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
223	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
		.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Party identification information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/partyIdentification/ additionalPartyIdentification/@codeListVersion
223	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/address/currencyOfPartyCode
223	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/address/currencyOfPartyCode/ @codeListVersion
224	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/address/languageOfThePartyCode
224	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/address/languageOfThePartyCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
224	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/city
224	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/cityCode
224	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/countyCode
224	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/crossStreet
224	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/name
224	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
224	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/postalCode
224	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/provinceCode
225	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/state
225	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/streetAddressOne
225	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/streetAddressTwo
225	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
225	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/countryCode
225	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/countryCode/@codeListVersion
225	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/geographicalCoordinates/latitude
225	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/geographicalCoordinates/longitude
225	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/contactInformation/personName
225	BDT00000044	.. 70	0 .. 1	Department name	1 .. 70	0 .. 1	departmentName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Department name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/departmentName
226	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/jobTitle
226	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/contactTypeCode
226	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/contactTypeCode/ @codeListVersion
226	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/responsibility
	BDT000000524						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
226		.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/responsibility/ @languageCode
226	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/responsibility/ @codeListVersion
226	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/ communicationChannel/communicationChannelCode
226	BDT00000032	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/ communicationChannel/communicationChannelCode/ @codeListVersion
226	BDT00000032	.. 200	1 .. 1	Communication channel identification	1 .. 200	1 .. 1	communicationValue

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Communication information/Communication channel identification			<i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/ communicationChannel/communicationValue
226	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/ communicationChannel/communicationChannelName
227	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/ afterHoursCommunicationChannel/ communicationChannelCode
227	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
227	BDT00000032	.. 200	1 .. 1	Communication channel identification	1 .. 200	1 .. 1	communicationValue

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/After hours communication information/ Communication channel identification			<i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/ afterHoursCommunicationChannel/communicationValue
227	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/ afterHoursCommunicationChannel/ communicationChannelName
227	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Original supplier information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ originalSupplier/gln
227	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Original supplier information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ originalSupplier/additionalPartyIdentification
227	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Original supplier information/Additional party identification/Additional party identification type code/Additional party	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ originalSupplier/additionalPartyIdentification/ @additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
227	BDT00000028	.. 35	0 .. 1	identification type code content Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Original supplier information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/originalSupplier/additionalPartyIdentification/@codeListVersion
227	BDT00000903	.. 80	0 .. 1	Marking text content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Logistic unit packaging marking information/Marking text content	1 .. 80	0 .. 1	markingContentText <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/packagingMarking/marketingContentText
227	BDT00000904	.. 80	0 .. 1	Marking content date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Logistic unit packaging marking information/Marking content date time		0 .. 1	markingContentDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/packagingMarking/marketingContentDateTime
228	BDT00000901	.. 80	1 .. 1	Marking type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Logistic unit packaging marking information/Marking type code/Marking type code content	1 .. 80	1 .. 1	marketingTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/packagingMarking/marketingTypeCode
228	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Logistic unit packaging marking information/Marking type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/packagingMarking/marketingTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
228	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced product certification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/productCertification/entityIdentification
228	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced product certification information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/productCertification/creationDateTime
228	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced product certification information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/productCertification/revisionNumber
228	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced product certification information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/productCertification/referencedDocumentUrl
228	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced product certification information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/productCertification/lineItemNumber
228	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Referenced product certification information/Document content owner/ Global location number GLN			productCertification/contentOwner/gln
228	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced product certification information/Document content owner/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ productCertification/contentOwner/ additionalPartyIdentification
228	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced product certification information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ productCertification/contentOwner/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
229	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced product certification information/Document content owner/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ productCertification/contentOwner/ additionalPartyIdentification/@codeListVersion
229	BDT00000493	4 .. 30	0 .. 1	Global identification number for		0 .. 1	ginc

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				consignment, GINC <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced consignment information/Global identification number for consignment, GINC			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/referencedConsignment/ginc
229	BDT00000004	.. 80	1 .. 1	Additional consignment identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced consignment information/Additional consignment identification information/Additional consignment identification content	1 .. 80	0 .. unbounded	additionalConsignmentIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/referencedConsignment/additionalConsignmentIdentification
229	BDT00000487	.. 80	1 .. 1	Additional consignment identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced consignment information/Additional consignment identification information/Additional consignment identification type code/Additional consignment identification type code content	1 .. 80		additionalConsignmentIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/referencedConsignment/additionalConsignmentIdentification/@additionalConsignmentIdentificationTypeCode
229	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced consignment information/Additional consignment identification information/Additional consignment identification type code/Code list	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/referencedConsignment/additionalConsignmentIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
229	BDT00000066	14 .. 14	1 .. 1	Global trade item number, GTIN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Requested trade item identification information/Global trade item number, GTIN	0 .. 1		gtin <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/requestedItemIdentification/gtin
229	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Requested trade item identification information/Additional trade item identification information/Additional trade item identification content	1 .. 80	0 .. unbounded	additionalTradeItemIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/requestedItemIdentification/additionalTradeItemIdentification
229	BDT00000518	.. 80	1 .. 1	Additional trade item identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Requested trade item identification information/Additional trade item identification information/Additional trade item identification type code/Additional trade item identification type code content	1 .. 80		additionalTradeItemIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/requestedItemIdentification/additionalTradeItemIdentification/@additionalTradeItemIdentificationTypeCode
229	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Requested trade item identification information/Additional trade item identification information/Additional trade item identification type code/Code	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/requestedItemIdentification/additionalTradeItemIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				list version			
229	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced technical specification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/specification/entityIdentification
230	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced technical specification information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/specification/creationDateTime
230	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced technical specification information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/specification/revisionNumber
230	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced technical specification information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/specification/lineItemNumber
230	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced technical specification information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/specification/referencedDocumentUri
230	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Referenced technical specification information/Document content owner/ Global location number GLN			despatchAdviceLogisticUnit/despatchAdviceLineItem/ specification/contentOwner/gln
230	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced technical specification information/Document content owner/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ specification/contentOwner/additionalPartyIdentification
230	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced technical specification information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ specification/contentOwner/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
230	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced technical specification information/Document content owner/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ specification/contentOwner/ additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
230	BDT00000704		1 .. 1	Total monetary amount content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Total line declared amount/Total monetary amount content		0 .. 1	totalLineAmount <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/totalLineAmount
230	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Total line declared amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/totalLineAmount/@currencyCode
231	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Total line declared amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/totalLineAmount/@codeListVersion
231	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced additional information/Business document creation date time		0 .. 1	transactionalReferenceDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalGenericReference/transactionalReferenceDateTime
231	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced additional information/Business document reference identification	1 .. 200	1 .. 1	transactionalReferenceValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalGenericReference/transactionalReferenceValue
231	BDT00000699	.. 80	1 .. 1	Referenced document type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 80	1 .. 1	transactionalReferenceTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Referenced additional information/ Referenced document type code/ Referenced document type code content			transactionalGenericReference/ transactionalReferenceTypeCode
231	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced additional information/ Referenced document type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalGenericReference/ transactionalReferenceTypeCode/@codeListVersion
231	BDT00000066	14 .. 14	0 .. 1	Global trade item number, GTIN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Global trade item number, GTIN		0 .. 1	gtin <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/gtin
231	BDT00000115	.. 80	0 .. 1	Product variant identifier <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Product variant identifier	1 .. 80	0 .. 1	productVariantIdentifier <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/productVariantIdentifier
231	BDT00000013	.. 35	0 .. 1	Butter fat reference <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Butter fat reference	1 .. 35	0 .. 1	butterFatReference <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/butterFatReference
231	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Additional trade item identification/	1 .. 80	0 .. unbounded	additionalTradeItemIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/additionalTradeItemIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional trade item identification content			
231	BDT00000518	.. 80	1 .. 1	Additional trade item identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Additional trade item identification/Additional trade item identification type code/Additional trade item identification type code content	1 .. 80		additionalTradelItemIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradelItem/additionalTradelItemIdentification/@additionalTradelItemIdentificationTypeCode
232	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Additional trade item identification/Additional trade item identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradelItem/additionalTradelItemIdentification/@codeListVersion
232	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item quantity/Trade item quantity content		0 .. 1	tradelItemQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradelItem/tradelItemQuantity
232	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradelItem/tradelItemQuantity/@measurementUnitCode
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
232		.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/tradeItemQuantity/@codeListVersion
232	BDT00000684	.. 70	1 .. 1	Trade item description content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item description/Trade item description content	1 .. 200	0 .. 1	tradeItemDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/tradeItemDescription
232	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/tradeItemDescription/@languageCode
232	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/tradeItemDescription/@codeListVersion
232	BDT00000656	.. 80	1 .. 1	Item type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Item type code/Item type code content	1 .. 80	0 .. 1	itemTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/itemTypeCode
232	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Item type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/itemTypeCode/@codeListVersion
232	BDT00000700	.. 80	1 .. 1	Trade item transactional data owner code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item transactional data owner code/Trade item transactional data owner code content	1 .. 80	0 .. 1	tradeItemDataOwner <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/tradeItemDataOwner
233	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item transactional data owner code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/tradeItemDataOwner/@codeListVersion
233	BDT00000007		0 .. 1	Available for sale date <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Available for sale date		0 .. 1	availableForSaleDate <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/availableForSaleDate
233	BDT00000008	.. 80	0 .. 1	Batch number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Batch number	1 .. 80	0 .. 1	batchNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/batchNumber
	BDT00000572						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
233			1 .. 1	Country of origin code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Country of origin/Country of origin code content	1 .. 80	0 .. 1	countryOfOrigin <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/countryOfOrigin
233	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Country of origin/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/countryOfOrigin/@codeListVersion
233	BDT000000057		0 .. 1	Expiration date <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Expiration date		0 .. 1	itemExpirationDate <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/itemExpirationDate
233	BDT000000090	.. 80	0 .. 1	Lot number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Lot number	1 .. 80	0 .. 1	lotNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/lotNumber
233	BDT000000104		0 .. 1	Packaging date <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Packaging date		0 .. 1	packagingDate <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/packagingDate

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
233	BDT00000116		0 .. 1	Production date <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Production date		0 .. 1	productionDate <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/productionDate
233	BDT00000120		0 .. 1	Sell by date <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Sell by date		0 .. 1	sellByDate <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/sellByDate
234	BDT00000121	.. 20	0 .. unbounded	Serial number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Serial number	1 .. 20	0 .. unbounded	serialNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/serialNumber
234	BDT00000122	.. 80	0 .. 1	Shelf life <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Shelf life	1 .. 80	0 .. 1	shelfLife <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/shelfLife
234	BDT00000082		0 .. 1	Item in contact with food product indicator <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Item in contact with food product indicator		0 .. 1	itemInContactWithFoodProduct <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/itemInContactWithFoodProduct

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
234	BDT00000095		0 .. 1	Number of layers <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of layers		0 .. 1	numberOfLayers <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/numberOfLayers
234	BDT00000096		0 .. 1	Number of units per layer <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of units per layer		0 .. 1	numberOfUnitsPerLayer <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/numberOfUnitsPerLayer
234	BDT00000097		0 .. 1	Number of units per platform <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of units per platform		0 .. 1	numberOfUnitsPerPallet <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/numberOfUnitsPerPallet
234	BDT00000091		1 .. 1	Maximum stacking factor <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Maximum stacking factor		1 .. 1	maximumStackingFactor <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/maximumStackingFactor
234	BDT00000663	.. 80	1 .. 1	Packaging terms and conditions code content	1 .. 80	0 .. 1	packagingTerms <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Packaging terms and conditions code/Packaging terms and conditions code content			transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packagingTerms
234	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Packaging terms and conditions code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packagingTerms/@codeListVersion
234	BDT00000664	.. 80	1 .. 1	Package type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Package type code/Package type code content	1 .. 80	0 .. 1	packageTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packageTypeCode
235	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Package type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packageTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
235	BDT00000665	.. 80	1 .. 1	Returnable package return transport payment code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Returnable package return transport payment code/Returnable package return transport payment code content	1 .. 80	0 .. 1	returnablePackageTransportCostPayment <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/returnablePackageTransportCostPayment
235	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Returnable package return transport payment code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/returnablePackageTransportCostPayment/@codeListVersion
235	BDT00000661		1 .. 1	Depth measurement content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Depth measurement/Depth measurement content		1 .. 1	depth <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/depth
235	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Depth measurement/Measurement unit code/Measurement unit code content			transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth/@measurementUnitCode
235	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Depth measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth/@codeListVersion
235	BDT00000650		1 .. 1	Height measurement content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Height measurement/Height measurement content		1 .. 1	height <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/height
235	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Height measurement/Measurement unit	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/height/ @measurementUnitCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
235	BDT00000028	.. 35	0 .. 1	code/Measurement unit code content Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Height measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/height/@codeListVersion
235	BDT00000662		1 .. 1	Width measurement content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Width measurement/Width measurement content		1 .. 1	width <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/width
236	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Width measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/width/@measurementUnitCode
236	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Width measurement/Measurement unit code/Code list version			transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width/@codeListVersion
236	BDT00000695		1 .. 1	Product quality value content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Product quality value/Product quality value content		0 .. 1	productQualityIndication <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ productQualityIndication
236	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Product quality value/Measurement unit code/ Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ productQualityIndication/@measurementUnitCode
236	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Product quality value/Measurement unit code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ productQualityIndication/@codeListVersion
236	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/		0 .. 1	tradeItemQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dynamic trade item information/Trade item quantity/Trade item quantity content			tradeItemQuantity
236	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/tradeItemQuantity/@measurementUnitCode
236	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/tradeItemQuantity/@codeListVersion
236	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		1 .. 1	measurementValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementValue
236	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item weight information/Measurement unit code/Measurement unit code	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementValue/@measurementUnitCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
237	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item weight information/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementValue/@codeListVersion
237	BDT000000666	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item weight information/Measurement type code/Measurement type code content	1 .. 80	1 .. 1	measurementType <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementType
237	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item weight information/Measurement type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementType/@codeListVersion
237	BDT000000752		1 .. 1	Trade item volume content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item volume information/Trade item volume content		1 .. 1	measurementValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemVolume/measurementValue
	BDT000000607						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
237		.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item volume information/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemVolume/measurementValue/@measurementUnitCode
237	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item volume information/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemVolume/measurementValue/@codeListVersion
237	BDT00000666	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item volume information/Measurement type code/Measurement type code content	1 .. 80	1 .. 1	measurementType <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemVolume/measurementType
237	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item volume information/Measurement type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemVolume/measurementType/@codeListVersion
237	BDT00000092		0 .. 1	Maximum value		0 .. 1	maximumValue

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Serial number range/Maximum value			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/serialNumberRange/maximumValue
237	BDT00000094		0 .. 1	Minimum value <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Serial number range/Minimum value		0 .. 1	minimumValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/serialNumberRange/minimumValue
238	BDT00000661		1 .. 1	Depth measurement content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item measurements information/Depth measurement/Depth measurement content		1 .. 1	depth <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/depth
238	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item measurements information/Depth measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/depth/@measurementUnitCode
238	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dynamic trade item information/Trade item measurements information/Depth measurement/Measurement unit code/Code list version			transactionalItemDimensions/depth/@codeListVersion
238	BDT00000650		1 .. 1	Height measurement content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/Height measurement content		1 .. 1	height <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/height
238	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/height/@measurementUnitCode
238	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/height/@codeListVersion
238	BDT00000662		1 .. 1	Width measurement content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/		1 .. 1	width <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Despatched trade item information/ Dynamic trade item information/Trade item measurements information/Width measurement/Width measurement content			transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/width
238	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/width/ @measurementUnitCode
238	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/width/@codeListVersion
238	BDT00000646	.. 80	1 .. 1	GS1 global trade item number format code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Global trade item number format and type of carrier information/GS1 global trade item number format code/GS1 global trade item number format code content	1 .. 80	0 .. 1	gs1TransactionalItemIdentificationKey <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDataCarrierAndIdentification/ gs1TransactionalItemIdentificationKey

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
239	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/GS1 global trade item number format code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/gs1TransactionalItemIdentificationKey/@codeListVersion
239	BDT00000639	.. 80	1 .. 1	Data carrier type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/Data carrier type code/Data carrier type code content	1 .. 80	0 .. 1	dataCarrier <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/dataCarrier
239	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/Data carrier type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/dataCarrier/@codeListVersion
239	BDT00000138		0 .. 1	Waste identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item waste information/Waste		0 .. 1	wasteIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/wasteIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification			
239	BDT00000702	.. 80	1 .. 1	Waste type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Waste type code content	1 .. 80	0 .. unbounded	typeOfWaste <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste
239	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code description	1 .. 80		codeDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeDescription
239	BDT00000023	.. 80	0 .. 1	Code list agency code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list agency code	1 .. 80		codeListAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListAgencyCode
239	BDT00000024	.. 35	0 .. 1	Code list agency code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list agency code list version	1 .. 35		codeListAgencyCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListAgencyCodeListVersion
239	BDT00000025	.. 80	0 .. 1	Code list agency name	1 .. 80		codeListAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list agency name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListAgencyName
239	BDT000000026	.. 80	0 .. 1	Code list name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list name	1 .. 80		codeListName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListName
240	BDT000000027	.. 500	0 .. 1	Code list URL <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list URL			codeListURI <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListURI
240	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListVersion
240	BDT000000081		1 .. 1	Trade item organic indicator <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/		1 .. 1	isTradeItemOrganic <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dynamic trade item information/Trade item organic information/Trade item organic indicator			transactionalItemOrganicInformation/isTradeItemOrganic
240	BDT00000017	.. 200	0 .. 1	Certification value <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item organic information/Organic certification information/Certification value	1 .. 200	0 .. 1	itemCertificationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemOrganicInformation/organicCertification/itemCertificationValue
240	BDT00000015	.. 200	0 .. 1	Certification agency name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item organic information/Organic certification information/Certification agency name	1 .. 200	0 .. 1	itemCertificationAgency <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemOrganicInformation/organicCertification/itemCertificationAgency
240	BDT00000016	.. 200	0 .. 1	Certification standard name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item organic information/Organic certification information/Certification standard name	1 .. 200	0 .. 1	itemCertificationStandard <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemOrganicInformation/organicCertification/itemCertificationStandard
240	BDT00000736		1 .. 1	Colour code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/	1 .. 80	0 .. 1	colourCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/colour/colourCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Trade item colour information/Colour code/Colour code content			
240	BDT00000029	.. 80	1 .. 1	Colour code system code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item colour information/Colour code/Colour code system code	1 .. 80		colourCodeListCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/colour/colourCode/@colourCodeListCode
240	BDT00000030	.. 80	0 .. 1	Colour code system description <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item colour information/Colour code/Colour code system description	1 .. 80		colourCodeListDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/colour/colourCode/@colourCodeListDescription
240	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item colour information/Colour code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/colour/colourCode/@codeListVersion
241	BDT00000031	.. 35	0 .. 1	Colour code system version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item colour information/Colour code/Colour code system version	1 .. 35		colourCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/colour/colourCode/@colourCodeListVersion
241	BDT00000737	.. 70	1 .. 1	Colour description content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/	1 .. 80	0 .. unbounded	colourDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/colour/colourDescription

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Trade item colour information/Colour description/Colour description content			
241	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item colour information/Colour description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/colour/colourDescription/@languageCode
241	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item colour information/Colour description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/colour/colourDescription/@codeListVersion
241	BDT00000679	.. 70	1 .. 1	Size description content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size description/Size description content	1 .. 80	0 .. 1	descriptiveSize <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/size/descriptiveSize
241	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/size/descriptiveSize/@languageCode
241	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size description/Language code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/size/descriptiveSize/@codeListVersion
241	BDT00000680	.. 80	1 .. 1	Size code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size code/Size code content	1 .. 80	0 .. 1	sizeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/size/sizeCode
241	BDT00000681	.. 80	1 .. 1	Size code list code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size code/Size code list code/Size code list code content	1 .. 80		sizeCodeListCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/size/sizeCode/@sizeCodeListCode
241	BDT00000124	.. 80	0 .. 1	Size code list description <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size code/Size code list description	1 .. 80		sizeCodeListDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/size/sizeCode/@sizeCodeListDescription
242	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/size/sizeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
242	BDT00000125	.. 35	0 .. 1	Size code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size code/Size code list version	1 .. 35		sizeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/size/sizeCode/@sizeCodeListVersion
242	BDT00000070	.. 8	1 .. 1	GS1 global product classification GPC brick code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item classification information/GS1 global product classification GPC brick code		1 .. 1	gpcCategoryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/tradeItemClassification/gpcCategoryCode
242	BDT00000071	.. 200	0 .. 1	GS1 global product classification GPC brick name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item classification information/GS1 global product classification GPC brick name	1 .. 105	0 .. 1	gpcCategoryName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/tradeItemClassification/gpcCategoryName
242	BDT00000536	.. 80	1 .. 1	Alternative trade item product classification code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item classification information/Alternative trade item product classification code/Alternative trade item product classification code content	1 .. 80	0 .. unbounded	additionalTradeItemClassificationCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/tradeItemClassification/additionalTradeItemClassificationCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
242	BDT00000002	.. 80	0 .. 1	Additional trade item classification scheme code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item classification information/Alternative trade item product classification code/Additional trade item classification scheme code	1 .. 80		additionalTradelItemClassificationCodeListCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradelItem/tradelItemClassification/additionalTradelItemClassificationCode/@additionalTradelItemClassificationCodeListCode
242	BDT00000003	.. 35	0 .. 1	Additional trade item classification scheme version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item classification information/Alternative trade item product classification code/Additional trade item classification scheme version	1 .. 35		additionalTradelItemClassificationCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradelItem/tradelItemClassification/additionalTradelItemClassificationCode/@additionalTradelItemClassificationCodeListVersion
242	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item classification information/Alternative trade item product classification code/Code description	1 .. 80		codeDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradelItem/tradelItemClassification/additionalTradelItemClassificationCode/@codeDescription
242	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item classification information/Alternative trade item product	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradelItem/tradelItemClassification/additionalTradelItemClassificationCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
242	BDT00000067	.. 8	1 .. 1	classification code/Code list version GS1 global product classification GPC attribute type code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute type code	1 .. 1		gpcAttributeTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeTypeCode
243	BDT00000068	.. 8	1 .. 1	GS1 global product classification GPC attribute value code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute value code	1 .. 1		gpcAttributeValueCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeValueCode
243	BDT00000064	.. 200	0 .. 1	Global product classification GPC attribute type name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item classification information/Global Product Classification attributes/Global product classification GPC attribute type name	1 .. 105	0 .. 1	gpcAttributeTypeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeTypeName
243	BDT00000069	.. 200	0 .. 1	GS1 global product classification GPC attribute value name <i>Path:</i> Despatch advice/Logistics unit	1 .. 105	0 .. 1	gpcAttributeValueName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Despatched trade item information/ Trade item classification information/ Global Product Classification attributes/GS1 global product classification GPC attribute value name			transactionalTradeItem/tradeItemClassification/ gpcAttribute/gpcAttributeValueName
243	BDT00000910	.. 80	1 .. 1	Dangerous goods United Nations identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods United Nations identification/Dangerous goods United Nations identification content	1 .. 80	1 .. 1	dangerousGoodsUNIdentifier <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsUNIdentifier
243	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods United Nations identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsUNIdentifier/ @identificationSchemeName
243	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods United Nations identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsUNIdentifier/ @identificationSchemeAgencyName
243	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods United Nations identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content			despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsUNIdentifier/@identificationSchemeAgencyCode
243	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods United Nations identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsUNIdentifier/@identificationSchemeAgencyCodeCodeListVersion
243	BDT000000912	.. 70	1 .. 1	Dangerous goods shipping name content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods shipping name/Dangerous goods shipping name content	1 .. 200	1 .. 1	dangerousGoodsShippingName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsShippingName
243	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods shipping name/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsShippingName/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
244	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods shipping name/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsShippingName/@codeListVersion
244	BDT00000912	.. 70	1 .. 1	Dangerous goods shipping name content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods technical name/Dangerous goods shipping name content	1 .. 200	0 .. 1	dangerousGoodsTechnicalName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsTechnicalName
244	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods technical name/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsTechnicalName/@languageCode
244	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods technical name/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsTechnicalName/@codeListVersion
244	BDT00000916	.. 70	1 .. 1	Dangerous goods description content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods description/	1 .. 100	0 .. 1	dangerousGoodsDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsDescription

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
244	BDT00000524	.. 80	1 .. 1	Dangerous goods description content Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsDescription/@languageCode
244	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsDescription/@codeListVersion
244	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/personName
244	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/departmentName
244	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/jobTitle

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
245	BDT00000571	.. 80	1 .. 1	information/Job title Contact type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/contactTypeCode
245	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/contactTypeCode/@codeListVersion
245	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/responsibility
245	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Business contact	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/responsibility/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				responsibility description/Language code/Language code content			
245	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/responsibility/@codeListVersion
245	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/communicationChannel/communicationChannelCode
245	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/communicationChannel/communicationChannelCode/@codeListVersion
245	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dangerous goods information/ Dangerous good handling contact information/Communication channel information/Communication channel identification			dangerousGoodsInformation/contact/ communicationChannel/communicationValue
245	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous good handling contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/contact/ communicationChannel/communicationChannelName
245	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous good handling contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/contact/ afterHoursCommunicationChannel/ communicationChannelCode
246	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous good handling contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
246	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/afterHoursCommunicationChannel/communicationValue
246	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/afterHoursCommunicationChannel/communicationChannelName
246	BDT000000931	.. 70	0 .. 1	Dangerous goods regulation name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods regulation information/Dangerous goods regulation name	1 .. 80	0 .. 1	dangerousGoodsRegulationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsRegulationInformation/dangerousGoodsRegulationName
246	BDT000000932	.. 70	1 .. 1	Dangerous goods hazard class <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods regulation information/Dangerous goods hazard class	1 .. 80	1 .. 1	dangerousGoodsHazardClass <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsRegulationInformation/dangerousGoodsHazardClass
246	BDT000000933	.. 70	0 .. 1	Dangerous goods packing group	1 .. 80	0 .. 1	dangerousGoodsPackingGroup

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods regulation information/Dangerous goods packing group information			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsRegulationInformation/dangerousGoodsPackingGroup
246	BDT00000921	.. 80	1 .. 1	Dangerous goods regulation type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods regulation information/Dangerous goods regulation type code/Dangerous goods regulation type code content	1 .. 80	1 .. 1	dangerousGoodsRegulationCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsRegulationInformation/dangerousGoodsRegulationCode
246	BDT00000937	.. 70	0 .. 1	Dangerous goods attribute text <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods regulation information/Dangerous goods attribute information/Dangerous goods attribute text	1 .. 200	0 .. 1	dangerousGoodsAttributeText <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsRegulationInformation/dangerousGoodsAttribute/dangerousGoodsAttributeText
246	BDT00000939		0 .. 1	Dangerous goods attribute date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods regulation information/Dangerous goods attribute information/Dangerous goods attribute		0 .. 1	dangerousGoodsAttributeDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsRegulationInformation/dangerousGoodsAttribute/dangerousGoodsAttributeDateTime

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
246	BDT00000940		0 .. 1	date time Dangerous goods attribute indicator <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods regulation information/Dangerous goods attribute information/Dangerous goods attribute indicator		0 .. 1	dangerousGoodsAttributeIndicator <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsRegulationInformation/dangerousGoodsAttribute/dangerousGoodsAttributeIndicator
247	BDT00000935	.. 80	1 .. 1	Dangerous goods attribute type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods regulation information/Dangerous goods attribute information/Dangerous goods attribute type code/Dangerous goods attribute type code content	1 .. 80	1 .. 1	dangerousGoodsAttributeTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsRegulationInformation/dangerousGoodsAttribute/dangerousGoodsAttributeTypeCode
247	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods regulation information/Dangerous goods attribute information/Dangerous goods attribute type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsRegulationInformation/dangerousGoodsAttribute/dangerousGoodsAttributeTypeCode/@codeListVersion
247	BDT00000746	.. 70	1 .. 1	Measurement value content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/		0 .. 1	dangerousGoodsAttributeMeasurement <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dangerous goods regulation information/Dangerous goods attribute information/Dangerous goods attribute measurement value/Measurement value content			dangerousGoodsRegulationInformation/ dangerousGoodsAttribute/ dangerousGoodsAttributeMeasurement
247	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods regulation information/Dangerous goods attribute information/Dangerous goods attribute measurement value/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsRegulationInformation/ dangerousGoodsAttribute/ dangerousGoodsAttributeMeasurement/ @measurementUnitCode
247	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods regulation information/Dangerous goods attribute information/Dangerous goods attribute measurement value/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsRegulationInformation/ dangerousGoodsAttribute/ dangerousGoodsAttributeMeasurement/ @codeListVersion

Legend: No = Consecutive Number