



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
001	BDT00000047		1 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Business document creation date time		1 .. 1	<b>Exchanged_ Document. Issue. Date Time</b> <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issue. Date Time
002	BDT00000050		1 .. 1	<b>Business document status code</b> <i>Path:</i> Despatch advice/Business document status code		0 .. 1	<b>Exchanged_ Document. Status. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Status. Code
003	BDT00000046		0 .. 1	<b>Business document standard version</b> <i>Path:</i> Despatch advice/Business document standard version		0 .. 1	<b>Exchanged_ Document. Version_ Identification. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Version_ Identification. Identifier
004	BDT00000048		0 .. 1	<b>Business document last update date time</b> <i>Path:</i> Despatch advice/Business document last update date time		0 .. 1	<b>Exchanged_ Document. Revision. Date Time</b> <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Revision. Date Time
005	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Business document identification information/Entity identification		1 .. 1	<b>Exchanged_ Document. Identification. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Identification. Identifier
006	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Business document identification information/Document content owner/Global location number GLN  <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>		0 .. unbounded	<b>Trade_ Party. Global_ Identification. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Sender. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
007	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Business document		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Document content owner/Additional party identification information/Additional party identification content			Document/Exchanged_ Document. Sender. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier/ Identifier. Content
008	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Sender. Trade_ Party/Trade_ Party. Type. Code/Code. Content
009	BDT00000791	.. 80	1 .. 1	<b>Despatch advice type code content</b> <i>Path:</i> Despatch advice/Despatch Advice type code/Despatch advice type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Type. Code/Code. Content
010	BDT00000796	.. 80	1 .. 1	<b>Delivery type code content</b> <i>Path:</i> Despatch advice/Delivery type code/ Delivery type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Delivery Type. Code/Code. Content
011	BDT00000794		1 .. 1	<b>Total deposit monetary amount content</b> <i>Path:</i> Despatch advice/Total deposit monetary amount/Total deposit monetary amount content	1 .. 1		<b>Amount. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Applicable. Returnable Asset_ Instructions/ Returnable Asset_ Instructions. Deposit Value_ Specified.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
012	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Despatch advice/Total deposit monetary amount/Currency code/Currency code content	0 .. 1		Amount/Amount. Content <b>Amount Currency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Applicable. Returnable Asset_ Instructions/Returnable Asset_ Instructions. Deposit Value_ Specified. Amount/Amount Currency. Identifier
013	BDT00000670	.. 70	1 .. 1	<b>Notation content</b> <i>Path:</i> Despatch advice/Notation/Notation content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Included. Note/Note. Content. Text/Text. Content
014	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Notation/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Included. Note/Note. Content. Text/Language. Identifier
015	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Despatch advice/Buyer party information/Global location number, GLN  <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
016	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Buyer party	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional party identification information/Additional party identification content			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
017	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Buyer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme. Identifier
018	BDT00000786	.. 70	1 .. 1	<b>Electronic address identification scheme</b> <i>Path:</i> Despatch advice/Buyer party information/Electronic address information/Electronic address identification scheme	0 .. 1		<b>Identification Scheme. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier/Identification Scheme. Identifier
019	BDT00000785	.. 70	1 .. 1	<b>Electronic address identification</b> <i>Path:</i> Despatch advice/Buyer party information/Electronic address information/Electronic address identification	0 .. 1		<b>Universal_ Communication. URI. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
020	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Buyer party information/Address information/City name	0 .. 1		<b>Trade_ Address. City Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
021	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Buyer party information/Address information/City code	0 .. 1		<b>Trade_ Address. City. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier
022	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Buyer party information/Address information/County code	0 .. 1		<b>Trade_ Address. City Sub-Division Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
023	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Despatch advice/Buyer party information/Address information/Party name	0 .. 1		<b>Trade_ Party. Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Name. Text
024	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Buyer party information/Address information/Post office box number	0 .. 1		<b>Trade_ Address. Post Office Box. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
025	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Buyer party information/Address information/Postal code	0 .. 1		<b>Trade_ Address. Postcode. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
026	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Buyer party information/Address information/Province identity	0 .. 1		Trade_ Address/Trade_ Address. Postcode. Code <b>Trade_ Address. Country Sub-Division. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
027	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Buyer party information/Address information/State	0 .. 1		<b>Trade_ Address. Country Sub-Division Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
028	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Buyer party information/Address information/Street address one	0 .. 1		<b>Trade_ Address. Line One. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
029	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Buyer party information/Address information/Street address two	0 .. 1		<b>Trade_ Address. Line Two. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
030	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Buyer party information/Address information/Street	0 .. 1		<b>Trade_ Address. Line Three. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address three			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
031	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Buyer party information/Address information/Country code/Country code content		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier/Identifier. Content
032	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Despatch advice/Buyer party information/Address information/Geographical coordinates information/Latitude		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure/Measure. Content
033	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Despatch advice/Buyer party information/Address information/Geographical coordinates information/Longitude		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure/Measure. Content
034	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Person name		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
035	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Department name	1 .. 1	1 .. 1	Trade_Contact/Trade_Contact. Person Name. Text/Text. Content <b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Department Name. Text/Text. Content
036	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Job title	1 .. 1	1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text/Text. Content
037	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Contact type code/Contact type code content	1 .. 1	1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Type. Code/Code. Content
038	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 1	1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Responsibility. Text/Text. Content

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
039	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Buyer party information/Business contact responsibility description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/ Language. Identifier
040	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code/Code. Content
041	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier/Identifier. Content
042	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Communication information/Communication channel name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text/Text. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
043	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Buyer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
044	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Buyer party information/Business contact information/After hours communication information/Communication channel identification		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier/Identifier. Content
045	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax authority name		0 .. 1	<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
046	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax registration identification information/Tax registration identification content		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identifier. Content
047	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Despatch advice/Buyer party information/Tax registration		0 .. 1	<b>Identification Scheme. Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration identification information/Identification scheme information/Identification scheme name			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
048	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
049	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identification Scheme Agency. Identifier
050	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax type code/Tax type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
051	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Despatch advice/Buyer party	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax description/Tax description content			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Text. Content
052	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/ Language. Identifier
053	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
054	BDT00000370	.. 80	0 .. 1	<b>Customs authority name</b> <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs authority name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
055	BDT00000622	.. 200	1 .. 1	<b>Customs registration identification content</b> <i>Path:</i> Despatch advice/Buyer party	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs duty registration information/Customs registration identification information/Customs registration identification content			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identifier. Content
056	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	0 .. 1		<b>Identification Scheme. Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
057	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
058	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identification Scheme Agency. Identifier
059	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Despatch advice/Buyer party	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs duty registration information/Tax type code/Tax type code content			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
060	BDT00000563	.. 70	1 .. 1	<b>Customs duty description content</b> <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs duty description/ Customs duty description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Text. Content
061	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs duty description/ Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/ Language. Identifier
062	BDT00000624	.. 80	1 .. 1	<b>Customs registration type code content</b> <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
063	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b>	1 .. 1		<b>Text. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Organisation name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/Text. Content
064	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Language of the party code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/ Language. Identifier
065	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/County code	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
066	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/City name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text/Text. Content
067	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Buyer party information/Organisation legal	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/City code			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier/Identifier. Content
068	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Post office box number	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content
069	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Postal code	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code/Code. Content
070	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Province identity	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content
071	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Buyer party information/Organisation legal	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/State			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
072	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Street address one	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text/Text. Content
073	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Street address two	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text/Text. Content
074	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Street address three	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text/Text. Content
075	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Country code/Country code content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
076	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Legal structure description/Legal structure description content		1 .. 1	Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier/Identifier. Content <b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code. Content
077	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Legal structure description/Language code/Language code content		0 .. 1	<b>Code List. Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code List. Agency. Identifier
078	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Registered legal information/Legal registration number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier/Identifier. Content
079	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			Legal_Registration/Legal_Registration. Type. Code/Code. Content
080	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Despatch advice/Seller party information/Global location number, GLN  <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Global Identification. Identifier/Identifier. Content
081	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Seller party information/Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
082	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Seller party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme. Identifier
083	BDT00000786	.. 70	1 .. 1	<b>Electronic address identification scheme</b> <i>Path:</i> Despatch advice/Seller party information/Electronic address information/Electronic address identification scheme	0 .. 1		<b>Universal Communication. URI. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal Communication/Universal Communication.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
084	BDT00000786	.. 70	1 .. 1	<b>Electronic address identification scheme</b> <i>Path:</i> Despatch advice/Seller party information/Electronic address information/Electronic address identification scheme	0 .. 1		URI. Identifier <b>Identification Scheme. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier/Identification Scheme. Identifier
085	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Seller party information/Address information/City name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text/Text. Content
086	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Seller party information/Address information/City code	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier/Identifier. Content
087	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Seller party information/Address information/County code	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text/Text. Content
088	BDT00000106	.. 200	0 .. 1	<b>Party name</b>	1 .. 1		<b>Text. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Seller party information/Address information/Party name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Name. Text/Text. Content
089	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Seller party information/Address information/Post office box number	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content
090	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Seller party information/Address information/Postal code	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code/Code. Content
091	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Seller party information/Address information/Province identity	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content
092	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Seller party information/Address information/State	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
093	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Seller party information/Address information/Street address one	1 .. 1		Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
094	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Seller party information/Address information/Street address two	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text/Text. Content
095	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Seller party information/Address information/Street address three	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text/Text. Content
096	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Seller party information/Address information/ Country code/Country code content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier/ Identifier. Content
	BDT00000085						

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
097		.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Despatch advice/Seller party information/Address information/Geographical coordinates information/Latitude	1 .. 1		<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure/Measure. Content
098	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Despatch advice/Seller party information/Address information/Geographical coordinates information/Longitude	1 .. 1		<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure/Measure. Content
099	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Despatch advice/Seller party information/Business contact information/Person name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text/Text. Content
100	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Despatch advice/Seller party information/Business contact information/Department name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text/Text. Content
101	BDT00000083	.. 70	0 .. 1	<b>Job title</b>	1 .. 1		<b>Text. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Seller party information/Business contact information/Job title			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text/Text. Content
102	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Despatch advice/Seller party information/Business contact information/Contact type code/Contact type code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
103	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Despatch advice/Seller party information/Business contact information/Business contact responsibility description/Business contact responsibility description content		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Text. Content
104	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Seller party information/Business contact information/Business contact responsibility description/Language code/Language code content		0 .. 1	<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/ Language. Identifier
105	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Seller party information/Business contact		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication information/Communication channel code/Communication channel code content			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code/Code. Content
106	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Seller party information/Business contact information/Communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier/Identifier. Content
107	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Seller party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
108	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Seller party information/Business contact information/After hours communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier/ Identifier. Content
109	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax authority name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
110	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 1		Identifier/Identification Scheme. Agency Name. Text <b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identifier. Content
111	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	0 .. 1		<b>Identification Scheme. Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
112	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
113	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identification Scheme Agency. Identifier

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
114	BDT00000576	.. 80	1 .. 1	agency code content <b>Tax type code content</b> <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax type code/Tax type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
115	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax description/Tax description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Text. Content
116	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/ Language. Identifier
117	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
118	BDT00000370	.. 80	0 .. 1	<b>Customs authority name</b> <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs authority name	0 .. 1		Registered_ Tax/Registered_ Tax. Type. Code/Code. Content <b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
119	BDT00000622	.. 200	1 .. 1	<b>Customs registration identification content</b> <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identifier. Content
120	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	0 .. 1		<b>Identification Scheme. Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
121	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
	BDT00000583						

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
122		.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identification Scheme Agency. Identifier
123	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
124	BDT00000563	.. 70	1 .. 1	<b>Customs duty description content</b> <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs duty description/ Customs duty description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Text. Content
125	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs duty description/ Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
126	BDT00000624	.. 80	1 .. 1	<b>Customs registration type code content</b> <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 1		Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/ Language. Identifier <b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
127	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Organisation name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/ Text. Content
128	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Language of the party code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/ Language. Identifier
129	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/County code	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
130	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/City name	1 .. 1		Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
131	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/City code	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text/Text. Content
132	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Post office box number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier/Identifier. Content
133	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Postal code	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content
							<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
134	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Province identity	0 .. 1		Address/Trade_ Address. Postcode. Code/Code. Content <b>Trade_ Address. Country Sub-Division. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
135	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/State	0 .. 1		<b>Trade_ Address. Country Sub-Division Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
136	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Street address one	0 .. 1		<b>Trade_ Address. Line One. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text
137	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Street address two	0 .. 1		<b>Trade_ Address. Line Two. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
	BDT00000129						

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
138		.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Street address three	0 .. 1		<b>Trade_ Address. Line Three. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text
139	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Country code/Country code content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier/Identifier. Content
140	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Legal structure description/ Legal structure description content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code. Content
141	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Legal structure description/ Language code/Language code content	0 .. 1		<b>Code List. Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code List. Agency. Identifier
142	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Despatch advice/Seller party	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Registered legal information/Legal registration number			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier/Identifier. Content
143	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code/ Code. Content
144	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Despatch advice/Consignee party information/Global location number, GLN  <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. unbounded		<b>Trade_ Party. Global_ Identification. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
145	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Consignee party information/Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
146	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code</b>	0 .. 1		<b>Identification Scheme. Identifier</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>content</b> <i>Path:</i> Despatch advice/Consignee party information/Additional party identification information/Additional party identification type code/Additional party identification type code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme. Identifier
147	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Consignee party information/Address information/City name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text/Text. Content
148	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Consignee party information/Address information/City code	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier/Identifier. Content
149	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Consignee party information/Address information/County code	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text/Text. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
150	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Despatch advice/Consignee party information/Address information/Party name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Name. Text/Text. Content
151	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Consignee party information/Address information/Post office box number	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content
152	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Consignee party information/Address information/Postal code	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code/Code. Content
153	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Consignee party information/Address information/Province identity	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
154	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Consignee party information/Address information/State	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
155	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Consignee party information/Address information/Street address one	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text/Text. Content
156	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Consignee party information/Address information/Street address two	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text/Text. Content
157	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Consignee party information/Address information/Street address three	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
158	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Consignee party information/Address information/Country code/Country code content		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier/Identifier. Content
159	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Despatch advice/Consignee party information/Address information/Geographical coordinates information/Latitude		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure/Measure. Content
160	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Despatch advice/Consignee party information/Address information/Geographical coordinates information/Longitude		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure/Measure. Content
161	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Person name		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)

Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.

Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text/Text. Content
162	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Department name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text/Text. Content
163	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Job title	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text/Text. Content
164	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Contact type code/Contact type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
165	BDT000000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Despatch advice/Consignee party	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Business contact responsibility description/Business contact responsibility description content			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Text. Content
166	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Business contact responsibility description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Language. Identifier
167	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code/Code. Content
168	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier/Identifier. Content

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
169	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Communication information/Communication channel name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text/Text. Content
170	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
171	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Consignee party information/Business contact information/After hours communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier/Identifier. Content
172	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax authority name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier/Identifier. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
173	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 1		Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text <b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identifier. Content
174	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	0 .. 1		<b>Identification Scheme. Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
175	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
176	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b>	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier
177	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax type code/Tax type code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
178	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax description/Tax description content		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Text. Content
179	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax description/Language code/Language code content		0 .. 1	<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
180	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 1		Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Language. Identifier <b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
181	BDT00000370	.. 80	0 .. 1	<b>Customs authority name</b> <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs authority name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
182	BDT00000622	.. 200	1 .. 1	<b>Customs registration identification content</b> <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identifier. Content
183	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b>	0 .. 1		<b>Identification Scheme. Name. Text</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
184	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
185	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identification Scheme Agency. Identifier
186	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Tax type code/Tax type	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code content			Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
187	BDT00000563	.. 70	1 .. 1	<b>Customs duty description content</b> <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs duty description/ Customs duty description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Text. Content
188	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs duty description/ Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Language. Identifier
189	BDT00000624	.. 80	1 .. 1	<b>Customs registration type code content</b> <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
190	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Organisation name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/Text. Content
191	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Language of the party code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/Language. Identifier
192	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/County code	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
193	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/City name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text/Text. Content
194	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/City code	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier/Identifier. Content
195	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Post office box number	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content
196	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Postal code	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code/Code. Content

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
197	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Province identity	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content
198	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/State	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
199	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Street address one	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text/Text. Content
200	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Street	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address two			Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text/Text. Content
201	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Street address three	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text/Text. Content
202	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Country code/Country code content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier/Identifier. Content
203	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
204	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Legal structure description/ Language code/Language code content	0 .. 1		<b>Code List. Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code List. Agency. Identifier
205	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier/Identifier. Content
206	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code/Code. Content
207	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Ship from party information/Global location number GLN <i>GS1 General Specifications: The GS1</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>			Delivery. Ship From. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
208	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Ship from party information/Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
209	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Ship from party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme. Identifier
210	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Ship from party information/Address information/City name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text/Text. Content
211	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Ship from party information/Address information/City code	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier/Identifier. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
212	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Ship from party information/Address information/County code	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text/Text. Content
213	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Despatch advice/Ship from party information/Address information/Party name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Name. Text/Text. Content
214	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Ship from party information/Address information/Post office box number	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content
215	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Ship from party information/Address information/Postal code	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code/Code. Content
216	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Ship from party information/Address information/	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Province identity			Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content
217	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Ship from party information/Address information/State	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
218	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Ship from party information/Address information/Street address one	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text/Text. Content
219	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Ship from party information/Address information/Street address two	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text/Text. Content
220	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Ship from party information/Address information/Street address three	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text/Text. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
221	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Ship from party information/Address information/Country code/Country code content		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier/Identifier. Content
222	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Despatch advice/Ship from party information/Address information/Geographical coordinates information/Latitude		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure/Measure. Content
223	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Despatch advice/Ship from party information/Address information/Geographical coordinates information/Longitude		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure/Measure. Content
224	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Person name		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text/Text. Content
225	BDT00000044	.. 70	0 .. 1	<b>Department name</b>		1 .. 1	<b>Text. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship from party information/Business contact information/Department name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text/Text. Content
226	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Job title	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text/Text. Content
227	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Contact type code/Contact type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
228	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Text. Content
229	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Ship from party information/Business contact	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact responsibility description/Language code/Language code content			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/ Language. Identifier
230	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code/Code. Content
231	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Communication information/Communication channel identification		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier/Identifier. Content
232	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Communication information/Communication channel name		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text/Text. Content
233	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Ship from party information/Business contact		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/After hours communication information/Communication channel code/Communication channel code content			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
234	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Ship from party information/Business contact information/After hours communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier/Identifier. Content
235	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax authority name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
236	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identifier. Content
237	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax registration identification information/Identification	0 .. 1		<b>Identification Scheme. Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
238	BDT00000073	.. 80	0 .. 1	scheme information/Identification scheme name  <b>Identification scheme agency name</b> <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text  <b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
239	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier
240	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax type code/Tax type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
241	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Despatch advice/Ship from party information/Tax registration	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax description/Tax description content			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Text. Content
242	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Language. Identifier
243	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
244	BDT00000370	.. 80	0 .. 1	<b>Customs authority name</b> <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs authority name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
245	BDT00000622	.. 200	1 .. 1	<b>Customs registration identification content</b> <i>Path:</i> Despatch advice/Ship from party	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs duty registration information/Customs registration identification information/Customs registration identification content			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identifier. Content
246	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	0 .. 1		<b>Identification Scheme. Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
247	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
248	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier
249	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b>	1 .. 1		<b>Code. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Tax type code/Tax type code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
250	BDT00000563	.. 70	1 .. 1	<b>Customs duty description content</b> <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs duty description/ Customs duty description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Text. Content
251	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs duty description/ Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Language. Identifier
252	BDT00000624	.. 80	1 .. 1	<b>Customs registration type code content</b> <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
253	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Organisation name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/Text. Content
254	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Language of the party code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/Language. Identifier
255	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/County code	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text/Text. Content
256	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/City name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text/Text. Content
257	BDT00000019	.. 80	0 .. 1	<b>City code</b>	1 .. 1		<b>Identifier. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/City code			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier/Identifier. Content
258	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Post office box number		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content
259	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Postal code		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code/Code. Content
260	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Province identity		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
261	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/State	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
262	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Street address one	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text/Text. Content
263	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Street address two	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text/Text. Content
264	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Street address three	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text/Text. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Text/Text. Content
265	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Country code/Country code content		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier/Identifier. Content
266	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Legal structure description/ Legal structure description content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code. Content
267	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Legal structure description/ Language code/Language code content		0 .. 1	<b>Code List. Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code List. Agency. Identifier
268	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Registered legal information/Legal registration number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier/Identifier. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
269	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code/Code. Content
270	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Ship to party information/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Global Identification. Identifier/Identifier. Content
271	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Ship to party information/Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
272	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Ship to party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
273	BDT00000020	.. 200	0 .. 1	<b>City name</b>	1 .. 1		<b>Text. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
 Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship to party information/Address information/City name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text/Text. Content
274	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Ship to party information/Address information/City code	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier/Identifier. Content
275	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Ship to party information/Address information/County code	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text/Text. Content
276	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Despatch advice/Ship to party information/Address information/Party name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Name. Text/Text. Content
277	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Ship to party information/Address information/Post office box number	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
278	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Ship to party information/Address information/Postal code	1 .. 1		Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content <b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code/Code. Content
279	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Ship to party information/Address information/Province identity	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content
280	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Ship to party information/Address information/State	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
281	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Ship to party information/Address information/Street address one	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text/Text. Content
	BDT00000130						

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
282		.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Ship to party information/Address information/Street address two	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text/Text. Content
283	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Ship to party information/Address information/Street address three	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text/Text. Content
284	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Ship to party information/Address information/ Country code/Country code content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier/ Identifier. Content
285	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Despatch advice/Ship to party information/Address information/ Geographical coordinates information/ Latitude	1 .. 1		<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure/Measure. Content
286	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Despatch advice/Ship to party	1 .. 1		<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/ Geographical coordinates information/ Longitude			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure/Measure. Content
287	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Person name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text/Text. Content
288	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Department name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text/Text. Content
289	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Job title	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text/Text. Content
290	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Contact type code/Contact	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				type code content			Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
291	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Text. Content
292	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Business contact responsibility description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/ Language. Identifier
293	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code/Code. Content
294	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Communication information/Communication channel	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined.

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification			Trade_Contact/Trade_Contact. Telephone. Universal_Communication/Universal_Communication. URI. Identifier/Identifier. Content
295	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Communication information/Communication channel name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Telephone. Universal_Communication/Universal_Communication. Complete Number. Text/Text. Content
296	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Type. Code/Code. Content
297	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Ship to party information/Business contact information/After hours communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Identification. Identifier/Identifier. Content
298	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax authority name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. IOSS_ Identification.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
299	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 1		Identifier/Identification Scheme. Agency Name. Text <b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identifier. Content
300	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	0 .. 1		<b>Identification Scheme. Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
301	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
302	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
303	BDT00000576	.. 80	1 .. 1	agency code content <b>Tax type code content</b> <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax type code/Tax type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
304	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax description/Tax description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Text. Content
305	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/ Language. Identifier
306	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
 Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
307	BDT00000370	.. 80	0 .. 1	<b>Customs authority name</b> <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs authority name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
308	BDT00000622	.. 200	1 .. 1	<b>Customs registration identification content</b> <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identifier. Content
309	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	0 .. 1		<b>Identification Scheme. Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
310	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
	BDT00000583						

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
311		.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier
312	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
313	BDT00000563	.. 70	1 .. 1	<b>Customs duty description content</b> <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs duty description/ Customs duty description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Text. Content
314	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs duty description/ Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
315	BDT00000624	.. 80	1 .. 1	<b>Customs registration type code content</b> <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 1		Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/ Language. Identifier <b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
316	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Organisation name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/ Text. Content
317	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Language of the party code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/ Language. Identifier
318	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/County code	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
319	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/City name	1 .. 1		Address/Trade_ Address. City Sub-Division Name. Text/Text. Content <b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text/Text. Content
320	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/City code	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier/Identifier. Content
321	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Post office box number	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content
322	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Postal code	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
323	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Province identity	1 .. 1	1 .. 1	Address/Trade_ Address. Postcode. Code/Code. Content <b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content
324	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/State	1 .. 1	1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
325	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Street address one	1 .. 1	1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text/Text. Content
326	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Street address two	1 .. 1	1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text/Text. Content

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
327	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Street address three	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text/Text. Content
328	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Country code/Country code content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier/Identifier. Content
329	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Legal structure description/ Legal structure description content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code. Content
330	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Legal structure description/ Language code/Language code content	0 .. 1		<b>Code List. Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code List. Agency. Identifier
331	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Despatch advice/Ship to party	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Registered legal information/Legal registration number			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier/Identifier. Content
332	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code/ Code. Content
333	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Despatch advice/Carrier party information/Global location number, GLN  <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
334	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Carrier party information/Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
335	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code</b>	0 .. 1		<b>Identification Scheme Agency. Identifier</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>content</b> <i>Path:</i> Despatch advice/Carrier party information/Additional party identification information/Additional party identification type code/Additional party identification type code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
336	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Carrier party information/Address information/City name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text/Text. Content
337	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Carrier party information/Address information/City code	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier/Identifier. Content
338	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Carrier party information/Address information/County code	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text/Text. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
339	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Despatch advice/Carrier party information/Address information/Party name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Name. Text/Text. Content
340	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Carrier party information/Address information/Post office box number	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content
341	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Carrier party information/Address information/Postal code	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code/Code. Content
342	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Carrier party information/Address information/Province identity	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
343	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Carrier party information/Address information/State	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
344	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Carrier party information/Address information/Street address one	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text/Text. Content
345	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Carrier party information/Address information/Street address two	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text/Text. Content
346	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Carrier party information/Address information/Street address three	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
347	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Carrier party information/Address information/Country code/Country code content		1 .. 1	<b>Text/Text. Content</b> <b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier/Identifier. Content
348	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Despatch advice/Carrier party information/Address information/Geographical coordinates information/Latitude		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure/Measure. Content
349	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Despatch advice/Carrier party information/Address information/Geographical coordinates information/Longitude		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure/Measure. Content
350	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Person name		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
351	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Department name	1 .. 1		Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text/Text. Content <b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text/Text. Content
352	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Job title	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text/Text. Content
353	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Contact type code/Contact type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
354	BDT000000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Despatch advice/Carrier party	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Business contact responsibility description/Business contact responsibility description content			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Text. Content
355	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Business contact responsibility description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Language. Identifier
356	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code/Code. Content
357	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier/Identifier. Content

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
358	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Communication information/Communication channel name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text/Text. Content
359	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Carrier party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
360	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Carrier party information/Business contact information/After hours communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier/Identifier. Content
361	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax authority name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
362	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 1		Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text  <b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identifier. Content
363	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	0 .. 1		<b>Identification Scheme. Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
364	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
365	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Despatch advice/Carrier party	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier
366	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax type code/Tax type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
367	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax description/Tax description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Text. Content
368	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Language. Identifier
369	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax registration type code/ Tax registration type code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
370	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Organisation name		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/Text. Content
371	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Language of the party code/Language code content		0 .. 1	<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/Language. Identifier
372	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Carrier party information/Organisation legal		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/County code			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text/Text. Content
373	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/City name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text/Text. Content
374	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/City code	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier/ Identifier. Content
375	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Post office box number	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
376	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Postal code	1 .. 1		Postal. Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content
377	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Province identity	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code/Code. Content
378	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/State	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content
379	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Carrier party	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Street address one			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text/Text. Content
380	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Street address two	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text/Text. Content
381	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Street address three	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text/Text. Content
382	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Country code/Country code content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
383	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 1		Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier/Identifier. Content <b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code. Content
384	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Legal structure description/Language code/Language code content	0 .. 1		<b>Code List. Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code List. Agency. Identifier
385	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier/Identifier. Content
386	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Despatch advice/Carrier party information/Organisation legal	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Registered legal information/Legal registration type code/Legal registration type code content			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code/Code. Content
387	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Global location number GLN <i>GS1 General Specifications:</i> The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
388	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Additional party identification information/Additional party identification content		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
389	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/City name		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text/Text. Content
390	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Freight forwarder party		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)

Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.

Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/City code			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier/Identifier. Content
391	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/County code	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text/Text. Content
392	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Party name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Name. Text/Text. Content
393	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Post office box number	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content
394	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Freight forwarder party	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Postal code			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code/Code. Content
395	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Province identity	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content
396	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/State	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
397	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Street address one	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text/Text. Content
398	BDT00000130	.. 200	0 .. 1	<b>Street address two</b>	1 .. 1		<b>Text. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Street address two			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text/Text. Content
399	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Street address three	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text/Text. Content
400	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/ Country code/Country code content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier/Identifier. Content
401	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/ Geographical coordinates information/ Latitude	1 .. 1		<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
 Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
402	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Geographical coordinates information/Longitude	1 .. 1	1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Logistics_Location/Logistics_Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure/Measure. Content
403	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Person name	1 .. 1	1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text/Text. Content
404	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Department name	1 .. 1	1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text/Text. Content
405	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact	1 .. 1	1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Job title			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text/Text. Content
406	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Contact type code/Contact type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
407	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Text. Content
408	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Language. Identifier
409	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Freight forwarder party	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel code/Communication channel code content			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code/Code. Content
410	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier/Identifier. Content
411	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Communication information/Communication channel name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text/Text. Content
412	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/After hours communication information/Communication channel code/Communication channel code	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			Trade_Party. Defined. Trade_Contact/Trade_Contact. Type. Code/Code. Content
413	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/After hours communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Identification. Identifier/Identifier. Content
414	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax authority name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
415	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Identification. Identifier/Identifier. Content
416	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax registration	0 .. 1		<b>Identification Scheme. Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Identification scheme information/Identification scheme name			Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
417	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
418	BDT000000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier
419	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax type code/Tax type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
420	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax description/Tax description content	1 .. 1		Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content  <b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Text. Content
421	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Language. Identifier
422	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
423	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Despatch advice/Freight forwarder party	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Organisation name			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/Text. Content
424	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Language of the party code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/Language. Identifier
425	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/County code	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text/Text. Content
426	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/City name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
427	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/City code	1 .. 1		City Name. Text/Text. Content <b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier/Identifier. Content
428	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Post office box number	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content
429	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Postal code	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code/Code. Content
430	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/Province identity			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content
431	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/State	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
432	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Street address one	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text/Text. Content
433	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Street address two	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text/Text. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
434	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Street address three	1 .. 1	1	Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text/Text. Content <b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text/Text. Content
435	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Country code/Country code content	1 .. 1	1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier/Identifier. Content
436	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Legal structure description/ Legal structure description content	1 .. 1	1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code. Content
437	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal	0 .. 1	0	<b>Code List. Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Legal structure description/ Language code/Language code content			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code List. Agency. Identifier
438	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier/Identifier. Content
439	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code/Code. Content
440	BDT000000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Referenced promotional deal information/Entity identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Promotional Deal. Referenced_ Document/ Referenced_ Document. Issuer Assigned_ Identification.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
 Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
441	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Referenced promotional deal information/Business document creation date time		1 .. 1	<b>Identifier/Identifier. Content</b> <b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Promotional Deal. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
442	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Referenced promotional deal information/Revision number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Promotional Deal. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
443	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Referenced promotional deal information/Document line number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Promotional Deal. Referenced_ Document/Referenced_ Document. Line. Identifier/Identifier. Content
444	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Referenced promotional deal information/Referenced document external location		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Promotional Deal. Referenced_ Document/Referenced_ Document. URL_ Identification. Identifier/

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
445	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Referenced promotional deal information/Document content owner/Global location number GLN  <i>GS1 General Specifications:</i> The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Promotional Deal. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
446	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification content		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Promotional Deal. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
447	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content		0 .. 1	<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Promotional Deal. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
448	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Referenced invoice document information/Entity		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Invoice_ Associated. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
449	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Referenced invoice document information/Business document creation date time	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Invoice_ Associated. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
450	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Referenced invoice document information/Revision number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Invoice_ Associated. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
451	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Referenced invoice document information/Referenced document external location	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Invoice_ Associated. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier/Identifier. Content
452	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Referenced invoice document information/Document line number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Invoice_ Associated. Referenced_ Document/Referenced_ Document. Line. Identifier/Identifier. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
453	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Referenced invoice document information/Document content owner/Global location number GLN  <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Invoice_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
454	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Invoice_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
455	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Invoice_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
456	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Referenced order response document information/Entity identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
457	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Referenced order response document information/ Business document creation date time		1 .. 1	Identifier/Identifier. Content <b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/ Referenced_ Document. Receipt. Date Time/Date Time. Content
458	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Referenced order response document information/ Revision number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/ Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
459	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Referenced order response document information/ Document line number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/ Referenced_ Document. Line. Identifier/Identifier. Content
460	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Referenced order response document information/ Referenced document external location		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/ Referenced_ Document. URI_ Identification. Identifier/ Identifier. Content
461	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Referenced order		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				response document information/ Document content owner/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/ Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
462	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Referenced order response document information/ Document content owner/Additional party identification information/ Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/ Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
463	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Referenced order response document information/ Document content owner/Additional party identification information/ Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/ Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
464	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Referenced delivery note document information/Entity identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/ Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
 Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
465	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Referenced delivery note document information/Business document creation date time		1 .. 1	<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
466	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Referenced delivery note document information/Revision number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
467	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Referenced delivery note document information/Referenced document external location		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier/Identifier. Content
468	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Referenced delivery note document information/Document line number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Line. Identifier/Identifier. Content
469	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Referenced delivery note document information/Document content owner/Global location number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>			Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
470	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path: Despatch advice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification content</i>	1 .. 1		<b>Identifier. Content</b> <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content</i>
471	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path: Despatch advice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content</i>	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier</i>
472	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path: Despatch advice/Referenced delivery schedule information/Entity identification</i>	1 .. 1		<b>Identifier. Content</b> <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Shipment Schedule. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content</i>
473	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path: Despatch advice/Referenced delivery schedule information/Business</i>	1 .. 1		<b>Date Time. Content</b> <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.</i>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				document creation date time			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Shipment Schedule. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
474	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Referenced delivery schedule information/Revision number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Shipment Schedule. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
475	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Referenced delivery schedule information/Referenced document external location		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Shipment Schedule. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier/Identifier. Content
476	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Referenced delivery schedule information/Document line number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Shipment Schedule. Referenced_ Document/Referenced_ Document. Line. Identifier/Identifier. Content
477	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Referenced delivery schedule information/Document content owner/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1</i>		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Shipment Schedule. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Company Prefix, location reference, and check digit.</i>			
478	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Referenced delivery schedule information/Document content owner/Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Shipment Schedule. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
479	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Referenced delivery schedule information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Shipment Schedule. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
480	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Referenced contract information/Entity identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Contract. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
481	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Referenced contract information/Business document creation date time	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Contract. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
482	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Referenced contract information/Revision number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Contract. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
483	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Referenced contract information/Referenced document external location	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Contract. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier/Identifier. Content
484	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Referenced contract information/Document line number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Contract. Referenced_ Document/Referenced_ Document. Line. Identifier/Identifier. Content
485	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Referenced contract information/Document content owner/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Contract. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
486	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b>	1 .. 1		<b>Identifier. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Referenced contract information/Document content owner/Additional party identification information/Additional party identification content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Contract. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
487	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Referenced contract information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Contract. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
488	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Referenced blanket order document information/Entity identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
489	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Referenced blanket order document information/Business document creation date time	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
490	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Referenced blanket order document information/Revision	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				number			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
491	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Referenced blanket order document information/Referenced document external location	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier/Identifier. Content
492	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Referenced blanket order document information/Document line number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Line. Identifier/Identifier. Content
493	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Referenced blanket order document information/Document content owner/Global location number GLN  <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
494	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Referenced blanket order document information/Document content owner/Additional party	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification content			Agreement. Additional. Referenced_Document/Referenced_Document. Issuer. Trade_Party/Trade_Party. Identification. Identifier/Identifier. Content
495	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Referenced blanket order document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_Document/Referenced_Document. Issuer. Trade_Party/Trade_Party. Identification. Identifier/Identification Scheme Agency. Identifier
496	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Entity identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_Document/Referenced_Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
497	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Business document creation date time	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_Document/Referenced_Document. Receipt. Date Time/Date Time. Content
498	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Revision number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_Document/Referenced_Document. Revision_ Identification.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
499	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Referenced document external location	1 .. 1		Identifier/Identifier. Content <b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier/Identifier. Content
500	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Document line number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Line. Identifier/Identifier. Content
501	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Document content owner/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
502	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Document content owner/Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
503	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Party. Identification. Identifier/Identifier. Content <b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
504	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Referenced product certification information/Entity identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Certification Evidence_ Reference. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
505	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Referenced product certification information/Entity identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
506	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Referenced product certification information/Business document creation date time	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Certification Evidence_ Reference. Referenced_ Document/Referenced_ Document. Receipt. Date Time/

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
507	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Referenced product certification information/Business document creation date time		1 .. 1	Date Time. Content <b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
508	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Referenced product certification information/Revision number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Certification Evidence_ Reference. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
509	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Referenced product certification information/Revision number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
510	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Referenced product certification information/Referenced document external location		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Certification Evidence_ Reference. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier/Identifier. Content

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
511	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Referenced product certification information/Referenced document external location	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier/Identifier. Content
512	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Referenced product certification information/Document line number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Certification Evidence_ Reference. Referenced_ Document/Referenced_ Document. Line. Identifier/Identifier. Content
513	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Referenced product certification information/Document line number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Line. Identifier/Identifier. Content
514	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Referenced product certification information/Document content owner/Global location number GLN  <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Certification Evidence_ Reference. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)

Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.

Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
515	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Referenced product certification information/Document content owner/Global location number GLN  <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
516	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Referenced product certification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Certification Evidence_ Reference. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
517	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Referenced product certification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
518	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Referenced product certification information/Document content owner/Additional party	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification type code/Additional party identification type code content			Certification Evidence_ Reference. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
519	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Referenced product certification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
520	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Referenced purchase order document information/Entity identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
521	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Referenced purchase order document information/Business document creation date time	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
522	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Referenced purchase order document information/Revision number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
523	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Referenced purchase order document information/Referenced document external location	1 .. 1		Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content <b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier/Identifier. Content
524	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Referenced purchase order document information/Document line number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Line. Identifier/Identifier. Content
525	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Referenced purchase order document information/Document content owner/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
526	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Referenced purchase order document information/Document content owner/Additional party identification information/Additional	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
527	BDT00000570	.. 80	1 .. 1	party identification content <b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Referenced purchase order document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Party. Identification. Identifier/Identifier. Content <b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
528	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Referenced returns instruction information/Entity identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
529	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Referenced returns instruction information/Business document creation date time	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
530	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Referenced returns instruction information/Revision number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
	BDT00000049						

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
531		.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Referenced returns instruction information/Document line number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Line. Identifier/Identifier. Content
532	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Referenced returns instruction information/Referenced document external location	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier/Identifier. Content
533	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Referenced returns instruction information/Document content owner/Global location number GLN  <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
534	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Referenced returns instruction information/Document content owner/Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
	BDT00000570						

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
535		.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Referenced returns instruction information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
536	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Referenced technical specification information/Entity identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
537	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Referenced technical specification information/Business document creation date time	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
538	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Referenced technical specification information/Revision number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
539	BDT00000049	.. 6	0 .. 1	<b>Document line number</b>	1 .. 1		<b>Identifier. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Referenced technical specification information/Document line number			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Line. Identifier/Identifier. Content
540	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Referenced technical specification information/Referenced document external location		0 .. 1	<b>Identification Scheme. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. URL_ Identification. Identifier/Identification Scheme. Identifier
541	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Referenced technical specification information/Document content owner/Global location number GLN  <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
542	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Referenced technical specification information/Document content owner/Additional party identification information/Additional party identification content		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
543	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b>		0 .. 1	<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Referenced technical specification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
544	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Referenced transport instruction information/Entity identification		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
545	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Referenced transport instruction information/Business document creation date time		1 .. 1	<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
546	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Referenced transport instruction information/Revision number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
547	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Referenced transport instruction information/Document line number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
548	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Referenced transport instruction information/Referenced document external location	1 .. 1		Document. Line. Identifier/Identifier. Content <b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier/Identifier. Content
549	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Referenced transport instruction information/Document content owner/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
550	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Referenced transport instruction information/Document content owner/Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
551	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Referenced transport instruction information/Document content owner/Additional party identification information/Additional	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
552	BDT00000063	13 .. 13	0 .. 1	party identification type code/Additional party identification type code content <b>Global location number, GLN</b> <i>Path:</i> Despatch advice/Goods receiving party information/Global location number, GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>		1 .. 1	Identification. Identifier/Identification Scheme Agency. Identifier <b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Global Identification. Identifier/Identifier. Content
553	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Additional party identification information/Additional party identification content		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
554	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Additional party identification information/Additional party identification type code/Additional party identification type code content		0 .. 1	<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
555	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Goods receiving party information/Address information/City name		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text/Text.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
556	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Goods receiving party information/Address information/City code	1 .. 1		<b>Content</b> <b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier/Identifier. Content
557	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Goods receiving party information/Address information/County code	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text/Text. Content
558	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Party name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Name. Text/Text. Content
559	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Post office box number	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content
560	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Goods receiving party	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Postal code			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code/Code. Content
561	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Province identity	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content
562	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Goods receiving party information/Address information/State	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
563	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Street address one	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text/Text. Content
564	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Street address two	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Postal.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Trade_ Address/Trade_ Address. Line Two. Text/Text. Content
565	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Street address three	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text/Text. Content
566	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Address information/ Country code/Country code content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier/ Identifier. Content
567	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Despatch advice/Goods receiving party information/Address information/ Geographical coordinates information/ Latitude	1 .. 1		<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure/Measure. Content
568	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Despatch advice/Goods receiving party information/Address information/ Geographical coordinates information/ Longitude	1 .. 1		<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
569	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Person name	1 .. 1		Coordinate. Longitude. Measure/Measure. Content <b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text/Text. Content
570	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Department name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text/Text. Content
571	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Job title	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text/Text. Content
572	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Contact type code/Contact type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
573	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description</b>	1 .. 1		<b>Text. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Business contact responsibility description/Business contact responsibility description content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Text. Content
574	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Business contact responsibility description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Language. Identifier
575	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code/Code. Content
576	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier/Identifier. Content
577	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b>	1 .. 1		<b>Text. Content</b>

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Communication information/Communication channel name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text/Text. Content
578	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
579	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/After hours communication information/Communication channel identification		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier/Identifier. Content
580	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax authority name		0 .. 1	<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
581	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Despatch advice/Goods receiving party		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax registration identification information/Tax registration identification content			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identifier. Content
582	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	0 .. 1		<b>Identification Scheme. Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
583	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
584	BDTG00000586		0 .. 1	<b>Identification scheme responsible agency code</b> <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier
585	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax type code/Tax type code content			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
586	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax description/Tax description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Text. Content
587	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Language. Identifier
588	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
589	BDT00000370	.. 80	0 .. 1	<b>Customs authority name</b> <i>Path:</i> Despatch advice/Goods receiving party	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs duty registration information/Customs authority name			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
590	BDT00000622	.. 200	1 .. 1	<b>Customs registration identification content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identifier. Content
591	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	0 .. 1		<b>Identification Scheme. Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
592	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
593	BDT000000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Despatch advice/Goods receiving party	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier
594	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Tax type code/Tax type code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
595	BDT00000563	.. 70	1 .. 1	<b>Customs duty description content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs duty description/ Customs duty description content		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Text. Content
596	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs duty description/ Language code/Language code content		0 .. 1	<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Language. Identifier

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
597	BDT00000624	.. 80	1 .. 1	<b>Customs registration type code content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
598	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Organisation name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/Text. Content
599	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Language of the party code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/Language. Identifier
600	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/County code	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text/Text. Content
601	BDT00000020	.. 200	0 .. 1	<b>City name</b>	1 .. 1		<b>Text. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/City name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text/Text. Content
602	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/City code		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier/ Identifier. Content
603	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Post office box number		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content
604	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Postal code		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code/Code. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
605	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Province identity	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content
606	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/State	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
607	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Street address one	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text/Text. Content
608	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Street address two	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two.

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
609	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Street address three	1 .. 1	1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text/Text. Content
610	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Country code/Country code content	1 .. 1	1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier/Identifier. Content
611	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Legal structure description/ Legal structure description content	1 .. 1	1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code. Content
612	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Legal structure description/ Language code/Language code content	0 .. 1	0 .. 1	<b>Code List. Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code List. Agency. Identifier

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
613	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier/Identifier. Content
614	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code/Code. Content
615	BDT000000455		0 .. 1	<b>Actual ship date time</b> <i>Path:</i> Despatch advice/Goods delivery dates information/Actual ship date time	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate Ship To Delivery. Date Time/Date Time. Content
616	BDT000000456		0 .. 1	<b>Despatch date time</b> <i>Path:</i> Despatch advice/Goods delivery dates information/Despatch date time	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Despatch. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time/Date Time. Content
617	BDT000000457		0 .. 1	<b>Estimated delivery date time</b> <i>Path:</i> Despatch advice/Goods delivery dates	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Estimated delivery date time			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Planned_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time/Date Time. Content
618	BDT00000459		0 .. 1	<b>Goods loading date time</b> <i>Path:</i> Despatch advice/Goods delivery dates information/Goods loading date time		1 .. 1	<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Loading. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time/Date Time. Content
619	BDT00000460		0 .. 1	<b>Goods pick up date time</b> <i>Path:</i> Despatch advice/Goods delivery dates information/Goods pick up date time		1 .. 1	<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Confirmed_ Pick-Up. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Date Time/Date Time. Content
620	BDT00000461		0 .. 1	<b>Seller released goods date time</b> <i>Path:</i> Despatch advice/Goods delivery dates information/Seller released goods date time		1 .. 1	<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Confirmed_ Release. Supply Chain_ Event/ Supply Chain_ Event. Occurrence. Date Time/Date Time. Content
621	BDT00000009		0 .. 1	<b>Begin period date</b> <i>Path:</i> Despatch advice/Goods delivery dates information/Estimated delivery period/ Begin period date		0 .. 1	<b>Specified_ Period. Start. Date Time</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Planned_ Delivery. Supply Chain_ Event/Supply

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
622	BDT00000010		0 .. 1	<b>Begin time period</b> <i>Path:</i> Despatch advice/Goods delivery dates information/Estimated delivery period/Begin time period		0 .. 1	Chain_ Event. Occurrence. Specified_ Period/Specified_ Period. Start. Date Time <b>Specified_ Period. Start. Date Time</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Planned_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Specified_ Period/Specified_ Period. Start. Date Time
623	BDT00000054		0 .. 1	<b>End date period</b> <i>Path:</i> Despatch advice/Goods delivery dates information/Estimated delivery period/End date period		0 .. 1	<b>Specified_ Period. End. Date Time</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Planned_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Specified_ Period/Specified_ Period. End. Date Time
624	BDT00000055		0 .. 1	<b>End time period</b> <i>Path:</i> Despatch advice/Goods delivery dates information/Estimated delivery period/End time period		0 .. 1	<b>Specified_ Period. End. Date Time</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Planned_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Specified_ Period/Specified_ Period. End. Date Time
625	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Referenced additional information/Business document creation date time		1 .. 1	<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
626	BDT00000135	.. 200	1 .. 1	<b>Business document reference identification</b>		1 .. 1	<b>Identifier. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Referenced additional information/Business document reference identification			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/ Identifier. Content
627	BDT00000699	.. 80	1 .. 1	<b>Referenced document type code content</b> <i>Path:</i> Despatch advice/Referenced additional information/Referenced document type code/Referenced document type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Type. Code/Code. Content
628	BDT00000799	.. 80	0 .. 1	<b>Transport means name</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Specified. Logistics_ Transport Movement/Logistics_ Transport Movement. Used. Logistics_ Transport Means/Logistics_ Transport Means. Name. Text/Text. Content
629	BDT00000687	.. 80	1 .. 1	<b>Transport means type code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means type code/Transport means type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Specified. Logistics_ Transport Movement/Logistics_ Transport Movement. Used. Logistics_ Transport Means/Logistics_ Transport Means. Type. Code/Code. Content
630	BDT00000625	.. 80	0 .. 1	<b>Transport means identification content</b>	1 .. 1		<b>Identifier. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Despatch advice transport information/Transport means identification/Transport means identification content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Specified. Logistics_ Transport Movement/Logistics_ Transport Movement. Used. Logistics_ Transport Means/Logistics_ Transport Means. Identification. Identifier/Identifier. Content
631	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Specified. Logistics_ Transport Movement/Logistics_ Transport Movement. Used. Logistics_ Transport Means/Logistics_ Transport Means. Identification. Identifier/Identification Scheme Agency. Identifier
632	BDT00000688	.. 80	1 .. 1	<b>Transport mode code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Transport mode code/Transport mode code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Specified. Logistics_ Transport Movement/Logistics_ Transport Movement. Mode. Code/Code. Content
633	BDT00000626	.. 80	1 .. 1	<b>Transport route identification content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Transport route identification/Transport route identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Specified. Logistics_ Transport Movement/Logistics_ Transport Movement. Mode. Code/Code. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
634	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Entity identification		1 .. 1	Chain_ Consignment. Specified. Logistics_ Transport Movement/Logistics_ Transport Movement. Identification. Identifier/Identifier. Content <b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Associated. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
635	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Business document creation date time		1 .. 1	<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Associated. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
636	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Revision number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Associated. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
637	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Referenced document external location			Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Associated. Referenced_Document/Referenced_Document. URI_ Identification. Identifier/Identifier. Content
638	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Document line number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Associated. Referenced_Document/Referenced_Document. Line. Identifier/Identifier. Content
639	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Document content owner/Global location number GLN  <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Associated. Referenced_Document/Referenced_Document. Issuer. Trade_Party/Trade_Party. Global_ Identification. Identifier/Identifier. Content
640	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Associated. Referenced_Document/Referenced_Document. Issuer. Trade_Party/Trade_Party. Identification. Identifier/Identifier.

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Content
641	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
642	BDT00000802	.. 500	0 .. 1	<b>Carrier track and trace URL</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Carrier track and trace information/Carrier track and trace URL	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier Assigned. Identifier/Identifier. Content
643	BDT00000803	.. 80	0 .. 1	<b>Package tracking number</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Carrier track and trace information/Package tracking number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier Assigned. Identifier/Identifier. Content
644	BDT00000493	4 .. 30	0 .. 1	<b>Global identification number for consignment, GINC</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Consignment identification information/Global identification number for consignment, GINC	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Included. Supply Chain_ Consignment Item/Supply Chain_ Consignment Item.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>GS1 General Specifications: The GS1 identification key used to identify a logical grouping of logistic units that are assembled to be transported under one transport document (e.g., waybill). The key comprises a GS1 Company Prefix and the freight forwarder's or carrier's transport reference.</i>			Global_ Identification. Identifier/Identifier. Content
645	BDT00000004	.. 80	1 .. 1	<b>Additional consignment identification content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Consignment identification information/Additional consignment identification information/Additional consignment identification content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Included. Supply Chain_ Consignment Item/Supply Chain_ Consignment Item. Global_ Identification. Identifier/Identification Scheme Agency. Identifier
646	BDT000000649		1 .. 1	<b>Incoterms code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Incoterms code/Incoterms code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Delivery Type. Code/Code. Content
647	BDT00000535	.. 80	1 .. 1	<b>Alternative delivery terms code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Alternative delivery terms code/Alternative delivery terms code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Delivery Type. Code/Code. Content
648	BDT00000022	.. 80	0 .. 1	<b>Code description</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms	0 .. 1		<b>Code List. Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Alternative delivery terms code/Code description			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Delivery Type. Code/Code List. Agency. Identifier
649	BDT00000641	.. 70	1 .. 1	<b>Delivery instructions description content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery instructions description/Delivery instructions description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Description. Text/Text. Content
650	BDT00000641	.. 70	1 .. 1	<b>Delivery instructions description content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery instructions description/Delivery instructions description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Delivery. Delivery_ Instructions/ Delivery_ Instructions. Description. Text/Text. Content
651	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery instructions description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Description. Text/Language. Identifier
652	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery instructions description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Delivery. Delivery_ Instructions/ Delivery_ Instructions. Description. Text/Language. Identifier

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
653	BDT00000088	.. 80	0 .. 1	<b>Logistics location name</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Logistics location name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Relevant. Trade_ Location/Trade_ Location. Name. Text/Text. Content
654	BDT00000690	.. 80	1 .. 1	<b>United Nations location code, UN/LOCODE content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/UN location code, UN/ LOCODE/United Nations location code, UN/LOCODE content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Relevant. Trade_ Location/Trade_ Location. Country. Identifier/Identifier. Content
655	BDT00000627	.. 80	1 .. 1	<b>Physical location identification content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Additional physical location identification/Physical location identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Relevant. Trade_ Location/Trade_ Location. Identification. Identifier/Identifier. Content
656	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Identification	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Relevant. Trade_ Location/Trade_ Location. Identification. Identifier/Identification Scheme Agency. Identifier

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme responsible agency code content			
657	BDT00000744	.. 70	1 .. 1	<b>Specific instructions location description content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Specific instructions location description/Specific instructions location description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Relevant. Trade_ Location/Trade_ Location. Name. Text/Text. Content
658	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Specific instructions location description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Applicable. Trade_ Delivery Terms/Trade_ Delivery Terms. Relevant. Trade_ Location/Trade_ Location. Name. Text/Language. Identifier
659	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/City name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City Name. Text/Text. Content
660	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/City code	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Logistics_ Location/

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
661	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/County code	1 .. 1		Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City. Identifier/Identifier. Content <b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text/Text. Content
662	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Party name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Logistics_ Location/Logistics_ Location. Name. Text/Text. Content
663	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Post office box number	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content
664	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Postal code	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Logistics_ Location/

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
665	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Province identity	1 .. 1		Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Postcode. Code/Code. Content <b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content
666	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/State	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
667	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Street address one	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Requested_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line One. Text/Text. Content
668	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Street address two			Delivery. Requested_Delivery. Supply Chain_Event/Supply Chain_Event. Occurrence. Logistics_Location/Logistics_Location. Postal. Trade_Address/Trade_Address. Line Two. Text/Text. Content
669	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Street address three	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Requested_Delivery. Supply Chain_Event/Supply Chain_Event. Occurrence. Logistics_Location/Logistics_Location. Postal. Trade_Address/Trade_Address. Line Three. Text/Text. Content
670	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Address information/Country code/Country code content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Requested_Delivery. Supply Chain_Event/Supply Chain_Event. Occurrence. Logistics_Location/Logistics_Location. Postal. Trade_Address/Trade_Address. Country. Identifier/Identifier. Content
671	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Person name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Related. Supply Chain_Consignment/Supply Chain_Consignment. Transport. Transport_Service/Transport_Service. Responsible. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Person Name. Text/Text. Content
672	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Despatch advice/Despatch advice	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transport information/Driver contact information/Department name			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Responsible. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text/Text. Content
673	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Job title	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Responsible. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text/Text. Content
674	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Contact type code/Contact type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Responsible. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
675	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Business contact responsibility description/Business	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				contact responsibility description content			Transport_ Service. Responsible. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Text. Content
676	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Business contact responsibility description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Responsible. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Language. Identifier
677	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Communication information/Communication channel code/Communication channel code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Responsible. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code/Code. Content
678	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Responsible. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
679	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Communication channel name	0 .. 1		Communication. URI. Identifier/Identifier. Content <b>Code List. Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Responsible. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code/Code List. Agency. Identifier
680	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Responsible. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
681	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/After hours communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Responsible. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier/Identifier. Content
682	BDT00000112	.. 70	1 .. 1	<b>Person name</b>	1 .. 1		<b>Text. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Person name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Responsible. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text/Text. Content
683	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Person name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Requester. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text/Text. Content
684	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Department name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Requester. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text/Text. Content
685	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Job title	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Requester. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text/Text. Content
686	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Contact type code/Contact type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Requester. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
687	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Requester. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Text. Content
688	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Business contact responsibility description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Requester. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Language. Identifier

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
689	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Communication information/Communication channel code/Communication channel code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Requester. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code/Code. Content
690	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Communication information/Communication channel identification		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Requester. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier/Identifier. Content
691	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Communication information/Communication channel name		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Requester. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text/Text. Content
692	BDT00000525		1 .. 1	<b>Communication channel code content</b>		1 .. 1	<b>Code. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/After hours communication information/Communication channel code/Communication channel code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Requester. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
693	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/After hours communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Requester. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier/Identifier. Content
694	BDT00000112	.. 70	1 .. 1	<b>Person name</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Person name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Transport_ Service/Transport_ Service. Requester. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text/Text. Content
695	BDT00000500	4 .. 30	0 .. 1	<b>Global shipment identification number, GSIN</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Shipment identification/Global shipment	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification number, GSIN <i>GS1 General Specifications: The GS1 identification key used to identify a logical grouping of logistic or transport units that are assembled by the consignor (seller) for a transport shipment from that consignor to one consignee (buyer) referencing a despatch advice (and/or bill of lading). The key comprises a GS1 Company Prefix, shipper reference and check digit.</i>			Chain_ Consignment. Transport. Logistics_ Package/ Logistics_ Package. Global_ Identification. Identifier/ Identifier. Content
696	BDT00000517	.. 80	1 .. 1	<b>Additional shipment identification content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Shipment identification/Additional shipment identification information/Additional shipment identification content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Logistics_ Package/ Logistics_ Package. Global_ Identification. Identifier/ Identification Scheme Agency. Identifier
697	BDT00000515	.. 80	1 .. 1	<b>Additional shipment identification type code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Shipment identification/Additional shipment identification information/Additional shipment identification type code/ Additional shipment identification type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Transport. Logistics_ Package/ Logistics_ Package. Type. Code/Code. Content
698	BDT00000834	.. 80	1 .. 1	<b>Transport seal identification content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal	1 .. 1		<b>Indicator. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification/Transport seal identification content			Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Utilized. Logistics_ Transport Equipment/Logistics_ Transport Equipment. Sealed. Indicator/Indicator. Content
699	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal identification/Identification scheme information/Identification scheme name	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Utilized. Logistics_ Transport Equipment/Logistics_ Transport Equipment. Affixed. Logistics_ Seal/Logistics_ Seal. Identification. Identifier/ Identifier. Content
700	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Utilized. Logistics_ Transport Equipment/Logistics_ Transport Equipment. Affixed. Logistics_ Seal/Logistics_ Seal. Identification. Identifier/ Identification Scheme Agency. Identifier
701	BDT00000835	.. 80	1 .. 1	<b>Transport seal type code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal type code/ Transport seal type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Utilized. Logistics_ Transport Equipment/Logistics_ Transport Equipment. Affixed. Logistics_ Seal/Logistics_ Seal. Type. Code/Code.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
702	BDT00000839	.. 80	1 .. 1	<b>Transport seal affixing party role code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal affixing party role code/Transport seal affixing party role code content	1 .. 1		Content <b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Utilized. Logistics_ Transport Equipment/Logistics_ Transport Equipment. Affixed. Logistics_ Seal/Logistics_ Seal. Sealing Party Role. Code/Code. Content
703	BDT00000841	.. 80	1 .. 1	<b>Transport seal condition code content</b> <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal condition code/Transport seal condition code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Utilized. Logistics_ Transport Equipment/Logistics_ Transport Equipment. Affixed. Logistics_ Seal/Logistics_ Seal. Condition. Code/Code. Content
704	BDT00000066	14 .. 14	1 .. 1	<b>Global trade item number, GTIN</b> <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Trade item identification information/Global trade item number, GTIN  <i>GS1 General Specifications: The GS1 identification key used to identify trade items. The key comprises a GS1 Company Prefix, an item reference and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Global Identification. Identifier/Identifier. Content
705	BDT00000516	.. 80	1 .. 1	<b>Additional trade item identification content</b> <i>Path:</i> Despatch advice/Despatch advice total	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipment information/Despatch advice total trade item information/Trade item identification information/Additional trade item identification information/Additional trade item identification content			Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Identification. Identifier/Identifier. Content
706	BDT00000746	.. 70	1 .. 1	<b>Measurement value content</b> <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Physical measurement information/Measurement value/Measurement value content		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Linear. Spatial_ Dimension/Spatial_ Dimension. Value. Measure/Measure. Content
707	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Physical measurement information/Measurement value/Measurement unit code/Measurement unit code content	1 .. 3	0 .. 1	<b>Measure Unit. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Linear. Spatial_ Dimension/Spatial_ Dimension. Value. Measure/Measure Unit. Code
708	BDT00000666	.. 80	1 .. 1	<b>Measurement type code content</b> <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Physical measurement information/Measurement type code/Measurement type code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Type. Code/Code. Content
709	BDT00000666	.. 80	1 .. 1	<b>Measurement type code content</b> <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Physical measurement information/Measurement		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Linear. Spatial_ Dimension/Spatial_ Dimension. Type. Code/Code.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				type code/Measurement type code content			Content
710	BDT00000810		0 .. 1	<b>Total package quantity</b> <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Total package quantity		1 .. 1	<b>Quantity. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Item. Quantity/Quantity. Content
711	BDT00000664	.. 80	1 .. 1	<b>Package type code content</b> <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Package type code/Package type code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Type. Code/Code. Content
712	BDT00000752		1 .. 1	<b>Trade item volume content</b> <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Total gross volume information/Trade item volume content		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Gross Volume. Measure/Measure. Content
713	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Total gross volume information/Measurement unit code/Measurement unit code content	1 .. 3	0 .. 1	<b>Measure Unit. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Gross Volume. Measure/Measure Unit. Code
714	BDT00000728		1 .. 1	<b>Trade item weight content</b> <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Total gross weight information/Trade item weight content		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Gross Weight. Measure/Measure. Content
715	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b>	1 .. 3	0 .. 1	<b>Measure Unit. Code</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Total gross weight information/Measurement unit code/Measurement unit code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Gross Weight. Measure/Measure Unit. Code
716	BDT00000814		0 .. 1	<b>Total returnable packaging quantity</b> <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Total returnable packaging quantity		1 .. 1	<b>Quantity. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Used. Supply Chain_ Packaging/Supply Chain_ Packaging. Total Unit. Quantity/Quantity. Content
717	BDT00000818	.. 80	1 .. 1	<b>Packaging condition code content</b> <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Packaging condition code/Packaging condition code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Used. Supply Chain_ Packaging/Supply Chain_ Packaging. Applicable. Returnable Asset_ Instructions/Returnable Asset_ Instructions. Terms And Conditions_ Description. Code/Code. Content
718	BDT00000743	.. 80	1 .. 1	<b>Additional returnable asset identification content</b> <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification content		1 .. 1	<b>Indicator. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Used. Supply Chain_ Packaging/Supply Chain_ Packaging. Returnable. Indicator/Indicator. Content
719	BDT00000458		0 .. 1	<b>Estimated delivery date time at ultimate consignee</b>		1 .. 1	<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Estimated delivery date time at ultimate consignee			Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Planned Ship To_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time/Date Time. Content
720	BDT00000764	.. 80	0 .. 1	<b>Structure level identification number</b> <i>Path:</i> Despatch advice/Logistics unit information/Structure level identification number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Associated. Document Line_ Document/Document Line_ Document. Line. Identifier/Identifier. Content
721	BDT00000765	.. 6	0 .. 1	<b>Logistics unit hierarchical level identification number</b> <i>Path:</i> Despatch advice/Logistics unit information/Logistics unit hierarchical level identification number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Parent Identification. Identifier/Identifier. Content
722	BDT00000851		0 .. 1	<b>Logistic units quantity</b> <i>Path:</i> Despatch advice/Logistics unit information/Logistic units quantity	1 .. 1		<b>Quantity. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Per Package_ Unit. Quantity/Quantity. Content
723	BDT00000664	.. 80	1 .. 1	<b>Package type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Package type code/ Package type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Type. Code/ Code. Content
724	BDT00000664	.. 80	1 .. 1	<b>Package type code content</b>	1 .. 1		<b>Code. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Child package type code/Package type code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Type. Code/Code. Content
725	BDT00000855	.. 80	1 .. 1	<b>Additional logistic unit identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit identification information/Additional logistic unit identification information/Additional logistic unit identification content		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Identification. Identifier/Identifier. Content
726	BDT00000661		1 .. 1	<b>Depth measurement content</b> <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Logistic unit measurements information/Depth measurement/Depth measurement content		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Linear. Spatial_ Dimension/Spatial_ Dimension. Length. Measure/Measure. Content
727	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Logistic unit measurements information/Depth measurement/Measurement unit code/Measurement unit code content	1 .. 3	0 .. 1	<b>Measure Unit. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Linear. Spatial_ Dimension/Spatial_ Dimension. Length. Measure/Measure Unit. Code
728	BDT00000650		1 .. 1	<b>Height measurement content</b> <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Logistic unit measurements information/Height measurement/Height		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Linear. Spatial_ Dimension/Spatial_ Dimension. Height. Measure/

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				measurement content			Measure. Content
729	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Logistic unit measurements information/Height measurement/Measurement unit code/Measurement unit code content	1 .. 3	0 .. 1	<b>Measure Unit. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Linear. Spatial_ Dimension/Spatial_ Dimension. Height. Measure/Measure Unit. Code
730	BDT00000662		1 .. 1	<b>Width measurement content</b> <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Logistic unit measurements information/Width measurement/Width measurement content		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Linear. Spatial_ Dimension/Spatial_ Dimension. Width. Measure/Measure. Content
731	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Logistic unit measurements information/Width measurement/Measurement unit code/Measurement unit code content	1 .. 3	0 .. 1	<b>Measure Unit. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Linear. Spatial_ Dimension/Spatial_ Dimension. Width. Measure/Measure Unit. Code
732	BDT00000746	.. 70	1 .. 1	<b>Measurement value content</b> <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Physical measurement information/Measurement value/Measurement value content		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Linear. Spatial_ Dimension/Spatial_ Dimension. Value. Measure/Measure. Content
733	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions	1 .. 3	0 .. 1	<b>Measure Unit. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified.

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Physical measurement information/Measurement value/ Measurement unit code/Measurement unit code content			Logistics_ Package/Logistics_ Package. Linear. Spatial_ Dimension/Spatial_ Dimension. Value. Measure/Measure Unit. Code
734	BDT00000666	.. 80	1 .. 1	<b>Measurement type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Physical measurement information/Measurement type code/ Measurement type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Linear. Spatial_ Dimension/Spatial_ Dimension. Type. Code/Code. Content
735	BDT00000814		0 .. 1	<b>Total returnable packaging quantity</b> <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Total returnable packaging quantity	1 .. 1		<b>Quantity. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Item. Quantity/ Quantity. Content
736	BDT00000818	.. 80	1 .. 1	<b>Packaging condition code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Packaging condition code/ Packaging condition code content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Used. Supply Chain_ Packaging/Supply Chain_ Packaging. Applicable. Returnable Asset_ Instructions/Returnable Asset_ Instructions. Terms And Conditions_ Description. Text/ Text. Content
737	BDT00000065	.. 29	0 .. 1	<b>Global returnable asset identifier, GRAI</b> <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Returnable asset identification information/Global returnable asset identifier, GRAI	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Global_ Identification. Identifier/Identifier. Content
738	BDT00000743	.. 80	1 .. 1	<b>Additional returnable asset identification</b>	1 .. 1		<b>Identifier. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>content</b> <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Identification. Identifier/Identifier. Content
739	BDT00000802	.. 500	0 .. 1	<b>Carrier track and trace URL</b> <i>Path:</i> Despatch advice/Logistics unit information/Carrier track and trace information/Carrier track and trace URL		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier/Identifier. Content
740	BDT00000803	.. 80	0 .. 1	<b>Package tracking number</b> <i>Path:</i> Despatch advice/Logistics unit information/Carrier track and trace information/Package tracking number		0 .. 1	<b>Identification Scheme. Version. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier/Identification Scheme. Version. Identifier
741	BDT00000855	.. 80	1 .. 1	<b>Additional logistic unit identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Parent logistic unit identification information/Additional logistic unit identification information/Additional logistic unit identification content		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Parent_ Identification. Identifier/Identifier. Content
742	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b>		1 .. 1	<b>Identifier. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Global location number GLN <i>GS1 General Specifications:</i> The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier/Identifier. Content
743	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Additional party identification information/Additional party identification content		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/ Identifier. Content
744	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Additional party identification type code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Type. Code/Code. Content
745	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/City name		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text/Text. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
746	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/City code	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier/Identifier. Content
747	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/County code	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text/Text. Content
748	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Party name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Name. Text/Text. Content
749	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Post office box number	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
750	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Postal code	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code/Code. Content
751	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Province identity	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content
752	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/State	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
753	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Street address one	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text/Text.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
754	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Street address two	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text/Text. Content
755	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Street address three	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text/Text. Content
756	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/ Country code/Country code content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier/ Identifier. Content
757	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/ Geographical coordinates information/ Latitude	1 .. 1		<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
758	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Geographical coordinates information/Longitude	1 .. 1		Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure/Measure. Content <b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure/Measure. Content
759	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Person name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text/Text. Content
760	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Department name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text/Text. Content
761	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Job title			Logistics_Package/Logistics_Package. Despatch Note_ Associated. Referenced_Document/Referenced_Document. Issuer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text/Text. Content
762	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Contact type code/Contact type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_Package/Logistics_Package. Despatch Note_ Associated. Referenced_Document/Referenced_Document. Issuer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Type. Code/Code. Content
763	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_Package/Logistics_Package. Despatch Note_ Associated. Referenced_Document/Referenced_Document. Issuer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Responsibility. Text/Text. Content
764	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Business contact responsibility description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_Package/Logistics_Package. Despatch Note_ Associated. Referenced_Document/Referenced_Document. Issuer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Responsibility. Text/ Language. Identifier
765	BDT00000525		1 .. 1	<b>Communication channel code content</b>	1 .. 1		<b>Code. Content</b>

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code/Code. Content
766	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier/Identifier. Content
767	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Communication information/Communication channel name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text/Text. Content
768	BDT000000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/After hours communication	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication channel code/Communication channel code content			Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
769	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier/Identifier. Content
770	BDT000000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax authority name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
771	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier/Identifier. Content
772	BDT000000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration	0 .. 1		<b>Identification Scheme. Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration identification information/Identification scheme information/Identification scheme name			Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
773	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
774	BDT000000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier
775	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax type code/Tax type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
776	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax description/Tax description content	1 .. 1		<b>Content</b> <b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Text. Content
777	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/ Language. Identifier
778	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
779	BDT00000370	.. 80	0 .. 1	<b>Customs authority name</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party	0 .. 1		<b>Identification Scheme. Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs duty registration information/Customs authority name			Logistics_Package/Logistics_Package. Despatch Note_ Associated. Referenced_Document/Referenced_ Document. Issuer. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
780	BDT00000622	.. 200	1 .. 1	<b>Customs registration identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_Package/Logistics_Package. Despatch Note_ Associated. Referenced_Document/Referenced_ Document. Issuer. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Identification. Identifier/Identifier. Content
781	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	0 .. 1		<b>Identification Scheme. Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_Package/Logistics_Package. Despatch Note_ Associated. Referenced_Document/Referenced_ Document. Issuer. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
782	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		<b>Identification Scheme. Agency Name. Text</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_Package/Logistics_Package. Despatch Note_ Associated. Referenced_Document/Referenced_ Document. Issuer. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
783	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b>	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme Agency. Identifier
784	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Tax type code/Tax type code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
785	BDT00000563	.. 70	1 .. 1	<b>Customs duty description content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs duty description/ Customs duty description content		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/Text. Content
786	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration		0 .. 1	<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs duty description/ Language code/Language code content			Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text/ Language. Identifier
787	BDT00000624	.. 80	1 .. 1	<b>Customs registration type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration type code/Customs registration type code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code/Code. Content
788	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Organisation name		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/ Text. Content
789	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Language of the party code/Language code content		0 .. 1	<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text/ Language. Identifier
790	BDT00000034	.. 80	0 .. 1	<b>County code</b>		1 .. 1	<b>Text. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/County code			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text/Text. Content
791	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/City name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text/Text. Content
792	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/City code	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier/Identifier. Content
793	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Post office box number	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
794	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Postal code	1 .. 1		Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content <b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code/Code. Content
795	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Province identity	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content
796	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/State	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
797	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Logistics unit	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Organisation legal information/Official address/Street address one			Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_Document/Referenced_ Document. Issuer. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_ Address/Trade_Address. Line One. Text/Text. Content
798	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Street address two	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_Document/Referenced_ Document. Issuer. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_ Address/Trade_Address. Line Two. Text/Text. Content
799	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Street address three	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_Document/Referenced_ Document. Issuer. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_ Address/Trade_Address. Line Three. Text/Text. Content
800	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Country code/Country code content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_Document/Referenced_ Document. Issuer. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_ Address/Trade_Address. Country. Identifier/Identifier. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
801	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Legal structure description/ Legal structure description content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code. Content
802	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Legal structure description/ Language code/Language code content	0 .. 1		<b>Code List. Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code/Code List. Agency. Identifier
803	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration number	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier/Identification Scheme Agency. Identifier
804	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration type	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Specified. Logistics_ Package/Logistics_ Package. Despatch Note_ Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Legal registration type code content			Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code/ Code. Content
805	BDT00000049	.. 6	0 .. 1	<b>Business document line item number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Business document line item number	1 .. 1		<b>Document Line_ Document. Line. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Associated. Document Line_ Document/Document Line_ Document. Line. Identifier
806	BDT00000049	.. 6	0 .. 1	<b>Business document line item number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Business document line item number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Associated. Document Line_ Document/Document Line_ Document. Line. Identifier/Identifier. Content
807	BDT000000460		0 .. 1	<b>Goods pick up date time</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Goods pick up date time	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Actual_ Pick-Up. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time/Date Time. Content
808	BDT000000566		1 .. 1	<b>Total requested quantity content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Total requested quantity/Total requested quantity content	1 .. 1		<b>Quantity. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Order. Quantity/Quantity. Content
809	BDT000000607	.. 80	1 .. 1	<b>Measurement unit code content</b>	1 .. 3	0 .. 1	<b>Quantity Unit. Code</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Total requested quantity/Measurement unit code/Measurement unit code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Order. Quantity/Quantity Unit. Code
810	BDT00000868		1 .. 1	<b>Despatched quantity content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched quantity/Despatched quantity content		1 .. 1	<b>Quantity. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatched. Quantity/Quantity. Content
811	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched quantity/Measurement unit code/Measurement unit code content	1 .. 3	0 .. 1	<b>Quantity Unit. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatched. Quantity/Quantity Unit. Code
812	BDT00000875		1 .. 1	<b>Actual processed quantity content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Actual processed quantity/Actual processed quantity content		1 .. 1	<b>Quantity. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatched. Quantity/Quantity. Content
813	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Actual processed quantity/Measurement unit code/Measurement unit code content	1 .. 3	0 .. 1	<b>Quantity Unit. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatched. Quantity/Quantity Unit. Code
814	BDT00000872		1 .. 1	<b>Country of last processing code content</b>		1 .. 1	<b>Identifier. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Country of last processing code/Country of last processing code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Confirmed_ Release. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Logistics_ Location/Logistics_ Location. Country. Identifier/Identifier. Content
815	BDT00000572		1 .. 1	<b>Country of origin code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Country of origin code/Country of origin code content		0 .. 1	<b>Trade_ Country. Identification. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Origin. Trade_ Country/Trade_ Country. Identification. Identifier
816	BDT00000647	.. 80	1 .. 1	<b>Handling instruction code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Handling instruction code/Handling instruction code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Specified. Handling_ Instructions/Handling_ Instructions. Handling. Code/Code. Content
817	BDT00000877		1 .. 1	<b>Duty fee tax liability code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Duty fee tax liability code/Duty fee tax liability code content		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Type. Text/Text. Content
818	BDT00000880	.. 80	1 .. 1	<b>Inventory status type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Inventory status type code/Inventory		0 .. 1	<b>Logistics_ Status. Condition. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)

Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.

Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				status type code content			Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Reported. Logistics_ Status/ Logistics_ Status. Condition. Code
819	BDT00000596		1 .. 1	<b>Total line item gross monetary amount content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Total line item gross monetary amount/Total line item gross monetary amount content		1 .. 1	<b>Amount. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade Settlement Line_ Monetary Summation/Trade Settlement Line_ Monetary Summation. Net_ Line Total. Amount/Amount. Content
820	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Total line item gross monetary amount/ Currency code/Currency code content		0 .. 1	<b>Amount Currency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade Settlement Line_ Monetary Summation/Trade Settlement Line_ Monetary Summation. Net_ Line Total. Amount/Amount Currency. Identifier
821	BDT00000670	.. 70	1 .. 1	<b>Notation content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Notation/Notation content		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Associated. Document Line_ Document/Document Line_ Document. Included. Note/Note. Content. Text/Text. Content
822	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/		0 .. 1	<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Notation/Language code/Language code content			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Associated. Document Line_ Document/Document Line_ Document. Included. Note/Note. Content. Text/ Language. Identifier
823	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Person name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text/Text. Content
824	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/ Department name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text/Text. Content
825	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Job title	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text/Text. Content
826	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				accounting contact information/Contact type code/Contact type code content			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
827	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Business contact responsibility description/Business contact responsibility description content		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Text. Content
828	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Business contact responsibility description/Language code/Language code content		0 .. 1	<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Language. Identifier
829	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Communication information/Communication channel code/Communication channel code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code/Code. Content
830	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b>		1 .. 1	<b>Identifier. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Communication information/Communication channel identification			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier/Identifier. Content
831	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Communication information/Communication channel name		0 .. 1	<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier/Identification Scheme Agency. Identifier
832	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/After hours communication information/Communication channel code/Communication channel code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
833	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/After hours communication information/Communication channel identification		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
834	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Coupon clearing house identification information/Global location number GLN <i>GS1 General Specifications:</i> The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.			Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier/Identifier. Content <b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
835	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Coupon clearing house identification information/Additional party identification information/Additional party identification content		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
836	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Coupon clearing house identification information/Additional party identification information/Additional party identification type code/Additional party identification type code content		0 .. 1	<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
837	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Account holder identification information/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
838	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Account holder identification information/Additional party identification information/Additional party identification content		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
839	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Account holder identification information/Additional party identification information/Additional party identification type code/Additional party identification type code content		0 .. 1	<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
840	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document information/Entity identification		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
841	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document information/Business document creation date time		1 .. 1	<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
842	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document information/Revision number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
843	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document information/Referenced document external location		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier/Identifier. Content
844	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document information/Document line number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Line. Identifier/Identifier. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
845	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document information/Document content owner/Global location number GLN <i>GS1 General Specifications:</i> The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
846	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
847	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
848	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Logistics unit	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Referenced promotional deal information/Entity identification			Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Promotional Deal. Referenced_ Document/ Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
849	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced promotional deal information/Business document creation date time		1 .. 1	<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Promotional Deal. Referenced_ Document/ Referenced_ Document. Receipt. Date Time/Date Time. Content
850	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced promotional deal information/Revision number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Promotional Deal. Referenced_ Document/ Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
851	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced promotional deal information/Document line number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Promotional Deal. Referenced_ Document/ Referenced_ Document. Line. Identifier/Identifier. Content
852	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Logistics unit		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Referenced promotional deal information/Referenced document external location			Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Promotional Deal. Referenced_ Document/ Referenced_ Document. URI_ Identification. Identifier/ Identifier. Content
853	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced promotional deal information/Document content owner/ Global location number GLN  <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Promotional Deal. Referenced_ Document/ Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
854	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced promotional deal information/Document content owner/ Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Promotional Deal. Referenced_ Document/ Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
855	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced promotional deal information/Document content owner/	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Promotional Deal. Referenced_ Document/

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional party identification information/Additional party identification type code/Additional party identification type code content			Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
856	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced contract information/Entity identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Contract. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
857	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced contract information/Business document creation date time	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Contract. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
858	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced contract information/Revision number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Contract. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
859	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Referenced contract information/ Referenced document external location			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Contract. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier/Identifier. Content
860	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced contract information/Document line number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Contract. Referenced_ Document/Referenced_ Document. Line. Identifier/Identifier. Content
861	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced contract information/Document content owner/Global location number GLN  <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Contract. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
862	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced contract information/Document content owner/Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Contract. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
863	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced contract information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Contract. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
864	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced additional information/Business document creation date time	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
865	BDT00000135	.. 200	1 .. 1	<b>Business document reference identification</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced additional information/Business document reference identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
866	BDT00000699	.. 80	1 .. 1	<b>Referenced document type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced additional information/Referenced document type code/	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Referenced document type code content			Agreement. Additional. Referenced_ Document/Referenced_ Document. Type. Code/Code. Content
867	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Entity identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
868	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Business document creation date time	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
869	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Revision number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
870	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Document line number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Line. Identifier/Identifier. Content
871	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Logistics unit	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Referenced end customer information/ Referenced document external location			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier/Identifier. Content
872	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced end customer information/ Document content owner/Global location number GLN  <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
873	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced end customer information/ Document content owner/Additional party identification information/ Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
874	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced end customer information/ Document content owner/Additional party identification information/ Additional party identification type	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Additional party identification type code content			
875	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced delivery note document information/Entity identification		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/ Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
876	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced delivery note document information/Business document creation date time		1 .. 1	<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/ Referenced_ Document. Receipt. Date Time/Date Time. Content
877	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced delivery note document information/Revision number		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/ Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
878	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced delivery note document information/Referenced document external location		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/ Referenced_ Document. URI_ Identification. Identifier/ Identifier. Content
	BDT00000049						

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
879		.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced delivery note document information/Document line number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Line. Identifier/Identifier. Content
880	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced delivery note document information/Document content owner/Global location number GLN <i>GS1 General Specifications:</i> The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
881	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
882	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced delivery note document information/Document content owner/	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional party identification information/Additional party identification type code/Additional party identification type code content			Party. Identification. Identifier/Identification Scheme Agency. Identifier
883	BDT00000941		0 .. 1	<b>First available delivery date time</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatch advice quantity variance information/First available delivery date time		1 .. 1	<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Formatted_ Ultimate Ship To Delivery. Date Time/Date Time. Content
884	BDT00000923	.. 80	1 .. 1	<b>Variance reason type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatch advice quantity variance information/Variance reason type code/Variance reason type code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Quantity Variation_ Type. Code/Code. Content
885	BDT00000928	.. 80	1 .. 1	<b>Remaining quantity status code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatch advice quantity variance information/Remaining quantity status code/Remaining quantity status code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Quantity Variation_ Reason. Code/Code. Content
886	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Item owner identification information/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical</i>		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>			
887	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Item owner identification information/Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
888	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Item owner identification information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
889	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of last processing information/Party identification information/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
890	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b>	1 .. 1		<b>Identifier. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Party identification information/Additional party identification/Additional party identification content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
891	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Party identification information/Additional party identification/Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
892	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Language of the party code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Name. Text/Language. Identifier
893	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/City name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Text/Text. Content
894	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/City code	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier/ Identifier. Content
895	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/County code	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text/Text. Content
896	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/Party name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Name. Text/Text. Content
897	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/Post office box number	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
898	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of last processing information/Address information/Postal code	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code/Code. Content
899	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of last processing information/Address information/Province identity	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content
900	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of last processing information/Address information/State	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
901	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of last processing information/Address information/Street address one	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
902	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/Street address two	1 .. 1		Postal. Trade_ Address/Trade_ Address. Line One. Text/Text. Content
903	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/Street address three	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text/Text. Content
904	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/ Country code/Country code content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier/Identifier. Content
905	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/	1 .. 1		<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Geographical coordinates information/ Latitude			Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure/Measure. Content
906	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/ Geographical coordinates information/ Longitude	1 .. 1		<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure/Measure. Content
907	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Person name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text/Text. Content
908	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Department name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text/Text. Content
909	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Despatch advice/Logistics unit	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Location of last processing information/Business contact information/Job title			Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text/Text. Content
910	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Contact type code/Contact type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/ Code. Content
911	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Text. Content
912	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Business contact responsibility description/Language	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Language code content			Text/Language. Identifier
913	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code/Code. Content
914	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier/Identifier. Content
915	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Communication information/Communication channel name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text/Text. Content
916	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Location of last processing information/Business contact information/After hours communication information/Communication channel code/Communication channel code content			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
917	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of last processing information/Business contact information/After hours communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier/Identifier. Content
918	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of origin information/Party identification information/Global location number GLN  <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
919	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of origin information/Party identification information/Additional party identification/Additional party	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Global_

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification content			Identification. Identifier/Identification Scheme Agency. Identifier
920	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Party identification information/Additional party identification/Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
921	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Language of the party code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Name. Text/ Language. Identifier
922	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/City name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text/Text. Content
923	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/City code	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Postal. Trade_

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
924	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/County code	1 .. 1		Address/Trade_ Address. City. Identifier/Identifier. Content <b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text/ Text. Content
925	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Party name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Name. Text/ Text. Content
926	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Post office box number	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text/Text. Content
927	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Postal code	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Postal. Trade_

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
928	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of origin information/Address information/Province identity	1 .. 1	1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier/Identifier. Content
929	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of origin information/Address information/State	1 .. 1	1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text/Text. Content
930	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of origin information/Address information/Street address one	1 .. 1	1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text/Text. Content
931	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of origin information/Address information/Street address two	1 .. 1	1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text/Text. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
932	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Street address three	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text/Text. Content
933	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Country code/Country code content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier/Identifier. Content
934	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Geographical coordinates information/Latitude	1 .. 1		<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure/Measure. Content
935	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Geographical coordinates information/Longitude	1 .. 1		<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Geographical Coordinate/Geographical Coordinate. Longitude. Measure/Measure. Content
936	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Person name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text/Text. Content
937	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Department name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text/Text. Content
938	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Job title	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text/Text. Content
939	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Contact type code/	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Contact type code content			Manufacturer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
940	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/Text. Content
941	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Business contact responsibility description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text/ Language. Identifier
942	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Communication channel information/Communication channel code/Communication channel code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code/Code. Content
943	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Logistics unit	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Location of origin information/Business contact information/Communication information/Communication channel identification			Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier/Identifier. Content
944	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Communication information/Communication channel name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text/Text. Content
945	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
946	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/After hours communication information/ Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier/

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
947	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Original supplier information/Global location number GLN <i>GS1 General Specifications:</i> The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Additional_ Reference. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content
948	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Original supplier information/Additional party identification/Additional party identification content		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Additional_ Reference. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
949	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Original supplier information/Additional party identification/Additional party identification type code/Additional party identification type code content		0 .. 1	<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Additional_ Reference. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
950	BDT00000903	.. 80	0 .. 1	<b>Marking text content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/		1 .. 1	<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Logistic unit packaging marking information/Marking text content			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Physical. Referenced_ Logistics_ Package/Referenced_ Logistics_ Package. Physical. Logistics_ Shipping Marks/Logistics_ Shipping Marks. Marking. Text/Text. Content
951	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced product certification information/Entity identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Certification Evidence_ Reference. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
952	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced product certification information/Business document creation date time	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Certification Evidence_ Reference. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
953	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced product certification information/Revision number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Certification Evidence_ Reference. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
954	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Logistics unit	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Referenced product certification information/Referenced document external location			Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Certification Evidence_ Reference. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier/Identifier. Content
955	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced product certification information/Document line number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Certification Evidence_ Reference. Referenced_ Document/Referenced_ Document. Line. Identifier/ Identifier. Content
956	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced product certification information/Document content owner/ Global location number GLN  <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Certification Evidence_ Reference. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/ Identifier. Content
957	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced product certification information/Document content owner/ Additional party identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Certification Evidence_ Reference. Referenced_

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional party identification content			Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
958	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced product certification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Certification Evidence_ Reference. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
959	BDT00000493	4 .. 30	0 .. 1	<b>Global identification number for consignment, GINC</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced consignment information/Global identification number for consignment, GINC  <i>GS1 General Specifications: The GS1 identification key used to identify a logical grouping of logistic units that are assembled to be transported under one transport document (e.g., waybill). The key comprises a GS1 Company Prefix and the freight forwarder's or carrier's transport reference.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Associated. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier/Identifier. Content
960	BDT00000004	.. 80	1 .. 1	<b>Additional consignment identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Referenced consignment information/ Additional consignment identification information/Additional consignment identification content			Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
961	BDT00000487	.. 80	1 .. 1	<b>Additional consignment identification type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced consignment information/ Additional consignment identification information/Additional consignment identification type code/Additional consignment identification type code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Associated. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
962	BDT00000066	14 .. 14	1 .. 1	<b>Global trade item number, GTIN</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Requested trade item identification information/Global trade item number, GTIN  <i>GS1 General Specifications: The GS1 identification key used to identify trade items. The key comprises a GS1 Company Prefix, an item reference and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Global_ Identification. Identifier/Identifier. Content
963	BDT00000516	.. 80	1 .. 1	<b>Additional trade item identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Requested trade item identification information/Additional trade item	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional trade item identification content			Identification. Identifier/Identifier. Content
964	BDT00000518	.. 80	1 .. 1	<b>Additional trade item identification type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Requested trade item identification information/Additional trade item identification information/Additional trade item identification type code/Additional trade item identification type code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Identification. Identifier/Identification Scheme Agency. Identifier
965	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced technical specification information/Entity identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
966	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced technical specification information/Business document creation date time	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
967	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Referenced technical specification information/Revision number			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier/Identifier. Content
968	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced technical specification information/Document line number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Line. Identifier/Identifier. Content
969	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced technical specification information/Referenced document external location	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier/Identifier. Content
970	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced technical specification information/Document content owner/Global location number GLN <i>GS1 General Specifications:</i> The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier/Identifier. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
971	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced technical specification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identifier. Content
972	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced technical specification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme Agency. Identifier
973	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced additional information/Business document creation date time	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/Referenced_ Document. Receipt. Date Time/Date Time. Content
974	BDT00000135	.. 200	1 .. 1	<b>Business document reference identification</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced additional information/Business document reference	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification			Agreement. Additional. Referenced_ Document/ Referenced_ Document. Issuer Assigned_ Identification. Identifier/Identifier. Content
975	BDT00000699	.. 80	1 .. 1	<b>Referenced document type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced additional information/ Referenced document type code/ Referenced document type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Additional. Referenced_ Document/ Referenced_ Document. Type. Code/Code. Content
976	BDT00000066	14 .. 14	0 .. 1	<b>Global trade item number, GTIN</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Global trade item number, GTIN <i>GS1 General Specifications: The GS1 identification key used to identify trade items. The key comprises a GS1 Company Prefix, an item reference and check digit.</i>	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Global_ Identification. Identifier/Identifier. Content
977	BDT00000678		1 .. 1	<b>Trade item quantity content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Trade item quantity/Trade item quantity content	1 .. 1		<b>Quantity. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatched. Quantity/Quantity. Content
978	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Trade item quantity/Measurement unit code/Measurement unit code content	1 .. 3	0 .. 1	<b>Quantity Unit. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatched. Quantity/Quantity Unit. Code

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
979	BDT00000684	.. 70	1 .. 1	<b>Trade item description content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item description/Trade item description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Description. Text/Text. Content
980	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Description. Text/Language. Identifier
981	BDT00000656	.. 80	1 .. 1	<b>Item type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Item type code/Item type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Type. Code/Code. Content
982	BDT00000700	.. 80	1 .. 1	<b>Trade item transactional data owner code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item transactional data owner code/Trade item transactional data owner code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Relevant. Trade_ Party/Trade_ Party. Type. Code/Code. Content
983	BDT00000008	.. 80	0 .. 1	<b>Batch number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dynamic trade item information/Batch number			Item. Specified. Trade_ Product/Trade_ Product. Individual. Trade_ Product Instance/Trade_ Product Instance. Batch_ Identification. Identifier/Identifier. Content
984	BDT00000011		0 .. 1	<b>Best before date</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Best before date		1 .. 1	<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Individual. Trade_ Product Instance/Trade_ Product Instance. Best Before. Date Time/Date Time. Content
985	BDT00000572		1 .. 1	<b>Country of origin code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Country of origin/Country of origin code content		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Individual. Trade_ Product Instance/Trade_ Product Instance. Production. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Logistics_ Location/Logistics_ Location. Country. Identifier/Identifier. Content
986	BDT00000057		0 .. 1	<b>Expiration date</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Expiration date		1 .. 1	<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Individual. Trade_ Product Instance/Trade_ Product Instance. Expiry. Date Time/Date Time. Content
987	BDT00000104		0 .. 1	<b>Packaging date</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/		1 .. 1	<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dynamic trade item information/ Packaging date			Item. Specified. Trade_ Product/Trade_ Product. Individual. Trade_ Product Instance/Trade_ Product Instance. Packaging. Supply Chain_ Event/Supply Chain_ Event. Time_ Occurrence. Date Time/Date Time. Content
988	BDT00000116		0 .. 1	<b>Production date</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/ Production date	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Individual. Trade_ Product Instance/Trade_ Product Instance. Production. Supply Chain_ Event/Supply Chain_ Event. Time_ Occurrence. Date Time/Date Time. Content
989	BDT00000120		0 .. 1	<b>Sell by date</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Sell by date	1 .. 1		<b>Date Time. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Individual. Trade_ Product Instance/Trade_ Product Instance. Sell By. Date Time/Date Time. Content
990	BDT00000121	.. 20	0 .. unbounded	<b>Serial number</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Serial number	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Individual. Trade_ Product Instance/Trade_ Product Instance. Serial_ Identification. Identifier/Identifier. Content
991	BDT00000095		0 .. 1	<b>Number of layers</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/	1 .. 1		<b>Quantity. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dynamic trade item information/Logistic unit packaging pattern information/ Number of layers			Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Content Layer. Quantity/Quantity. Content
992	BDT00000096		0 .. 1	<b>Number of units per layer</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Number of units per layer		1 .. 1	<b>Quantity. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Layer_ Total Unit. Quantity/Quantity. Content
993	BDT00000091		1 .. 1	<b>Maximum stacking factor</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Maximum stacking factor		1 .. 1	<b>Quantity. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Maximum Stackability. Quantity/Quantity. Content
994	BDT00000663	.. 80	1 .. 1	<b>Packaging terms and conditions code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Packaging terms and conditions code/ Packaging terms and conditions code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Condition. Code/Code. Content
995	BDT00000664	.. 80	1 .. 1	<b>Package type code content</b>		1 .. 1	<b>Code. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Package type code/Package type code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Type. Code/Code. Content
996	BDT00000661		1 .. 1	<b>Depth measurement content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Depth measurement/Depth measurement content		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Length. Measure/Measure. Content
997	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Depth measurement/Measurement unit code/Measurement unit code content	1 .. 3	0 .. 1	<b>Measure Unit. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Length. Measure/Measure Unit. Code
998	BDT00000650		1 .. 1	<b>Height measurement content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Height.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Logistic unit dimensions information/ Height measurement/Height measurement content			Measure/Measure. Content
999	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Height measurement/Measurement unit code/Measurement unit code content	1 .. 3	0 .. 1	<b>Measure Unit. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Height. Measure/Measure Unit. Code
100	BDT00000662		1 .. 1	<b>Width measurement content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Width measurement/Width measurement content		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Width. Measure/Measure. Content
100	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Width measurement/Measurement unit code/Measurement unit code content	1 .. 3	0 .. 1	<b>Measure Unit. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Width. Measure/Measure Unit. Code
100	BDT00000695		1 .. 1	<b>Product quality value content</b>		1 .. 1	<b>Quantity. Content</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Product quality value/Product quality value content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Package. Quantity/Quantity. Content
100	BDT00000678		1 .. 1	<b>Trade item quantity content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item quantity/Trade item quantity content		1 .. 1	<b>Quantity. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Order. Quantity/Quantity. Content
100	BDT00000728		1 .. 1	<b>Trade item weight content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Gross Weight. Measure/Measure. Content
100	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item weight information/Measurement unit code/Measurement unit code content	1 .. 3	0 .. 1	<b>Measure Unit. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Gross Weight. Measure/Measure Unit. Code
100	BDT00000666	.. 80	1 .. 1	<b>Measurement type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
 Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Despatched trade item information/ Dynamic trade item information/Trade item weight information/Measurement type code/Measurement type code content			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Applicable. Product_ Characteristic/Product_ Characteristic. Measurement Method. Code/Code. Content
100	BDT00000752		1 .. 1	<b>Trade item volume content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item volume information/Trade item volume content		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Gross Volume. Measure/Measure. Content
100	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item volume information/Measurement unit code/Measurement unit code content	1 .. 3	0 .. 1	<b>Measure Unit. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Gross Volume. Measure/Measure Unit. Code
100	BDT00000666	.. 80	1 .. 1	<b>Measurement type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item volume information/Measurement type code/Measurement type code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Applicable. Product_ Characteristic/Product_ Characteristic. Measurement Method. Code/Code. Content
101	BDT00000661		1 .. 1	<b>Depth measurement content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Despatched trade item information/ Dynamic trade item information/Trade item measurements information/Depth measurement/Depth measurement content			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Length. Measure/Measure. Content
101	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item measurements information/Depth measurement/Measurement unit code/Measurement unit code content	1 .. 3	0 .. 1	<b>Measure Unit. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Length. Measure/Measure Unit. Code
101	BDT00000650		1 .. 1	<b>Height measurement content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item measurements information/Height measurement/Height measurement content		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Height. Measure/Measure. Content
101	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Measurement unit code content	1 .. 3	0 .. 1	<b>Measure Unit. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Height. Measure/Measure Unit. Code
101	BDT00000662		1 .. 1	<b>Width measurement content</b> <i>Path:</i> Despatch advice/Logistics unit		1 .. 1	<b>Measure. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item measurements information/Width measurement/Width measurement content			Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Width. Measure/Measure. Content
101	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Measurement unit code content	1 .. 3	0 .. 1	<b>Measure Unit. Code</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Width. Measure/Measure Unit. Code
101	BDT00000646	.. 80	1 .. 1	<b>GS1 global trade item number format code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Global trade item number format and type of carrier information/GS1 global trade item number format code/GS1 global trade item number format code content		1 .. 1	<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Global_ Identification. Identifier/Identifier. Content
101	BDT00000736		1 .. 1	<b>Colour code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Trade item colour information/Colour code/Colour code content		1 .. 1	<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Colour. Code/Code. Content
101	BDT00000029	.. 80	1 .. 1	<b>Colour code system code</b>		0 .. 1	<b>Code List. Agency. Identifier</b>

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item colour information/Colour code/Colour code system code			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Colour. Code/Code List. Agency. Identifier
101	BDT00000737	.. 70	1 .. 1	<b>Colour description content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item colour information/Colour description/Colour description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Colour_ Description. Text/Text. Content
102	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item colour information/Colour description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Colour_ Description. Text/Language. Identifier
102	BDT00000679	.. 70	1 .. 1	<b>Size description content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size description/Size description content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Description. Text/Text. Content
102	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size description/Language code/Language	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Description.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code content			Text/Language. Identifier
102	BDT00000680	.. 80	1 .. 1	<b>Size code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size code/Size code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Type. Code/Code. Content
102	BDT00000681	.. 80	1 .. 1	<b>Size code list code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size code/Size code list code/Size code list code content	0 .. 1		<b>Code List. Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Type. Code/Code List. Agency. Identifier
102	BDT00000124	.. 80	0 .. 1	<b>Size code list description</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size code/Size code list description	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Linear. Spatial_ Dimension/Spatial_ Dimension. Description. Text/Text. Content
102	BDT00000910	.. 80	1 .. 1	<b>Dangerous goods United Nations identification content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods United Nations identification/Dangerous goods United Nations identification content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. UNDG Identification. Code/Code. Content

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
102	BDT00000912	.. 70	1 .. 1	<b>Dangerous goods shipping name content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods shipping name/Dangerous goods shipping name content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. Regulation Name. Text/Text. Content
102	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods shipping name/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. Regulation Name. Text/Language. Identifier
102	BDT00000912	.. 70	1 .. 1	<b>Dangerous goods shipping name content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods technical name/Dangerous goods shipping name content	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. Technical Name. Text/Text. Content
103	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dangerous goods technical name/ Language code/Language code content			Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. Technical Name. Text/Language. Identifier
103	BDT00000916	.. 70	1 .. 1	<b>Dangerous goods description content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods description/ Dangerous goods description content	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. Hazard Classification. Identifier/Identifier. Content
103	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods description/Language code/Language code content	0 .. 1		<b>Identification Scheme Agency. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. Hazard Classification. Identifier/Identification Scheme Agency. Identifier
103	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous good handling contact information/Person name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
103	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous good handling contact information/Department name	1 .. 1		Goods/Transport_ Dangerous Goods. Transport Expert. Trade_ Contact/Trade_ Contact. Person Name. Text/Text. Content
103	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous good handling contact information/Job title	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. Transport Expert. Trade_ Contact/Trade_ Contact. Department Name. Text/Text. Content
103	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous good handling contact information/Contact type code/Contact type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. Transport Expert.

Legend: No = Consecutive Number





## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
103	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 1		Trade_Contact/Trade_Contact. Type. Code/Code. Content  <b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. Transport Expert. Trade_Contact/Trade_Contact. Responsibility. Text/Text. Content
103	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Business contact responsibility description/Language code/Language code content	0 .. 1		<b>Language. Identifier</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. Transport Expert. Trade_Contact/Trade_Contact. Responsibility. Text/Language. Identifier
103	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Communication information/Communication channel code/Communication channel code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. Transport Expert. Trade_Contact/Trade_Contact. Telephone. Universal_

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
104	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Communication information/Communication channel identification	1 .. 1		Communication/Universal_ Communication. Channel. Code/Code. Content
104	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Communication information/Communication channel name	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. Transport Expert. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier/Identifier. Content
104	BDT000000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/After hours communication information/Communication channel	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. Transport Expert. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text/Text. Content
104							<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Communication channel code content			Goods/Transport_ Dangerous Goods. Transport Expert. Trade_ Contact/Trade_ Contact. Type. Code/Code. Content
104	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous good handling contact information/After hours communication information/Communication channel identification	1 .. 1		<b>Identifier. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. Transport Expert. Trade_ Contact/Trade_ Contact. Identification. Identifier/ Identifier. Content
104	BDT00000931	.. 70	0 .. 1	<b>Dangerous goods regulation name</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods regulation information/Dangerous goods regulation name	1 .. 1		<b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. Handling. Handling_ Instructions/Handling_ Instructions. Description. Text/Text. Content
104	BDT00000932	.. 70	1 .. 1	<b>Dangerous goods hazard class</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods regulation information/Dangerous goods hazard class	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. Handling.

Legend: No = Consecutive Number



## Mapping

Model: Despatch advice; 1.0; Guide(CIDAMapp)  
Root Element: **Despatch advice**

Model: CIDA SCRDM; GS1; Rel.  
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
104	BDT00000933	.. 70	0 .. 1	<b>Dangerous goods packing group information</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods regulation information/Dangerous goods packing group information	1 .. 1		Handling_ Instructions/Handling_ Instructions. Handling. Code/Code. Content <b>Text. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. Handling. Handling_ Instructions/Handling_ Instructions. Procedure. Text/Text. Content
104	BDT00000921	.. 80	1 .. 1	<b>Dangerous goods regulation type code content</b> <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods regulation information/Dangerous goods regulation type code/Dangerous goods regulation type code content	1 .. 1		<b>Code. Content</b> <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Applicable. Transport_ Dangerous Goods/Transport_ Dangerous Goods. Handling. Handling_ Instructions/Handling_ Instructions. Description. Code/Code. Content

Legend: No = Consecutive Number