



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
001	BDT00000047		1 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Business document creation date time		1 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/creationDateTime
002	BDT00000050		1 .. 1	Business document status code <i>Path:</i> Despatch advice/Business document status code		1 .. 1	documentStatusCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/documentStatusCode
003	BDT00000045		0 .. 1	Business document action code <i>Path:</i> Despatch advice/Business document action code		0 .. 1	documentActionCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/documentActionCode
004	BDT00000046		0 .. 1	Business document standard version <i>Path:</i> Despatch advice/Business document standard version	1 .. 80	0 .. 1	documentStructureVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/documentStructureVersion
005	BDT00000048		0 .. 1	Business document last update date time <i>Path:</i> Despatch advice/Business document last update date time		0 .. 1	lastUpdateDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/lastUpdateDateTime
006	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/revisionNumber
007	BDT00000040		0 .. 1	Date <i>Path:</i> Despatch advice/Business document effective date time/Date		1 .. 1	date <i>Path:</i> despatchAdviceMessage/despatchAdvice/documentEffectiveDate/date
008	BDT00000133		0 .. 1	Time <i>Path:</i> Despatch advice/Business document effective date time/Time		0 .. 1	time <i>Path:</i> despatchAdviceMessage/despatchAdvice/documentEffectiveDate/time
009	BDT00000791	.. 80	1 .. 1	Despatch advice type code content <i>Path:</i> Despatch advice/Despatch Advice type code/Despatch advice type code content	1 .. 80	0 .. 1	despatchAdviceTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTypeCode
010	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Despatch Advice type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTypeCode/@codeListVersion
011	BDT00000796	.. 80	1 .. 1	Delivery type code content <i>Path:</i> Despatch advice/Delivery type code/Delivery type code content	1 .. 80	0 .. 1	deliveryTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryTypeCode
012	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Delivery type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryTypeCode/@codeListVersion
013	BDT00000792	.. 80	0 .. 1	Pickup location rack identification <i>Path:</i> Despatch advice/Pickup location rack identification	1 .. 35	0 .. unbounded	rackIDAtPickUpLocation <i>Path:</i> despatchAdviceMessage/despatchAdvice/rackIDAtPickUpLocation
014	BDT00000794		1 .. 1	Total deposit monetary amount content <i>Path:</i> Despatch advice/Total deposit monetary amount/Total deposit monetary amount content		0 .. unbounded	totalDepositAmount <i>Path:</i> despatchAdviceMessage/despatchAdvice/totalDepositAmount
015	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Total deposit monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/totalDepositAmount/@currencyCode
016	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Total deposit monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/totalDepositAmount/@codeListVersion
017	BDT00000670	.. 70	1 .. 1	Notation content <i>Path:</i> Despatch advice/Notation/Notation content	1 .. 500	0 .. 1	note <i>Path:</i> despatchAdviceMessage/despatchAdvice/note
018	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Notation/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/note/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
019	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Notation/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/note/@codeListVersion
020	BDT00000942		0 .. 1	Message total number of lines <i>Path:</i> Despatch advice/Message total number of lines		0 .. 1	totalNumberOfLines <i>Path:</i> despatchAdviceMessage/despatchAdvice/totalNumberOfLines
021	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced blanket order document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/blanketOrder/entityIdentification
022	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced blanket order document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/blanketOrder/contentOwner/gln
023	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced blanket order document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/blanketOrder/contentOwner/additionalPartyIdentification
024	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced blanket order document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/blanketOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
025	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Referenced blanket order document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/blanketOrder/contentOwner/additionalPartyIdentification/@codeListVersion
026	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced blanket order document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/blanketOrder/creationDateTime
027	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced blanket order document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/blanketOrder/revisionNumber
028	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced blanket order document information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/blanketOrder/lineltemNumber
029	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced blanket order document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/blanketOrder/referencedDocumentUri
030	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Despatch advice/Buyer party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/gln
031	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Buyer party information/Additional party identification information/Additional	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
032	BDT00000570	.. 80	1 .. 1	party identification content Additional party identification type code content <i>Path:</i> Despatch advice/Buyer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
033	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/additionalPartyIdentification/@codeListVersion
034	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Buyer party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/city
035	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Buyer party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/cityCode
036	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Buyer party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/countryCode
037	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
038	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Buyer party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/countyCode
039	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Buyer party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/crossStreet
040	BDT000000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/currencyOfPartyCode
041	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/currencyOfPartyCode/@codeListVersion
042	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/languageOfThePartyCode
043	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/languageOfThePartyCode/@codeListVersion
044	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Buyer party	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Party name			address/name
045	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Buyer party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/pOBoxNumber
046	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Buyer party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/postalCode
047	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Buyer party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/provinceCode
048	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Buyer party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/state
049	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Buyer party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/streetAddressOne
050	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Buyer party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/streetAddressTwo
051	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Buyer party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
052	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Buyer party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/geographicalCoordinates/latitude
053	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Buyer party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/address/geographicalCoordinates/longitude
054	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/contactTypeCode
055	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/personName
056	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/departmentName
057	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/jobTitle
058	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Buyer party	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/responsibility

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Business contact responsibility description/Business contact responsibility description content			
059	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/ responsibility/@languageCode
060	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/ responsibility/@codeListVersion
061	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/ communicationChannel/communicationChannelCode
062	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/ communicationChannel/communicationChannelCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
063	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/communicationChannel/communicationValue
064	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Buyer party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/communicationChannel/communicationChannelName
065	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Buyer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/afterHoursCommunicationChannel/communicationChannelCode
066	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Buyer party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/afterHoursCommunicationChannel/communicationValue
067	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Buyer party information/Business contact information/After hours communication information/Communication channel	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/contact/afterHoursCommunicationChannel/communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
068	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
069	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
070	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
071	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
072	BDT00000028	.. 35	0 .. 1	Identification scheme responsible agency code content Code list version <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
073	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
074	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
075	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
076	BDT00000074	.. 80	0 .. 1	scheme agency name Identification scheme name <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
077	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
078	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
079	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
080	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
081	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
082	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
083	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
084	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxDescription
085	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs duty description/Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxDescription
086	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
087	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Buyer party	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs duty registration information/Customs duty description/ Language code/Language code content			dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
088	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
089	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs duty description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
090	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
091	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
092	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
093	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Buyer party information/Customs duty registration information/Customs registration type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
094	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/organisationName
095	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/issuedCapital
096	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/issuedCapital/@currencyCode
097	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/issuedCapital/@codeListVersion
098	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/legalStructure
099	BDT00000524	.. 80	1 .. 1	Language code content	1 .. 80		languageCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Legal structure description/Language code/Language code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/legalStructure/@languageCode
100	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/legalStructure/@codeListVersion
101	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/city
102	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/cityCode
103	BDT000000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/countryCode
104	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/countryCode/@codeListVersion
105	BDT000000034	.. 80	0 .. 1	County code	1 .. 80	0 .. 1	countyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/County code			<i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/countyCode
106	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/crossStreet
107	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/pOBoxNumber
108	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/postalCode
109	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/provinceCode
110	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/state
111	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Buyer party information/Organisation legal	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/Street address one			
112	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/streetAddressTwo
113	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/streetAddressThree
114	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/geographicalCoordinates/latitude
115	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/officialAddress/geographicalCoordinates/longitude
116	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/legalRegistration/legalRegistrationNumber
117	BDT00000658	.. 80	1 .. 1	Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/legalRegistration/legalRegistrationType
118	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
119	BDT000000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Buyer party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
120	BDT000000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/financialInstitutionName
121	BDT000000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/financialInstitutionBranchName
122	BDT000000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Buyer party	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial account information/Financial account number			financialInstitutionInformation/financialAccount/financialAccountNumber
123	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
124	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
125	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/financialAccount/financialAccountName
126	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
	BDT00000644						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
127		.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
128	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
129	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/additionalFinancialInformation/description
130	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
131		.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
132	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ financialInstitutionInformation/address/city
133	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ financialInstitutionInformation/address/cityCode
134	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ financialInstitutionInformation/address/countryCode
135	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/ financialInstitutionInformation/address/countryCode/ @codeListVersion
136	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Buyer party	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/County code			financialInstitutionInformation/address/countyCode
137	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/crossStreet
138	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/name
139	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/pOBoxNumber
140	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/postalCode
141	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/provinceCode
142	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Buyer party	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/State			financialInstitutionInformation/address/state
143	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/streetAddressOne
144	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/streetAddressTwo
145	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/streetAddressThree
146	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/geographicalCoordinates/latitude
147	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Buyer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/buyer/financialInstitutionInformation/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
148	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Despatch advice/Carrier party information/Global location number, GLN	0 .. 1		gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/gln
149	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Carrier party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/additionalPartyIdentification
150	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Carrier party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
151	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/additionalPartyIdentification/@codeListVersion
152	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Carrier party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/city
153	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Carrier party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/cityCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
154	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Carrier party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/countryCode
155	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/countryCode/@codeListVersion
156	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Carrier party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/countyCode
157	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Carrier party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/crossStreet
158	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/currencyOfPartyCode
159	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/currencyOfPartyCode/@codeListVersion
160	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Language of the party	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/languageOfThePartyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
161	BDT00000028	.. 35	0 .. 1	code/Language code content Code list version <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/languageOfThePartyCode/@codeListVersion
162	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Carrier party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/name
163	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Carrier party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/pOBoxNumber
164	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Carrier party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/postalCode
165	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Carrier party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/provinceCode
166	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Carrier party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/state
167	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Carrier party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
168	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Carrier party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/streetAddressTwo
169	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Carrier party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/streetAddressThree
170	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Carrier party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/geographicalCoordinates/latitude
171	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Carrier party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/address/geographicalCoordinates/longitude
172	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/contactTypeCode
173	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/contactTypeCode/@codeListVersion
174	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Carrier party	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Person name			contact/personName
175	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/ contact/departmentName
176	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/ jobTitle
177	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/ responsibility
178	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/ responsibility/@languageCode
179	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/ responsibility/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
180	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/communicationChannel/communicationChannelCode
181	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/communicationChannel/communicationValue
182	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Carrier party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/communicationChannel/communicationChannelName
183	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Carrier party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/afterHoursCommunicationChannel/communicationChannelCode
184	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Business contact information/After hours communication information/Communication channel	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
185	BDT00000032	.. 200	1 .. 1	code/Communication channel code content/Code list version Communication channel identification <i>Path:</i> Despatch advice/Carrier party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/ contact/afterHoursCommunicationChannel/ communicationValue
186	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Carrier party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/ contact/afterHoursCommunicationChannel/ communicationChannelName
187	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
188	BDT000000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
	BDT000000028						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
189		.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
190	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
191	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
192	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
193	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax type code/Code list	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			@codeListVersion
194	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
195	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription
196	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
197	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
198	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
199	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
200	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/organisationName
201	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/issuedCapital
202	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/issuedCapital/@currencyCode
203	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/issuedCapital/@codeListVersion
204	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/legalStructure
205	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Legal structure description/Language code/Language	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/legalStructure/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
206	BDT000000028	.. 35	0 .. 1	code content Code list version <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/legalStructure/@codeListVersion
207	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/city
208	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/cityCode
209	BDT000000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/countryCode
210	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/countryCode/@codeListVersion
211	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/countyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
212	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/crossStreet
213	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/pOBoxNumber
214	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/postalCode
215	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/provinceCode
216	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/state
217	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/streetAddressOne
218	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Carrier party	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Street address two			organisationDetails/officialAddress/streetAddressTwo
219	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/streetAddressThree
220	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/geographicalCoordinates/latitude
221	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/officialAddress/geographicalCoordinates/longitude
222	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/legalRegistration/legalRegistrationNumber
223	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Registered legal information/Legal registration type	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/legalRegistration/legalRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Legal registration type code content			
224	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
225	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Carrier party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
226	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/financialInstitutionName
227	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/financialInstitutionBranchName
228	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/financialAccount/financialAccountNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
229	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
230	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
231	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/financialAccount/financialAccountName
232	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
233	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Carrier party information/Financial institution and	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			
234	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
235	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/additionalFinancialInformation/description
236	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
237	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Additional financial institution description/	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Language code/Code list version			
238	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/city
239	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/cityCode
240	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/countryCode
241	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/countryCode/@codeListVersion
242	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/countyCode
243	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Carrier party	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Cross street			financialInstitutionInformation/address/crossStreet
244	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/name
245	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/pOBoxNumber
246	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/postalCode
247	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/provinceCode
248	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/state
249	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Carrier party	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Street address one			financialInstitutionInformation/address/streetAddressOne
250	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/streetAddressTwo
251	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/streetAddressThree
252	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/geographicalCoordinates/latitude
253	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Carrier party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/carrier/financialInstitutionInformation/address/geographicalCoordinates/longitude
254	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced contract information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/contract/entityIdentification
255	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced contract		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/contract/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Document content owner/ Global location number GLN			contentOwner/gln
256	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced contract information/Document content owner/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/contract/ contentOwner/additionalPartyIdentification
257	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced contract information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/contract/ contentOwner/additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
258	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced contract information/Document content owner/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/contract/ contentOwner/additionalPartyIdentification/ @codeListVersion
259	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced contract information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/contract/ creationDateTime
260	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced contract information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/contract/ revisionNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
261	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced contract information/Document line number	0 .. 1		lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/contract/lineltemNumber
262	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced contract information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/contract/referencedDocumentUri
263	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced customer document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/customerDocumentReference/entityIdentification
264	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced customer document information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/customerDocumentReference/contentOwner/gln
265	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/customerDocumentReference/contentOwner/additionalPartyIdentification
266	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/customerDocumentReference/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
267	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/customerDocumentReference/contentOwner/additionalPartyIdentification/@codeListVersion
268	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced customer document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/customerDocumentReference/creationDateTime
269	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced customer document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/customerDocumentReference/revisionNumber
270	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced customer document information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/customerDocumentReference/lineltemNumber
271	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced customer document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/customerDocumentReference/referencedDocumentUrl
272	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/declarantsCustomsIdentity/entityIdentification
273	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Document content owner/Global location number		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/declarantsCustomsIdentity/contentOwner/gln

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				GLN			
274	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/declarantsCustomsIdentity/contentOwner/additionalPartyIdentification
275	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/declarantsCustomsIdentity/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
276	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/declarantsCustomsIdentity/contentOwner/additionalPartyIdentification/@codeListVersion
277	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/declarantsCustomsIdentity/creationDateTime
278	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/declarantsCustomsIdentity/revisionNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
279	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Document line number	0 .. 1		lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/declarantsCustomsIdentity/lineltemNumber
280	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced custom declarants identity document/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/declarantsCustomsIdentity/referencedDocumentUri
281	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced delivery note document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryNote/entityIdentification
282	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced delivery note document information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryNote/contentOwner/gln
283	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryNote/contentOwner/additionalPartyIdentification
284	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Additional	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryNote/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
285	BDT00000028	.. 35	0 .. 1	party identification type code content Code list version <i>Path:</i> Despatch advice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryNote/contentOwner/additionalPartyIdentification/@codeListVersion
286	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced delivery note document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryNote/creationDateTime
287	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced delivery note document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryNote/revisionNumber
288	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced delivery note document information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryNote/lineltemNumber
289	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced delivery note document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliveryNote/referencedDocumentUrl
290	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced delivery schedule information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliverySchedule/entityIdentification
291	BDT00000063	13 .. 13	0 .. 1	Global location number GLN		0 .. 1	gln

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Referenced delivery schedule information/Document content owner/Global location number GLN			<i>Path:</i> despatchAdviceMessage/despatchAdvice/deliverySchedule/contentOwner/gln
292	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced delivery schedule information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliverySchedule/contentOwner/additionalPartyIdentification
293	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced delivery schedule information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliverySchedule/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
294	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced delivery schedule information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliverySchedule/contentOwner/additionalPartyIdentification/@codeListVersion
295	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced delivery schedule information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliverySchedule/creationDateTime
296	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced delivery		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
297	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced delivery schedule information/Document line number	0 .. 1		lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliverySchedule/lineltemNumber
298	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced delivery schedule information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/deliverySchedule/referencedDocumentUrl
299	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Business document identification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceIdentification/entityIdentification
300	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Business document identification information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceIdentification/contentOwner/gln
301	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Business document identification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceIdentification/contentOwner/additionalPartyIdentification
302	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Business document identification information/Document content owner/Additional party identification information/Additional	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceIdentification/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification type code/Additional party identification type code content			
303	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceIdentification/contentOwner/additionalPartyIdentification/@codeListVersion
304	BDT00000764	.. 80	0 .. 1	Structure level identification number <i>Path:</i> Despatch advice/Logistics unit information/Structure level identification number		0 .. 1	levelIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/levelIdentification
305	BDT00000765	.. 6	0 .. 1	Logistics unit hierarchical level identification number <i>Path:</i> Despatch advice/Logistics unit information/Logistics unit hierarchical level identification number		0 .. 1	parentLevelIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/parentLevelIdentification
306	BDT00000664	.. 80	1 .. 1	Package type code content <i>Path:</i> Despatch advice/Logistics unit information/Package type code/Package type code content	1 .. 80	0 .. 1	packageTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/packageTypeCode
307	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Package type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/packageTypeCode/@codeListVersion
308	BDT00000851		0 .. 1	Logistic units quantity <i>Path:</i> Despatch advice/Logistics unit information/Logistic units quantity		0 .. 1	quantityOfLogisticUnits <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/quantityOfLogisticUnits
	BDT00000664						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
309		.. 80	1 .. 1	Package type code content <i>Path:</i> Despatch advice/Logistics unit information/Child package type code/Package type code content	1 .. 80	0 .. 1	childPackageTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/childPackageTypeCode
310	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Child package type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/childPackageTypeCode/@codeListVersion
311	BDT00000853		0 .. 1	Children logistic units quantity <i>Path:</i> Despatch advice/Logistics unit information/Children logistic units quantity		0 .. 1	quantityOfChildren <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/quantityOfChildren
312	BDT00000854	14 .. 14	0 .. 1	Serial shipping container code, SSCC <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit identification information/Serial shipping container code, SSCC		0 .. 1	sscc <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitIdentification/sscc
313	BDT00000855	.. 80	1 .. 1	Additional logistic unit identification content <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit identification information/Additional logistic unit identification information/Additional logistic unit identification content	1 .. 80	0 .. unbounded	additionalLogisticUnitIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitIdentification/additionalLogisticUnitIdentification
314	BDT00000856	.. 80	1 .. 1	Additional logistic unit identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit identification information/Additional logistic unit identification information/Additional	1 .. 80		additionalLogisticUnitIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitIdentification/additionalLogisticUnitIdentification/@additionalLogisticUnitIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistic unit identification type code/ Additional logistic unit identification type code content			
315	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit identification information/Additional logistic unit identification information/Additional logistic unit identification type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/logisticUnitIdentification/ additionalLogisticUnitIdentification/@codeListVersion
316	BDTG00000190		1 .. 1	Depth measurement <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Logistic unit measurements information/Depth measurement		1 .. 1	depth <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/logisticUnitMeasurement/ dimension/depth
317	BDTG00000220		1 .. 1	Height measurement <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Logistic unit measurements information/Height measurement		1 .. 1	height <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/logisticUnitMeasurement/ dimension/height
318	BDTG00000360		1 .. 1	Width measurement <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Logistic unit measurements information/Width measurement		1 .. 1	width <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/logisticUnitMeasurement/ dimension/width
319	BDT00000666	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Physical measurement information/Measurement type code/	1 .. 80	1 .. 1	measurementType <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/logisticUnitMeasurement/ unitMeasurement/measurementType

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
320	BDT00000028	.. 35	0 .. 1	Measurement type code content Code list version <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Physical measurement information/Measurement type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitMeasurement/unitMeasurement/measurementType/@codeListVersion
321	BDT00000746	.. 70	1 .. 1	Measurement value content <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Physical measurement information/Measurement value/Measurement value content	1 .. 1		measurementValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitMeasurement/unitMeasurement/measurementValue
322	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Physical measurement information/Measurement value/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitMeasurement/unitMeasurement/measurementValue/@measurementUnitCode
323	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Logistic unit dimensions information/Physical measurement information/Measurement value/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/logisticUnitMeasurement/unitMeasurement/measurementValue/@codeListVersion
324	BDT00000814		0 .. 1	Total returnable packaging quantity <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging	1 .. 1		packagingQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Total returnable packaging quantity			packagingQuantity
325	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Current holder registration information/Tax registration identification content	1 .. 80	0 .. 1	currentHolderRegistration <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/currentHolderRegistration
326	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Current holder registration information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/currentHolderRegistration/@identificationSchemeAgencyCode
327	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Current holder registration information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/currentHolderRegistration/@identificationSchemeAgencyCodeCodeListVersion
328	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Current holder registration information/Identification scheme	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/currentHolderRegistration/@identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Identification scheme agency name			
329	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Current holder registration information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/currentHolderRegistration/@identificationSchemeName
330	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/New holder registration information/Tax registration identification content	1 .. 80	0 .. 1	newHolderRegistration <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/newHolderRegistration
331	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/New holder registration information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/newHolderRegistration/@identificationSchemeAgencyCode
332	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/New holder registration information/Identification scheme information/Identification scheme responsible agency code/Code list	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/newHolderRegistration/@identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
333	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/New holder registration information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/newHolderRegistration/@identificationSchemeAgencyName
334	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/New holder registration information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/newHolderRegistration/@identificationSchemeName
335	BDT00000818	.. 80	1 .. 1	Packaging condition code content <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Packaging condition code/ Packaging condition code content	1 .. 80	0 .. 1	packagingConditionCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/packagingConditionCode
336	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Packaging condition code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/packagingConditionCode/@codeListVersion
337	BDT00000065	.. 29	0 .. 1	Global returnable asset identifier, GRAI <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Returnable asset identification information/Global returnable asset identifier, GRAI		0 .. 1	grai <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/returnableAssetIdentification/grai

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
338	BDT00000743	.. 80	1 .. 1	Additional returnable asset identification content <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification content	1 .. 80	0 .. unbounded	additionalReturnableAssetIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/returnableAssetIdentification/additionalReturnableAssetIdentification
339	BDT00000514	.. 80	1 .. 1	Additional returnable asset identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification type code/Additional returnable asset identification type code content	1 .. 80		additionalReturnableAssetIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/returnableAssetIdentification/additionalReturnableAssetIdentification/@additionalReturnableAssetIdentificationTypeCode
340	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/returnableAssetIdentification/additionalReturnableAssetIdentification/@codeListVersion
341	BDT00000065	.. 29	0 .. 1	Global returnable asset identifier, GRAI <i>Path:</i> Despatch advice/Logistics unit		0 .. 1	grai <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Returnable Packaging information/Individual returnable asset identification information/Global returnable asset identifier, GRAI			despatchAdviceLogisticUnit/returnablePackaging/individualReturnableAssetIdentification/grai
342	BDT00000743	.. 80	1 .. 1	Additional returnable asset identification content <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Individual returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification content	1 .. 80	0 .. unbounded	additionalReturnableAssetIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/individualReturnableAssetIdentification/additionalReturnableAssetIdentification
343	BDT00000514	.. 80	1 .. 1	Additional returnable asset identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Individual returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification type code/Additional returnable asset identification type code content	1 .. 80		additionalReturnableAssetIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/individualReturnableAssetIdentification/additionalReturnableAssetIdentification/@additionalReturnableAssetIdentificationTypeCode
344	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Returnable Packaging information/Individual returnable asset identification information/Additional returnable asset identification information/Additional returnable asset	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/returnablePackaging/individualReturnableAssetIdentification/additionalReturnableAssetIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification type code/Code list version			
345	BDT00000861	.. 29	0 .. 1	Global individual asset identifier, GIAI <i>Path:</i> Despatch advice/Logistics unit information/Individual asset identification information/Global individual asset identifier, GIAI	0 .. 1		giai <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/individualAssetIdentification/giai
346	BDT00000862	.. 80	1 .. 1	Additional individual asset identification content <i>Path:</i> Despatch advice/Logistics unit information/Individual asset identification information/Additional individual asset identification information/Additional individual asset identification content	1 .. 80	0 .. unbounded	additionalIndividualAssetIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/individualAssetIdentification/additionalIndividualAssetIdentification
347	BDT00000863	.. 80	1 .. 1	Additional individual asset identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Individual asset identification information/Additional individual asset identification information/Additional individual asset identification type code/Additional individual asset identification type code content	1 .. 80		additionalIndividualAssetIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/individualAssetIdentification/additionalIndividualAssetIdentification/@additionalIndividualAssetIdentificationTypeCode
348	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Individual asset identification information/Additional individual asset identification information/Additional individual asset	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/individualAssetIdentification/additionalIndividualAssetIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification type code/Code list version			
349	BDT00000802	.. 500	0 .. 1	Carrier track and trace URL <i>Path:</i> Despatch advice/Logistics unit information/Carrier track and trace information/Carrier track and trace URL	1 .. 200	0 .. 1	carrierTrackAndTraceURL <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/carrierTrackAndTraceInformation/carrierTrackAndTraceURL
350	BDT00000803	.. 80	0 .. 1	Package tracking number <i>Path:</i> Despatch advice/Logistics unit information/Carrier track and trace information/Package tracking number	1 .. 70	0 .. 1	packageTrackingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/carrierTrackAndTraceInformation/packageTrackingNumber
351	BDT00000458		0 .. 1	Estimated delivery date time at ultimate consignee <i>Path:</i> Despatch advice/Logistics unit information/Estimated delivery date time at ultimate consignee		0 .. 1	estimatedDeliveryDateTimeAtUltimateConsignee <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/estimatedDeliveryDateTimeAtUltimateConsignee
352	BDT00000854	14 .. 14	0 .. 1	Serial shipping container code, SSCC <i>Path:</i> Despatch advice/Logistics unit information/Parent logistic unit identification information/Serial shipping container code, SSCC		0 .. 1	sscc <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/parentLogisticUnitId/sscc
353	BDT00000855	.. 80	1 .. 1	Additional logistic unit identification content <i>Path:</i> Despatch advice/Logistics unit information/Parent logistic unit identification information/Additional logistic unit identification information/Additional logistic unit identification content	1 .. 80	0 .. unbounded	additionalLogisticUnitIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/parentLogisticUnitId/additionalLogisticUnitIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
354	BDT00000856	.. 80	1 .. 1	Additional logistic unit identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Parent logistic unit identification information/Additional logistic unit identification information/Additional logistic unit identification type code/Additional logistic unit identification type code content	1 .. 80		additionalLogisticUnitIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/parentLogisticUnitId/additionalLogisticUnitIdentification/@additionalLogisticUnitIdentificationTypeCode
355	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Parent logistic unit identification information/Additional logistic unit identification information/Additional logistic unit identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/parentLogisticUnitId/additionalLogisticUnitIdentification/@codeListVersion
356	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/gln
357	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/additionalPartyIdentification
358	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Additional party identification type code content			additionalPartyIdentification/@additionalPartyIdentificationTypeCode
359	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/additionalPartyIdentification/@codeListVersion
360	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/city
361	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/cityCode
362	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/countryCode
363	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/ Country code/Code list version			countryCode/@codeListVersion
364	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/address/ countyCode
365	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/address/ crossStreet
366	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Currency of party code/ Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/address/ currencyOfPartyCode
367	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Currency of party code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/address/ currencyOfPartyCode/@codeListVersion
368	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/address/ languageOfThePartyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
369	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/languageOfThePartyCode/@codeListVersion
370	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/name
371	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/pOBoxNumber
372	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/postalCode
373	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/provinceCode
374	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/state

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
375	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/streetAddressOne
376	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/streetAddressTwo
377	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/streetAddressThree
378	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/geographicalCoordinates/latitude
379	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/address/geographicalCoordinates/longitude
380	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Contact type code/Contact type code content			contactTypeCode
381	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/contact/ contactTypeCode/@codeListVersion
382	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/contact/ personName
383	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/contact/ departmentName
384	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/contact/ jobTitle
385	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Business contact	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/contact/ responsibility

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				responsibility description/Business contact responsibility description content			
386	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/responsibility/@languageCode
387	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/responsibility/@codeListVersion
388	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/communicationChannel/communicationChannelCode
389	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Communication information/Communication channel	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/communicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
390	BDT00000032	.. 200	1 .. 1	code/Communication channel code content/Code list version Communication channel identification <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/communicationChannel/communicationValue
391	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/communicationChannel/communicationChannelName
392	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelCode
393	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content/Code list version			
394	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationValue
395	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelName
396	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
397	BDT000000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
398	BDT000000583	.. 80	1 .. 1	Identification scheme responsible agency	1 .. 80		identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
399	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
400	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
401	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
402	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
403	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
404	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
405	BDT00000074	.. 80	0 .. 1	scheme name Identification scheme name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
406	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
407	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
408	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
409	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs duty registration information/Tax type code/Code list version			dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
410	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
411	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
412	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription
413	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs duty description/Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription
414	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax description/Language	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
415	BDT00000524	.. 80	1 .. 1	code/Language code content Language code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs duty description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
416	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
417	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs duty description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
418	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
419	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration type	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Customs registration type code content			
420	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
421	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
422	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/organisationName
423	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/issuedCapital
424	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Issued capital/Currency	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/issuedCapital/@currencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
425	BDT00000028	.. 35	0 .. 1	code/Currency code content Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/issuedCapital/@codeListVersion
426	BDT000000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/legalStructure
427	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/legalStructure/@languageCode
428	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/legalStructure/@codeListVersion
429	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Logistics unit	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Organisation legal information/Official address/City name			despatchAdviceLogisticUnit/ultimateConsignee/ organisationDetails/officialAddress/city
430	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/ organisationDetails/officialAddress/cityCode
431	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/ organisationDetails/officialAddress/countryCode
432	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/ organisationDetails/officialAddress/countryCode/ @codeListVersion
433	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/ organisationDetails/officialAddress/countyCode
434	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/ organisationDetails/officialAddress/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/Cross street			
435	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/officialAddress/pOBoxNumber
436	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/officialAddress/postalCode
437	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/officialAddress/provinceCode
438	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/officialAddress/state
439	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/officialAddress/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
440	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/officialAddress/streetAddressTwo
441	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/officialAddress/streetAddressThree
442	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/officialAddress/geographicalCoordinates/latitude
443	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/officialAddress/geographicalCoordinates/longitude
444	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Registered legal	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/organisationDetails/legalRegistration/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
445	BDT00000658	.. 80	1 .. 1	information/Legal registration number Legal registration type code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationNumber legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/ organisationDetails/legalRegistration/ legalRegistrationType
446	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/ organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
447	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/ organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation
448	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/ultimateConsignee/ financialInstitutionInformation/financialInstitutionName
449	BDT00000060	.. 80	0 .. 1	Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Financial institution division name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/financialInstitutionBranchName
450	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumber
451	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
452	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
453	BDT000000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial account information/Financial account name			financialInstitutionInformation/financialAccount/financialAccountName
454	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
455	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
456	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
457	BDT00000521	.. 70	1 .. 1	Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description
458	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
459	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
460	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/city
461	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/cityCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
462	BDT00000774		1 .. 1	financial account information/Address information/City code Country code content <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/countryCode
463	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/countryCode/@codeListVersion
464	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/countryCode
465	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/crossStreet
466	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Logistics unit	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Financial institution and financial account information/Address information/Party name			despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/name
467	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/pOBoxNumber
468	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/postalCode
469	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/provinceCode
470	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/state
471	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Logistics unit	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address one			despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/streetAddressOne
472	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/streetAddressTwo
473	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/streetAddressThree
474	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/geographicalCoordinates/latitude
475	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Logistics unit information/Ultimate consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/ultimateConsignee/financialInstitutionInformation/address/geographicalCoordinates/longitude
	BDT00000049						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
476		.. 6	0 .. 1	Business document line item number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Business document line item number		1 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineltem/ lineltemNumber
477	BDT00000868		1 .. 1	Despatched quantity content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched quantity/Despatched quantity content		1 .. 1	despatchedQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineltem/ despatchedQuantity
478	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineltem/ despatchedQuantity/@measurementUnitCode
479	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineltem/ despatchedQuantity/@codeListVersion
480	BDT00000871		1 .. 1	Corresponding quantity content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Corresponding quantity/Corresponding quantity content		0 .. 1	correspondingQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineltem/ correspondingQuantity
481	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Corresponding quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineltem/ correspondingQuantity/@measurementUnitCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
482	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Corresponding quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/correspondingQuantity/@codeListVersion
483	BDT00000872		1 .. 1	Country of last processing code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Country of last processing code/Country of last processing code content	1 .. 80	0 .. 1	countryOfLastProcessing <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/countryOfLastProcessing
484	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Country of last processing code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/countryOfLastProcessing/@codeListVersion
485	BDT00000572		1 .. 1	Country of origin code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Country of origin code/Country of origin code content	1 .. 80	0 .. 1	countryOfOrigin <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/countryOfOrigin
486	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Country of origin code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/countryOfOrigin/@codeListVersion
487	BDT00000711		1 .. 1	Free goods quantity content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Free goods quantity/Free goods quantity content		0 .. 1	freeGoodsQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/freeGoodsQuantity
488	BDT00000607	.. 80	1 .. 1	Measurement unit code content	1 .. 80		measurementUnitCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Free goods quantity/Measurement unit code/Measurement unit code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/freeGoodsQuantity/@measurementUnitCode
489	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Free goods quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/freeGoodsQuantity/@codeListVersion
490	BDT000000647	.. 80	1 .. 1	Handling instruction code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Handling instruction code/Handling instruction code content	1 .. 80	0 .. unbounded	handlingInstructionCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/handlingInstructionCode
491	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Handling instruction code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/handlingInstructionCode/@codeListVersion
492	BDT000000105	.. 6	0 .. 1	Parent line item number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Parent line item number		0 .. 1	parentLineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/parentLineItemNumber
493	BDT000000670	.. 70	1 .. 1	Notation content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Notation/Notation content	1 .. 500	0 .. 1	note <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/note
494	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Notation/Language code/Language code content			note/@languageCode
495	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Notation/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/note/@codeListVersion
496	BDT00000566		1 .. 1	Total requested quantity content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Total requested quantity/Total requested quantity content		0 .. 1	requestedQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/requestedQuantity
497	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Total requested quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/requestedQuantity/@measurementUnitCode
498	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Total requested quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/requestedQuantity/@codeListVersion
499	BDT00000460		0 .. 1	Goods pick up date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Goods pick up date time		0 .. 1	pickUpDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/pickUpDateTime
500	BDT00000875		1 .. 1	Actual processed quantity content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Actual processed quantity/Actual processed		0 .. 1	actualProcessedQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/actualProcessedQuantity

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
501	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Actual processed quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/actualProcessedQuantity/@measurementUnitCode
502	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Actual processed quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/actualProcessedQuantity/@codeListVersion
503	BDT00000877		1 .. 1	Duty fee tax liability code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Duty fee tax liability code/Duty fee tax liability code content	1 .. 80	0 .. unbounded	dutyFeeTaxLiability <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dutyFeeTaxLiability
504	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Duty fee tax liability code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dutyFeeTaxLiability/@codeListVersion
505	BDT00000878		0 .. 1	First in first out date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/First in first out date time		0 .. 1	firstInFirstOutDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/firstInFirstOutDateTime
506	BDT00000879		0 .. 1	Item scanned at pos indicator <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Item scanned at pos indicator		0 .. 1	hasItemBeenScannedAtPos <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/hasItemBeenScannedAtPos
507	BDT00000880	.. 80	1 .. 1	Inventory status type code content	1 .. 80	0 .. 1	inventoryStatusType

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Inventory status type code/Inventory status type code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/inventoryStatusType
508	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Inventory status type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/inventoryStatusType/@codeListVersion
509	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced contract information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/contract/entityIdentification
510	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced contract information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/contract/contentOwner/gln
511	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced contract information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/contract/contentOwner/additionalPartyIdentification
512	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Referenced contract information/ Document content owner/Additional party identification information/ Additional party identification type code/Additional party identification type code content			contract/contentOwner/additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
513	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced contract information/ Document content owner/Additional party identification information/ Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ contract/contentOwner/additionalPartyIdentification/ @codeListVersion
514	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced contract information/ Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ contract/creationDateTime
515	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced contract information/ Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ contract/revisionNumber
516	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced contract information/ Document line number		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ contract/lineItemNumber
	BDT00000118						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
517		.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced contract information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/contract/referencedDocumentUri
518	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/contactTypeCode
519	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/contactTypeCode/@codeListVersion
520	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/personName
521	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/departmentName
522	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/jobTitle
523	BDT00000580	.. 70	1 .. 1	Business contact responsibility	1 .. 70	0 .. unbounded	responsibility

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Business contact responsibility description/Business contact responsibility description content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/responsibility
524	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/responsibility/@languageCode
525	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/responsibility/@codeListVersion
526	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/communicationChannel/communicationChannelCode
527	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				accounting contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version			costAccountingContact/communicationChannel/ communicationChannelCode/@codeListVersion
528	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ costAccountingContact/communicationChannel/ communicationValue
529	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ costAccountingContact/communicationChannel/ communicationChannelName
530	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ costAccountingContact/ afterHoursCommunicationChannel/ communicationChannelCode
531	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/After hours communication information/ Communication channel code/ Communication channel code	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ costAccountingContact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
532	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/afterHoursCommunicationChannel/communicationValue
533	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Cost accounting contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/costAccountingContact/afterHoursCommunicationChannel/communicationChannelName
534	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Coupon clearing house identification information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/couponClearingHouse/gln
535	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Coupon clearing house identification information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/couponClearingHouse/additionalPartyIdentification
536	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/couponClearingHouse/additionalPartyIdentification/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Coupon clearing house identification information/Additional party identification information/Additional party identification type code/Additional party identification type code content			@additionalPartyIdentificationTypeCode
537	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Coupon clearing house identification information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/couponClearingHouse/additionalPartyIdentification/@codeListVersion
538	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Account holder identification information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customer/gln
539	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Account holder identification information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customer/additionalPartyIdentification
540	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Account holder identification	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customer/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional party identification information/Additional party identification type code/Additional party identification type code content			
541	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Account holder identification information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customer/additionalPartyIdentification/@codeListVersion
542	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced customer document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerDocumentReference/entityIdentification
543	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced customer document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerDocumentReference/contentOwner/gln
544	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerDocumentReference/contentOwner/additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
545	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerDocumentReference/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
546	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced customer document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerDocumentReference/contentOwner/additionalPartyIdentification/@codeListVersion
547	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced customer document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerDocumentReference/creationDateTime
548	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced customer document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerDocumentReference/revisionNumber
549	BDT00000049						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
		.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced customer document information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLinItem/customerDocumentReference/lineltemNumber
550	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced customer document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLinItem/customerDocumentReference/referencedDocumentUrl
551	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLinItem/customerReference/entityIdentification
552	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLinItem/customerReference/contentOwner/gln
553	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLinItem/customerReference/contentOwner/additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
554	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerReference/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
555	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerReference/contentOwner/additionalPartyIdentification/@codeListVersion
556	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerReference/creationDateTime
557	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerReference/revisionNumber
558	BDT00000049	.. 6	0 .. 1	Document line number		0 .. 1	lineItemNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Document line number			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerReference/lineItemNumber
559	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced end customer information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/customerReference/referencedDocumentUri
560	BDT00000910	.. 80	1 .. 1	Dangerous goods United Nations identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods United Nations identification/Dangerous goods United Nations identification content	1 .. 80	1 .. 1	dangerousGoodsUNIdentifier <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsUNIdentifier
561	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods United Nations identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsUNIdentifier/@identificationSchemeAgencyCode
562	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Dangerous goods information/ Dangerous goods United Nations identification/Identification scheme information/Identification scheme responsible agency code/Code list version			despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsUNIdentifier/ @identificationSchemeAgencyCodeCodeListVersion
563	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods United Nations identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsUNIdentifier/ @identificationSchemeAgencyName
564	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods United Nations identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsUNIdentifier/ @identificationSchemeName
565	BDT000000912	.. 70	1 .. 1	Dangerous goods shipping name content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods shipping name/ Dangerous goods shipping name content	1 .. 200	1 .. 1	dangerousGoodsShippingName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsShippingName
566	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Dangerous goods information/ Dangerous goods shipping name/ Language code/Language code content			despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsShippingName/@languageCode
567	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods shipping name/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsShippingName/@codeListVersion
568	BDT00000912	.. 70	1 .. 1	Dangerous goods shipping name content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods technical name/ Dangerous goods shipping name content	1 .. 200	0 .. 1	dangerousGoodsTechnicalName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsTechnicalName
569	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods technical name/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsTechnicalName/@languageCode
570	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods technical name/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsTechnicalName/@codeListVersion
571	BDT00000916	.. 70	1 .. 1	Dangerous goods description content	1 .. 100	0 .. 1	dangerousGoodsDescription

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods description/Dangerous goods description content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsDescription
572	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsDescription/@languageCode
573	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsDescription/@codeListVersion
574	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/contactTypeCode
575	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/contactTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
576	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/personName
577	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/departmentName
578	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/jobTitle
579	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/responsibility
580	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Dangerous goods information/ Dangerous good handling contact information/Business contact responsibility description/Language code/Language code content			despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/contact/responsibility/ @languageCode
581	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous good handling contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/contact/responsibility/ @codeListVersion
582	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous good handling contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/contact/ communicationChannel/communicationChannelCode
583	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous good handling contact information/Communication information/Communication channel code/Communication channel code	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/contact/ communicationChannel/communicationChannelCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
584	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Communication channel information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/communicationChannel/communicationValue
585	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/Communication channel information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/communicationChannel/communicationChannelName
586	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/afterHoursCommunicationChannel/communicationChannelCode
587	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous good handling contact	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/contact/afterHoursCommunicationChannel/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/After hours communication information/Communication channel code/Communication channel code content/Code list version			communicationChannelCode/@codeListVersion
588	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous good handling contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/contact/ afterHoursCommunicationChannel/communicationValue
589	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous good handling contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/contact/ afterHoursCommunicationChannel/ communicationChannelName
590	BDT00000921	.. 80	1 .. 1	Dangerous goods regulation type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods regulation information/Dangerous goods regulation type code/Dangerous goods regulation type code content	1 .. 80	1 .. 1	dangerousGoodsRegulationCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsRegulationInformation/ dangerousGoodsRegulationCode
591	BDT00000931	.. 70	0 .. 1	Dangerous goods regulation name <i>Path:</i> Despatch advice/Logistics unit	1 .. 80	0 .. 1	dangerousGoodsRegulationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Dangerous goods information/ Dangerous goods regulation information/Dangerous goods regulation name			despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsRegulationInformation/ dangerousGoodsRegulationName
592	BDT00000932	.. 70	1 .. 1	Dangerous goods hazard class <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods regulation information/Dangerous goods hazard class	1 .. 80	1 .. 1	dangerousGoodsHazardClass <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsRegulationInformation/ dangerousGoodsHazardClass
593	BDT00000933	.. 70	0 .. 1	Dangerous goods packing group information <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods regulation information/Dangerous goods packing group information	1 .. 80	0 .. 1	dangerousGoodsPackingGroup <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsRegulationInformation/ dangerousGoodsPackingGroup
594	BDT00000935	.. 80	1 .. 1	Dangerous goods attribute type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Dangerous goods information/ Dangerous goods regulation information/Dangerous goods attribute information/Dangerous goods attribute type code/Dangerous goods attribute type code content	1 .. 80	1 .. 1	dangerousGoodsAttributeTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ dangerousGoodsInformation/ dangerousGoodsRegulationInformation/ dangerousGoodsAttribute/ dangerousGoodsAttributeTypeCode
595	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods regulation information/Dangerous goods attribute information/Dangerous goods attribute type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsRegulationInformation/dangerousGoodsAttribute/dangerousGoodsAttributeTypeCode/@codeListVersion
596	BDT00000937	.. 70	0 .. 1	Dangerous goods attribute text <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods regulation information/Dangerous goods attribute information/Dangerous goods attribute text	1 .. 200	0 .. 1	dangerousGoodsAttributeText <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsRegulationInformation/dangerousGoodsAttribute/dangerousGoodsAttributeText
597	BDT00000746	.. 70	1 .. 1	Measurement value content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods regulation information/Dangerous goods attribute information/Dangerous goods attribute measurement value/Measurement value content		0 .. 1	dangerousGoodsAttributeMeasurement <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsRegulationInformation/dangerousGoodsAttribute/dangerousGoodsAttributeMeasurement
598	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods regulation information/Dangerous goods attribute information/Dangerous goods attribute	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsRegulationInformation/dangerousGoodsAttribute/dangerousGoodsAttributeMeasurement/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				measurement value/Measurement unit code/Measurement unit code content			@measurementUnitCode
599	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods regulation information/Dangerous goods attribute information/Dangerous goods attribute measurement value/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsRegulationInformation/dangerousGoodsAttribute/dangerousGoodsAttributeMeasurement/@codeListVersion
600	BDT00000940		0 .. 1	Dangerous goods attribute indicator <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods regulation information/Dangerous goods attribute information/Dangerous goods attribute indicator		0 .. 1	dangerousGoodsAttributeIndicator <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsRegulationInformation/dangerousGoodsAttribute/dangerousGoodsAttributeIndicator
601	BDT00000939		0 .. 1	Dangerous goods attribute date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Dangerous goods information/Dangerous goods regulation information/Dangerous goods attribute information/Dangerous goods attribute date time		0 .. 1	dangerousGoodsAttributeDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/dangerousGoodsInformation/dangerousGoodsRegulationInformation/dangerousGoodsAttribute/dangerousGoodsAttributeDateTime
602	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced delivery note document	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/deliveryNote/entityIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
603	BDT00000063	13 .. 13	0 .. 1	information/Entity identification Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced delivery note document information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/deliveryNote/contentOwner/gln
604	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/deliveryNote/contentOwner/additionalPartyIdentification
605	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/deliveryNote/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
606	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced delivery note document information/Document content owner/Additional party identification	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/deliveryNote/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
607	BDT00000047		0 .. 1	information/Additional party identification type code/Code list version Business document creation date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced delivery note document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/deliveryNote/creationDateTime
608	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced delivery note document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/deliveryNote/revisionNumber
609	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced delivery note document information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/deliveryNote/lineItemNumber
610	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced delivery note document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/deliveryNote/referencedDocumentUrl
611	BDT00000923	.. 80	1 .. 1	Variance reason type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatch advice quantity variance information/Variance reason type	1 .. 80	1 .. 1	varianceReasonCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/despatchAdviceQuantityVariance/varianceReasonCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Variance reason type code content			
612	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatch advice quantity variance information/Variance reason type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/despatchAdviceQuantityVariance/varianceReasonCode/@codeListVersion
613	BDT00000926		1 .. 1	Variance quantity content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatch advice quantity variance information/Variance quantity/Variance quantity content		0 .. 1	varianceQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/despatchAdviceQuantityVariance/varianceQuantity
614	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatch advice quantity variance information/Variance quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/despatchAdviceQuantityVariance/varianceQuantity/@measurementUnitCode
615	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatch advice quantity variance information/Variance quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/despatchAdviceQuantityVariance/varianceQuantity/@codeListVersion
616	BDT00000927		0 .. 1	Delivery variance date <i>Path:</i> Despatch advice/Logistics unit		0 .. 1	deliveryDateVariance <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Despatch advice quantity variance information/Delivery variance date			despatchAdviceLogisticUnit/despatchAdviceLineItem/ despatchAdviceQuantityVariance/deliveryDateVariance
617	BDT00000941		0 .. 1	First available delivery date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatch advice quantity variance information/First available delivery date time		0 .. 1	firstDeliveryDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ despatchAdviceQuantityVariance/firstDeliveryDateTime
618	BDT00000928	.. 80	1 .. 1	Remaining quantity status code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatch advice quantity variance information/Remaining quantity status code/Remaining quantity status code content	1 .. 80	0 .. 1	remainingQuantityStatusCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ despatchAdviceQuantityVariance/ remainingQuantityStatusCode
619	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatch advice quantity variance information/Remaining quantity status code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ despatchAdviceQuantityVariance/ remainingQuantityStatusCode/@codeListVersion
620	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Item owner identification information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ itemOwner/gln
621	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Item	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				owner identification information/ Additional party identification information/Additional party identification content			itemOwner/additionalPartyIdentification
622	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Item owner identification information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ itemOwner/additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
623	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Item owner identification information/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ itemOwner/additionalPartyIdentification/@codeListVersion
624	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Party identification information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfLastProcessing/partyIdentification/gln
625	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Location of last processing information/Party identification information/Additional party identification/Additional party identification content			locationOfLastProcessing/partyIdentification/additionalPartyIdentification
626	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of last processing information/Party identification information/Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/partyIdentification/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
627	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of last processing information/Party identification information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/partyIdentification/additionalPartyIdentification/@codeListVersion
628	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of last processing information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/city
629	BDT00000019	.. 80	0 .. 1	City code	1 .. 80	0 .. 1	cityCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/City code			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/cityCode
630	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/countryCode
631	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/ Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/countryCode/@codeListVersion
632	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/countyCode
633	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/crossStreet
634	BDT00000710	.. 80	1 .. 1	Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Currency of party code/ Currency of party code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfLastProcessing/address/currencyOfPartyCode
635	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Currency of party code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfLastProcessing/address/ currencyOfPartyCode/@codeListVersion
636	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfLastProcessing/address/ languageOfThePartyCode
637	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfLastProcessing/address/ languageOfThePartyCode/@codeListVersion
638	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfLastProcessing/address/name
639	BDT00000113	.. 80	0 .. 1	Post office box number	1 .. 80	0 .. 1	pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/Post office box number			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/pOBoxNumber
640	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/postalCode
641	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/ Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/provinceCode
642	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/state
643	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/address/streetAddressOne
644	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Logistics unit	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Location of last processing information/Address information/Street address two			despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfLastProcessing/address/streetAddressTwo
645	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfLastProcessing/address/streetAddressThree
646	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfLastProcessing/address/ geographicalCoordinates/latitude
647	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfLastProcessing/address/ geographicalCoordinates/longitude
648	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfLastProcessing/contactInformation/ contactTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
649	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/contactTypeCode/@codeListVersion
650	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/personName
651	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/departmentName
652	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/jobTitle
653	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Business contact	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/responsibility/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				responsibility description/Language code/Language code content			
654	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/responsibility/@codeListVersion
655	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/communicationChannel/communicationChannelCode
656	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/communicationChannel/communicationChannelCode/@codeListVersion
657	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Location of last processing information/Business contact information/Communication information/Communication channel identification			locationOfLastProcessing/contactInformation/communicationChannel/communicationValue
658	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/communicationChannel/communicationChannelName
659	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/afterHoursCommunicationChannel/communicationChannelCode
660	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfLastProcessing/contactInformation/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
661	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfLastProcessing/contactInformation/ afterHoursCommunicationChannel/communicationValue
662	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of last processing information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfLastProcessing/contactInformation/ afterHoursCommunicationChannel/ communicationChannelName
663	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Party identification information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/partyIdentification/gln
664	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Party identification information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/partyIdentification/ additionalPartyIdentification
665	BDT00000570	.. 80	1 .. 1	Additional party identification type code	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Party identification information/Additional party identification/Additional party identification type code/Additional party identification type code content			despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/partyIdentification/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
666	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Party identification information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/partyIdentification/ additionalPartyIdentification/@codeListVersion
667	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/address/city
668	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/address/cityCode
669	BDT000000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Country code/Country code	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
670	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/address/countryCode/ @codeListVersion
671	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/address/countyCode
672	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/address/crossStreet
673	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/address/currencyOfPartyCode
674	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/address/currencyOfPartyCode/ @codeListVersion
675	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Location of origin information/Language of the party code/Language code content			despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/address/languageOfThePartyCode
676	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/address/languageOfThePartyCode/ @codeListVersion
677	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/address/name
678	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/address/pOBoxNumber
679	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/address/postalCode
680	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/address/provinceCode
681	BDT00000127	.. 80	0 .. 1	State	1 .. 80	0 .. 1	state

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/State			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/state
682	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/streetAddressOne
683	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/streetAddressTwo
684	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/streetAddressThree
685	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/geographicalCoordinates/latitude
686	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Address information/Geographical coordinates	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
687	BDT00000571	.. 80	1 .. 1	information/Longitude Contact type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/contactTypeCode
688	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/contactTypeCode/ @codeListVersion
689	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/personName
690	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/departmentName
691	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/jobTitle
692	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Business contact responsibility description/Business contact responsibility description content			despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/responsibility
693	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/responsibility/ @languageCode
694	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/responsibility/ @codeListVersion
695	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Business contact information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/ communicationChannel/communicationChannelCode
696	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Location of origin information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version			despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/ communicationChannel/communicationChannelCode/ @codeListVersion
697	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/ communicationChannel/communicationValue
698	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/ communicationChannel/communicationChannelName
699	BDT000000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Location of origin information/Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ locationOfOrigin/contactInformation/ afterHoursCommunicationChannel/ communicationChannelCode
700	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Location of origin information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version			locationOfOrigin/contactInformation/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
701	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of origin information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/contactInformation/afterHoursCommunicationChannel/communicationValue
702	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Location of origin information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/locationOfOrigin/contactInformation/afterHoursCommunicationChannel/communicationChannelName
703	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Original supplier information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/originalSupplier/gln
704	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Original supplier information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/originalSupplier/additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
705	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Original supplier information/Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/originalSupplier/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
706	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Original supplier information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/originalSupplier/additionalPartyIdentification/@codeListVersion
707	BDT00000901	.. 80	1 .. 1	Marking type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Logistic unit packaging marking information/Marking type code/Marking type code content	1 .. 80	1 .. 1	markingTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/packagingMarking/marketingTypeCode
708	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Logistic unit packaging marking information/Marking type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/packagingMarking/marketingTypeCode/@codeListVersion
709	BDT00000904	.. 80	0 .. 1	Marking content date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/		0 .. 1	markingContentDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Logistic unit packaging marking information/Marking content date time			packagingMarking/marketingContentDateTime
710	BDT00000903	.. 80	0 .. 1	Marking text content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Logistic unit packaging marking information/Marking text content	1 .. 80	0 .. 1	marketingContentText <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/packagingMarking/marketingContentText
711	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced product certification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/productCertification/entityIdentification
712	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced product certification information/Document content owner/ Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/productCertification/contentOwner/gln
713	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced product certification information/Document content owner/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/productCertification/contentOwner/additionalPartyIdentification
714	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/productCertification/contentOwner/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Referenced product certification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			additionalPartyIdentification/@additionalPartyIdentificationTypeCode
715	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced product certification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/productCertification/contentOwner/additionalPartyIdentification/@codeListVersion
716	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced product certification information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/productCertification/creationDateTime
717	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced product certification information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/productCertification/revisionNumber
718	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced product certification information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/productCertification/lineItemNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
719	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced product certification information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/productCertification/referencedDocumentUrl
720	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced promotional deal information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/promotionalDeal/entityIdentification
721	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced promotional deal information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/promotionalDeal/contentOwner/gln
722	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/promotionalDeal/contentOwner/additionalPartyIdentification
723	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced promotional deal	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/promotionalDeal/contentOwner/additionalPartyIdentification/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content			@additionalPartyIdentificationTypeCode
724	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced promotional deal information/Document content owner/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ promotionalDeal/contentOwner/ additionalPartyIdentification/@codeListVersion
725	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced promotional deal information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ promotionalDeal/creationDateTime
726	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced promotional deal information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ promotionalDeal/revisionNumber
727	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced promotional deal information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ promotionalDeal/lineItemNumber
	BDT00000118						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
728		.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced promotional deal information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/promotionalDeal/referencedDocumentUrl
729	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/purchaseOrder/entityIdentification
730	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/purchaseOrder/contentOwner/gln
731	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/purchaseOrder/contentOwner/additionalPartyIdentification
732	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/purchaseOrder/contentOwner/additionalPartyIdentification/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content			@additionalPartyIdentificationTypeCode
733	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced purchase order document information/Document content owner/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ purchaseOrder/contentOwner/ additionalPartyIdentification/@codeListVersion
734	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced purchase order document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ purchaseOrder/creationDateTime
735	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced purchase order document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ purchaseOrder/revisionNumber
736	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced purchase order document information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ purchaseOrder/lineItemNumber
	BDT00000118						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
737		.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced purchase order document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/purchaseOrder/referencedDocumentUrl
738	BDT00000493	4 .. 30	0 .. 1	Global identification number for consignment, GINC <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced consignment information/Global identification number for consignment, GINC		0 .. 1	ginc <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/referencedConsignment/ginc
739	BDT00000004	.. 80	1 .. 1	Additional consignment identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced consignment information/Additional consignment identification information/Additional consignment identification content	1 .. 80	0 .. unbounded	additionalConsignmentIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/referencedConsignment/additionalConsignmentIdentification
740	BDT00000487	.. 80	1 .. 1	Additional consignment identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced consignment information/Additional consignment identification information/Additional consignment identification type code/Additional consignment identification type code content	1 .. 80		additionalConsignmentIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/referencedConsignment/additionalConsignmentIdentification/@additionalConsignmentIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
741	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced consignment information/Additional consignment identification information/Additional consignment identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/referencedConsignment/additionalConsignmentIdentification/@codeListVersion
742	BDT00000066	14 .. 14	1 .. 1	Global trade item number, GTIN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Requested trade item identification information/Global trade item number, GTIN		0 .. 1	gtin <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/requestedItemIdentification/gtin
743	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Requested trade item identification information/Additional trade item identification information/Additional trade item identification content	1 .. 80	0 .. unbounded	additionalTradeItemIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/requestedItemIdentification/additionalTradeItemIdentification
744	BDT00000518	.. 80	1 .. 1	Additional trade item identification type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Requested trade item identification information/Additional trade item identification information/Additional trade item identification type code/Additional trade item identification type code content	1 .. 80		additionalTradeItemIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/requestedItemIdentification/additionalTradeItemIdentification/@additionalTradeItemIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
745	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Requested trade item identification information/Additional trade item identification information/Additional trade item identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/requestedItemIdentification/additionalTradeItemIdentification/@codeListVersion
746	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced technical specification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/specification/entityIdentification
747	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced technical specification information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/specification/contentOwner/gln
748	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced technical specification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/specification/contentOwner/additionalPartyIdentification
749	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistics unit	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/specification/contentOwner/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Referenced technical specification information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content			additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
750	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced technical specification information/Document content owner/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ specification/contentOwner/ additionalPartyIdentification/@codeListVersion
751	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced technical specification information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ specification/creationDateTime
752	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced technical specification information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ specification/revisionNumber
753	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Referenced technical specification		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ specification/lineItemNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
754	BDT00000118	.. 200	0 .. 1	information/Document line number Referenced document external location <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced technical specification information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/specification/referencedDocumentUri
755	BDT00000704		1 .. 1	Total monetary amount content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Total line declared amount/Total monetary amount content		0 .. 1	totalLineAmount <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/totalLineAmount
756	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Total line declared amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/totalLineAmount/@currencyCode
757	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Total line declared amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/totalLineAmount/@codeListVersion
758	BDT00000699	.. 80	1 .. 1	Referenced document type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced additional information/Referenced document type code/Referenced document type code content	1 .. 80	1 .. 1	transactionalReferenceTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalGenericReference/transactionalReferenceTypeCode
759	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced additional information/Referenced document type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalGenericReference/transactionalReferenceTypeCode/@codeListVersion
760	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced additional information/Business document reference identification	1 .. 200	1 .. 1	transactionalReferenceValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalGenericReference/transactionalReferenceValue
761	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Referenced additional information/Business document creation date time		0 .. 1	transactionalReferenceDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalGenericReference/transactionalReferenceDateTime
762	BDT00000066	14 .. 14	0 .. 1	Global trade item number, GTIN <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Global trade item number, GTIN		0 .. 1	gtin <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/gtin
763	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Additional trade item identification/Additional trade item identification content	1 .. 80	0 .. unbounded	additionalTradeItemIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/additionalTradeItemIdentification
764	BDT00000518	.. 80	1 .. 1	Additional trade item identification type	1 .. 80		additionalTradeItemIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Additional trade item identification/Additional trade item identification type code/Additional trade item identification type code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/additionalTradeItemIdentification/@additionalTradeItemIdentificationTypeCode
765	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Additional trade item identification/Additional trade item identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/additionalTradeItemIdentification/@codeListVersion
766	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item quantity/Trade item quantity content		0 .. 1	tradeItemQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/tradeItemQuantity
767	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/tradeItemQuantity/@measurementUnitCode
768	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/tradeItemQuantity/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Trade item quantity/Measurement unit code/Code list version			@codeListVersion
769	BDT00000684	.. 70	1 .. 1	Trade item description content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item description/Trade item description content	1 .. 200	0 .. 1	tradelItemDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradelItem/tradelItemDescription
770	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradelItem/tradelItemDescription/@languageCode
771	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradelItem/tradelItemDescription/@codeListVersion
772	BDT00000115	.. 80	0 .. 1	Product variant identifier <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Product variant identifier	1 .. 80	0 .. 1	productVariantIdentifier <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradelItem/productVariantIdentifier
773	BDT00000656	.. 80	1 .. 1	Item type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Item type code/Item type code content	1 .. 80	0 .. 1	itemTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradelItem/itemTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
774	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Item type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/itemTypeCode/@codeListVersion
775	BDT00000700	.. 80	1 .. 1	Trade item transactional data owner code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item transactional data owner code/Trade item transactional data owner code content	1 .. 80	0 .. 1	tradelItemDataOwner <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/tradelItemDataOwner
776	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item transactional data owner code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/tradelItemDataOwner/@codeListVersion
777	BDT00000013	.. 35	0 .. 1	Butter fat reference <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Butter fat reference	1 .. 35	0 .. 1	butterFatReference <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/butterFatReference
778	BDT00000007		0 .. 1	Available for sale date <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Available for sale date		0 .. 1	availableForSaleDate <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/availableForSaleDate

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
779	BDT00000008	.. 80	0 .. 1	Batch number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Batch number	1 .. 80	0 .. 1	batchNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/batchNumber
780	BDT00000572		1 .. 1	Country of origin code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Country of origin/Country of origin code content	1 .. 80	0 .. 1	countryOfOrigin <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/countryOfOrigin
781	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Country of origin/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/countryOfOrigin/@codeListVersion
782	BDT00000057		0 .. 1	Expiration date <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Expiration date		0 .. 1	itemExpirationDate <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/itemExpirationDate
783	BDT00000090	.. 80	0 .. 1	Lot number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Lot number	1 .. 80	0 .. 1	lotNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/lotNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
784	BDT00000104		0 .. 1	Packaging date <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Packaging date		0 .. 1	packagingDate <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/packagingDate
785	BDT00000116		0 .. 1	Production date <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Production date		0 .. 1	productionDate <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/productionDate
786	BDT00000695		1 .. 1	Product quality value content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Product quality value/Product quality value content		0 .. 1	productQualityIndication <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/productQualityIndication
787	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Product quality value/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/productQualityIndication/@measurementUnitCode
788	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Product	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				quality value/Measurement unit code/ Code list version			productQualityIndication/@codeListVersion
789	BDT00000120		0 .. 1	Sell by date <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Sell by date		0 .. 1	sellByDate <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/sellByDate
790	BDT00000121	.. 20	0 .. unbounded	Serial number <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Serial number	1 .. 20	0 .. unbounded	serialNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ serialNumber
791	BDT00000122	.. 80	0 .. 1	Shelf life <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Shelf life	1 .. 80	0 .. 1	shelfLife <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/shelfLife
792	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item quantity/Trade item quantity content		0 .. 1	tradeItemQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ tradeItemQuantity
793	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Despatched trade item information/ Dynamic trade item information/Trade item quantity/Measurement unit code/ Measurement unit code content			transactionalTradeItem/transactionalItemData/ tradeItemQuantity/@measurementUnitCode
794	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item quantity/Measurement unit code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ tradeItemQuantity/@codeListVersion
795	BDT00000082		0 .. 1	Item in contact with food product indicator <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Item in contact with food product indicator		0 .. 1	itemInContactWithFoodProduct <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ itemInContactWithFoodProduct
796	BDT00000666	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item weight information/Measurement type code/Measurement type code content	1 .. 80	1 .. 1	measurementType <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemWeight/measurementType
797	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item weight information/Measurement	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemWeight/measurementType/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
798	BDT00000728		1 .. 1	type code/Code list version Trade item weight content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		1 .. 1	measurementValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementValue
799	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item weight information/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementValue/@measurementUnitCode
800	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item weight information/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementValue/@codeListVersion
801	BDT00000666	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item volume information/Measurement type code/Measurement type code content	1 .. 80	1 .. 1	measurementType <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemVolume/measurementType

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
802	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item volume information/Measurement type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemVolume/measurementType/@codeListVersion
803	BDT00000752		1 .. 1	Trade item volume content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item volume information/Trade item volume content		1 .. 1	measurementValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemVolume/measurementValue
804	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item volume information/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemVolume/measurementValue/@measurementUnitCode
805	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item volume information/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemVolume/measurementValue/@codeListVersion
806	BDT00000092		0 .. 1	Maximum value <i>Path:</i> Despatch advice/Logistics unit		0 .. 1	maximumValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Serial number range/Maximum value			despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ serialNumberRange/maximumValue
807	BDT00000094		0 .. 1	Minimum value <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Serial number range/Minimum value		0 .. 1	minimumValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ serialNumberRange/minimumValue
808	BDT00000661		1 .. 1	Depth measurement content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item measurements information/Depth measurement/Depth measurement content		1 .. 1	depth <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/depth
809	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item measurements information/Depth measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/depth/ @measurementUnitCode
810	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/depth/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
811	BDT00000650		1 .. 1	item measurements information/Depth measurement/Measurement unit code/Code list version Height measurement content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/Height measurement content		1 .. 1	height <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/height
812	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/height/@measurementUnitCode
813	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/height/@codeListVersion
814	BDT00000662		1 .. 1	Width measurement content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/		1 .. 1	width <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dynamic trade item information/Trade item measurements information/Width measurement/Width measurement content			transactionalItemDimensions/width
815	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/width/@measurementUnitCode
816	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/width/@codeListVersion
817	BDT00000095		0 .. 1	Number of layers <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of layers		0 .. 1	numberOfLayers <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/numberOfLayers
818	BDT00000096		0 .. 1	Number of units per layer <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/		0 .. 1	numberOfUnitsPerLayer <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dynamic trade item information/Logistic unit packaging pattern information/ Number of units per layer			transactionalItemLogisticUnitInformation/ numberOfUnitsPerLayer
819	BDT00000097		0 .. 1	Number of units per platform <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Number of units per platform		0 .. 1	numberOfUnitsPerPallet <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ numberOfUnitsPerPallet
820	BDT00000663	.. 80	1 .. 1	Packaging terms and conditions code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Packaging terms and conditions code/ Packaging terms and conditions code content	1 .. 80	0 .. 1	packagingTerms <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/packagingTerms
821	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Packaging terms and conditions code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ packagingTerms/@codeListVersion
822	BDT00000664	.. 80	1 .. 1	Package type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 80	0 .. 1	packageTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Package type code/Package type code content			transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ packageTypeCode
823	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Package type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ packageTypeCode/@codeListVersion
824	BDT00000091		1 .. 1	Maximum stacking factor <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Maximum stacking factor		1 .. 1	maximumStackingFactor <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ maximumStackingFactor
825	BDT00000665	.. 80	1 .. 1	Returnable package return transport payment code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Returnable package return transport payment code/Returnable package return transport payment code content	1 .. 80	0 .. 1	returnablePackageTransportCostPayment <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ returnablePackageTransportCostPayment
826	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Returnable package return transport payment code/Code list version			despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ returnablePackageTransportCostPayment/ @codeListVersion
827	BDT00000661		1 .. 1	Depth measurement content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Depth measurement/Depth measurement content		1 .. 1	depth <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth
828	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Depth measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth/@measurementUnitCode
829	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
830	BDT00000650		1 .. 1	Depth measurement/Measurement unit code/Code list version Height measurement content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Height measurement/Height measurement content		1 .. 1	height <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/height
831	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Height measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/height/@measurementUnitCode
832	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Height measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/height/@codeListVersion
833	BDT00000662		1 .. 1	Width measurement content <i>Path:</i> Despatch advice/Logistics unit		1 .. 1	width <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Width measurement/Width measurement content			despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width
834	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Width measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width/@measurementUnitCode
835	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Width measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width/@codeListVersion
836	BDT00000646	.. 80	1 .. 1	GS1 global trade item number format code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Global	1 .. 80	0 .. 1	gs1TransactionalItemIdentificationKey <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDataCarrierAndIdentification/ gs1TransactionalItemIdentificationKey

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item number format and type of carrier information/GS1 global trade item number format code/GS1 global trade item number format code content			
837	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/GS1 global trade item number format code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/gs1TransactionalItemIdentificationKey/@codeListVersion
838	BDT00000639	.. 80	1 .. 1	Data carrier type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/Data carrier type code/Data carrier type code content	1 .. 80	0 .. 1	dataCarrier <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/dataCarrier
839	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/Data carrier type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/dataCarrier/@codeListVersion
840	BDT00000138		0 .. 1	Waste identification <i>Path:</i> Despatch advice/Logistics unit		0 .. 1	wasteIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item waste information/Waste identification			despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ tradeItemWaste/wasteIdentification
841	BDT00000702	.. 80	1 .. 1	Waste type code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Waste type code content	1 .. 80	0 .. unbounded	typeOfWaste <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ tradeItemWaste/typeOfWaste
842	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code description	1 .. 80		codeDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ tradeItemWaste/typeOfWaste/@codeDescription
843	BDT00000023	.. 80	0 .. 1	Code list agency code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list agency code	1 .. 80		codeListAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ tradeItemWaste/typeOfWaste/@codeListAgencyCode
844	BDT00000024	.. 35	0 .. 1	Code list agency code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Dynamic trade item information/Trade	1 .. 35		codeListAgencyCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/transactionalItemData/ tradeItemWaste/typeOfWaste/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				item waste information/Waste type code/Code list agency code list version			@codeListAgencyCodeListVersion
845	BDT00000025	.. 80	0 .. 1	Code list agency name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list agency name	1 .. 80		codeListAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListAgencyName
846	BDT00000026	.. 80	0 .. 1	Code list name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list name	1 .. 80		codeListName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListName
847	BDT00000027	.. 500	0 .. 1	Code list URL <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list URL			codeListURI <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListURI
848	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListVersion
	BDT00000081						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
849			1 .. 1	Trade item organic indicator <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item organic information/Trade item organic indicator		1 .. 1	isTradelItemOrganic <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradelItem/transactionalItemData/transactionalItemOrganicInformation/isTradelItemOrganic
850	BDT00000015	.. 200	0 .. 1	Certification agency name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item organic information/Organic certification information/Certification agency name	1 .. 200	0 .. 1	itemCertificationAgency <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradelItem/transactionalItemData/transactionalItemOrganicInformation/organicCertification/itemCertificationAgency
851	BDT00000016	.. 200	0 .. 1	Certification standard name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item organic information/Organic certification information/Certification standard name	1 .. 200	0 .. 1	itemCertificationStandard <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradelItem/transactionalItemData/transactionalItemOrganicInformation/organicCertification/itemCertificationStandard
852	BDT00000017	.. 200	0 .. 1	Certification value <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Dynamic trade item information/Trade item organic information/Organic certification information/Certification value	1 .. 200	0 .. 1	itemCertificationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradelItem/transactionalItemData/transactionalItemOrganicInformation/organicCertification/itemCertificationValue

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
853	BDT00000736		1 .. 1	Colour code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item colour information/Colour code/Colour code content	1 .. 80	0 .. 1	colourCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/colour/colourCode
854	BDT00000029	.. 80	1 .. 1	Colour code system code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item colour information/Colour code/Colour code system code	1 .. 80		colourCodeListCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/colour/colourCode/@colourCodeListCode
855	BDT00000030	.. 80	0 .. 1	Colour code system description <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item colour information/Colour code/Colour code system description	1 .. 80		colourCodeListDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/colour/colourCode/@colourCodeListDescription
856	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item colour information/Colour code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/colour/colourCode/@codeListVersion
857	BDT00000031	.. 35	0 .. 1	Colour code system version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item colour information/Colour code/Colour code system version	1 .. 35		colourCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/colour/colourCode/@colourCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
858	BDT00000737	.. 70	1 .. 1	Colour description content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item colour information/Colour description/Colour description content	1 .. 80	0 .. unbounded	colourDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/colour/colourDescription
859	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item colour information/Colour description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/colour/colourDescription/@languageCode
860	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item colour information/Colour description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/colour/colourDescription/@codeListVersion
861	BDT00000679	.. 70	1 .. 1	Size description content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size description/Size description content	1 .. 80	0 .. 1	descriptiveSize <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/size/descriptiveSize
862	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/size/descriptiveSize/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description/Language code/Language code content			@languageCode
863	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/size/descriptiveSize/@codeListVersion
864	BDT000000680	.. 80	1 .. 1	Size code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size code/Size code content	1 .. 80	0 .. 1	sizeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/size/sizeCode
865	BDT000000681	.. 80	1 .. 1	Size code list code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size code/Size code list code/Size code list code content	1 .. 80		sizeCodeListCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/size/sizeCode/@sizeCodeListCode
866	BDT000000124	.. 80	0 .. 1	Size code list description <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item size information/Size code/Size code list description	1 .. 80		sizeCodeListDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/size/sizeCode/@sizeCodeListDescription
867	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Despatched trade item information/ Trade item size information/Size code/Code list version			despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/size/sizeCode/@codeListVersion
868	BDT00000125	.. 35	0 .. 1	Size code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Trade item size information/Size code/ Size code list version	1 .. 35		sizeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/size/sizeCode/ @sizeCodeListVersion
869	BDT00000070	.. 8	1 .. 1	GS1 global product classification GPC brick code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Trade item classification information/ GS1 global product classification GPC brick code		1 .. 1	gpcCategoryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/tradeItemClassification/ gpcCategoryCode
870	BDT00000536	.. 80	1 .. 1	Alternative trade item product classification code content <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Trade item classification information/ Alternative trade item product classification code/Alternative trade item product classification code content	1 .. 80	0 .. unbounded	additionalTradeItemClassificationCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/tradeItemClassification/ additionalTradeItemClassificationCode
871	BDT00000002	.. 80	0 .. 1	Additional trade item classification scheme code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/	1 .. 80		additionalTradeItemClassificationCodeListCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/tradeItemClassification/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Despatched trade item information/ Trade item classification information/ Alternative trade item product classification code/Additional trade item classification scheme code			additionalTradeItemClassificationCode/ @additionalTradeItemClassificationCodeListCode
872	BDT00000003	.. 35	0 .. 1	Additional trade item classification scheme version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Trade item classification information/ Alternative trade item product classification code/Additional trade item classification scheme version	1 .. 35		additionalTradeItemClassificationCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/tradeItemClassification/ additionalTradeItemClassificationCode/ @additionalTradeItemClassificationCodeListVersion
873	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Trade item classification information/ Alternative trade item product classification code/Code description	1 .. 80		codeDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/tradeItemClassification/ additionalTradeItemClassificationCode/@codeDescription
874	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Trade item classification information/ Alternative trade item product classification code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/tradeItemClassification/ additionalTradeItemClassificationCode/@codeListVersion
875	BDT00000071	.. 200	0 .. 1	GS1 global product classification GPC brick name <i>Path:</i> Despatch advice/Logistics unit	1 .. 105	0 .. 1	gpcCategoryName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Despatch advice line/ Despatched trade item information/ Trade item classification information/ GS1 global product classification GPC brick name			transactionalTradeItem/tradeItemClassification/ gpcCategoryName
876	BDT00000067	.. 8	1 .. 1	GS1 global product classification GPC attribute type code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Trade item classification information/ Global Product Classification attributes/GS1 global product classification GPC attribute type code	1 .. 1		gpcAttributeTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/tradeItemClassification/ gpcAttribute/gpcAttributeTypeCode
877	BDT00000068	.. 8	1 .. 1	GS1 global product classification GPC attribute value code <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Trade item classification information/ Global Product Classification attributes/GS1 global product classification GPC attribute value code	1 .. 1		gpcAttributeValueCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/tradeItemClassification/ gpcAttribute/gpcAttributeValueCode
878	BDT00000064	.. 200	0 .. 1	Global product classification GPC attribute type name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/ Despatched trade item information/ Trade item classification information/ Global Product Classification attributes/Global product classification	1 .. 105	0 .. 1	gpcAttributeTypeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceLogisticUnit/despatchAdviceLineItem/ transactionalTradeItem/tradeItemClassification/ gpcAttribute/gpcAttributeTypeName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
879	BDT00000069	.. 200	0 .. 1	GPC attribute type name GS1 global product classification GPC attribute value name <i>Path:</i> Despatch advice/Logistics unit information/Despatch advice line/Despatched trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute value name	1 .. 105	0 .. 1	gpcAttributeValueName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceLogisticUnit/despatchAdviceLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeValueName
880	BDT00000066	14 .. 14	1 .. 1	Global trade item number, GTIN <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Trade item identification information/Global trade item number, GTIN		0 .. 1	gtin <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/despatchAdviceItemTotal/tradeItemIdentification/gtin
881	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Trade item identification information/Additional trade item identification information/Additional trade item identification content	1 .. 80	0 .. unbounded	additionalTradeItemIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/despatchAdviceItemTotal/tradeItemIdentification/additionalTradeItemIdentification
882	BDT00000518	.. 80	1 .. 1	Additional trade item identification type code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Trade item identification information/Additional trade item identification information/	1 .. 80		additionalTradeItemIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/despatchAdviceItemTotal/tradeItemIdentification/additionalTradeItemIdentification/@additionalTradeItemIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
883	BDT00000028	.. 35	0 .. 1	Additional trade item identification type code/Additional trade item identification type code content Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Trade item identification information/Additional trade item identification information/Additional trade item identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/despatchAdviceItemTotal/tradeItemIdentification/@codeListVersion
884	BDT00000666	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Physical measurement information/Measurement type code/Measurement type code content	1 .. 80	1 .. 1	measurementType <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/despatchAdviceItemTotal/unitMeasurement/measurementType
885	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Physical measurement information/Measurement type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/despatchAdviceItemTotal/unitMeasurement/measurementType/@codeListVersion
886	BDT00000746	.. 70	1 .. 1	Measurement value content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Physical measurement information/Measurement value/Measurement		1 .. 1	measurementValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/despatchAdviceItemTotal/unitMeasurement/measurementValue

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
887	BDT00000607	.. 80	1 .. 1	value content Measurement unit code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Physical measurement information/Measurement value/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/despatchAdviceItemTotal/unitMeasurement/measurementValue/@measurementUnitCode
888	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Despatch advice total trade item information/Physical measurement information/Measurement value/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/despatchAdviceItemTotal/unitMeasurement/measurementValue/@codeListVersion
889	BDT00000664	.. 80	1 .. 1	Package type code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Package type code/Package type code content	1 .. 80	1 .. 1	packageTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/packageTypeCode
890	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Package type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/packageTypeCode/@codeListVersion
891	BDT00000810		0 .. 1	Total package quantity <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Total package quantity		1 .. 1	totalPackageQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/totalPackageQuantity

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
892	BDT00000752		1 .. 1	Trade item volume content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Total gross volume information/Trade item volume content		0 .. 1	totalGrossVolume <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/totalGrossVolume
893	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Total gross volume information/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/totalGrossVolume/@measurementUnitCode
894	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Total gross volume information/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/totalGrossVolume/@codeListVersion
895	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Total gross weight information/Trade item weight content		0 .. 1	totalGrossWeight <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/totalGrossWeight
896	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Total gross weight information/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/totalGrossWeight/@measurementUnitCode
897	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Total gross weight information/Measurement unit code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/totalGrossWeight/@codeListVersion
898	BDT00000814		0 .. 1	Total returnable packaging quantity <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Total returnable packaging quantity		1 .. 1	packagingQuantity <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/packageQuantity
899	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Current holder registration information/Tax registration identification content	1 .. 80	0 .. 1	currentHolderRegistration <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/currentHolderRegistration
900	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Current holder registration information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/currentHolderRegistration/@identificationSchemeAgencyCode
901	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				shipment information/Package total shipment information/Returnable Packaging information/Current holder registration information/Identification scheme information/Identification scheme responsible agency code/Code list version			despatchAdviceTotals/packageTotal/ returnablePackaging/currentHolderRegistration/ @identificationSchemeAgencyCodeCodeListVersion
902	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Current holder registration information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTotals/packageTotal/ returnablePackaging/currentHolderRegistration/ @identificationSchemeAgencyName
903	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Current holder registration information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTotals/packageTotal/ returnablePackaging/currentHolderRegistration/ @identificationSchemeName
904	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/New holder registration information/Tax registration identification content	1 .. 80	0 .. 1	newHolderRegistration <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTotals/packageTotal/ returnablePackaging/newHolderRegistration
905	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency	1 .. 80		identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/New holder registration information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/newHolderRegistration/@identificationSchemeAgencyCode
906	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/New holder registration information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/newHolderRegistration/@identificationSchemeAgencyCodeCodeListVersion
907	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/New holder registration information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/newHolderRegistration/@identificationSchemeAgencyName
908	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/newHolderRegistration/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Packaging information/New holder registration information/Identification scheme information/Identification scheme name			@identificationSchemeName
909	BDT00000818	.. 80	1 .. 1	Packaging condition code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Packaging condition code/Packaging condition code content	1 .. 80	0 .. 1	packagingConditionCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/packagingConditionCode
910	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Packaging condition code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/packagingConditionCode/@codeListVersion
911	BDT00000065	.. 29	0 .. 1	Global returnable asset identifier, GRAI <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Returnable asset identification information/Global returnable asset identifier, GRAI		0 .. 1	grai <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/returnableAssetIdentification/grai
912	BDT00000743	.. 80	1 .. 1	Additional returnable asset identification content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Returnable asset identification information/	1 .. 80	0 .. unbounded	additionalReturnableAssetIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/returnableAssetIdentification/additionalReturnableAssetIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
913	BDT00000514	.. 80	1 .. 1	<p>Additional returnable asset identification information/Additional returnable asset identification content</p> <p>Additional returnable asset identification type code content</p> <p><i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification type code/Additional returnable asset identification type code content</p>	1 .. 80		<p>additionalReturnableAssetIdentificationTypeCode</p> <p><i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/returnableAssetIdentification/additionalReturnableAssetIdentification/@additionalReturnableAssetIdentificationTypeCode</p>
914	BDT00000028	.. 35	0 .. 1	<p>Code list version</p> <p><i>Path:</i> Despatch advice/Despatch advice total shipment information/Package total shipment information/Returnable Packaging information/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification type code/Code list version</p>	1 .. 35		<p>codeListVersion</p> <p><i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/packageTotal/returnablePackaging/returnableAssetIdentification/additionalReturnableAssetIdentification/@codeListVersion</p>
915	BDT00000666	.. 80	1 .. 1	<p>Measurement type code content</p> <p><i>Path:</i> Despatch advice/Despatch advice total shipment information/Physical measurement information/Measurement type code/Measurement type code content</p>	1 .. 80	1 .. 1	<p>measurementType</p> <p><i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/unitMeasurement/measurementType</p>

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
916	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Physical measurement information/Measurement type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/unitMeasurement/measurementType/@codeListVersion
917	BDT00000746	.. 70	1 .. 1	Measurement value content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Physical measurement information/Measurement value/Measurement value content		1 .. 1	measurementValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/unitMeasurement/measurementValue
918	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Despatch advice/Despatch advice total shipment information/Physical measurement information/Measurement value/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/unitMeasurement/measurementValue/@measurementUnitCode
919	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice total shipment information/Physical measurement information/Measurement value/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTotals/unitMeasurement/measurementValue/@codeListVersion
920	BDT00000625	.. 80	0 .. 1	Transport means identification content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means identification/Transport means identification content	1 .. 80	0 .. 1	transportMeansID <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportMeansID
921	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency	1 .. 80		identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportMeansID/@identificationSchemeAgencyCode
922	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportMeansID/@identificationSchemeAgencyCodeCodeListVersion
923	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportMeansID/@identificationSchemeAgencyName
924	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportMeansID/@identificationSchemeName
925	BDT00000079	.. 80	0 .. 1	Transport means name <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means name	1 .. 80	0 .. 1	transportMeansName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportMeansName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
926	BDT00000688	.. 80	1 .. 1	Transport mode code content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport mode code/Transport mode code content	1 .. 80	0 .. 1	transportModeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/transportModeCode
927	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Transport mode code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/ transportModeCode/@codeListVersion
928	BDT00000626	.. 80	1 .. 1	Transport route identification content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport route identification/Transport route identification content	1 .. 80	0 .. 1	routeID <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/routeID
929	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/routeID/ @identificationSchemeAgencyCode
930	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/routeID/ @identificationSchemeAgencyCodeCodeListVersion
931	BDT00000073	.. 80	0 .. 1	Identification scheme agency name	1 .. 80		identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Despatch advice transport information/Transport route identification/Identification scheme information/Identification scheme agency name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/routeID/@identificationSchemeAgencyName
932	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Despatch advice transport information/Transport route identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/routeID/@identificationSchemeName
933	BDT00000687	.. 80	1 .. 1	Transport means type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means type code/Transport means type code content	1 .. 80	0 .. 1	transportMeansType <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportMeansType
934	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Transport means type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportMeansType/@codeListVersion
935	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/billOfLadingNumber/entityIdentification
936	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/billOfLadingNumber/contentOwner/gln

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
937	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/ billOfLadingNumber/contentOwner/ additionalPartyIdentification
938	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/ billOfLadingNumber/contentOwner/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
939	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/ billOfLadingNumber/contentOwner/ additionalPartyIdentification/@codeListVersion
940	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/ billOfLadingNumber/creationDateTime
941	BDT00000119		0 .. 1	Revision number		0 .. 1	revisionNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Revision number			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/billOfLadingNumber/revisionNumber
942	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Document line number	0 .. 1		lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/billOfLadingNumber/lineltemNumber
943	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Despatch advice transport information/Referenced bill of lading document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/billOfLadingNumber/referencedDocumentUrl
944	BDT00000802	.. 500	0 .. 1	Carrier track and trace URL <i>Path:</i> Despatch advice/Despatch advice transport information/Carrier track and trace information/Carrier track and trace URL	1 .. 200	0 .. 1	carrierTrackAndTraceURL <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/carrierTrackAndTraceInformation/carrierTrackAndTraceURL
945	BDT00000803	.. 80	0 .. 1	Package tracking number <i>Path:</i> Despatch advice/Despatch advice transport information/Carrier track and trace information/Package tracking number	1 .. 70	0 .. 1	packageTrackingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/carrierTrackAndTraceInformation/packageTrackingNumber
946	BDT00000493	4 .. 30	0 .. 1	Global identification number for consignment, GINC <i>Path:</i> Despatch advice/Despatch advice transport information/Consignment identification information/Global identification number for consignment,	0 .. 1		ginc <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/consignmentIdentification/ginc

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				GINC			
947	BDT00000004	.. 80	1 .. 1	Additional consignment identification content <i>Path:</i> Despatch advice/Despatch advice transport information/Consignment identification information/Additional consignment identification information/Additional consignment identification content	1 .. 80	0 .. unbounded	additionalConsignmentIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/consignmentIdentification/additionalConsignmentIdentification
948	BDT00000487	.. 80	1 .. 1	Additional consignment identification type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Consignment identification information/Additional consignment identification information/Additional consignment identification type code/Additional consignment identification type code content	1 .. 80		additionalConsignmentIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/consignmentIdentification/additionalConsignmentIdentification/@additionalConsignmentIdentificationTypeCode
949	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Consignment identification information/Additional consignment identification information/Additional consignment identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/consignmentIdentification/additionalConsignmentIdentification/@codeListVersion
950	BDT000000649		1 .. 1	Incoterms code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Incoterms code/Incoterms	1 .. 80	0 .. 1	incotermsCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/incotermsCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
951	BDT00000028	.. 35	0 .. 1	code content Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Incoterms code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/incotermsCode/@codeListVersion
952	BDT00000535	.. 80	1 .. 1	Alternative delivery terms code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Alternative delivery terms code/Alternative delivery terms code content	1 .. 80	0 .. 1	alternateDeliveryTermsCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/alternateDeliveryTermsCode
953	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Alternative delivery terms code/Code description	1 .. 80		codeDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/alternateDeliveryTermsCode/@codeDescription
954	BDT00000023	.. 80	0 .. 1	Code list agency code <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Alternative delivery terms code/Code list agency code	1 .. 80		codeListAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyCode
955	BDT00000024	.. 35	0 .. 1	Code list agency code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Alternative delivery terms code/Code list agency code list version	1 .. 35		codeListAgencyCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyCodeListVersion
956	BDT00000025	.. 80	0 .. 1	Code list agency name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms	1 .. 80		codeListAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Alternative delivery terms code/Code list agency name			alternateDeliveryTermsCode/@codeListAgencyName
957	BDT00000026	.. 80	0 .. 1	Code list name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Alternative delivery terms code/Code list name	1 .. 80		codeListName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/alternateDeliveryTermsCode/@codeListName
958	BDT00000027	.. 500	0 .. 1	Code list URL <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Alternative delivery terms code/Code list URL			codeListURI <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/alternateDeliveryTermsCode/@codeListURI
959	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Alternative delivery terms code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/alternateDeliveryTermsCode/@codeListVersion
960	BDT000000641	.. 70	1 .. 1	Delivery instructions description content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery instructions description/Delivery instructions description content	1 .. 500	0 .. 1	deliveryInstructions <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryInstructions
961	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery instructions description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryInstructions/@languageCode
962	BDT000000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery instructions description/Language code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryInstructions/@codeListVersion
963	BDT00000701	.. 80	1 .. 1	Transport cost payment code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Transport cost payment code/Transport cost payment code content	1 .. 80	0 .. 1	deliveryCostPayment <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryCostPayment
964	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Transport cost payment code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryCostPayment/@codeListVersion
965	BDT00000080		0 .. 1	Signature required indicator <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Signature required indicator		0 .. 1	isSignatureRequired <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/isSignatureRequired
966	BDT00000690	.. 80	1 .. 1	United Nations location code, UN/LOCODE content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/UN location code, UN/LOCODE/United Nations location code, UN/LOCODE content	1 .. 80	0 .. 1	unLocationCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/location/unLocationCode
967	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transport information/Delivery terms information/Delivery terms for location information/UN location code, UN/LOCODE/Code list version			despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/unLocationCode/@codeListVersion
968	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Global location number GLN	0 .. 1		gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/gln
969	BDT00000627	.. 80	1 .. 1	Physical location identification content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Additional physical location identification/Physical location identification content	1 .. 80	0 .. unbounded	additionalLocationIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification
970	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeAgencyCode
971	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Code list version			deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeAgencyCodeCodeListVersion
972	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeAgencyName
973	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeName
974	BDT00000132	.. 80	0 .. 1	Sub location identification <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Sub location identification	1 .. 80	0 .. 1	sublocationIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/sublocationIdentification
975	BDT00000088	.. 80	0 .. 1	Logistics location name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Logistics location name	1 .. 80	0 .. 1	locationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/locationName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
976	BDT00000744	.. 70	1 .. 1	Specific instructions location description content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Specific instructions location description/Specific instructions location description content	1 .. 200	0 .. 1	locationSpecificInstructions <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/locationSpecificInstructions
977	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Specific instructions location description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/locationSpecificInstructions/@languageCode
978	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Specific instructions location description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/locationSpecificInstructions/@codeListVersion
979	BDT00000137	.. 20	0 .. 1	Universal Time Coordinated UTC offset <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Universal Time Coordinated UTC offset		0 .. 1	utcOffset <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/utcOffset
980	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Despatch advice	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transport information/Delivery terms information/Delivery terms for location information/Address information/City name			despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/city
981	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/cityCode
982	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/countryCode
983	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/countryCode/@codeListVersion
984	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/countyCode
985	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Despatch advice	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transport information/Delivery terms information/Delivery terms for location information/Address information/Cross street			despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/crossStreet
986	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/currencyOfPartyCode
987	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/currencyOfPartyCode/@codeListVersion
988	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/languageOfThePartyCode
989	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/languageOfThePartyCode/@codeListVersion
990	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Despatch advice	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transport information/Delivery terms information/Delivery terms for location information/Address information/Party name			despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/name
991	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/pOBoxNumber
992	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/postalCode
993	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/provinceCode
994	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/state
995	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Delivery terms for location information/Address information/Street address one			deliveryTermsLocation/address/streetAddressOne
996	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/streetAddressTwo
997	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/streetAddressThree
998	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/geographicalCoordinates/latitude
999	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/address/geographicalCoordinates/longitude
100	BDT00000571	.. 80	1 .. 1	Contact type code content	1 .. 80	0 .. 1	contactTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Contact type code/Contact type code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/contact/contactTypeCode
100	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/contact/contactTypeCode/@codeListVersion
100	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/contact/personName
100	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/contact/departmentName
100	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/contact/jobTitle

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
100	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/contact/responsibility
100	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/contact/responsibility/@languageCode
100	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/contact/responsibility/@codeListVersion
100	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/contact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication information/Communication channel code/Communication channel code content			
100	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationChannelCode/@codeListVersion
101	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationValue
101	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationChannelName
101	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Despatch advice	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transport information/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content			despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode
101	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
101	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/communicationValue
101	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/ communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
101	BDT00000745	.. 80	1 .. 1	Day of the week code content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Regular operating hours information/Day of the week code/Day of the week code content	1 .. 1		dayOfTheWeekCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/regularOperatingHours/dayOfTheWeekCode
101	BDT00000078		0 .. 1	Business operational indicator <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Regular operating hours information/Business operational indicator	1 .. 1		isOperational <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/regularOperatingHours/isOperational
101	BDT00000021		0 .. 1	Closing time <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Regular operating hours information/Closing time	0 .. 1		closingTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/regularOperatingHours/closingTime
101	BDT00000098		0 .. 1	Opening time <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Regular operating hours information/Opening time	0 .. 1		openingTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/deliveryTermsLocation/regularOperatingHours/openingTime
102	BDT00000078		0 .. 1	Business operational indicator <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms	1 .. 1		isOperational <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/deliveryTerms/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Delivery terms for location information/Special operating hours information/Business operational indicator			deliveryTermsLocation/specialOperatingHours/ isOperational
102	BDT00000126		0 .. 1	Special date <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Special operating hours information/Special date		1 .. 1	specialDate <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDate
102	BDT00000021		0 .. 1	Closing time <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Special operating hours information/Closing time		0 .. 1	closingTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ closingTime
102	BDT00000098		0 .. 1	Opening time <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Special operating hours information/Opening time		0 .. 1	openingTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ openingTime
102	BDT00000669	.. 80	1 .. 1	Name of special day content <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Special operating hours information/Name of special day/Name of special day content	1 .. 80	0 .. 1	specialDateName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName
102	BDT00000524	.. 80	1 .. 1	Language code content	1 .. 80		languageCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Special operating hours information/Name of special day/ Language code/Language code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName/@languageCode
102	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Delivery terms information/Delivery terms for location information/Special operating hours information/Name of special day/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName/@codeListVersion
102	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driver/ contactTypeCode
102	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driver/ contactTypeCode/@codeListVersion
102	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driver/personName
103	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/driver/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Department name			departmentName
103	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driver/jobTitle
103	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driver/responsibility
103	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driver/responsibility/@languageCode
103	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driver/responsibility/@codeListVersion
103	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Communication information/Communication channel	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driver/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Communication channel code content			
103	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driver/communicationChannel/communicationChannelCode/@codeListVersion
103	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driver/communicationChannel/communicationValue
103	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driver/communicationChannel/communicationChannelName
103	BDT000000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driver/afterHoursCommunicationChannel/communicationChannelCode
104	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transport information/Driver contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version			despatchAdviceTransportInformation/driver/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
104	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driver/afterHoursCommunicationChannel/communicationValue
104	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Despatch advice transport information/Driver contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driver/afterHoursCommunicationChannel/communicationChannelName
104	BDT00000112	.. 70	1 .. 1	Person name <i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Person name	1 .. 200	1 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driverID/personName
104	BDT00000823		0 .. 1	Date of birth <i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Date of birth		0 .. 1	dateOfBirth <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driverID/dateOfBirth
104	BDT00000824	.. 200	0 .. 1	Gender information <i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Gender information		0 .. 1	gender <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driverID/gender

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
104	BDT00000825		1 .. 1	Nationality code content <i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Nationality code/Nationality code content	1 .. 80	0 .. unbounded	nationality <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driverID/nationality
104	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Nationality code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driverID/nationality/@codeListVersion
104	BDT00000828	.. 70	1 .. 1	Identity document number <i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Identity document information/Identity document number	1 .. 80	1 .. 1	identityDocumentNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driverID/identityDocument/identityDocumentNumber
104	BDT00000830	.. 70	1 .. 1	Identity document type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Identity document information/Identity document type code/Identity document type code content	1 .. 80	1 .. 1	identityDocumentType <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driverID/identityDocument/identityDocumentType
105	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Identity document information/Identity document type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driverID/identityDocument/identityDocumentType/@codeListVersion
105	BDT00000831	.. 70	0 .. 1	Identity document issuer	1 .. 80	0 .. 1	identityDocumentIssuer

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Despatch advice transport information/Driver identification information/Identity document information/Identity document issuer			<i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/driverID/identityDocument/identityDocumentIssuer
105	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/contactTypeCode
105	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/contactTypeCode/@codeListVersion
105	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/personName
105	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/departmentName
105	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Job	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/jobTitle

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				title			
105	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/responsibility
105	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/responsibility/@languageCode
105	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/responsibility/@codeListVersion
106	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/communicationChannel/communicationChannelCode
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
106		.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/communicationChannel/communicationChannelCode/@codeListVersion
106	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/communicationChannel/communicationValue
106	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/communicationChannel/communicationChannelName
106	BDT000000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/afterHoursCommunicationChannel/communicationChannelCode
106	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/After	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiver/afterHoursCommunicationChannel/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				hours communication information/ Communication channel code/ Communication channel code content/Code list version			communicationChannelCode/@codeListVersion
106	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/receiver/ afterHoursCommunicationChannel/communicationValue
106	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/receiver/ afterHoursCommunicationChannel/ communicationChannelName
106	BDT00000112	.. 70	1 .. 1	Person name <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact identification information/Person name	1 .. 200	1 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/receiverID/ personName
106	BDT00000823		0 .. 1	Date of birth <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact identification information/Date of birth		0 .. 1	dateOfBirth <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/receiverID/ dateOfBirth
107	BDT00000824	.. 200	0 .. 1	Gender information <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact identification		0 .. 1	gender <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/receiverID/gender

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
107	BDT00000825		1 .. 1	information/Gender information Nationality code content <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact identification information/Nationality code/Nationality code content	1 .. 80	0 .. unbounded	nationality <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiverID/nationality
107	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact identification information/Nationality code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiverID/nationality/@codeListVersion
107	BDT00000828	.. 70	1 .. 1	Identity document number <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact identification information/Identity document information/Identity document number	1 .. 80	1 .. 1	identityDocumentNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiverID/identityDocument/identityDocumentNumber
107	BDT00000830	.. 70	1 .. 1	Identity document type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact identification information/Identity document information/Identity document type code/Identity document type code content	1 .. 80	1 .. 1	identityDocumentType <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiverID/identityDocument/identityDocumentType
107	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiverID/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				organisation contact identification information/identity document information/identity document type code/Code list version			identityDocument/identityDocumentType/@codeListVersion
107	BDT00000831	.. 70	0 .. 1	Identity document issuer <i>Path:</i> Despatch advice/Despatch advice transport information/Receiving organisation contact identification information/identity document information/identity document issuer	1 .. 80	0 .. 1	identityDocumentIssuer <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/receiverID/identityDocument/identityDocumentIssuer
107	BDT00000500	4 .. 30	0 .. 1	Global shipment identification number, GSIN <i>Path:</i> Despatch advice/Despatch advice transport information/Shipment identification/Global shipment identification number, GSIN		0 .. 1	gsin <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/shipmentIdentification/gsin
107	BDT00000517	.. 80	1 .. 1	Additional shipment identification content <i>Path:</i> Despatch advice/Despatch advice transport information/Shipment identification/Additional shipment identification information/Additional shipment identification content	1 .. 80	0 .. unbounded	additionalShipmentIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/shipmentIdentification/additionalShipmentIdentification
107	BDT00000515	.. 80	1 .. 1	Additional shipment identification type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Shipment identification/Additional shipment identification information/Additional shipment identification type code/Additional shipment identification type code content	1 .. 80		additionalShipmentIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/shipmentIdentification/additionalShipmentIdentification/@additionalShipmentIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
108	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Shipment identification/Additional shipment identification information/Additional shipment identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/ shipmentIdentification/additionalShipmentIdentification/ @codeListVersion
108	BDT00000834	.. 80	1 .. 1	Transport seal identification content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal identification/Transport seal identification content	1 .. 80	1 .. 1	sealIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/transportSeal/ sealIdentification
108	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/transportSeal/ sealIdentification/@identificationSchemeAgencyCode
108	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/transportSeal/ sealIdentification/ @identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
108	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/transportSeal/ sealIdentification/@identificationSchemeAgencyName
108	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/transportSeal/ sealIdentification/@identificationSchemeName
108	BDT000000835	.. 80	1 .. 1	Transport seal type code content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal type code/ Transport seal type code content	1 .. 80	1 .. 1	sealTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/transportSeal/ sealTypeCode
108	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/transportSeal/ sealTypeCode/@codeListVersion
108	BDT000000839	.. 80	1 .. 1	Transport seal affixing party role code content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal affixing party role code/Transport seal affixing party role code content	1 .. 80	0 .. 1	sealAffixingPartyRole <i>Path:</i> despatchAdviceMessage/despatchAdvice/ despatchAdviceTransportInformation/transportSeal/ sealAffixingPartyRole

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
108	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal affixing party role code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportSeal/sealAffixingPartyRole/@codeListVersion
109	BDT00000841	.. 80	1 .. 1	Transport seal condition code content <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal condition code/Transport seal condition code content	1 .. 80	0 .. 1	sealConditionCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportSeal/sealConditionCode
109	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Despatch advice transport information/Transport seal information/Transport seal condition code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchAdviceTransportInformation/transportSeal/sealConditionCode/@codeListVersion
109	BDT00000455		0 .. 1	Actual ship date time <i>Path:</i> Despatch advice/Goods delivery dates information/Actual ship date time		0 .. 1	actualShipDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/actualShipDateTime
109	BDT00000456		0 .. 1	Despatch date time <i>Path:</i> Despatch advice/Goods delivery dates information/Despatch date time		0 .. 1	despatchDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/despatchDateTime
109	BDT00000457		0 .. 1	Estimated delivery date time <i>Path:</i> Despatch advice/Goods delivery dates information/Estimated delivery date time		0 .. 1	estimatedDeliveryDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/estimatedDeliveryDateTime
109	BDT00000458		0 .. 1	Estimated delivery date time at ultimate consignee <i>Path:</i> Despatch advice/Goods delivery dates information/Estimated delivery date		0 .. 1	estimatedDeliveryDateTimeAtUltimateConsignee <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/estimatedDeliveryDateTimeAtUltimateConsignee

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				time at ultimate consignee			
109	BDT00000459		0 .. 1	Goods loading date time <i>Path:</i> Despatch advice/Goods delivery dates information/Goods loading date time		0 .. 1	loadingDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/loadingDateTime
109	BDT00000460		0 .. 1	Goods pick up date time <i>Path:</i> Despatch advice/Goods delivery dates information/Goods pick up date time		0 .. 1	pickUpDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/pickUpDateTime
109	BDT00000461		0 .. 1	Seller released goods date time <i>Path:</i> Despatch advice/Goods delivery dates information/Seller released goods date time		0 .. 1	releaseDateTimeOfSupplier <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/releaseDateTimeOfSupplier
109	BDT00000009		0 .. 1	Begin period date <i>Path:</i> Despatch advice/Goods delivery dates information/Estimated delivery period/Begin period date		0 .. 1	beginDate <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/estimatedDeliveryPeriod/beginDate
110	BDT00000010		0 .. 1	Begin time period <i>Path:</i> Despatch advice/Goods delivery dates information/Estimated delivery period/Begin time period		0 .. 1	beginTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/estimatedDeliveryPeriod/beginTime
110	BDT00000054		0 .. 1	End date period <i>Path:</i> Despatch advice/Goods delivery dates information/Estimated delivery period/End date period		0 .. 1	endDate <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/estimatedDeliveryPeriod/endDate
110	BDT00000055		0 .. 1	End time period <i>Path:</i> Despatch advice/Goods delivery dates information/Estimated delivery period/End time period		0 .. 1	endTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/despatchInformation/estimatedDeliveryPeriod/endTime
110	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Freight forwarder		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Global location number GLN			freightForwarder/gln
110	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Freight forwarder party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/additionalPartyIdentification
110	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Freight forwarder party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
110	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/additionalPartyIdentification/@codeListVersion
110	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/city
110	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/cityCode
110	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Freight forwarder	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Address information/ Country code/Country code content			freightForwarder/address/countryCode
111	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/ Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/address/countryCode/@codeListVersion
111	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/ County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/address/countyCode
111	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/ Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/address/crossStreet
111	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Currency of party code/ Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/address/currencyOfPartyCode
111	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Currency of party code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/address/currencyOfPartyCode/ @codeListVersion
111	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/address/languageOfThePartyCode
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
111		.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/languageOfThePartyCode/@codeListVersion
111	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/name
111	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/pOBoxNumber
111	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/postalCode
112	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/provinceCode
112	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/state
112	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
112	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/streetAddressTwo
112	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/streetAddressThree
112	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/geographicalCoordinates/latitude
112	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Freight forwarder party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/address/geographicalCoordinates/longitude
112	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/contactTypeCode
112	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/contactTypeCode/@codeListVersion
112	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Freight forwarder	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Business contact information/Person name			freightForwarder/contact/personName
113	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/departmentName
113	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/jobTitle
113	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/responsibility
113	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/responsibility/@languageCode
113	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/responsibility/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
113	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/communicationChannel/communicationChannelCode
113	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/communicationChannel/communicationChannelCode/@codeListVersion
113	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/communicationChannel/communicationValue
113	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/communicationChannel/communicationChannelName
113	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/After hours communication information/Communication channel	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/afterHoursCommunicationChannel/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Communication channel code content			communicationChannelCode
114	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
114	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/afterHoursCommunicationChannel/communicationValue
114	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Freight forwarder party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/contact/afterHoursCommunicationChannel/communicationChannelName
114	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
114	BDT000000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Freight forwarder	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
114	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
114	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
114	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/@identificationSchemeName
114	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Freight forwarder	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Tax registration information/Tax type code/Tax type code content			freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
114	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
115	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
115	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription
115	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
115	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
115	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration type code/ Tax registration type code content			dutyFeeTaxRegistrationType
115	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType/@codeListVersion
115	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/organisationDetails/organisationName
115	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/organisationDetails/issuedCapital
115	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/organisationDetails/issuedCapital/ @currencyCode
115	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/organisationDetails/issuedCapital/ @codeListVersion
116	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Legal structure	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/organisationDetails/legalStructure

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description/Legal structure description content			
116	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/legalStructure/@languageCode
116	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/legalStructure/@codeListVersion
116	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/city
116	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/cityCode
116	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/countryCode
116	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/Country code/Code list version			countryCode/@codeListVersion
116	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/countyCode
116	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/crossStreet
116	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/pOBoxNumber
117	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/postalCode
117	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/provinceCode
117	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/state

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
117	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/streetAddressOne
117	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/streetAddressTwo
117	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/streetAddressThree
117	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/geographicalCoordinates/latitude
117	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/officialAddress/geographicalCoordinates/longitude
117	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/legalRegistration/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Registered legal information/Legal registration number			legalRegistrationNumber
117	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/legalRegistration/legalRegistrationType
118	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
118	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
118	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/financialInstitutionName
118	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/financialInstitutionBranchName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
118	BDT00000059	.. 80	1 .. 1	Financial institution division name Financial account number <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumber
118	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
118	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
118	BDT000000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountName
118	BDT000000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Freight forwarder	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Financial institution and financial account information/ Financial institution routing number information/Financial routing number			freightForwarder/financialInstitutionInformation/ financialRoutingNumber/financialRoutingNumber
118	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/ Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/financialInstitutionInformation/ financialRoutingNumber/ financialRoutingNumberTypeCode
119	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/ Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/financialInstitutionInformation/ financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
119	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/ Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/financialInstitutionInformation/ additionalFinancialInformation/description
119	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				and financial account information/ Additional financial institution description/Language code/Language code content			additionalFinancialInformation/description/ @languageCode
119	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/ Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
119	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/ Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/financialInstitutionInformation/address/ city
119	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/ Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/financialInstitutionInformation/address/ cityCode
119	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/financialInstitutionInformation/address/ countryCode
119	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/financialInstitutionInformation/address/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				and financial account information/ Address information/Country code/ Code list version			countryCode/@codeListVersion
119	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/ Address information/Country code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/financialInstitutionInformation/address/ countyCode
119	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/ Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/financialInstitutionInformation/address/ crossStreet
120	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/ Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/financialInstitutionInformation/address/ name
120	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/ Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/financialInstitutionInformation/address/ pOBoxNumber
120	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/ Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ freightForwarder/financialInstitutionInformation/address/ postalCode
120	BDT00000117	80 ..	0 .. 1	Province identity	1 .. 80	0 .. 1	provinceCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/Province identity			<i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/provinceCode
120	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/state
120	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/streetAddressOne
120	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/streetAddressTwo
120	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/streetAddressThree
120	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/Geographical	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
120	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Freight forwarder party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/freightForwarder/financialInstitutionInformation/address/geographicalCoordinates/longitude
121	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Storage location information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/gln
121	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Storage location information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/additionalPartyIdentification
121	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Storage location information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
121	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/additionalPartyIdentification/@codeListVersion
121	BDT000000020	.. 200	0 .. 1	City name	1 .. 200	0 .. 1	city

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Storage location information/Address information/City name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/city
121	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Storage location information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/cityCode
121	BDT000000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Storage location information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/countryCode
121	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/countryCode/@codeListVersion
121	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Storage location information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/countyCode
121	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Storage location information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/crossStreet
122	BDT000000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/currencyOfPartyCode
122	BDT000000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Currency of party code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/currencyOfPartyCode/@codeListVersion
122	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/languageOfThePartyCode
122	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/languageOfThePartyCode/@codeListVersion
122	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Storage location information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/name
122	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Storage location information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/pOBoxNumber
122	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Storage location information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/postalCode
122	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Storage location information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
122	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Storage location information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/state
122	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Storage location information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/streetAddressOne
123	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Storage location information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/streetAddressTwo
123	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Storage location information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/streetAddressThree
123	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Storage location information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/geographicalCoordinates/latitude
123	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Storage location information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/address/geographicalCoordinates/longitude
123	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Storage location information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/contactTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
123	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/contactTypeCode/@codeListVersion
123	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Storage location information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/personName
123	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Storage location information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/departmentName
123	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Storage location information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/jobTitle
123	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Storage location information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/responsibility
124	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Storage location information/Business contact information/Business contact responsibility description/Language	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/responsibility/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
124	BDT00000028	.. 35	0 .. 1	code/Language code content Code list version <i>Path:</i> Despatch advice/Storage location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/responsibility/@codeListVersion
124	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/communicationChannel/communicationChannelCode
124	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/communicationChannel/communicationChannelCode/@codeListVersion
124	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Storage location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/communicationChannel/communicationValue
124	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Storage location information/Business contact	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/contact/communicationChannel/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication information/Communication channel name			communicationChannelName
124	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode
124	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
124	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Storage location information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/contact/ afterHoursCommunicationChannel/communicationValue
124	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Storage location information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ inventoryLocation/contact/ afterHoursCommunicationChannel/ communicationChannelName
125	BDT00000584	.. 200	1 .. 1	Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax registration identification information/Tax registration identification content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
125	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
125	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
125	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
125	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
125	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
125	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
125	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
125	BDT00000074	.. 80	0 .. 1	Identification scheme name	1 .. 80		identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
125	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
126	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
126	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
126	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
126	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs duty registration information/Tax type code/Code list version			inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
126	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
126	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
126	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription
126	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs duty description/Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription
126	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
126	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs duty description/	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Language code/Language code content			
127	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
127	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs duty description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
127	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
127	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Storage location information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
127	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
127	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Customs duty registration	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs registration type code/Code list version			dutyFeeTaxRegistrationType/@codeListVersion
127	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/organisationName
127	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/issuedCapital
127	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/issuedCapital/@currencyCode
127	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/issuedCapital/@codeListVersion
128	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/legalStructure
128	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Storage location information/Organisation legal	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/legalStructure/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Legal structure description/Language code/Language code content			@languageCode
128	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/legalStructure/@codeListVersion
128	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/city
128	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/cityCode
128	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/countryCode
128	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/countryCode/@codeListVersion
128	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Storage location information/Organisation legal	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/County code			countyCode
128	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/crossStreet
128	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/pOBoxNumber
129	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/postalCode
129	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/provinceCode
129	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/state
129	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
129	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/streetAddressTwo
129	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/streetAddressThree
129	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/geographicalCoordinates/latitude
129	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/officialAddress/geographicalCoordinates/longitude
129	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationNumber
129	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Storage location information/Organisation legal	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/legalRegistration/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Registered legal information/Legal registration type code/Legal registration type code content			legalRegistrationType
130	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
130	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Storage location information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
130	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/financialInstitutionName
130	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/financialInstitutionBranchName
130	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Financial	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial account number			
130	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
130	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
130	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountName
130	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
130	BDT00000644	.. 80	1 .. 1	Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
131	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
131	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description
131	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
131	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Financial institution and	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Additional financial institution description/ Language code/Code list version			additionalFinancialInformation/description/@codeListVersion
131	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/city
131	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/cityCode
131	BDT000000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/countryCode
131	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/countryCode/@codeListVersion
131	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
131	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/crossStreet
132	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/name
132	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/pOBoxNumber
132	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/postalCode
132	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/provinceCode
132	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/state

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
132	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/streetAddressOne
132	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/streetAddressTwo
132	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/streetAddressThree
132	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/geographicalCoordinates/latitude
132	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Storage location information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/inventoryLocation/financialInstitutionInformation/address/geographicalCoordinates/longitude
133	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced invoice document information/Entity	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoice/entityIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification			
133	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced invoice document information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoice/contentOwner/gln
133	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoice/contentOwner/additionalPartyIdentification
133	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
133	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoice/contentOwner/additionalPartyIdentification/@codeListVersion
133	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced invoice document information/Business	0 .. 1		creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoice/creationDateTime

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				document creation date time			
133	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced invoice document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoice/revisionNumber
133	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced invoice document information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoice/lineltemNumber
133	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced invoice document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoice/referencedDocumentUrl
133	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Bill to party information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/gln
134	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Bill to party information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/additionalPartyIdentification
134	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Bill to party information/Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
134	BDT000000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Bill to party information/Additional party identification/Additional party identification type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/additionalPartyIdentification/@codeListVersion
134	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Bill to party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/city
134	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Bill to party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/cityCode
134	BDT000000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Bill to party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/countryCode
134	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/countryCode/@codeListVersion
134	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Bill to party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/countyCode
134	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Bill to party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/crossStreet
	BDT000000710						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
134		.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/currencyOfPartyCode
135	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/currencyOfPartyCode/@codeListVersion
135	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/languageOfThePartyCode
135	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/languageOfThePartyCode/@codeListVersion
135	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Bill to party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/name
135	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Bill to party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/pOBoxNumber
135	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Bill to party	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Postal code			address/postalCode
135	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Bill to party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/provinceCode
135	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Bill to party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/state
135	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Bill to party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/streetAddressOne
135	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Bill to party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/streetAddressTwo
136	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Bill to party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/streetAddressThree
136	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Bill to party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/geographicalCoordinates/latitude
136	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Bill to party information/Address information/	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Geographical coordinates information/ Longitude			
136	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ contact/contactTypeCode
136	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ contact/contactTypeCode/@codeListVersion
136	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ contact/personName
136	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ contact/departmentName
136	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ contact/jobTitle
136	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Business contact responsibility description/Business	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ contact/responsibility

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				contact responsibility description content			
136	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/responsibility/@languageCode
137	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/responsibility/@codeListVersion
137	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/communicationChannel/communicationChannelCode
137	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/communicationChannel/communicationChannelCode/@codeListVersion
137	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Bill to party	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel identification			contact/communicationChannel/communicationValue
137	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Bill to party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ contact/communicationChannel/ communicationChannelName
137	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Bill to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ contact/afterHoursCommunicationChannel/ communicationChannelCode
137	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
137	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Bill to party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ contact/afterHoursCommunicationChannel/ communicationValue
	BDT00000033						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
137		.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Bill to party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/contact/afterHoursCommunicationChannel/communicationChannelName
137	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
138	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
138	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
138	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
138	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
138	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
138	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
138	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
138	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
138	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
138	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
139	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Tax type code/Tax type	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code content			
139	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
139	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
139	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
139	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
139	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxDescription
139	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs duty description/Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxDescription
	BDT00000524						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
139		.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
139	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs duty description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
139	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
140	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs duty description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
140	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
140	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs registration type code/Customs registration type code	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
140	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
140	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
140	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/organisationName
140	BDT000000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/issuedCapital
140	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/issuedCapital/@currencyCode
140	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/issuedCapital/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
140	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/legalStructure
141	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/legalStructure/@languageCode
141	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/legalStructure/@codeListVersion
141	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/city
141	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/cityCode
141	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Country	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/countryCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
141	BDT00000028	.. 35	0 .. 1	code/Country code content Code list version <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/countryCode/@codeListVersion
141	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/countyCode
141	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/crossStreet
141	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/pOBoxNumber
141	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/postalCode
142	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
142	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/state
142	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/streetAddressOne
142	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/streetAddressTwo
142	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/streetAddressThree
142	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/geographicalCoordinates/latitude
142	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Official address/Geographical coordinates information/	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/officialAddress/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Longitude			
142	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/legalRegistration/legalRegistrationNumber
142	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/legalRegistration/legalRegistrationType
142	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
143	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Bill to party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
143	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/financialInstitutionName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
143	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/financialInstitutionBranchName
143	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/financialAccount/financialAccountNumber
143	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
143	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
143	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Financial account information/Financial account	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/financialAccount/financialAccountName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
143	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
143	BDT000000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
143	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
144	BDT000000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
144	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
144	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
144	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ financialInstitutionInformation/address/city
144	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ financialInstitutionInformation/address/cityCode
144	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/ financialInstitutionInformation/address/countryCode
144	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Bill to party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Country code/Code list version			financialInstitutionInformation/address/countryCode/@codeListVersion
144	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/countryCode
144	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/crossStreet
144	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/name
145	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/pOBoxNumber
145	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/postalCode
145	BDT00000117	80 ..	0 .. 1	Province identity	1 .. 80	0 .. 1	provinceCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Province identity			<i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/provinceCode
145	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/state
145	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/streetAddressOne
145	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/streetAddressTwo
145	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/streetAddressThree
145	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
145	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Bill to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/invoicee/financialInstitutionInformation/address/geographicalCoordinates/longitude
145	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Despatch advice/Logistic service provider party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/gln
146	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Logistic service provider party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/additionalPartyIdentification
146	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Logistic service provider party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
146	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/additionalPartyIdentification/@codeListVersion
146	BDT000000020	.. 200	0 .. 1	City name	1 .. 200	0 .. 1	city

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistic service provider party information/Address information/City name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/city
146	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/cityCode
146	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/countryCode
146	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/countryCode/@codeListVersion
146	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/countyCode
146	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/crossStreet
146	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/currencyOfPartyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
147	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/currencyOfPartyCode/@codeListVersion
147	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/languageOfThePartyCode
147	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/languageOfThePartyCode/@codeListVersion
147	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/name
147	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/pOBoxNumber
147	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/postalCode
147	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Logistic service provider party information/Address	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Province identity			
147	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/state
147	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/streetAddressOne
147	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/streetAddressTwo
148	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/streetAddressThree
148	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/geographicalCoordinates/latitude
148	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Logistic service provider party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/address/geographicalCoordinates/longitude
148	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Logistic service	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				provider party information/Business contact information/Contact type code/Contact type code content			logisticServiceProvider/contact/contactTypeCode
148	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/contactTypeCode/@codeListVersion
148	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/personName
148	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/departmentName
148	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/jobTitle
148	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/responsibility
148	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistic service	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				provider party information/Business contact information/Business contact responsibility description/Language code/Language code content			logisticServiceProvider/contact/responsibility/@languageCode
149	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/responsibility/@codeListVersion
149	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/communicationChannel/communicationChannelCode
149	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/communicationChannel/communicationChannelCode/@codeListVersion
149	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/communicationChannel/communicationValue
	BDT00000033						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
149		.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/communicationChannel/communicationChannelName
149	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/afterHoursCommunicationChannel/communicationChannelCode
149	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
149	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/afterHoursCommunicationChannel/communicationValue
149	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Logistic service provider party information/Business contact information/After hours	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/contact/afterHoursCommunicationChannel/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				communication information/ Communication channel name			communicationChannelName
149	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID
150	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
150	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
150	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax registration identification information/Identification	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
150	BDT00000074	.. 80	0 .. 1	scheme information/Identification scheme agency name Identification scheme name <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/@identificationSchemeName
150	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode
150	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode/@codeListVersion
150	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/dutyFeeTaxRegistration/ dutyFeeTaxAgencyName
150	BDT000000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/dutyFeeTaxRegistration/ dutyFeeTaxDescription
150	BDT000000524	.. 80	1 .. 1	Language code content	1 .. 80		languageCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax description/Language code/Language code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
150	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
151	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
151	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
151	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/organisationName
151	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Issued capital/Issued		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/issuedCapital

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
151	BDT00000589	.. 80	1 .. 1	capital content Currency code content <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/issuedCapital/@currencyCode
151	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/issuedCapital/@codeListVersion
151	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/legalStructure
151	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/legalStructure/@languageCode
151	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/legalStructure/@codeListVersion
151	BDT00000020	.. 200	0 .. 1	City name	1 .. 200	0 .. 1	city

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/City name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/city
152	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/cityCode
152	BDT000000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/countryCode
152	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/countryCode/@codeListVersion
152	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/countyCode
152	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/crossStreet
152	BDT000000113	.. 80	0 .. 1	Post office box number	1 .. 80	0 .. 1	pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Post office box number			<i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/pOBoxNumber
152	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/postalCode
152	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/provinceCode
152	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/state
152	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/streetAddressOne
153	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/streetAddressTwo
153	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Logistic service	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				provider party information/Organisation legal information/Official address/Street address three			logisticServiceProvider/organisationDetails/officialAddress/streetAddressThree
153	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/geographicalCoordinates/latitude
153	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/officialAddress/geographicalCoordinates/longitude
153	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/legalRegistration/legalRegistrationNumber
153	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/legalRegistration/legalRegistrationType
153	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				legal information/Registered legal information/Legal registration type code/Code list version			legalRegistration/legalRegistrationType/@codeListVersion
153	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Logistic service provider party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
153	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/financialInstitutionName
153	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/financialInstitutionBranchName
154	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/financialAccount/financialAccountNumber
154	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Logistic service provider party information/Financial	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			
154	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
154	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/financialAccount/financialAccountName
154	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
154	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Financial institution routing	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
154	BDT00000028	.. 35	0 .. 1	number information/Financial routing number type code/Financial routing number type code content Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/financialInstitutionInformation/ financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
154	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/financialInstitutionInformation/ additionalFinancialInformation/description
154	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
154	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Additional financial institution description/Language code/	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ logisticServiceProvider/financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Code list version			
155	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/city
155	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/cityCode
155	BDT000000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/countryCode
155	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/countryCode/@codeListVersion
155	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/County	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/countyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
155	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/crossStreet
155	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/name
155	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/pOBoxNumber
155	BDT000000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/postalCode
155	BDT000000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Province identity			
156	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/state
156	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/streetAddressOne
156	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/streetAddressTwo
156	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/streetAddressThree
156	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Geographical coordinates information/	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
156	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Logistic service provider party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/logisticServiceProvider/financialInstitutionInformation/address/geographicalCoordinates/longitude
156	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced order response document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/orderResponse/entityIdentification
156	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced order response document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/orderResponse/contentOwner/gln
156	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced order response document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/orderResponse/contentOwner/additionalPartyIdentification
156	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced order response document information/Document content owner/Additional party identification information/Additional party identification type	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/orderResponse/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Additional party identification type code content			
157	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced order response document information/ Document content owner/Additional party identification information/ Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ orderResponse/contentOwner/ additionalPartyIdentification/@codeListVersion
157	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced order response document information/ Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/ orderResponse/creationDateTime
157	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced order response document information/ Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ orderResponse/revisionNumber
157	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced order response document information/ Document line number		0 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ orderResponse/lineltemNumber
157	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced order response document information/ Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/ orderResponse/referencedDocumentUrl
157	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Pick up from party information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/gln
	BDT00000578						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
157		.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Pick up from party information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/additionalPartyIdentification
157	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Pick up from party information/Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
157	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/additionalPartyIdentification/@codeListVersion
157	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Pick up from party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/city
158	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Pick up from party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/cityCode
158	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Pick up from party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
158	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/countryCode/@codeListVersion
158	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Pick up from party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/countyCode
158	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Pick up from party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/crossStreet
158	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/currencyOfPartyCode
158	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/currencyOfPartyCode/@codeListVersion
158	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/languageOfThePartyCode
158	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/languageOfThePartyCode/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Language of the party code/Code list version			@codeListVersion
158	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Pick up from party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/name
159	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Pick up from party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/pOBoxNumber
159	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Pick up from party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/postalCode
159	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Pick up from party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/provinceCode
159	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Pick up from party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/state
159	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Pick up from party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/streetAddressOne
159	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Pick up from party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
159	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Pick up from party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/streetAddressThree
159	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Pick up from party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/geographicalCoordinates/latitude
159	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Pick up from party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/address/geographicalCoordinates/longitude
159	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/contactTypeCode
160	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/contactTypeCode/@codeListVersion
160	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/personName
160	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Pick up from party	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Department name			pickUpLocation/contact/departmentName
160	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/contact/jobTitle
160	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/contact/responsibility
160	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/contact/responsibility/@languageCode
160	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/contact/responsibility/@codeListVersion
160	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Communication	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/contact/communicationChannel/ communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication channel code/Communication channel code content			
160	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/communicationChannel/communicationChannelCode/@codeListVersion
160	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/communicationChannel/communicationValue
161	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/communicationChannel/communicationChannelName
161	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/afterHoursCommunicationChannel/communicationChannelCode
161	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Pick up from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
161	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/afterHoursCommunicationChannel/communicationValue
161	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Pick up from party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/contact/afterHoursCommunicationChannel/communicationChannelName
161	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
161	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
	BDT00000583						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
161		.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
161	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
161	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
162	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version			dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
162	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
162	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
162	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/@identificationSchemeName
162	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs registration identification information/Identification	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/@identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme information/Identification scheme name			
162	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode
162	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode
162	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode/@codeListVersion
162	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode/@codeListVersion
162	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/dutyFeeTaxRegistration/ dutyFeeTaxAgencyName
163	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/dutyFeeTaxRegistration/ dutyFeeTaxAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
163	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription
163	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs duty description/Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription
163	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
163	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs duty description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
163	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
163	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs duty description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
163	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
163	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
163	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
164	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
164	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/organisationName
164	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/issuedCapital

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
164	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/issuedCapital/@currencyCode
164	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/issuedCapital/@codeListVersion
164	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/legalStructure
164	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/legalStructure/@languageCode
164	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/legalStructure/@codeListVersion
164	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Pick up from party	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/City name			pickUpLocation/organisationDetails/officialAddress/city
164	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/organisationDetails/officialAddress/ cityCode
165	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/organisationDetails/officialAddress/ countyCode
165	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/organisationDetails/officialAddress/ crossStreet
165	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/organisationDetails/officialAddress/ pOBoxNumber
165	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/organisationDetails/officialAddress/ postalCode
165	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/organisationDetails/officialAddress/ provinceCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
165	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/officialAddress/state
165	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/officialAddress/streetAddressOne
165	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/officialAddress/streetAddressTwo
165	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/officialAddress/streetAddressThree
165	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/legalRegistration/legalRegistrationNumber
166	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/legalRegistration/legalRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
166	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
166	BDT000000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Pick up from party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
166	BDT000000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/financialInstitutionName
166	BDT000000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/financialInstitutionBranchName
166	BDT000000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/financialAccount/financialAccountNumber
166	BDT000000645	.. 80	1 .. 1	Financial account number type code	1 .. 80	1 .. 1	financialAccountNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
166	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
166	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/financialAccount/financialAccountName
166	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
167	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Financial institution routing number information/	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial routing number type code/ Financial routing number type code content			
167	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/financialInstitutionInformation/ financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
167	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Additional financial institution description/ Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/financialInstitutionInformation/ additionalFinancialInformation/description
167	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
167	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ pickUpLocation/financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
	BDT00000020						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
167		.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/city
167	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/cityCode
167	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/countryCode
167	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/countryCode/@codeListVersion
167	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/countyCode
168	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Cross street			crossStreet
168	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/name
168	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/pOBoxNumber
168	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/postalCode
168	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/provinceCode
168	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/state
168	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Street address one			streetAddressOne
168	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/streetAddressTwo
168	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/streetAddressThree
168	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/geographicalCoordinates/latitude
169	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Pick up from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/pickUpLocation/financialInstitutionInformation/address/geographicalCoordinates/longitude
169	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced product certification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/productCertification/entityIdentification
169	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced product		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				certification information/Document content owner/Global location number GLN			productCertification/contentOwner/gln
169	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced product certification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/productCertification/contentOwner/additionalPartyIdentification
169	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced product certification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/productCertification/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
169	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced product certification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/productCertification/contentOwner/additionalPartyIdentification/@codeListVersion
169	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced product certification information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/productCertification/creationDateTime
169	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced product		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				certification information/Revision number			productCertification/revisionNumber
169	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced product certification information/Document line number	0 .. 1		lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/productCertification/lineltemNumber
169	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced product certification information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/productCertification/referencedDocumentUri
170	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced promotional deal information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/promotionalDeal/entityIdentification
170	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced promotional deal information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/promotionalDeal/contentOwner/gln
170	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/promotionalDeal/contentOwner/additionalPartyIdentification
170	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced promotional deal information/Document content owner/Additional party	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/promotionalDeal/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
170	BDT00000028	.. 35	0 .. 1	identification information/Additional party identification type code/Additional party identification type code content Code list version <i>Path:</i> Despatch advice/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/promotionalDeal/contentOwner/additionalPartyIdentification/@codeListVersion
170	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced promotional deal information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/promotionalDeal/creationDateTime
170	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced promotional deal information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/promotionalDeal/revisionNumber
170	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced promotional deal information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/promotionalDeal/lineItemNumber
170	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced promotional deal information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/promotionalDeal/referencedDocumentUrl
170	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced purchase order document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/purchaseOrder/entityIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
171	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced purchase order document information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/purchaseOrder/contentOwner/gln
171	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced purchase order document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/purchaseOrder/contentOwner/additionalPartyIdentification
171	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced purchase order document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/purchaseOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
171	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced purchase order document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/purchaseOrder/contentOwner/additionalPartyIdentification/@codeListVersion
171	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced purchase order document information/Business document creation date time	0 .. 1		creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/purchaseOrder/creationDateTime

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
171	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced purchase order document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/purchaseOrder/revisionNumber
171	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced purchase order document information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/purchaseOrder/lineltemNumber
171	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced purchase order document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/purchaseOrder/referencedDocumentUrl
171	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Despatch advice/Goods receiving party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/gln
171	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Goods receiving party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/additionalPartyIdentification
172	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Goods receiving party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
172	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional party identification information/Additional party identification type code/Code list version			additionalPartyIdentification/@codeListVersion
172	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Goods receiving party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/city
172	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Goods receiving party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/cityCode
172	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/countryCode
172	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/countryCode/@codeListVersion
172	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Goods receiving party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/countyCode
172	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/crossStreet
172	BDT00000710	.. 80	1 .. 1	Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Currency of party code/Currency of party code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/currencyOfPartyCode
172	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/currencyOfPartyCode/@codeListVersion
173	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/languageOfThePartyCode
173	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/languageOfThePartyCode/@codeListVersion
173	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/name
173	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/pOBoxNumber
173	BDT000000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Postal	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/postalCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code			
173	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/provinceCode
173	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Goods receiving party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/state
173	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/streetAddressOne
173	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/streetAddressTwo
173	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/streetAddressThree
174	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/geographicalCoordinates/latitude
174	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Goods receiving party information/Address information/Geographical coordinates information/	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Longitude			
174	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/contactTypeCode
174	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/contactTypeCode/@codeListVersion
174	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/personName
174	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/departmentName
174	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/jobTitle
174	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Business contact responsibility description/Business contact responsibility description	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/responsibility

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
174	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Goods receiving party information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/responsibility/@languageCode
174	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/responsibility/@codeListVersion
175	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/communicationChannel/communicationChannelCode
175	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/communicationChannel/communicationChannelCode/@codeListVersion
175	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Goods receiving party information/Business contact	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/communicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication information/Communication channel identification			
175	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ contact/communicationChannel/ communicationChannelName
175	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ contact/afterHoursCommunicationChannel/ communicationChannelCode
175	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
175	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ contact/afterHoursCommunicationChannel/ communicationValue
175	BDT00000033	.. 200	0 .. 1	Communication channel name	1 .. 200	0 .. 1	communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Goods receiving party information/Business contact information/After hours communication information/Communication channel name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/contact/afterHoursCommunicationChannel/communicationChannelName
175	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
175	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
176	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
176	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			
176	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
176	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
176	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
176	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Goods receiving party	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name			dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
176	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
176	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
176	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
176	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
177	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
177	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
177	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
177	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
177	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxDescription
177	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs duty description/Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxDescription
177	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxDescription/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax description/Language code/Language code content			@languageCode
177	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs duty description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
177	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
177	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs duty description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
178	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Goods receiving party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
178	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
178	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax registration type code/ Code list version			dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
178	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
178	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ organisationDetails/organisationName
178	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ organisationDetails/issuedCapital
178	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ organisationDetails/issuedCapital/ @currencyCode
178	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ organisationDetails/issuedCapital/ @codeListVersion
178	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ organisationDetails/legalStructure

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Legal structure description/Legal structure description content			
178	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/legalStructure/@languageCode
179	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/legalStructure/@codeListVersion
179	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/city
179	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/cityCode
179	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/countryCode
179	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Country code/Code list version			organisationDetails/officialAddress/countryCode/ @codeListVersion
179	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Country code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ organisationDetails/officialAddress/countyCode
179	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ organisationDetails/officialAddress/crossStreet
179	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ organisationDetails/officialAddress/pOBoxNumber
179	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ organisationDetails/officialAddress/postalCode
179	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ organisationDetails/officialAddress/provinceCode
180	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ organisationDetails/officialAddress/state

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
180	BDT00000128	.. 200	0 .. 1	information/Official address/State Street address one <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/streetAddressOne
180	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/streetAddressTwo
180	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/streetAddressThree
180	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/geographicalCoordinates/latitude
180	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/officialAddress/geographicalCoordinates/longitude
180	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Goods receiving party	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Registered legal information/Legal registration number			organisationDetails/legalRegistration/legalRegistrationNumber
180	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/legalRegistration/legalRegistrationType
180	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
180	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Goods receiving party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
181	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/financialInstitutionName
181	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial institution division name			financialInstitutionBranchName
181	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/financialAccount/financialAccountNumber
181	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
181	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
181	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/financialAccount/financialAccountName
181	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Goods receiving party	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial institution routing number information/Financial routing number			financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
181	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
181	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
181	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/additionalFinancialInformation/description
182	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Additional financial institution description/ Language code/ Language code content			additionalFinancialInformation/description/ @languageCode
182	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
182	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ financialInstitutionInformation/address/city
182	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ financialInstitutionInformation/address/cityCode
182	BDT000000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ financialInstitutionInformation/address/countryCode
182	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Country code/Code list	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/ financialInstitutionInformation/address/countryCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
182	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/countyCode
182	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/crossStreet
182	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/name
182	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/pOBoxNumber
183	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/postalCode
183	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
183	BDT00000127	.. 80	0 .. 1	information/Province identity State <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/state
183	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/streetAddressOne
183	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/streetAddressTwo
183	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/streetAddressThree
183	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/geographicalCoordinates/latitude
183	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Goods receiving party information/Financial institution and	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/receiver/financialInstitutionInformation/address/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Geographical coordinates information/Longitude			geographicalCoordinates/longitude
183	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced returns instruction information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/returnsInstruction/entityIdentification
183	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced returns instruction information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/returnsInstruction/contentOwner/gln
184	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced returns instruction information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/returnsInstruction/contentOwner/additionalPartyIdentification
184	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced returns instruction information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/returnsInstruction/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
184	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced returns instruction information/Document content owner/Additional party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/returnsInstruction/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification type code/Code list version			
184	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced returns instruction information/Business document creation date time	0 .. 1		creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/returnsInstruction/creationDateTime
184	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced returns instruction information/Revision number	0 .. 1		revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/returnsInstruction/revisionNumber
184	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced returns instruction information/Document line number	0 .. 1		lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/returnsInstruction/lineltemNumber
184	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced returns instruction information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/returnsInstruction/referencedDocumentUrl
184	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Despatch advice/Seller party information/Global location number, GLN	0 .. 1		gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/gln
184	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Seller party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/additionalPartyIdentification
184	BDT00000570	.. 80	1 .. 1	Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Seller party information/Additional party identification information/Additional party identification type code/Additional party identification type code content			additionalPartyIdentification/@additionalPartyIdentificationTypeCode
185	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/additionalPartyIdentification/@codeListVersion
185	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Seller party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/city
185	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Seller party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/cityCode
185	BDT00000074		1 .. 1	Country code content <i>Path:</i> Despatch advice/Seller party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/countryCode
185	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/countryCode/@codeListVersion
185	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Seller party information/Address information/County	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/countyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code			
185	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Seller party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/crossStreet
185	BDT000000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/currencyOfPartyCode
185	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/currencyOfPartyCode/@codeListVersion
185	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/languageOfThePartyCode
186	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/languageOfThePartyCode/@codeListVersion
186	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Seller party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/name
	BDT000000113						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
186		.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Seller party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/pOBoxNumber
186	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Seller party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/postalCode
186	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Seller party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/provinceCode
186	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Seller party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/state
186	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Seller party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/streetAddressOne
186	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Seller party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/streetAddressTwo
186	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Seller party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/address/streetAddressThree
186	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Seller party	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/ Geographical coordinates information/ Latitude			address/geographicalCoordinates/latitude
187	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Seller party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ address/geographicalCoordinates/longitude
187	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Seller party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/ contactTypeCode
187	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/ contactTypeCode/@codeListVersion
187	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Seller party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/ personName
187	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Seller party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/ departmentName
187	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Seller party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/ jobTitle

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
187	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Seller party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/responsibility
187	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Seller party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/responsibility/@languageCode
187	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/responsibility/@codeListVersion
187	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Seller party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/communicationChannel/communicationChannelCode
188	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Business contact	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/communicationChannel/communicationChannelCode/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication information/Communication channel code/Communication channel code content/Code list version			@codeListVersion
188	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Seller party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/ communicationChannel/communicationValue
188	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Seller party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/ communicationChannel/communicationChannelName
188	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Seller party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/ afterHoursCommunicationChannel/ communicationChannelCode
188	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
	BDT00000032						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
188		.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Seller party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/afterHoursCommunicationChannel/communicationValue
188	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Seller party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/contact/afterHoursCommunicationChannel/communicationChannelName
188	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
188	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
188	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration identification information/Identification	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			
189	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
189	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
189	BDT00000073	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
189	BDT00000073	.. 80	0 .. 1	Identification scheme agency name	1 .. 80		identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
189	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
189	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
189	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
189	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax type code/Tax type	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code content			
189	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
189	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
190	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
190	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
190	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
190	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription
	BDT00000563						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
190		.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs duty description/Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription
190	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
190	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs duty description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
190	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
190	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs duty description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
190	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
191	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
191	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
191	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
191	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/organisationName
191	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/issuedCapital
191	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/issuedCapital/@currencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
191	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/issuedCapital/@codeListVersion
191	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/legalStructure
191	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/legalStructure/@languageCode
191	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/legalStructure/@codeListVersion
192	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/city
192	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Seller party information/Organisation legal	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/cityCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
192	BDT00000774		1 .. 1	information/Official address/City code Country code content <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/countryCode
192	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/countryCode/@codeListVersion
192	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/countyCode
192	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/crossStreet
192	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/pOBoxNumber
192	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/postalCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
192	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/provinceCode
192	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/state
193	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/streetAddressOne
193	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/streetAddressTwo
193	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/streetAddressThree
193	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
193	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/officialAddress/geographicalCoordinates/longitude
193	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/legalRegistration/legalRegistrationNumber
193	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/legalRegistration/legalRegistrationType
193	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
193	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Seller party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
193	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/financialInstitutionName
194	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/financialInstitutionBranchName
194	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/financialAccount/financialAccountNumber
194	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
194	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
194	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/financialAccount/financialAccountName
194	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
194	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
194	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
194	BDT00000521	.. 70	1 .. 1	Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			financialInstitutionInformation/ additionalFinancialInformation/description
194	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
195	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
195	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ financialInstitutionInformation/address/city
195	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/ financialInstitutionInformation/address/cityCode
195	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Seller party	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Country code/Country code content			financialInstitutionInformation/address/countryCode
195	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/countryCode/@codeListVersion
195	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Country code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/countryCode
195	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/crossStreet
195	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/name
195	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
195	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/postalCode
196	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/provinceCode
196	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/state
196	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/streetAddressOne
196	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/streetAddressTwo
196	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
196	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/geographicalCoordinates/latitude
196	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Seller party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/seller/financialInstitutionInformation/address/geographicalCoordinates/longitude
196	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Ship from party information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/gln
196	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Ship from party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/additionalPartyIdentification
196	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Ship from party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
197	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional party identification information/Additional party identification type code/Code list version			additionalPartyIdentification/@codeListVersion
197	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Ship from party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/city
197	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Ship from party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/cityCode
197	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Ship from party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/countryCode
197	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/countryCode/@codeListVersion
197	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Ship from party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/countyCode
197	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Ship from party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/crossStreet
197	BDT00000710	.. 80	1 .. 1	Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Currency of party code/Currency of party code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/currencyOfPartyCode
197	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/currencyOfPartyCode/@codeListVersion
197	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/languageOfThePartyCode
198	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/languageOfThePartyCode/@codeListVersion
198	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Ship from party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/name
198	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Ship from party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/pOBoxNumber
198	BDT000000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Ship from party information/Address information/Postal	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/postalCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code			
198	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Ship from party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/provinceCode
198	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Ship from party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/state
198	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Ship from party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/streetAddressOne
198	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Ship from party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/streetAddressTwo
198	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Ship from party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/streetAddressThree
198	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Ship from party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/geographicalCoordinates/latitude
199	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Ship from party information/Address information/Geographical coordinates information/	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Longitude			
199	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/contactTypeCode
199	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/contactTypeCode/@codeListVersion
199	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/personName
199	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/departmentName
199	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/jobTitle
199	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Business contact responsibility description/Business contact responsibility description	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/responsibility

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
199	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship from party information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/responsibility/@languageCode
199	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/responsibility/@codeListVersion
199	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/communicationChannel/communicationChannelCode
200	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/communicationChannel/communicationChannelCode/@codeListVersion
200	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Ship from party information/Business contact	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/communicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication information/Communication channel identification			
200	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Ship from party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ contact/communicationChannel/ communicationChannelName
200	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Ship from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ contact/afterHoursCommunicationChannel/ communicationChannelCode
200	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
200	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Ship from party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ contact/afterHoursCommunicationChannel/ communicationValue
200	BDT00000033	.. 200	0 .. 1	Communication channel name	1 .. 200	0 .. 1	communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship from party information/Business contact information/After hours communication information/Communication channel name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/contact/afterHoursCommunicationChannel/communicationChannelName
200	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
200	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
200	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
201	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			
201	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
201	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
201	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
201	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Ship from party	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name			dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
201	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
201	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
201	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
201	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
201	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
202	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
202	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
202	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
202	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription
202	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs duty description/Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription
202	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship from party information/Tax registration	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax description/Language code/Language code content			@languageCode
202	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs duty description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
202	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
202	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs duty description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
202	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Ship from party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
203	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
203	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax registration type code/ Code list version			dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
203	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
203	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ organisationDetails/organisationName
203	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ organisationDetails/issuedCapital
203	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ organisationDetails/issuedCapital/ @currencyCode
203	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ organisationDetails/issuedCapital/ @codeListVersion
203	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Ship from party information/Organisation legal	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ organisationDetails/legalStructure

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Legal structure description/Legal structure description content			
203	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/legalStructure/@languageCode
203	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/legalStructure/@codeListVersion
204	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/officialAddress/city
204	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/officialAddress/cityCode
204	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/officialAddress/countryCode
204	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Country code/Code list version			organisationDetails/officialAddress/countryCode/ @codeListVersion
204	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ organisationDetails/officialAddress/countyCode
204	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ organisationDetails/officialAddress/crossStreet
204	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ organisationDetails/officialAddress/pOBoxNumber
204	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ organisationDetails/officialAddress/postalCode
204	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ organisationDetails/officialAddress/provinceCode
204	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Ship from party information/Organisation legal	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ organisationDetails/officialAddress/state

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
205	BDT00000128	.. 200	0 .. 1	information/Official address/State Street address one <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/officialAddress/streetAddressOne
205	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/officialAddress/streetAddressTwo
205	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/officialAddress/streetAddressThree
205	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/legalRegistration/legalRegistrationNumber
205	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/legalRegistration/legalRegistrationType
205	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Registered legal information/Legal registration type code/Code list version			organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
205	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Ship from party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
205	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/financialInstitutionName
205	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/financialInstitutionBranchName
205	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumber
206	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Ship from party information/Financial institution and	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial account information/Financial account number type code/Financial account number type code content			
206	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
206	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/financialAccount/financialAccountName
206	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
206	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
206	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
206	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Additional financial institution description/ Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ financialInstitutionInformation/ additionalFinancialInformation/description
206	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
206	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
206	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Ship from party information/Financial institution and	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/ financialInstitutionInformation/address/city

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/City name			
207	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/cityCode
207	BDT000000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/countryCode
207	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/countryCode/@codeListVersion
207	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/countyCode
207	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/crossStreet
207	BDT000000106	.. 200	0 .. 1	Party name	1 .. 200	0 .. 1	name

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Party name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/name
207	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/pOBoxNumber
207	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/postalCode
207	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/provinceCode
207	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/state
208	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/streetAddressOne
208	BDT00000130	.. 200	0 .. 1	Street address two	1 .. 200	0 .. 1	streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Street address two			<i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/streetAddressTwo
208	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/streetAddressThree
208	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/geographicalCoordinates/latitude
208	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Ship from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipFrom/financialInstitutionInformation/address/geographicalCoordinates/longitude
208	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Ship to party information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/gln
208	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Ship to party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
208	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Ship to party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
208	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/additionalPartyIdentification/@codeListVersion
208	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Ship to party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/city
209	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Ship to party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/cityCode
209	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Ship to party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/countryCode
209	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/countryCode/@codeListVersion
209	BDT00000034	.. 80	0 .. 1	County code	1 .. 80	0 .. 1	countyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship to party information/Address information/County code			<i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/countyCode
209	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Ship to party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/crossStreet
209	BDT000000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/currencyOfPartyCode
209	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/currencyOfPartyCode/@codeListVersion
209	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/languageOfThePartyCode
209	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/languageOfThePartyCode/@codeListVersion
209	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Ship to party information/Address information/Party	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/name

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
210	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Ship to party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/pOBoxNumber
210	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Ship to party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/postalCode
210	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Ship to party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/provinceCode
210	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Ship to party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/state
210	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Ship to party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/streetAddressOne
210	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Ship to party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/streetAddressTwo
210	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Ship to party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/streetAddressThree
210	BDT00000085	.. 80	1 .. 1	Latitude	1 .. 80	1 .. 1	latitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship to party information/Address information/Geographical coordinates information/Latitude			<i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/geographicalCoordinates/latitude
210	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Ship to party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/address/geographicalCoordinates/longitude
210	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/contactTypeCode
211	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/contactTypeCode/@codeListVersion
211	BDT000000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/personName
211	BDT000000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/departmentName
211	BDT000000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Ship to party information/Business contact	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/jobTitle

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
211	BDT00000580	.. 70	1 .. 1	information/Job title Business contact responsibility description content <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/responsibility
211	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/responsibility/@languageCode
211	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/responsibility/@codeListVersion
211	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/communicationChannel/communicationChannelCode
211	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version			contact/communicationChannel/ communicationChannelCode/@codeListVersion
211	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ contact/communicationChannel/communicationValue
212	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Ship to party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ contact/communicationChannel/ communicationChannelName
212	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ contact/afterHoursCommunicationChannel/ communicationChannelCode
212	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
212	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Ship to party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/afterHoursCommunicationChannel/communicationValue
212	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Ship to party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/contact/afterHoursCommunicationChannel/communicationChannelName
212	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
212	BDT000000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
212	BDT000000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration identification information/Identification	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			
212	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
212	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
213	BDT00000073	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
213	BDT00000073	.. 80	0 .. 1	Identification scheme agency name	1 .. 80		identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
213	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
213	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
213	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
213	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax type code/Tax type	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code content			
213	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
213	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
213	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
213	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
214	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
214	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
	BDT00000563						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
214		.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs duty description/Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
214	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
214	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs duty description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
214	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
214	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs duty description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
214	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
 Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
 Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
214	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
214	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
215	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
215	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/organisationName
215	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/issuedCapital
215	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/issuedCapital/@currencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
215	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/issuedCapital/@codeListVersion
215	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/legalStructure
215	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/legalStructure/@languageCode
215	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/legalStructure/@codeListVersion
215	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/city
215	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Ship to party information/Organisation legal	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/cityCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
216	BDT00000774		1 .. 1	information/Official address/City code Country code content <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/countryCode
216	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/countryCode/@codeListVersion
216	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/countyCode
216	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/crossStreet
216	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/pOBoxNumber
216	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/postalCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
216	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/provinceCode
216	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/state
216	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/streetAddressOne
216	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/streetAddressTwo
217	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/streetAddressThree
217	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
217	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/officialAddress/geographicalCoordinates/longitude
217	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/legalRegistration/legalRegistrationNumber
217	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/legalRegistration/legalRegistrationType
217	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
217	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Ship to party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
217	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/financialInstitutionName
217	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/financialInstitutionBranchName
217	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumber
218	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
218	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
218	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/financialAccount/financialAccountName
218	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
218	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
218	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
218	BDT00000521	.. 70	1 .. 1	Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			financialInstitutionInformation/ additionalFinancialInformation/description
218	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
218	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
218	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ financialInstitutionInformation/address/city
219	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/ financialInstitutionInformation/address/cityCode
219	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Ship to party	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Country code/Country code content			financialInstitutionInformation/address/countryCode
219	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/countryCode/@codeListVersion
219	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Country code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/countryCode
219	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/crossStreet
219	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/name
219	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
219	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/postalCode
219	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/provinceCode
219	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/state
220	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/streetAddressOne
220	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/streetAddressTwo
220	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
220	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/geographicalCoordinates/latitude
220	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/shipTo/financialInstitutionInformation/address/geographicalCoordinates/longitude
220	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Despatch advice/Consignee party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/gln
220	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Consignee party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/additionalPartyIdentification
220	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Consignee party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
220	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional party identification information/Additional party identification type code/Code list version			additionalPartyIdentification/@codeListVersion
220	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Consignee party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/city
221	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Consignee party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/cityCode
221	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Consignee party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/countryCode
221	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/countryCode/@codeListVersion
221	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Consignee party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/countyCode
221	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Consignee party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/crossStreet
221	BDT00000710	.. 80	1 .. 1	Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Currency of party code/Currency of party code content			<i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/currencyOfPartyCode
221	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/currencyOfPartyCode/@codeListVersion
221	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/languageOfThePartyCode
221	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/languageOfThePartyCode/@codeListVersion
221	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Consignee party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/name
222	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Consignee party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/pOBoxNumber
222	BDT000000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Consignee party information/Address information/Postal	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/postalCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code			
222	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Consignee party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/provinceCode
222	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Consignee party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/state
222	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Consignee party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/streetAddressOne
222	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Consignee party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/streetAddressTwo
222	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Consignee party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/streetAddressThree
222	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Consignee party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/geographicalCoordinates/latitude
222	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Consignee party information/Address information/Geographical coordinates information/	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Longitude			
222	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/contactTypeCode
223	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/contactTypeCode/@codeListVersion
223	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/personName
223	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/departmentName
223	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/jobTitle
223	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Business contact responsibility description/Business contact responsibility description	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/responsibility

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
223	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Consignee party information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/responsibility/@languageCode
223	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/responsibility/@codeListVersion
223	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/communicationChannel/communicationChannelCode
223	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/communicationChannel/communicationChannelCode/@codeListVersion
223	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Consignee party information/Business contact	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/communicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication information/Communication channel identification			
224	BDT000000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Consignee party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ contact/communicationChannel/ communicationChannelName
224	BDT000000525		1 .. 1	Communication channel code content <i>Path:</i> Despatch advice/Consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ contact/afterHoursCommunicationChannel/ communicationChannelCode
224	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
224	BDT000000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Consignee party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ contact/afterHoursCommunicationChannel/ communicationValue
224	BDT000000033	.. 200	0 .. 1	Communication channel name	1 .. 200	0 .. 1	communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Consignee party information/Business contact information/After hours communication information/Communication channel name			<i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/contact/afterHoursCommunicationChannel/communicationChannelName
224	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
224	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
224	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
224	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			
224	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
225	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
225	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
225	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Consignee party	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme agency name			dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
225	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
225	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
225	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
225	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
225	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
225	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
225	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
226	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
226	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxDescription
226	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs duty description/Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxDescription
226	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Consignee party information/Tax registration	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax description/Language code/Language code content			@languageCode
226	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs duty description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
226	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
226	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs duty description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
226	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Consignee party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
226	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
226	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax registration type code/ Code list version			dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
227	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
227	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ organisationDetails/organisationName
227	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ organisationDetails/issuedCapital
227	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ organisationDetails/issuedCapital/ @currencyCode
227	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ organisationDetails/issuedCapital/ @codeListVersion
227	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Consignee party information/Organisation legal	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ organisationDetails/legalStructure

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Legal structure description/Legal structure description content			
227	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/legalStructure/@languageCode
227	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/legalStructure/@codeListVersion
227	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/officialAddress/city
227	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/officialAddress/cityCode
228	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/officialAddress/countryCode
228	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Country code/Code list version			organisationDetails/officialAddress/countryCode/ @codeListVersion
228	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ organisationDetails/officialAddress/countyCode
228	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ organisationDetails/officialAddress/crossStreet
228	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ organisationDetails/officialAddress/pOBoxNumber
228	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ organisationDetails/officialAddress/postalCode
228	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ organisationDetails/officialAddress/provinceCode
228	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Consignee party information/Organisation legal	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ organisationDetails/officialAddress/state

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
228	BDT00000128	.. 200	0 .. 1	information/Official address/State Street address one <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/officialAddress/streetAddressOne
228	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/officialAddress/streetAddressTwo
229	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/officialAddress/streetAddressThree
229	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/officialAddress/geographicalCoordinates/latitude
229	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/officialAddress/geographicalCoordinates/longitude
229	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Despatch advice/Consignee party	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Registered legal information/Legal registration number			organisationDetails/legalRegistration/legalRegistrationNumber
229	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/legalRegistration/legalRegistrationType
229	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
229	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Consignee party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
229	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/financialInstitutionName
229	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Consignee party information/Financial institution and	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial institution division name			financialInstitutionBranchName
229	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/financialAccount/financialAccountNumber
230	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
230	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
230	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/financialAccount/financialAccountName
230	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Consignee party	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial institution routing number information/Financial routing number			financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
230	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
230	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
230	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/additionalFinancialInformation/description
230	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Consignee party information/Financial institution and	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Additional financial institution description/ Language code/ Language code content			additionalFinancialInformation/description/ @languageCode
230	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
230	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ financialInstitutionInformation/address/city
231	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ financialInstitutionInformation/address/cityCode
231	BDT000000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ financialInstitutionInformation/address/countryCode
231	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Country code/Code list	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/ financialInstitutionInformation/address/countryCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
231	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/countyCode
231	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/crossStreet
231	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/name
231	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/pOBoxNumber
231	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/postalCode
231	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
231	BDT00000127	.. 80	0 .. 1	information/Province identity State <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/state
232	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/streetAddressOne
232	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/streetAddressTwo
232	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/streetAddressThree
232	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/geographicalCoordinates/latitude
232	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Consignee party information/Financial institution and	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/consignee/financialInstitutionInformation/address/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Geographical coordinates information/Longitude			geographicalCoordinates/longitude
232	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced technical specification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/specification/entityIdentification
232	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced technical specification information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/specification/contentOwner/gln
232	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced technical specification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/specification/contentOwner/additionalPartyIdentification
232	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced technical specification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/specification/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
232	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced technical specification information/Document content owner/Additional party	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/specification/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification type code/Code list version			
233	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced technical specification information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/specification/creationDateTime
233	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced technical specification information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/specification/revisionNumber
233	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced technical specification information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/specification/lineltemNumber
233	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced technical specification information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/specification/referencedDocumentUrl
233	BDT00000849		1 .. 1	Total number of corresponding despatch advices <i>Path:</i> Despatch advice/Referenced split delivery information/Total number of corresponding despatch advices		1 .. 1	totalNumberOfCorrespondingDespatchAdvices <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/totalNumberOfCorrespondingDespatchAdvices
233	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced split delivery information/Referenced despatch advice information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/correspondingDespatchAdvice/entityIdentification
	BDT00000063						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
233		13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced split delivery information/Referenced despatch advice information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/correspondingDespatchAdvice/contentOwner/gln
233	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced split delivery information/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/correspondingDespatchAdvice/contentOwner/additionalPartyIdentification
233	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced split delivery information/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/correspondingDespatchAdvice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
233	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced split delivery information/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/correspondingDespatchAdvice/contentOwner/additionalPartyIdentification/@codeListVersion
234	BDT00000047						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
			0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced split delivery information/Referenced despatch advice information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/correspondingDespatchAdvice/creationDateTime
234	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced split delivery information/Referenced despatch advice information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/correspondingDespatchAdvice/revisionNumber
234	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced split delivery information/Referenced despatch advice information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/correspondingDespatchAdvice/lineltemNumber
234	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced split delivery information/Referenced despatch advice information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> despatchAdviceMessage/despatchAdvice/splitDeliveryReference/correspondingDespatchAdvice/referencedDocumentUri
234	BDT00000699	.. 80	1 .. 1	Referenced document type code content <i>Path:</i> Despatch advice/Referenced additional information/Referenced document type code/Referenced document type code content	1 .. 80	1 .. 1	transactionalReferenceTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/transactionalGenericReference/transactionalReferenceTypeCode
234	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Referenced additional information/Referenced document type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/transactionalGenericReference/transactionalReferenceTypeCode/@codeListVersion
234	BDT00000135	.. 200	1 .. 1	Business document reference	1 .. 200	1 .. 1	transactionalReferenceValue

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification <i>Path:</i> Despatch advice/Referenced additional information/Business document reference identification			<i>Path:</i> despatchAdviceMessage/despatchAdvice/transactionalGenericReference/transactionalReferenceValue
234	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced additional information/Business document creation date time		0 .. 1	transactionalReferenceDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/transactionalGenericReference/transactionalReferenceDateTime
234	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Despatch advice/Referenced transport instruction information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/transportInstruction/entityIdentification
234	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Referenced transport instruction information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/transportInstruction/contentOwner/gln
235	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Referenced transport instruction information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/transportInstruction/contentOwner/additionalPartyIdentification
235	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Referenced transport instruction information/Document content owner/Additional party identification information/Additional party identification type code/Additional	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/transportInstruction/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
235	BDT00000028	.. 35	0 .. 1	party identification type code content Code list version <i>Path:</i> Despatch advice/Referenced transport instruction information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/transportInstruction/contentOwner/additionalPartyIdentification/@codeListVersion
235	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Despatch advice/Referenced transport instruction information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> despatchAdviceMessage/despatchAdvice/transportInstruction/creationDateTime
235	BDT00000119		0 .. 1	Revision number <i>Path:</i> Despatch advice/Referenced transport instruction information/Revision number		0 .. 1	revisionNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/transportInstruction/revisionNumber
235	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Despatch advice/Referenced transport instruction information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/transportInstruction/lineltemNumber
235	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Despatch advice/Referenced transport instruction information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> despatchAdviceMessage/despatchAdvice/transportInstruction/referencedDocumentUrl
235	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Despatch advice/Ultimate consignee party information/Global location number GLN		0 .. 1	gln <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/gln
235	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Despatch advice/Ultimate consignee	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Additional party identification information/Additional party identification content			ultimateConsignee/additionalPartyIdentification
235	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
236	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/additionalPartyIdentification/@codeListVersion
236	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/city
236	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/cityCode
236	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/countryCode
236	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Address information/ Country code/Code list version			ultimateConsignee/address/countryCode/ @codeListVersion
236	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/ County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/address/countyCode
236	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/ Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/address/crossStreet
236	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Currency of party code/ Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/address/currencyOfPartyCode
236	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Currency of party code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/address/currencyOfPartyCode/ @codeListVersion
236	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/address/languageOfThePartyCode
237	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/address/languageOfThePartyCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
237	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/name
237	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/pOBoxNumber
237	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/postalCode
237	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/provinceCode
237	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/state
237	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/streetAddressOne
237	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/streetAddressTwo
237	BDT00000129	.. 200	0 .. 1	Street address three	1 .. 200	0 .. 1	streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Street address three			<i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/streetAddressThree
237	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/geographicalCoordinates/latitude
238	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Ultimate consignee party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/address/geographicalCoordinates/longitude
238	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/contactTypeCode
238	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/contactTypeCode/@codeListVersion
238	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/personName
238	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact	1 .. 70	0 .. 1	departmentName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/departmentName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Department name			
238	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/jobTitle
238	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/responsibility
238	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/responsibility/@languageCode
238	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/responsibility/@codeListVersion
238	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Communication information/Communication channel	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code			
239	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/communicationChannel/communicationValue
239	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/communicationChannel/communicationChannelName
239	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelCode
239	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationValue
239	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Despatch advice/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
239	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
239	BDT00000622	.. 200	1 .. 1	Customs registration identification content <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Customs registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
239	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
239	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Identification scheme responsible agency code/Identification scheme responsible agency code content			
239	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
240	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
240	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
240	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/	1 .. 80		identificationSchemeAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Identification scheme information/ Identification scheme agency name			
240	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/@identificationSchemeName
240	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs registration identification information/ Identification scheme information/ Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/@identificationSchemeName
240	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode
240	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode
240	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax type code/Code list	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
240	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
240	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
241	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
241	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription
241	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs duty description/Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription
241	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax description/Language	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
241	BDT00000524	.. 80	1 .. 1	code/Language code content Language code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs duty description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
241	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
241	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs duty description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
241	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
241	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs registration type code/Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
241	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ultimate consignee party information/Tax registration information/Tax registration type code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
242	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Customs duty registration information/Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
242	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/organisationName
242	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/issuedCapital
242	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/issuedCapital/@currencyCode
242	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/issuedCapital/@codeListVersion
242	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Despatch advice/Ultimate consignee	1 .. 80	0 .. 1	legalStructure <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Organisation legal information/Legal structure description/Legal structure description content			ultimateConsignee/organisationDetails/legalStructure
242	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/legalStructure/@languageCode
242	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/legalStructure/@codeListVersion
242	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/city
242	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/cityCode
243	BDT00000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/countryCode
243	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Country code/Code list version			<i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/countryCode/@codeListVersion
243	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/countyCode
243	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/crossStreet
243	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/pOBoxNumber
243	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/postalCode
243	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/provinceCode
243	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Ultimate consignee	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Organisation legal information/Official address/State			ultimateConsignee/organisationDetails/officialAddress/state
243	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/streetAddressOne
243	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/streetAddressTwo
244	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/streetAddressThree
244	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/geographicalCoordinates/latitude
244	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/officialAddress/geographicalCoordinates/longitude
244	BDT00000087	.. 80	1 .. 1	Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration number			<i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationNumber
244	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationType
244	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
244	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Despatch advice/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
244	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/financialInstitutionName
244	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Despatch advice/Ultimate consignee	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Financial institution and financial account information/ Financial institution division name			ultimateConsignee/financialInstitutionInformation/ financialInstitutionBranchName
244	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ financialAccount/financialAccountNumber
245	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ financialAccount/financialAccountNumberTypeCode
245	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ financialAccount/financialAccountNumberTypeCode/ @codeListVersion
245	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ financialAccount/financialAccountName
	BDT00000062						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
245		.. 80	1 .. 1	Financial routing number <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
245	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
245	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
245	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description
	BDT00000524						

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
245		.. 80	1 .. 1	Language code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
245	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
245	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/address/city
246	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/address/cityCode
246	BDT000000774		1 .. 1	Country code content <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
246	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/address/countryCode/@codeListVersion
246	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/address/countyCode
246	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/address/crossStreet
246	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/address/name
246	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/address/pOBoxNumber
246	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution	1 .. 80	0 .. 1	postalCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ultimateConsignee/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide
Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide
Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				and financial account information/ Address information/Postal code			address/postalCode
246	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ address/provinceCode
246	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ address/state
247	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ address/streetAddressOne
247	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ address/streetAddressTwo
247	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ address/streetAddressThree
247	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Despatch advice/Ultimate consignee	1 .. 80	1 .. 1	latitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Despatch Advice model guide; 1.0; Guide

Root Element: **Despatch advice**

Schema: Despatch Advice; GS1 3.5 Guide

Root Element: **despatchAdviceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party information/Financial institution and financial account information/ Address information/Geographical coordinates information/Latitude			ultimateConsignee/financialInstitutionInformation/ address/geographicalCoordinates/latitude
247	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Despatch advice/Ultimate consignee party information/Financial institution and financial account information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> despatchAdviceMessage/despatchAdvice/ ultimateConsignee/financialInstitutionInformation/ address/geographicalCoordinates/longitude

Legend: No = Consecutive Number