



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
001	BDT00000119		0 .. 1	Revision number <i>Path: Invoice/Revision number</i>		0 .. 1	revisionNumber <i>Path: invoiceMessage/invoice/revisionNumber</i>
002	BDT00000047		1 .. 1	Business document creation date time <i>Path: Invoice/Business document creation date time</i>		1 .. 1	creationDateTime <i>Path: invoiceMessage/invoice/creationDateTime</i>
003	BDT00000050		1 .. 1	Business document status code <i>Path: Invoice/Business document status code</i>		1 .. 1	documentStatusCode <i>Path: invoiceMessage/invoice/documentStatusCode</i>
004	BDT00000045		0 .. 1	Business document action code <i>Path: Invoice/Business document action code</i>		0 .. 1	documentActionCode <i>Path: invoiceMessage/invoice/documentActionCode</i>
005	BDT00000046		0 .. 1	Business document standard version <i>Path: Invoice/Business document standard version</i>	1 .. 80	0 .. 1	documentStructureVersion <i>Path: invoiceMessage/invoice/documentStructureVersion</i>
006	BDT00000048		0 .. 1	Business document last update date time <i>Path: Invoice/Business document last update date time</i>		0 .. 1	lastUpdateDateTime <i>Path: invoiceMessage/invoice/lastUpdateDateTime</i>
007	BDT000000405		0 .. 1	Invoice issuing party first seller and registered in the European Union indicator <i>Path: Invoice/Invoice issuing party first seller and registered in the European Union indicator</i>		0 .. 1	isFirstSellerBasedInEu <i>Path: invoiceMessage/invoice/isFirstSellerBasedInEu</i>
008	BDT000000726	.. 35	0 .. 1	Payment reference <i>Path: Invoice/Payment reference</i>	1 .. 70	0 .. 1	paymentReference <i>Path: invoiceMessage/invoice/paymentReference</i>
009	BDT000000748	.. 35	0 .. 1	Approval for charging tax reference <i>Path: Invoice/Approval for charging tax reference</i>	1 .. 200	0 .. 1	approvalChargingTaxReference <i>Path: invoiceMessage/invoice/approvalChargingTaxReference</i>
010	BDT000000759	.. 70	0 .. 1	Supplier account receivable <i>Path: Invoice/Supplier account receivable</i>	1 .. 70	0 .. 1	supplierAccountReceivable <i>Path: invoiceMessage/invoice/supplierAccountReceivable</i>
011	BDT000000657	.. 80	1 .. 1	Last country of supply of goods code	1 .. 80	0 .. 1	countryOfSupplyOfGoods

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Invoice/Last country of supply of goods code/Last country of supply of goods code content			<i>Path:</i> invoiceMessage/invoice/countryOfSupplyOfGoods
012	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Last country of supply of goods code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/countryOfSupplyOfGoods/@codeListVersion
013	BDT00000040		0 .. 1	Date <i>Path:</i> Invoice/Business document effective date time/Date		1 .. 1	date <i>Path:</i> invoiceMessage/invoice/documentEffectiveDate/date
014	BDT00000133		0 .. 1	Time <i>Path:</i> Invoice/Business document effective date time/Time		0 .. 1	time <i>Path:</i> invoiceMessage/invoice/documentEffectiveDate/time
015	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Business document identification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/invoiceIdentification/entityIdentification
016	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Business document identification information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/invoiceIdentification/contentOwner/gln
017	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Business document identification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceIdentification/contentOwner/additionalPartyIdentification
018	BDT000000570	.. 80	1 .. 1	Additional party identification type code	1 .. 80		additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Invoice/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			<i>Path:</i> invoiceMessage/invoice/invoiceIdentification/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
019	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceIdentification/contentOwner/additionalPartyIdentification/@codeListVersion
020	BDT000000653	.. 80	1 .. 1	Invoice type code content <i>Path:</i> Invoice/Invoice type code/Invoice type code content	1 .. 80	1 .. 1	invoiceType <i>Path:</i> invoiceMessage/invoice/invoiceType
021	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceType/@codeListVersion
022	BDT000000654	.. 70	1 .. 1	Invoice type description content <i>Path:</i> Invoice/Invoice type description/Invoice type description content	1 .. 500	0 .. 1	invoiceTypeDescription <i>Path:</i> invoiceMessage/invoice/invoiceTypeDescription
023	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice type description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceTypeDescription/@languageCode
024	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice type description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTypeDescription/@codeListVersion
	BDT000000652						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
025		.. 80	1 .. 1	Invoice currency code content <i>Path:</i> Invoice/Invoice currency code/Invoice currency code content	1 .. 80	1 .. 1	invoiceCurrencyCode <i>Path:</i> invoiceMessage/invoice/invoiceCurrencyCode
026	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceCurrencyCode/@codeListVersion
027	BDT00000538	.. 80	1 .. 1	Tax accounting currency code content <i>Path:</i> Invoice/Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	invoiceDutyFeeTaxAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceDutyFeeTaxAccountingCurrency
028	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax accounting currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceDutyFeeTaxAccountingCurrency/@codeListVersion
029	BDT00000575	.. 80	1 .. 1	Tax exemption reason code content <i>Path:</i> Invoice/Tax exemption reason code/Tax exemption reason code content	1 .. 70	0 .. 1	dutyFeeTaxExemptionReason <i>Path:</i> invoiceMessage/invoice/dutyFeeTaxExemptionReason
030	BDT00000670	.. 70	1 .. 1	Notation content <i>Path:</i> Invoice/Notation/Notation content	1 .. 500	0 .. 1	note <i>Path:</i> invoiceMessage/invoice/note
031	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Notation/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/note/@languageCode
032	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Notation/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/note/@codeListVersion
033	BDT00000642	.. 80	1 .. 1	Discount agreement type code content <i>Path:</i> Invoice/Discount agreement type code/Discount agreement type code content	1 .. 80	0 .. 1	discountAgreementTerms <i>Path:</i> invoiceMessage/invoice/discountAgreementTerms
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
034		.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Discount agreement type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/discountAgreementTerms/@codeListVersion
035	BDT00000404		0 .. 1	Buyer party registered in the European Union indicator <i>Path:</i> Invoice/Buyer party information/Buyer party registered in the European Union indicator		0 .. 1	isBuyerBasedInEu <i>Path:</i> invoiceMessage/invoice/isBuyerBasedInEu
036	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Buyer party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/buyer/gln
037	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Buyer party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/buyer/additionalPartyIdentification
038	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Buyer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/buyer/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
039	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/additionalPartyIdentification/@codeListVersion
040	BDT00000020	.. 200	0 .. 1	City name	1 .. 200	0 .. 1	city

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Buyer party information/ Address information/City name			<i>Path:</i> invoiceMessage/invoice/buyer/address/city
041	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Buyer party information/ Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/buyer/address/cityCode
042	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Buyer party information/ Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/buyer/address/countyCode
043	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Buyer party information/ Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/buyer/address/crossStreet
044	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Buyer party information/ Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/buyer/address/name
045	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Buyer party information/ Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/buyer/address/pOBoxNumber
046	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Buyer party information/ Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/buyer/address/postalCode
047	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Buyer party information/ Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/buyer/address/provinceCode
048	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Buyer party information/ Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/buyer/address/state
049	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Buyer party information/	1 .. 200	0 .. 1	streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
050	BDT00000130	.. 200	0 .. 1	Address information/Street address one Street address two <i>Path:</i> Invoice/Buyer party information/ Address information/Street address two	1 .. 200	0 .. 1	<i>Path:</i> invoiceMessage/invoice/buyer/address/streetAddressOne streetAddressTwo <i>Path:</i> invoiceMessage/invoice/buyer/address/streetAddressTwo
051	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Buyer party information/ Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/buyer/address/ streetAddressThree
052	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Buyer party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/buyer/address/countryCode
053	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/ Address information/Country code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/address/countryCode/ @codeListVersion
054	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Buyer party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/buyer/address/ geographicalCoordinates/latitude
055	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Buyer party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/buyer/address/ geographicalCoordinates/longitude
056	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Buyer party information/ Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/buyer/contact/personName
057	BDT00000044	.. 70	0 .. 1	Department name	1 .. 70	0 .. 1	departmentName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Buyer party information/ Business contact information/ Department name			<i>Path:</i> invoiceMessage/invoice/buyer/contact/departmentName
058	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Buyer party information/ Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/buyer/contact/jobTitle
059	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Buyer party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/buyer/contact/contactTypeCode
060	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/ Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/contact/ contactTypeCode/@codeListVersion
061	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Buyer party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/buyer/contact/responsibility
062	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Buyer party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/buyer/contact/responsibility/ @languageCode
063	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/ Business contact information/Business contact responsibility description/	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/contact/responsibility/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
064	BDT00000525		1 .. 1	Language code/Code list version Communication channel code content <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/buyer/contact/ communicationChannel/communicationChannelCode
065	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
066	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/buyer/contact/ communicationChannel/communicationValue
067	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/buyer/contact/ communicationChannel/communicationChannelName
068	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Buyer party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/buyer/contact/ afterHoursCommunicationChannel/ communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
069	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
070	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Buyer party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/buyer/contact/ afterHoursCommunicationChannel/communicationValue
071	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Buyer party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/buyer/contact/ afterHoursCommunicationChannel/ communicationChannelName
072	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/ dutyFeeTaxAgencyName
073	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID
074	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax registration identification information/Identification	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/@identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
075	BDT00000073	.. 80	0 .. 1	scheme information/Identification scheme name Identification scheme agency name <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
076	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
077	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
078	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode
079	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/Tax	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration information/Tax type code/ Code list version			dutyFeeTaxTypeCode/@codeListVersion
080	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/ dutyFeeTaxDescription
081	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@languageCode
082	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@codeListVersion
083	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType
084	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType/@codeListVersion
085	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ organisationName
	BDT00000524						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
086		.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/ Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> invoiceMessage/invoice/buyer/address/ languageOfThePartyCode
087	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/ Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/languageOfThePartyCode
088	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/ Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/address/ languageOfThePartyCode/@codeListVersion
089	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/ Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/languageOfThePartyCode/ @codeListVersion
090	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> invoiceMessage/invoice/buyer/address/ currencyOfPartyCode
091	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/currencyOfPartyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
092	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/address/ currencyOfPartyCode/@codeListVersion
093	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/currencyOfPartyCode/@codeListVersion
094	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/countyCode
095	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/city
096	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/cityCode
097	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/crossStreet
098	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/pOBoxNumber
099	BDT00000114	.. 80	0 .. 1	Postal code	1 .. 80	0 .. 1	postalCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Postal code			<i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/postalCode
100	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/provinceCode
101	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/state
102	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/streetAddressOne
103	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/streetAddressTwo
104	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/streetAddressThree
105	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/countryCode
106	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Country code/Code list version			<i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/countryCode/@codeListVersion
107	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/geographicalCoordinates/latitude
108	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/geographicalCoordinates/longitude
109	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ issuedCapital
110	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ issuedCapital/@currencyCode
111	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ issuedCapital/@codeListVersion
112	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Legal structure description/Legal structure	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ legalStructure

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
113	BDT00000524	.. 80	1 .. 1	description content Language code content <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ legalStructure/@languageCode
114	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ legalStructure/@codeListVersion
115	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ legalRegistration/legalRegistrationNumber
116	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
117	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ legalRegistration/legalRegistrationType
118	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Registered legal information/Legal registration type code/Code list version			
119	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/financialInstitutionName
120	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/ financialInstitutionBranchName
121	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/financialAccount/ financialAccountName
122	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/financialAccount/ financialAccountNumber
123	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
124	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
125	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
126	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
127	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
128	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Buyer party information/	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			additionalFinancialInformation/description
129	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
130	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
131	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/city
132	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/cityCode
133	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/countyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
134	BDT00000035	.. 200	0 .. 1	information/County code Cross street <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/crossStreet
135	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/pOBoxNumber
136	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/postalCode
137	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/provinceCode
138	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/state
139	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
140	BDT00000130	.. 200	0 .. 1	information/Street address one Street address two <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/streetAddressTwo
141	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/ streetAddressThree
142	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/countryCode
143	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/countryCode/ @codeListVersion
144	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
145	BDT00000089	.. 80	1 .. 1	Longitude	1 .. 80	1 .. 1	longitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude			<i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
146	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice processing party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/gln
147	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice processing party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ additionalPartyIdentification
148	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice processing party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
149	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ additionalPartyIdentification/@codeListVersion
150	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice processing party information/Address information/City	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ address/city

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
151	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice processing party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/cityCode
152	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice processing party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/countyCode
153	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice processing party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/crossStreet
154	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice processing party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/name
155	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice processing party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/pOBoxNumber
156	BDT000000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice processing party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/postalCode
157	BDT000000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice processing party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
158	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice processing party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/state
159	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice processing party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/streetAddressOne
160	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice processing party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/streetAddressTwo
161	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice processing party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/streetAddressThree
162	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice processing party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/countryCode
163	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/countryCode/@codeListVersion
164	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice processing party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/geographicalCoordinates/latitude
165	BDT00000089	.. 80	1 .. 1	Longitude	1 .. 80	1 .. 1	longitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice processing party information/Address information/Geographical coordinates information/Longitude			<i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/geographicalCoordinates/longitude
166	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/personName
167	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/departmentName
168	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/jobTitle
169	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/contactTypeCode
170	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/contactTypeCode/@codeListVersion
171	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Invoice processing party information/Business contact	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/responsibility

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact responsibility description/Business contact responsibility description content			
172	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/responsibility/@languageCode
173	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/responsibility/@codeListVersion
174	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/communicationChannel/communicationChannelCode
175	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/communicationChannel/communicationChannelCode/@codeListVersion
	BDT00000032						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
176		.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/communicationChannel/communicationValue
177	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/communicationChannel/communicationChannelName
178	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Invoice processing party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/afterHoursCommunicationChannel/communicationChannelCode
179	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
180	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice processing party information/Business contact information/After hours communication information/Communication channel	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/afterHoursCommunicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
181	BDT00000033	.. 200	0 .. 1	identification Communication channel name <i>Path:</i> Invoice/Invoice processing party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/afterHoursCommunicationChannel/communicationChannelName
182	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
183	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
184	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
185	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
186	BDT00000583	.. 80	1 .. 1	scheme agency name Identification scheme responsible agency code content <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
187	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
188	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
189	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
190	BDT00000754	.. 70	1 .. 1	Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax description/Tax description content			<i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxDescription
191	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
192	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
193	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
194	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
195	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/organisationName
196	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice processing party	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/County code			organisationDetails/officialAddress/countyCode
197	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/city
198	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/cityCode
199	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/crossStreet
200	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/pOBoxNumber
201	BDT000000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/postalCode
202	BDT000000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
203	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/state
204	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/streetAddressOne
205	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/streetAddressTwo
206	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/streetAddressThree
207	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/countryCode
208	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/countryCode/@codeListVersion
209	BDT00000085	.. 80	1 .. 1	Latitude	1 .. 80	1 .. 1	latitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Geographical coordinates information/Latitude			<i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/geographicalCoordinates/latitude
210	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/geographicalCoordinates/longitude
211	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/issuedCapital
212	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/issuedCapital/@currencyCode
213	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/issuedCapital/@codeListVersion
214	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Legal structure	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/legalStructure

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description/Legal structure description content			
215	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/legalStructure/@languageCode
216	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/legalStructure/@codeListVersion
217	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/legalRegistration/legalRegistrationNumber
218	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
219	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration type	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/legalRegistration/legalRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Legal registration type code content			
220	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
221	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/financialInstitutionName
222	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/financialInstitutionBranchName
223	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/financialAccount/financialAccountName
224	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/financialAccount/financialAccountNumber

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
225	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
226	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
227	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
228	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
229	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
230	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/additionalFinancialInformation/description
231	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
232	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
233	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/city

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
234	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/cityCode
235	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/countyCode
236	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/crossStreet
237	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/name
238	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/pOBoxNumber
239	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/postalCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
240	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/provinceCode
241	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/state
242	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/streetAddressOne
243	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/streetAddressTwo
244	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/streetAddressThree
245	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Country code/Country code	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
246	BDT000000028	.. 35	0 .. 1	content Code list version <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/countryCode/@codeListVersion
247	BDT000000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/geographicalCoordinates/latitude
248	BDT000000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/geographicalCoordinates/longitude
249	BDT000000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Payer party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/payer/gln
250	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Payer party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/payer/additionalPartyIdentification
251	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Payer party information/	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/payer/additionalPartyIdentification/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional party identification information/Additional party identification type code/Additional party identification type code content			@additionalPartyIdentificationTypeCode
252	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payer party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payer/additionalPartyIdentification/@codeListVersion
253	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Payer party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/payer/address/city
254	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Payer party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/payer/address/cityCode
255	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Payer party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/payer/address/countyCode
256	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Payer party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/payer/address/crossStreet
257	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Payer party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/payer/address/name
258	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Payer party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/payer/address/pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
259	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Payer party information/ Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/payer/address/postalCode
260	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Payer party information/ Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/payer/address/provinceCode
261	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Payer party information/ Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/payer/address/state
262	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Payer party information/ Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/payer/address/streetAddressOne
263	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Payer party information/ Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/payer/address/streetAddressTwo
264	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Payer party information/ Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/payer/address/ streetAddressThree
265	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Payer party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/payer/address/countryCode
266	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payer party information/ Address information/Country code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payer/address/countryCode/ @codeListVersion
267	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Payer party information/	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/payer/address/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/Geographical coordinates information/Latitude			geographicalCoordinates/latitude
268	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Payer party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/payer/address/ geographicalCoordinates/longitude
269	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Payer party information/ Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/payer/contact/personName
270	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Payer party information/ Business contact information/ Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/payer/contact/departmentName
271	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Payer party information/ Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/payer/contact/jobTitle
272	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Payer party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/payer/contact/contactTypeCode
273	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payer party information/ Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payer/contact/ contactTypeCode/@codeListVersion
274	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Payer party information/ Business contact information/Business	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/payer/contact/responsibility

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				contact responsibility description/ Business contact responsibility description content			
275	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Payer party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/payer/contact/responsibility/ @languageCode
276	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payer party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payer/contact/responsibility/ @codeListVersion
277	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Payer party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/payer/contact/ communicationChannel/communicationChannelCode
278	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payer party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payer/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
279	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Payer party information/ Business contact information/ Communication information/	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/payer/contact/ communicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
280	BDT00000033	.. 200	0 .. 1	Communication channel identification Communication channel name <i>Path:</i> Invoice/Payer party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/payer/contact/ communicationChannel/communicationChannelName
281	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Payer party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/payer/contact/ afterHoursCommunicationChannel/ communicationChannelCode
282	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payer party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payer/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
283	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Payer party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/payer/contact/ afterHoursCommunicationChannel/communicationValue
284	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Payer party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/payer/contact/ afterHoursCommunicationChannel/ communicationChannelName
285	BDT00000369	.. 80	0 .. 1	Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payer party information/Tax registration information/Tax authority name			<i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
286	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
287	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
288	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
289	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
290	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
291	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
292	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/dutyFeeTaxDescription
293	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
294	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
295	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
296	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax registration	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				type code/Code list version			
297	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Payer party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ organisationName
298	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/countyCode
299	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/city
300	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/cityCode
301	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/crossStreet
302	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/pOBoxNumber
303	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/postalCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
304	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/provinceCode
305	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/state
306	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/streetAddressOne
307	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/streetAddressTwo
308	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/streetAddressThree
309	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/countryCode
310	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
311	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/geographicalCoordinates/latitude
312	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/geographicalCoordinates/longitude
313	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ issuedCapital
314	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ issuedCapital/@currencyCode
315	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ issuedCapital/@codeListVersion
316	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ legalStructure
317	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Payer party information/	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Legal structure description/Language code/ Language code content			legalStructure/@languageCode
318	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ legalStructure/@codeListVersion
319	BDT000000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Payer party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ legalRegistration/legalRegistrationNumber
320	BDT000000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Payer party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
321	BDT000000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Payer party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ legalRegistration/legalRegistrationType
322	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payer party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
323	BDT000000061	.. 80	0 .. 1	Financial institution name	1 .. 80	0 .. 1	financialInstitutionName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Financial institution name			<i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/financialInstitutionName
324	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/ financialInstitutionBranchName
325	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/financialAccount/ financialAccountName
326	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/financialAccount/ financialAccountNumber
327	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
328	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payer party information/ Financial institution and financial	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial account information/Financial account number type code/Code list version			financialAccountNumberTypeCode/@codeListVersion
329	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Payer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/payer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
330	BDT000000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Payer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/payer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
331	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
332	BDT000000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Payer party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/payer/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
333	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
334	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
335	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/city
336	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/cityCode
337	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/countyCode
338	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Payer party information/ Financial institution and financial	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
339	BDT00000106	.. 200	0 .. 1	account information/Address information/Cross street Party name <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/name
340	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/pOBoxNumber
341	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/postalCode
342	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/provinceCode
343	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/state
344	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Payer party information/ Financial institution and financial	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
345	BDT00000130	.. 200	0 .. 1	account information/Address information/Street address one Street address two <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/streetAddressTwo
346	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/ streetAddressThree
347	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/countryCode
348	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/countryCode/ @codeListVersion
349	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/ geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
350	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
351	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Seller party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/seller/gln
352	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Seller party information/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/seller/additionalPartyIdentification
353	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Seller party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/seller/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
354	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/seller/ additionalPartyIdentification/@codeListVersion
355	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/seller/address/city

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
356	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Seller party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/seller/address/cityCode
357	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Seller party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/seller/address/countyCode
358	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/seller/address/crossStreet
359	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Seller party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/seller/address/name
360	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/seller/address/pOBoxNumber
361	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/seller/address/postalCode
362	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/seller/address/provinceCode
363	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/seller/address/state
364	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/seller/address/streetAddressOne
365	BDT00000130	.. 200	0 .. 1	Street address two	1 .. 200	0 .. 1	streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party information/Address information/Street address two			<i>Path:</i> invoiceMessage/invoice/seller/address/streetAddressTwo
366	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/seller/address/streetAddressThree
367	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Seller party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/seller/address/countryCode
368	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/seller/address/countryCode/@codeListVersion
369	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Seller party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/seller/address/geographicalCoordinates/latitude
370	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Seller party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/seller/address/geographicalCoordinates/longitude
371	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Seller party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/seller/contact/personName
372	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Seller party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/seller/contact/departmentName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
373	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Seller party information/ Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/seller/contact/jobTitle
374	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Seller party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/seller/contact/responsibility
375	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Seller party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/seller/contact/responsibility/ @languageCode
376	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/seller/contact/responsibility/ @codeListVersion
377	BDT000000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/seller/contact/ communicationChannel/communicationChannelCode
378	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/seller/contact/ communicationChannel/communicationChannelCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
379	BDT00000032	.. 200	1 .. 1	Communication channel code/ Communication channel code content/Code list version Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/seller/contact/ communicationChannel/communicationValue
380	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/seller/contact/ communicationChannel/communicationChannelName
381	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/seller/contact/ afterHoursCommunicationChannel/communicationValue
382	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Seller party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/seller/contact/ afterHoursCommunicationChannel/ communicationChannelName
383	BDT000000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxAgencyName
384	BDT000000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/@identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Customs registration identification information/Identification scheme information/Identification scheme name			
385	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
386	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
387	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
388	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
389	BDT00000028	.. 35	0 .. 1	Tax type code/Tax type code content Code list version <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode/@codeListVersion
390	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs duty description/Customs duty description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxDescription
391	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs duty description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@languageCode
392	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs duty description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@codeListVersion
393	BDT00000624	.. 80	1 .. 1	Customs registration type code content <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs registration type code/ Customs registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType
394	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
395	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ organisationName
396	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/countyCode
397	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/city
398	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/cityCode
399	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/crossStreet
400	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/pOBoxNumber
401	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/postalCode
402	BDT00000117	80 ..	0 .. 1	Province identity	1 .. 80	0 .. 1	provinceCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Province identity			<i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/provinceCode
403	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/state
404	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/streetAddressOne
405	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/streetAddressTwo
406	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/streetAddressThree
407	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/countryCode
408	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/countryCode/@codeListVersion
409	BDT00000085	.. 80	1 .. 1	Latitude	1 .. 80	1 .. 1	latitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude			<i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/geographicalCoordinates/latitude
410	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/geographicalCoordinates/longitude
411	BDT000000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ issuedCapital
412	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ issuedCapital/@currencyCode
413	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ issuedCapital/@codeListVersion
414	BDT000000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ legalStructure
415	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Legal	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ legalStructure/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				structure description/Language code/ Language code content			
416	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ legalStructure/@codeListVersion
417	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ legalRegistration/legalRegistrationNumber
418	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
419	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ legalRegistration/legalRegistrationType
420	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
421	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Seller party information/	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/seller/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Financial institution name			financialInstitutionInformation/financialInstitutionName
422	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Seller party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/seller/financialInstitutionInformation/financialInstitutionBranchName
423	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Seller party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/seller/financialInstitutionInformation/financialAccount/financialAccountName
424	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Seller party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/seller/financialInstitutionInformation/financialAccount/financialAccountNumber
425	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Seller party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/seller/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
426	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/Financial institution and financial account information/Financial account	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/seller/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
427	BDT00000062	.. 80	1 .. 1	information/Financial account number type code/Code list version Financial routing number <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
428	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
429	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
430	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/ additionalFinancialInformation/description
	BDT00000524						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
431		.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
432	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
433	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/city
434	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/cityCode
435	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/countyCode
436	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party information/ Financial institution and financial	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
437	BDT00000106	.. 200	0 .. 1	account information/Address information/Cross street Party name <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/name
438	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/pOBoxNumber
439	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/postalCode
440	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/provinceCode
441	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/state
442	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/ Financial institution and financial	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
443	BDT00000130	.. 200	0 .. 1	account information/Address information/Street address one Street address two <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/streetAddressTwo
444	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/ streetAddressThree
445	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/countryCode
446	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/countryCode/ @codeListVersion
447	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/ geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
448	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
449	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Seller party corporate office information/Global location number, GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/gln
450	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Seller party corporate office information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ additionalPartyIdentification
451	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Seller party corporate office information/Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
452	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ additionalPartyIdentification/@codeListVersion
453	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party corporate office	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/City name			address/city
454	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Seller party corporate office information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/cityCode
455	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Seller party corporate office information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/countyCode
456	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party corporate office information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/crossStreet
457	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Seller party corporate office information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/name
458	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party corporate office information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/pOBoxNumber
459	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party corporate office information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/postalCode
460	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party corporate office information/Address information/	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Province identity			
461	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party corporate office information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/state
462	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party corporate office information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/streetAddressOne
463	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party corporate office information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/streetAddressTwo
464	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party corporate office information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/streetAddressThree
465	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Seller party corporate office information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/countryCode
466	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/countryCode/@codeListVersion
467	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Seller party corporate office information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
468	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Seller party corporate office information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/geographicalCoordinates/longitude
469	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/personName
470	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/departmentName
471	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/jobTitle
472	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/contactTypeCode
473	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/contactTypeCode/@codeListVersion
474	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Seller party corporate office	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/responsibility

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Business contact responsibility description/Business contact responsibility description content			
475	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/ responsibility/@languageCode
476	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/ responsibility/@codeListVersion
477	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/ communicationChannel/communicationChannelCode
478	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/ communicationChannel/communicationChannelCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
479	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/communicationChannel/communicationValue
480	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/communicationChannel/communicationChannelName
481	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/afterHoursCommunicationChannel/communicationChannelCode
482	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
483	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/After hours communication information/Communication channel	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/afterHoursCommunicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
484	BDT00000033	.. 200	0 .. 1	identification Communication channel name <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/afterHoursCommunicationChannel/communicationChannelName
485	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
486	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
487	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
488	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
489	BDT00000583	.. 80	1 .. 1	scheme agency name Identification scheme responsible agency code content <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
490	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
491	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
492	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
493	BDT00000754	.. 70	1 .. 1	Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax description/Tax description content			<i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxDescription
494	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
495	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
496	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
497	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
498	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/organisationName
499	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Seller party corporate office	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/County code			organisationDetails/officialAddress/countyCode
500	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/officialAddress/city
501	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/officialAddress/cityCode
502	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/officialAddress/crossStreet
503	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/officialAddress/pOBoxNumber
504	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/officialAddress/postalCode
505	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/officialAddress/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
506	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/officialAddress/state
507	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/officialAddress/streetAddressOne
508	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/officialAddress/streetAddressTwo
509	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/officialAddress/streetAddressThree
510	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/officialAddress/countryCode
511	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/officialAddress/countryCode/@codeListVersion
512	BDT00000085	.. 80	1 .. 1	Latitude	1 .. 80	1 .. 1	latitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Geographical coordinates information/Latitude			<i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/officialAddress/geographicalCoordinates/latitude
513	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/officialAddress/geographicalCoordinates/longitude
514	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/issuedCapital
515	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/issuedCapital/@currencyCode
516	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/issuedCapital/@codeListVersion
517	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Legal structure	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/legalStructure

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description/Legal structure description content			
518	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/legalStructure/@languageCode
519	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/legalStructure/@codeListVersion
520	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/legalRegistration/legalRegistrationNumber
521	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
522	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Registered legal information/Legal registration type	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/legalRegistration/legalRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Legal registration type code content			
523	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
524	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/financialInstitutionName
525	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/financialInstitutionBranchName
526	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/financialAccount/financialAccountName
527	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/financialAccount/financialAccountNumber

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
528	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
529	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
530	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
531	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
532	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version			<i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
533	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/additionalFinancialInformation/description
534	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
535	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
536	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/city

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
537	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/cityCode
538	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/countyCode
539	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/crossStreet
540	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/name
541	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/pOBoxNumber
542	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/postalCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
543	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/provinceCode
544	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/state
545	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/streetAddressOne
546	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/streetAddressTwo
547	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/streetAddressThree
548	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Country code/Country code	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
549	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/countryCode/@codeListVersion
550	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/geographicalCoordinates/latitude
551	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/geographicalCoordinates/longitude
552	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Seller representative party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/gln
553	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Seller representative party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/additionalPartyIdentification
554	BDT000000570	.. 80	1 .. 1	Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller representative party information/Additional party identification information/Additional party identification type code/Additional party identification type code content			additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
555	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ additionalPartyIdentification/@codeListVersion
556	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller representative party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ address/city
557	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Seller representative party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ address/cityCode
558	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Seller representative party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ address/countyCode
559	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller representative party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ address/crossStreet
560	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Seller representative party information/Address information/Party	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ address/name

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
561	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller representative party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/pOBoxNumber
562	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller representative party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/postalCode
563	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller representative party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/provinceCode
564	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller representative party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/state
565	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller representative party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/streetAddressOne
566	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller representative party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/streetAddressTwo
567	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller representative party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/streetAddressThree
568	BDT00000774		1 .. 1	Country code content	1 .. 80	0 .. 1	countryCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller representative party information/Address information/Country code/Country code content			<i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/countryCode
569	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/countryCode/@codeListVersion
570	BDT000000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Seller representative party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/geographicalCoordinates/latitude
571	BDT000000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Seller representative party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/geographicalCoordinates/longitude
572	BDT000000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Seller representative party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/personName
573	BDT000000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Seller representative party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/departmentName
574	BDT000000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Seller representative party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/jobTitle
	BDT000000571						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
575		.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Seller representative party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/contactTypeCode
576	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/contactTypeCode/@codeListVersion
577	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Seller representative party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/responsibility
578	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Seller representative party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/responsibility/@languageCode
579	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/responsibility/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
580	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Seller representative party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/communicationChannel/communicationChannelCode
581	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/communicationChannel/communicationChannelCode/@codeListVersion
582	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller representative party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/communicationChannel/communicationValue
583	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Seller representative party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/communicationChannel/communicationChannelName
584	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Seller representative party information/Business contact information/After hours communication information/Communication channel	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/afterHoursCommunicationChannel/communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Communication channel code content			
585	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
586	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller representative party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/afterHoursCommunicationChannel/communicationValue
587	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Seller representative party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/afterHoursCommunicationChannel/communicationChannelName
588	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
589	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax registration identification information/Tax	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
590	BDT00000074	.. 80	0 .. 1	registration identification content Identification scheme name <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
591	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
592	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
593	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme responsible agency code/Code list version			
594	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
595	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
596	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxDescription
597	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
598	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
599	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Seller representative party information/Tax registration	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
600	BDT00000028	.. 35	0 .. 1	information/Tax registration type code/ Tax registration type code content Code list version <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
601	BDT000000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ organisationDetails/organisationName
602	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ organisationDetails/officialAddress/countyCode
603	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ organisationDetails/officialAddress/city
604	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ organisationDetails/officialAddress/cityCode
605	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ organisationDetails/officialAddress/crossStreet
	BDT000000113						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
606		.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoundingBox <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/officialAddress/pOBoundingBox
607	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/officialAddress/postalCode
608	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/officialAddress/provinceCode
609	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/officialAddress/state
610	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/officialAddress/streetAddressOne
611	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/officialAddress/streetAddressTwo
612	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller representative party	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Street address three			organisationDetails/officialAddress/streetAddressThree
613	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ organisationDetails/officialAddress/countryCode
614	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ organisationDetails/officialAddress/countryCode/ @codeListVersion
615	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
616	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
617	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ organisationDetails/issuedCapital

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
618	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/issuedCapital/@currencyCode
619	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/issuedCapital/@codeListVersion
620	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/legalStructure
621	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/legalStructure/@languageCode
622	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/legalStructure/@codeListVersion
623	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Seller representative party	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Registered legal information/Legal registration number			organisationDetails/legalRegistration/legalRegistrationNumber
624	BDT000000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
625	BDT000000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/legalRegistration/legalRegistrationType
626	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
627	BDT000000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/financialInstitutionName
628	BDT000000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Seller representative party information/Financial institution and	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial institution division name			financialInstitutionBranchName
629	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/financialAccount/financialAccountName
630	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/financialAccount/financialAccountNumber
631	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
632	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
633	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Seller representative party	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial institution routing number information/Financial routing number			financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
634	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
635	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
636	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/additionalFinancialInformation/description
637	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Seller representative party information/Financial institution and	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Additional financial institution description/ Language code/ Language code content			additionalFinancialInformation/description/ @languageCode
638	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
639	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ financialInstitutionInformation/address/city
640	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ financialInstitutionInformation/address/cityCode
641	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ financialInstitutionInformation/address/countyCode
642	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ financialInstitutionInformation/address/crossStreet
643	BDT000000106	.. 200	0 .. 1	Party name	1 .. 200	0 .. 1	name

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Party name			<i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/name
644	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/pOBoxNumber
645	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/postalCode
646	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/provinceCode
647	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/state
648	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/streetAddressOne
649	BDT00000130	.. 200	0 .. 1	Street address two	1 .. 200	0 .. 1	streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Street address two			<i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/streetAddressTwo
650	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/streetAddressThree
651	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/countryCode
652	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/countryCode/@codeListVersion
653	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/geographicalCoordinates/latitude
654	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Seller representative party information/Financial institution and	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Geographical coordinates information/Longitude			geographicalCoordinates/longitude
655	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice issuer party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/gln
656	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice issuer party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/additionalPartyIdentification
657	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice issuer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
658	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/additionalPartyIdentification/@codeListVersion
659	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice issuer party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/city
660	BDT000000019	.. 80	0 .. 1	City code	1 .. 80	0 .. 1	cityCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice issuer party information/Address information/City code			<i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/cityCode
661	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice issuer party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/countyCode
662	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice issuer party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/crossStreet
663	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice issuer party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/name
664	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice issuer party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/pOBoxNumber
665	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice issuer party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/postalCode
666	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice issuer party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/provinceCode
667	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice issuer party	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/state

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
668	BDT00000128	.. 200	0 .. 1	information/Address information/State Street address one <i>Path:</i> Invoice/Invoice issuer party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/streetAddressOne
669	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice issuer party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/streetAddressTwo
670	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice issuer party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/streetAddressThree
671	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice issuer party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/countryCode
672	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/countryCode/@codeListVersion
673	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice issuer party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/geographicalCoordinates/latitude
674	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice issuer party information/Address information/	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Geographical coordinates information/ Longitude			
675	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/ personName
676	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/ departmentName
677	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/jobTitle
678	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/ contactTypeCode
679	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/ contactTypeCode/@codeListVersion
680	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Business contact responsibility description/Business	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/ responsibility

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				contact responsibility description content			
681	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/responsibility/@languageCode
682	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/responsibility/@codeListVersion
683	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/communicationChannel/communicationChannelCode
684	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/communicationChannel/communicationChannelCode/@codeListVersion
685	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice issuer party	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel identification			communicationChannel/communicationValue
686	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/ communicationChannel/communicationChannelName
687	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/ afterHoursCommunicationChannel/ communicationChannelCode
688	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
689	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/ afterHoursCommunicationChannel/communicationValue
	BDT00000033						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
690		.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/afterHoursCommunicationChannel/communicationChannelName
691	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
692	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
693	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
694	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
695	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
696	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
697	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
698	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
699	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Invoice issuer party	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax description/Tax description content			dutyFeeTaxRegistration/dutyFeeTaxDescription
700	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
701	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
702	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
703	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
704	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ organisationDetails/organisationName
705	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ organisationDetails/officialAddress/countyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/County code			
706	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ organisationDetails/officialAddress/city
707	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ organisationDetails/officialAddress/cityCode
708	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ organisationDetails/officialAddress/crossStreet
709	BDT00000013	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ organisationDetails/officialAddress/pOBoxNumber
710	BDT00000014	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ organisationDetails/officialAddress/postalCode
711	BDT00000017	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ organisationDetails/officialAddress/provinceCode
	BDT000000127						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
712		.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/state
713	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/streetAddressOne
714	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/streetAddressTwo
715	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/streetAddressThree
716	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/countryCode
717	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/countryCode/@codeListVersion
718	BDT00000085	.. 80	1 .. 1	Latitude	1 .. 80	1 .. 1	latitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Geographical coordinates information/Latitude			<i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/geographicalCoordinates/latitude
719	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/geographicalCoordinates/longitude
720	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/issuedCapital
721	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/issuedCapital/@currencyCode
722	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/issuedCapital/@codeListVersion
723	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Legal structure	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/legalStructure

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description/Legal structure description content			
724	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/legalStructure/@languageCode
725	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/legalStructure/@codeListVersion
726	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/legalRegistration/legalRegistrationNumber
727	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
728	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Registered legal information/Legal registration type	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/legalRegistration/legalRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Legal registration type code content			
729	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
730	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/financialInstitutionName
731	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/financialInstitutionBranchName
732	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/financialAccount/financialAccountName
733	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/financialAccount/financialAccountNumber

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
734	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
735	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
736	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
737	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
738	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
739	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/additionalFinancialInformation/description
740	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
741	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
742	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/city

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
743	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/cityCode
744	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/countyCode
745	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/crossStreet
746	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/name
747	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/pOBoxNumber
748	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/postalCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
749	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/provinceCode
750	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/state
751	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/streetAddressOne
752	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/streetAddressTwo
753	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/streetAddressThree
754	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Country code/Country code	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
755	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/countryCode/@codeListVersion
756	BDT000000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/geographicalCoordinates/latitude
757	BDT000000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/geographicalCoordinates/longitude
758	BDT000000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Bill to party information/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/billTo/gln
759	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Bill to party information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/billTo/additionalPartyIdentification
760	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Bill to party information/Additional party identification/Additional	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/billTo/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification type code/Additional party identification type code content			
761	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/billTo/additionalPartyIdentification/@codeListVersion
762	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Bill to party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/billTo/address/city
763	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Bill to party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/billTo/address/cityCode
764	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Bill to party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/billTo/address/countyCode
765	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Bill to party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/billTo/address/crossStreet
766	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Bill to party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/billTo/address/name
767	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Bill to party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/billTo/address/pOBoxNumber
768	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Bill to party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/billTo/address/postalCode
769	BDT00000117	80 ..	0 .. 1	Province identity	1 .. 80	0 .. 1	provinceCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Bill to party information/Address information/Province identity			<i>Path:</i> invoiceMessage/invoice/billTo/address/provinceCode
770	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Bill to party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/billTo/address/state
771	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Bill to party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/billTo/address/streetAddressOne
772	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Bill to party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/billTo/address/streetAddressTwo
773	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Bill to party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/billTo/address/streetAddressThree
774	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Bill to party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/billTo/address/countryCode
775	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/billTo/address/countryCode/@codeListVersion
776	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Bill to party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/billTo/address/geographicalCoordinates/latitude
777	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Bill to party information/Address information/Geographical coordinates	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/billTo/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
778	BDT00000112	.. 70	0 .. 1	information/Longitude Person name <i>Path:</i> Invoice/Bill to party information/ Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/billTo/contact/personName
779	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Bill to party information/ Business contact information/ Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/billTo/contact/departmentName
780	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Bill to party information/ Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/billTo/contact/jobTitle
781	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Bill to party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/billTo/contact/contactTypeCode
782	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/ Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/billTo/contact/ contactTypeCode/@codeListVersion
783	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Bill to party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/billTo/contact/responsibility
784	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Bill to party information/	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/billTo/contact/responsibility/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/Business contact responsibility description/ Language code/Language code content			@languageCode
785	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/billTo/contact/responsibility/ @codeListVersion
786	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Bill to party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/billTo/contact/ communicationChannel/communicationChannelCode
787	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/billTo/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
788	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Bill to party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/billTo/contact/ communicationChannel/communicationValue
789	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Bill to party information/ Business contact information/ Communication information/	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/billTo/contact/ communicationChannel/communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
790	BDT00000525		1 .. 1	Communication channel name Communication channel code content <i>Path:</i> Invoice/Bill to party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/billTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode
791	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/billTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
792	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Bill to party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/billTo/contact/ afterHoursCommunicationChannel/communicationValue
793	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Bill to party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/billTo/contact/ afterHoursCommunicationChannel/ communicationChannelName
794	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/ dutyFeeTaxAgencyName
795	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Bill to party information/Tax	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration information/Tax registration identification information/Tax registration identification content			dutyFeeTaxRegistrationID
796	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
797	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
798	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
799	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
800	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
801	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
802	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
803	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
804	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
805	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
806	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
807	BDT00000102	.. 200	1 .. 1	type code/Code list version Organisation name <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ organisationName
808	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/countyCode
809	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/city
810	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/cityCode
811	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/crossStreet
812	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/pOBoxNumber
813	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/postalCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
814	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/provinceCode
815	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/state
816	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/streetAddressOne
817	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/streetAddressTwo
818	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/streetAddressThree
819	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/countryCode
820	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
821	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/geographicalCoordinates/latitude
822	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/geographicalCoordinates/longitude
823	BDT000000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ issuedCapital
824	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ issuedCapital/@currencyCode
825	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ issuedCapital/@codeListVersion
826	BDT000000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ legalStructure
827	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Bill to party information/	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Legal structure description/Language code/ Language code content			legalStructure/@languageCode
828	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ legalStructure/@codeListVersion
829	BDT000000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ legalRegistration/legalRegistrationNumber
830	BDT000000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
831	BDT000000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ legalRegistration/legalRegistrationType
832	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
833	BDT000000061	.. 80	0 .. 1	Financial institution name	1 .. 80	0 .. 1	financialInstitutionName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Financial institution name			<i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/financialInstitutionName
834	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/ financialInstitutionBranchName
835	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/financialAccount/ financialAccountName
836	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/financialAccount/ financialAccountNumber
837	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
838	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial account information/Financial account number type code/Code list version			financialAccountNumberTypeCode/@codeListVersion
839	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/billTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
840	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/billTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
841	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/billTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
842	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Bill to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/billTo/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
843	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
844	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
845	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/city
846	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/cityCode
847	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/countyCode
848	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
849	BDT00000106	.. 200	0 .. 1	account information/Address information/Cross street Party name <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/name
850	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/pOBoxNumber
851	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/postalCode
852	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/provinceCode
853	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/state
854	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
855	BDT00000130	.. 200	0 .. 1	account information/Address information/Street address one Street address two <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/streetAddressTwo
856	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/ streetAddressThree
857	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/countryCode
858	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/countryCode/ @codeListVersion
859	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/ geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
860	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
861	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Remit to party information/ Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/remitTo/gln
862	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Remit to party information/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/remitTo/ additionalPartyIdentification
863	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Remit to party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/remitTo/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
864	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/remitTo/ additionalPartyIdentification/@codeListVersion
865	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Remit to party information/ Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/remitTo/address/city

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
866	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Remit to party information/ Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/remitTo/address/cityCode
867	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Remit to party information/ Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/remitTo/address/countyCode
868	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Remit to party information/ Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/remitTo/address/crossStreet
869	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Remit to party information/ Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/remitTo/address/name
870	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Remit to party information/ Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/remitTo/address/pOBoxNumber
871	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Remit to party information/ Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/remitTo/address/postalCode
872	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Remit to party information/ Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/remitTo/address/provinceCode
873	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Remit to party information/ Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/remitTo/address/state
874	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Remit to party information/ Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/remitTo/address/ streetAddressOne
	BDT00000130						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
875		.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Remit to party information/ Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/remitTo/address/ streetAddressTwo
876	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Remit to party information/ Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/remitTo/address/ streetAddressThree
877	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Remit to party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/remitTo/address/countryCode
878	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/ Address information/Country code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/remitTo/address/countryCode/ @codeListVersion
879	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Remit to party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/remitTo/address/ geographicalCoordinates/latitude
880	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Remit to party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/remitTo/address/ geographicalCoordinates/longitude
881	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Remit to party information/ Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/remitTo/contact/personName
882	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Remit to party information/	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/remitTo/contact/departmentName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/ Department name			
883	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Remit to party information/ Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/remitTo/contact/jobTitle
884	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Remit to party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ contactTypeCode
885	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/ Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ contactTypeCode/@codeListVersion
886	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Remit to party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/remitTo/contact/responsibility
887	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Remit to party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/remitTo/contact/responsibility/ @languageCode
888	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/remitTo/contact/responsibility/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
889	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Remit to party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ communicationChannel/communicationChannelCode
890	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
891	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Remit to party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ communicationChannel/communicationValue
892	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Remit to party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ communicationChannel/communicationChannelName
893	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Remit to party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode
894	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Remit to party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version			<i>Path:</i> invoiceMessage/invoice/remitTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
895	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Remit to party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ afterHoursCommunicationChannel/communicationValue
896	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Remit to party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ afterHoursCommunicationChannel/ communicationChannelName
897	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/remitTo/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
898	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/remitTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
899	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/remitTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
900	BDT000000073	.. 80	0 .. 1	scheme name Identification scheme agency name <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
901	BDT000000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
902	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
903	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
904	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax type code/	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Code list version			@codeListVersion
905	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
906	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
907	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
908	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
909	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
910	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Remit to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/organisationName
911	BDT00000034	.. 80	0 .. 1	County code	1 .. 80	0 .. 1	countyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/County code			<i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/countyCode
912	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/city
913	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/cityCode
914	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/crossStreet
915	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/pOBoxNumber
916	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/postalCode
917	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/provinceCode
918	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Remit to party information/	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/State			officialAddress/state
919	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/streetAddressOne
920	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/streetAddressTwo
921	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/streetAddressThree
922	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/countryCode
923	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/countryCode/@codeListVersion
924	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/geographicalCoordinates/latitude
925	BDT00000089	.. 80	1 .. 1	Longitude	1 .. 80	1 .. 1	longitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude			<i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/geographicalCoordinates/longitude
926	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ issuedCapital
927	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ issuedCapital/@currencyCode
928	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ issuedCapital/@codeListVersion
929	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ legalStructure
930	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ legalStructure/@languageCode
931	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Legal	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ legalStructure/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
932	BDT00000087	.. 80	1 .. 1	structure description/Language code/ Code list version Legal registration number <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ legalRegistration/legalRegistrationNumber
933	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
934	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ legalRegistration/legalRegistrationType
935	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
936	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/financialInstitutionName
937	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Remit to party information/	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/remitTo/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Financial institution division name			financialInstitutionInformation/ financialInstitutionBranchName
938	BDT000000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/financialAccount/ financialAccountName
939	BDT000000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/financialAccount/ financialAccountNumber
940	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
941	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
942	BDT000000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/financialRoutingNumber/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial institution routing number information/Financial routing number			financialRoutingNumber
943	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Remit to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/remitTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
944	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/remitTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
945	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Remit to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/remitTo/financialInstitutionInformation/additionalFinancialInformation/description
946	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Remit to party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/remitTo/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
947	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
948	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/city
949	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/cityCode
950	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/countyCode
951	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/crossStreet
952	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/name

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
953	BDT00000113	.. 80	0 .. 1	information/Party name Post office box number <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/pOBoxNumber
954	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/postalCode
955	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/provinceCode
956	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/state
957	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/streetAddressOne
958	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
959	BDT00000129	.. 200	0 .. 1	information/Street address two Street address three <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/ streetAddressThree
960	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/countryCode
961	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/countryCode/ @codeListVersion
962	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
963	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/ geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
964	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Payee party information/Global location number, GLN	0 .. 1		gln <i>Path:</i> invoiceMessage/invoice/payee/gln
965	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Payee party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/payee/additionalPartyIdentification
966	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Payee party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/payee/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
967	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payee/additionalPartyIdentification/@codeListVersion
968	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Payee party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/payee/address/city
969	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Payee party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/payee/address/cityCode
970	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Payee party information/	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/payee/address/countyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/County code			
971	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Payee party information/ Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/payee/address/crossStreet
972	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Payee party information/ Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/payee/address/name
973	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Payee party information/ Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/payee/address/pOBoxNumber
974	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Payee party information/ Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/payee/address/postalCode
975	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Payee party information/ Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/payee/address/provinceCode
976	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Payee party information/ Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/payee/address/state
977	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Payee party information/ Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/payee/address/streetAddressOne
978	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Payee party information/ Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/payee/address/streetAddressTwo
979	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Payee party information/ Address information/Street address	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/payee/address/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
980	BDT00000774		1 .. 1	three Country code content <i>Path:</i> Invoice/Payee party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	streetAddressThree countryCode <i>Path:</i> invoiceMessage/invoice/payee/address/countryCode
981	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/ Address information/Country code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payee/address/countryCode/ @codeListVersion
982	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Payee party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/payee/address/ geographicalCoordinates/latitude
983	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Payee party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/payee/address/ geographicalCoordinates/longitude
984	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Payee party information/ Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/payee/contact/personName
985	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Payee party information/ Business contact information/ Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/payee/contact/departmentName
986	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Payee party information/ Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/payee/contact/jobTitle
987	BDT000000571	.. 80	1 .. 1	Contact type code content	1 .. 80	0 .. 1	contactTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payee party information/ Business contact information/Contact type code/Contact type code content			<i>Path:</i> invoiceMessage/invoice/payee/contact/contactTypeCode
988	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/ Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payee/contact/ contactTypeCode/@codeListVersion
989	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Payee party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/payee/contact/responsibility
990	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Payee party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/payee/contact/responsibility/ @languageCode
991	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payee/contact/responsibility/ @codeListVersion
992	BDT000000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Payee party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/payee/contact/ communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
993	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payee/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
994	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Payee party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/payee/contact/ communicationChannel/communicationValue
995	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Payee party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/payee/contact/ communicationChannel/communicationChannelName
996	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Payee party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/payee/contact/ afterHoursCommunicationChannel/ communicationChannelCode
997	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payee/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
998	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Payee party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/payee/contact/ afterHoursCommunicationChannel/communicationValue
999	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Payee party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/payee/contact/ afterHoursCommunicationChannel/ communicationChannelName
100	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/ dutyFeeTaxAgencyName
100	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID
100	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/@identificationSchemeName
100	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
100	BDT00000583	.. 80	1 .. 1	scheme agency name Identification scheme responsible agency code content <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
100	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
100	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
100	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
100	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxDescription
100	BDT00000524	.. 80	1 .. 1	Language code content	1 .. 80		languageCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payee party information/Tax registration information/Tax description/Language code/Language code content			<i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
101	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
101	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
101	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
101	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Payee party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/organisationName
101	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Payee party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/officialAddress/countyCode
101	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Payee party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/officialAddress/city

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
101	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/cityCode
101	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/crossStreet
101	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/pOBoxNumber
101	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/postalCode
102	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/provinceCode
102	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/state
102	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/streetAddressOne
102	BDT00000130	.. 200	0 .. 1	Street address two	1 .. 200	0 .. 1	streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Street address two			<i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/streetAddressTwo
102	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/streetAddressThree
102	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/countryCode
102	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/countryCode/@codeListVersion
102	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/geographicalCoordinates/latitude
102	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/geographicalCoordinates/longitude
102	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ issuedCapital

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
103	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ issuedCapital/@currencyCode
103	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ issuedCapital/@codeListVersion
103	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ legalStructure
103	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ legalStructure/@languageCode
103	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ legalStructure/@codeListVersion
103	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Payee party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ legalRegistration/legalRegistrationNumber
103	BDT00000086	.. 200	0 .. 1	Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payee party information/ Organisation legal information/ Registered legal information/Legal registration additional information			<i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
103	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Payee party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ legalRegistration/legalRegistrationType
103	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
103	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/financialInstitutionName
104	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/ financialInstitutionBranchName
104	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/financialAccount/ financialAccountName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
104	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/financialAccount/ financialAccountNumber
104	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
104	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
104	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
104	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Financial institution	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				routing number information/Financial routing number type code/Financial routing number type code content			
104	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
104	BDT000000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Payee party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/payee/financialInstitutionInformation/additionalFinancialInformation/description
104	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Payee party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/payee/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
105	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payee/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
105	BDT000000020	.. 200	0 .. 1	City name	1 .. 200	0 .. 1	city

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/City name			<i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/city
105	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/cityCode
105	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/countyCode
105	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/crossStreet
105	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/name
105	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/pOBoxNumber
105	BDT00000114	.. 80	0 .. 1	Postal code	1 .. 80	0 .. 1	postalCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/Postal code			<i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/postalCode
105	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/provinceCode
105	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/state
106	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/streetAddressOne
106	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/streetAddressTwo
106	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/ streetAddressThree
106	BDT00000774		1 .. 1	Country code content	1 .. 80	0 .. 1	countryCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/Country code/Country code content			<i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/countryCode
106	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/countryCode/ @codeListVersion
106	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
106	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
106	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Tax representative party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/taxRepresentative/gln
106	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Tax representative party information/Additional party	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification content			
106	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Tax representative party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
107	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax representative party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxRepresentative/additionalPartyIdentification/@codeListVersion
107	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Tax representative party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/city
107	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Tax representative party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/cityCode
107	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Tax representative party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/countyCode
107	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Tax representative party information/Address information/Cross	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
107	BDT00000106	.. 200	0 .. 1	street Party name <i>Path:</i> Invoice/Tax representative party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/name
107	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Tax representative party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/pOBoxNumber
107	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Tax representative party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/postalCode
107	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Tax representative party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/provinceCode
107	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Tax representative party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/state
108	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Tax representative party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/streetAddressOne
108	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Tax representative party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/streetAddressTwo
108	BDT00000129	.. 200	0 .. 1	Street address three	1 .. 200	0 .. 1	streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Tax representative party information/Address information/Street address three			<i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/streetAddressThree
108	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Tax representative party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/countryCode
108	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax representative party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/countryCode/@codeListVersion
108	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Tax representative party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/geographicalCoordinates/latitude
108	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Tax representative party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/geographicalCoordinates/longitude
108	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Tax representative party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/personName
108	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Tax representative party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/departmentName
	BDT00000083						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
108		.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Tax representative party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/jobTitle
109	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Tax representative party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/contactTypeCode
109	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax representative party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/contactTypeCode/@codeListVersion
109	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Tax representative party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/responsibility
109	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Tax representative party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/responsibility/@languageCode
109	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax representative party	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Business contact responsibility description/Language code/Code list version			responsibility/@codeListVersion
109	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Tax representative party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/ communicationChannel/communicationChannelCode
109	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax representative party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
109	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Tax representative party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/ communicationChannel/communicationValue
109	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Tax representative party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/ communicationChannel/communicationChannelName
	BDT00000525						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
109			1 .. 1	Communication channel code content <i>Path:</i> Invoice/Tax representative party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/afterHoursCommunicationChannel/communicationChannelCode
110	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax representative party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
110	BDT000000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Tax representative party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/afterHoursCommunicationChannel/communicationValue
110	BDT000000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Tax representative party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/afterHoursCommunicationChannel/communicationChannelName
110	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/taxRepresentative/dutyFeeTaxRegistration/dutyFeeTaxAgencyName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
110	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/taxRepresentative/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
110	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/taxRepresentative/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
110	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/taxRepresentative/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
110	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
110	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
		.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/taxRepresentative/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
110	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
111	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxRepresentative/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
111	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/taxRepresentative/dutyFeeTaxRegistration/dutyFeeTaxDescription
111	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
111	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax representative party	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxRepresentative/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax description/Language code/Code list version			dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
111	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
111	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
111	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ organisationDetails/organisationName
111	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ organisationDetails/officialAddress/countyCode
111	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ organisationDetails/officialAddress/city
111	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ organisationDetails/officialAddress/cityCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
112	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/officialAddress/crossStreet
112	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/officialAddress/pOBoxNumber
112	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/officialAddress/postalCode
112	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/officialAddress/provinceCode
112	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/officialAddress/state
112	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/officialAddress/streetAddressOne
112	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Tax representative party	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/taxRepresentative/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Street address two			organisationDetails/officialAddress/streetAddressTwo
112	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ organisationDetails/officialAddress/streetAddressThree
112	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ organisationDetails/officialAddress/countryCode
112	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ organisationDetails/officialAddress/countryCode/ @codeListVersion
113	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
113	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ organisationDetails/officialAddress/ geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
113	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/issuedCapital
113	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/issuedCapital/@currencyCode
113	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/issuedCapital/@codeListVersion
113	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/legalStructure
113	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/legalStructure/@languageCode
113	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax representative party information/Organisation legal	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/legalStructure/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Legal structure description/Language code/Code list version			
113	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/legalRegistration/legalRegistrationNumber
113	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
114	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/legalRegistration/legalRegistrationType
114	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
114	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Tax representative party information/Financial institution and	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/financialInstitutionName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial institution name			
114	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/financialInstitutionBranchName
114	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/financialAccount/financialAccountName
114	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/financialAccount/financialAccountNumber
114	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
114	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax representative party information/Financial institution and	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial account information/Financial account number type code/Code list version			financialAccountNumberTypeCode/@codeListVersion
114	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
114	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
115	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
115	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Additional financial institution description/	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional financial institution description content			
115	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
115	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
115	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/city
115	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/cityCode
115	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/countyCode
115	BDT00000035	.. 200	0 .. 1	Cross street	1 .. 200	0 .. 1	crossStreet

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Cross street			<i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/crossStreet
115	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/name
115	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/pOBoxNumber
116	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/postalCode
116	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/provinceCode
116	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/state
116	BDT00000128	.. 200	0 .. 1	Street address one	1 .. 200	0 .. 1	streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Street address one			<i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/streetAddressOne
116	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/streetAddressTwo
116	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/streetAddressThree
116	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/countryCode
116	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/countryCode/@codeListVersion
116	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
116	BDT00000089	.. 80	1 .. 1	information/Geographical coordinates information/Latitude Longitude <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
117	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Ultimate consignee party information/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/gln
117	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Ultimate consignee party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ additionalPartyIdentification
117	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
117	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
117	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ultimate consignee party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/city
117	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ultimate consignee party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/cityCode
117	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Ultimate consignee party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/countyCode
117	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/crossStreet
117	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/name
117	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/pOBoxNumber
118	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/postalCode
118	BDT00000117	80 ..	0 .. 1	Province identity	1 .. 80	0 .. 1	provinceCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate consignee party information/Address information/Province identity			<i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/provinceCode
118	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ultimate consignee party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/state
118	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/streetAddressOne
118	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/streetAddressTwo
118	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/streetAddressThree
118	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/countryCode
118	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/countryCode/@codeListVersion
118	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Ultimate consignee party information/Address information/	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Geographical coordinates information/ Latitude			
118	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Ultimate consignee party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/ geographicalCoordinates/longitude
119	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/ personName
119	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/ departmentName
119	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/ jobTitle
119	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/ contactTypeCode
119	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/ contactTypeCode/@codeListVersion
	BDT00000580			Business contact responsibility			

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
119		.. 70	1 .. 1	description content <i>Path:</i> Invoice/Ultimate consignee party information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/responsibility
119	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Ultimate consignee party information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/responsibility/@languageCode
119	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate consignee party information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/responsibility/@codeListVersion
119	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/communicationChannel/communicationChannelCode
119	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Communication information/Communication channel	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/communicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
120	BDT00000032	.. 200	1 .. 1	code/Communication channel code content/Code list version Communication channel identification <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/communicationChannel/communicationValue
120	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/communicationChannel/communicationChannelName
120	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelCode
120	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
120	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Ultimate consignee party	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/After hours communication information/Communication channel identification			afterHoursCommunicationChannel/communicationValue
120	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/ afterHoursCommunicationChannel/ communicationChannelName
120	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
120	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
120	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
120	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration identification information/Identification scheme information/Identification scheme agency name			@identificationSchemeAgencyName
121	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
121	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
121	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
121	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax type code/Code list	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
121	BDT00000754	.. 70	1 .. 1	version Tax description content <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription
121	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
121	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
121	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
121	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
121	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/organisationName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
122	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/countyCode
122	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/city
122	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/cityCode
122	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/crossStreet
122	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/pOBoxNumber
122	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/postalCode
122	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/Province identity			
122	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/state
122	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/streetAddressOne
122	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/streetAddressTwo
123	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/streetAddressThree
123	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/countryCode
123	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Country	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
123	BDT000000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/geographicalCoordinates/latitude
123	BDT000000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/geographicalCoordinates/longitude
123	BDT000000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/issuedCapital
123	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/issuedCapital/@currencyCode
123	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/issuedCapital/@codeListVersion
123	BDT000000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Ultimate consignee party	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Legal structure description/Legal structure description content			organisationDetails/legalStructure
123	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ organisationDetails/legalStructure/@languageCode
124	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ organisationDetails/legalStructure/@codeListVersion
124	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ organisationDetails/legalRegistration/ legalRegistrationNumber
124	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation
124	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ organisationDetails/legalRegistration/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Registered legal information/Legal registration type code/Legal registration type code content			legalRegistrationType
124	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
124	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/financialInstitutionName
124	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/financialInstitutionBranchName
124	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountName
124	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Financial	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumber

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial account number			
124	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
125	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
125	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
125	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
125	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
125	BDT000000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/ Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ financialInstitutionInformation/ additionalFinancialInformation/description
125	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
125	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
125	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ financialInstitutionInformation/address/city

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/City name			
125	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/cityCode
125	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/countyCode
126	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/crossStreet
126	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/name
126	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/pOBoxNumber
126	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/postalCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Postal code			
126	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/provinceCode
126	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/state
126	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/streetAddressOne
126	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/streetAddressTwo
126	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/streetAddressThree
126	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Country code/Country code content			
127	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/countryCode/@codeListVersion
127	BDT000000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/geographicalCoordinates/latitude
127	BDT000000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/geographicalCoordinates/longitude
127	BDT000000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Consignee party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/consignee/gln
127	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Consignee party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/consignee/additionalPartyIdentification
127	BDT000000570	.. 80	1 .. 1	Additional party identification type code	1 .. 80		additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Invoice/Consignee party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content			<i>Path:</i> invoiceMessage/invoice/consignee/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
127	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Consignee party information/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/consignee/ additionalPartyIdentification/@codeListVersion
127	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Consignee party information/ Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/consignee/address/city
127	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Consignee party information/ Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/consignee/address/cityCode
127	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Consignee party information/ Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/consignee/address/countyCode
128	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Consignee party information/ Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/consignee/address/crossStreet
128	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Consignee party information/ Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/consignee/address/name
128	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Consignee party information/	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/consignee/address/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/Post office box number			pOBoxNumber
128	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Consignee party information/ Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/consignee/address/postalCode
128	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Consignee party information/ Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/consignee/address/provinceCode
128	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Consignee party information/ Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/consignee/address/state
128	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Consignee party information/ Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/consignee/address/ streetAddressOne
128	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Consignee party information/ Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/consignee/address/ streetAddressTwo
128	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Consignee party information/ Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/consignee/address/ streetAddressThree
128	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Consignee party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/consignee/address/countryCode
129	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Consignee party information/ Address information/Country code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/consignee/address/ countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
129	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Consignee party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/consignee/address/ geographicalCoordinates/latitude
129	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Consignee party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/consignee/address/ geographicalCoordinates/longitude
129	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Consignee party information/ Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/consignee/contact/personName
129	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Consignee party information/ Business contact information/ Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/consignee/contact/ departmentName
129	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Consignee party information/ Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/consignee/contact/jobTitle
129	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Consignee party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/consignee/contact/ contactTypeCode
129	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Consignee party information/ Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/consignee/contact/ contactTypeCode/@codeListVersion
129	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/consignee/contact/responsibility

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Consignee party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content			
129	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Consignee party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/consignee/contact/ responsibility/@languageCode
130	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Consignee party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/consignee/contact/ responsibility/@codeListVersion
130	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Consignee party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/consignee/contact/ communicationChannel/communicationChannelCode
130	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Consignee party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/consignee/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
130	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Consignee party information/	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/consignee/contact/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/ Communication information/ Communication channel identification			communicationChannel/communicationValue
130	BDT000000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Consignee party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/consignee/contact/ communicationChannel/communicationChannelName
130	BDT000000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Consignee party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/consignee/contact/ afterHoursCommunicationChannel/ communicationChannelCode
130	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Consignee party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/consignee/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
130	BDT000000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Consignee party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/consignee/contact/ afterHoursCommunicationChannel/communicationValue
130	BDT000000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Consignee party information/ Business contact information/After hours communication information/	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/consignee/contact/ afterHoursCommunicationChannel/ communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Communication channel name			
130	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
131	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax registration identification information/ Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
131	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
131	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
131	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Identification scheme	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
131	BDT000000028	.. 35	0 .. 1	responsible agency code content Code list version <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
131	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
131	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
131	BDT000000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxDescription
131	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
131	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
132	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
132	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
132	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ organisationName
132	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/countyCode
132	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/city
132	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/cityCode
132	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
132	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBxNumber <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/pOBxNumber
132	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/postalCode
132	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/provinceCode
133	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/state
133	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/streetAddressOne
133	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/streetAddressTwo
133	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/streetAddressThree
133	BDT00000774		1 .. 1	Country code content	1 .. 80	0 .. 1	countryCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Country code/Country code content			<i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/countryCode
133	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/countryCode/@codeListVersion
133	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/geographicalCoordinates/latitude
133	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/geographicalCoordinates/longitude
133	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ issuedCapital
133	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ issuedCapital/@currencyCode
134	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Issued	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ issuedCapital/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
134	BDT00000659	.. 70	1 .. 1	capital/Currency code/Code list version Legal structure description content <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ legalStructure
134	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ legalStructure/@languageCode
134	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ legalStructure/@codeListVersion
134	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ legalRegistration/legalRegistrationNumber
134	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
134	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/ Registered legal information/Legal	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ legalRegistration/legalRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration type code/Legal registration type code content			
134	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
134	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/financialInstitutionName
134	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/ financialInstitutionBranchName
135	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/financialAccount/ financialAccountName
135	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/financialAccount/ financialAccountNumber
135	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Consignee party information/	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			financialAccountNumberTypeCode
135	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/consignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
135	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/consignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
135	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/consignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
135	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/consignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
135	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/ additionalFinancialInformation/description
135	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
135	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
136	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/city
136	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/cityCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
136	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/countyCode
136	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/crossStreet
136	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/name
136	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/pOBoxNumber
136	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/postalCode
136	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
136	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/state
136	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/streetAddressOne
137	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/streetAddressTwo
137	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/ streetAddressThree
137	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/countryCode
137	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/countryCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Country code/Code list version			
137	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
137	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
137	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Ship from party information/ Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/shipFrom/gln
137	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Ship from party information/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/shipFrom/ additionalPartyIdentification
137	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Ship from party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/shipFrom/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
137	BDT000000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ship from party information/ Additional party identification information/Additional party identification type code/Code list version			<i>Path:</i> invoiceMessage/invoice/shipFrom/ additionalPartyIdentification/@codeListVersion
138	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ship from party information/ Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/shipFrom/address/city
138	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ship from party information/ Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/shipFrom/address/cityCode
138	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Ship from party information/ Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/shipFrom/address/countyCode
138	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ship from party information/ Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/shipFrom/address/crossStreet
138	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Ship from party information/ Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/shipFrom/address/name
138	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ship from party information/ Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/shipFrom/address/pOBoxNumber
138	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ship from party information/ Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/shipFrom/address/postalCode
138	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ship from party information/	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/shipFrom/address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/Province identity			
138	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ship from party information/ Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/shipFrom/address/state
138	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ship from party information/ Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/shipFrom/address/ streetAddressOne
139	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ship from party information/ Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/shipFrom/address/ streetAddressTwo
139	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ship from party information/ Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/shipFrom/address/ streetAddressThree
139	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Ship from party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/shipFrom/address/countryCode
139	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship from party information/ Address information/Country code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipFrom/address/ countryCode/@codeListVersion
139	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Ship from party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/shipFrom/address/ geographicalCoordinates/latitude
139	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Ship from party information/ Address information/Geographical	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/shipFrom/address/ geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
139	BDT00000112	.. 70	0 .. 1	coordinates information/Longitude Person name <i>Path:</i> Invoice/Ship from party information/ Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/personName
139	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Ship from party information/ Business contact information/ Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ departmentName
139	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Ship from party information/ Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/jobTitle
139	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Ship from party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ contactTypeCode
140	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship from party information/ Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ contactTypeCode/@codeListVersion
140	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Ship from party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/responsibility
140	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Ship from party information/	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/Business contact responsibility description/ Language code/Language code content			responsibility/@languageCode
140	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship from party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ responsibility/@codeListVersion
140	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Ship from party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ communicationChannel/communicationChannelCode
140	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship from party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
140	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Ship from party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ communicationChannel/communicationValue
140	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Ship from party information/ Business contact information/ Communication information/	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ communicationChannel/communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
140	BDT00000525		1 .. 1	Communication channel name Communication channel code content <i>Path:</i> Invoice/Ship from party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ afterHoursCommunicationChannel/ communicationChannelCode
140	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship from party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
141	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Ship from party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ afterHoursCommunicationChannel/communicationValue
141	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Ship from party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ afterHoursCommunicationChannel/ communicationChannelName
141	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
141	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Ship from party information/Tax	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration information/Tax registration identification information/Tax registration identification content			dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
141	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
141	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
141	BDT000000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
141	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
141	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
141	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
142	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription
142	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
142	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
142	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
142	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax registration	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				type code/Code list version			@codeListVersion
142	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ organisationName
142	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/countyCode
142	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/city
142	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/cityCode
142	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/crossStreet
143	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/pOBoxNumber
143	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/postalCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
143	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/provinceCode
143	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/state
143	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/streetAddressOne
143	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/streetAddressTwo
143	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/streetAddressThree
143	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/countryCode
143	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
143	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/geographicalCoordinates/latitude
144	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/geographicalCoordinates/longitude
144	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ issuedCapital
144	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ issuedCapital/@currencyCode
144	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ issuedCapital/@codeListVersion
144	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ legalStructure
144	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Ship from party information/	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Legal structure description/Language code/ Language code content			legalStructure/@languageCode
144	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ legalStructure/@codeListVersion
144	BDT000000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ legalRegistration/legalRegistrationNumber
144	BDT000000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
144	BDT000000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ legalRegistration/legalRegistrationType
145	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
145	BDT000000061	.. 80	0 .. 1	Financial institution name	1 .. 80	0 .. 1	financialInstitutionName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Financial institution name			<i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/financialInstitutionName
145	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/ financialInstitutionBranchName
145	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/financialAccount/ financialAccountName
145	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumber
145	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
145	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial account information/Financial account number type code/Code list version			financialAccountNumberTypeCode/@codeListVersion
145	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
145	BDT000000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
145	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
146	BDT000000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Ship from party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
146	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
146	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
146	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/city
146	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/cityCode
146	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/countyCode
146	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
146	BDT00000106	.. 200	0 .. 1	account information/Address information/Cross street Party name <i>Path:</i> Invoice/Ship from party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/address/name
146	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ship from party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/address/pOBoxNumber
146	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ship from party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/address/postalCode
147	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ship from party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/address/provinceCode
147	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ship from party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/address/state
147	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ship from party information/Financial institution and financial	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/address/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
147	BDT00000130	.. 200	0 .. 1	account information/Address information/Street address one Street address two <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/streetAddressTwo
147	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/ streetAddressThree
147	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/countryCode
147	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/countryCode/ @codeListVersion
147	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/ geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
147	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
147	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Ship to party information/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/shipTo/gln
148	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Ship to party information/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/shipTo/ additionalPartyIdentification
148	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Ship to party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/shipTo/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
148	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship to party information/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipTo/ additionalPartyIdentification/@codeListVersion
148	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ship to party information/ Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/shipTo/address/city

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
148	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ship to party information/ Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/shipTo/address/cityCode
148	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Ship to party information/ Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/shipTo/address/countyCode
148	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ship to party information/ Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/shipTo/address/crossStreet
148	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Ship to party information/ Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/shipTo/address/name
148	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ship to party information/ Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/shipTo/address/pOBoxNumber
148	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ship to party information/ Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/shipTo/address/postalCode
149	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ship to party information/ Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/shipTo/address/provinceCode
149	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ship to party information/ Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/shipTo/address/state
149	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ship to party information/ Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/shipTo/address/ streetAddressOne
	BDT00000130						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
149		.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ship to party information/ Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/shipTo/address/ streetAddressTwo
149	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ship to party information/ Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/shipTo/address/ streetAddressThree
149	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Ship to party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/shipTo/address/countryCode
149	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship to party information/ Address information/Country code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipTo/address/countryCode/ @codeListVersion
149	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Ship to party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/shipTo/address/ geographicalCoordinates/latitude
149	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Ship to party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/shipTo/address/ geographicalCoordinates/longitude
149	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Ship to party information/ Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/shipTo/contact/personName
150	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Ship to party information/	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/shipTo/contact/departmentName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/ Department name			
150	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Ship to party information/ Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/shipTo/contact/jobTitle
150	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Ship to party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/shipTo/contact/contactTypeCode
150	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship to party information/ Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipTo/contact/ contactTypeCode/@codeListVersion
150	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Ship to party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/shipTo/contact/responsibility
150	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Ship to party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/shipTo/contact/responsibility/ @languageCode
150	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship to party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipTo/contact/responsibility/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
150	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Ship to party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/shipTo/contact/ communicationChannel/communicationChannelCode
150	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship to party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipTo/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
150	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Ship to party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/shipTo/contact/ communicationChannel/communicationValue
151	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Ship to party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/shipTo/contact/ communicationChannel/communicationChannelName
151	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Ship to party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/shipTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode
151	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ship to party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version			<i>Path:</i> invoiceMessage/invoice/shipTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
151	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Ship to party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/shipTo/contact/ afterHoursCommunicationChannel/communicationValue
151	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Ship to party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/shipTo/contact/ afterHoursCommunicationChannel/ communicationChannelName
151	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/ dutyFeeTaxAgencyName
151	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID
151	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/@identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
151	BDT00000073	.. 80	0 .. 1	scheme name Identification scheme agency name <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
151	BDT000000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
152	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
152	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
152	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax type code/	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
152	BDT00000754	.. 70	1 .. 1	Code list version Tax description content <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
152	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
152	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
152	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
152	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
152	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Ship to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/organisationName
152	BDT00000034	.. 80	0 .. 1	County code	1 .. 80	0 .. 1	countyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/County code			<i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/countyCode
153	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/city
153	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/cityCode
153	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/crossStreet
153	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/pOBoxNumber
153	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/postalCode
153	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/provinceCode
153	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ship to party information/	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/State			officialAddress/state
153	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/streetAddressOne
153	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/streetAddressTwo
153	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/streetAddressThree
154	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/countryCode
154	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/countryCode/@codeListVersion
154	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/geographicalCoordinates/latitude
154	BDT00000089	.. 80	1 .. 1	Longitude	1 .. 80	1 .. 1	longitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude			<i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/geographicalCoordinates/longitude
154	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ issuedCapital
154	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ issuedCapital/@currencyCode
154	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ issuedCapital/@codeListVersion
154	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ legalStructure
154	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ legalStructure/@languageCode
154	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Legal	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ legalStructure/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				structure description/Language code/ Code list version			
155	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ legalRegistration/legalRegistrationNumber
155	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
155	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ legalRegistration/legalRegistrationType
155	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
155	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/financialInstitutionName
155	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Ship to party information/	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Financial institution division name			financialInstitutionInformation/ financialInstitutionBranchName
155	BDT000000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountName
155	BDT000000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountNumber
155	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
155	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
156	BDT000000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/financialRoutingNumber/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial institution routing number information/Financial routing number			financialRoutingNumber
156	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
156	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
156	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Ship to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/shipTo/financialInstitutionInformation/additionalFinancialInformation/description
156	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Ship to party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/shipTo/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
156	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
156	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/city
156	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/cityCode
156	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/countyCode
156	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/crossStreet
157	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/name

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
157	BDT00000113	.. 80	0 .. 1	information/Party name Post office box number <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/pOBoxNumber
157	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/postalCode
157	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/provinceCode
157	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/state
157	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/streetAddressOne
157	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
157	BDT00000129	.. 200	0 .. 1	information/Street address two Street address three <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/ streetAddressThree
157	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/countryCode
157	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/countryCode/ @codeListVersion
158	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
158	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/ geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
158	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Pick up from party information/Global location number GLN	0 .. 1		gln <i>Path:</i> invoiceMessage/invoice/pickupFrom/gln
158	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Pick up from party information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/pickupFrom/additionalPartyIdentification
158	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Pick up from party information/Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
158	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Pick up from party information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/pickupFrom/additionalPartyIdentification/@codeListVersion
158	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Pick up from party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/city
158	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Pick up from party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/cityCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
158	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Pick up from party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/countyCode
158	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Pick up from party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/crossStreet
159	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Pick up from party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/name
159	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Pick up from party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/pOBoxNumber
159	BDT000000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Pick up from party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/postalCode
159	BDT000000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Pick up from party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/provinceCode
159	BDT000000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Pick up from party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/state
159	BDT000000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Pick up from party	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Street address one			streetAddressOne
159	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Pick up from party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/streetAddressTwo
159	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Pick up from party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/streetAddressThree
159	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Pick up from party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/countryCode
159	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Pick up from party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/countryCode/@codeListVersion
160	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Pick up from party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/geographicalCoordinates/latitude
160	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Pick up from party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/geographicalCoordinates/longitude
160	BDT00000112	.. 70	0 .. 1	Person name	1 .. 70	0 .. 1	personName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Pick up from party information/Business contact information/Person name			<i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/personName
160	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Pick up from party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/departmentName
160	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Pick up from party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/jobTitle
160	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Pick up from party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/contactTypeCode
160	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Pick up from party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/contactTypeCode/@codeListVersion
160	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Pick up from party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/responsibility
160	BDT00000524	.. 80	1 .. 1	Language code content	1 .. 80		languageCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Pick up from party information/Business contact responsibility description/Language code/Language code content			<i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/responsibility/@languageCode
160	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Pick up from party information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/responsibility/@codeListVersion
161	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Pick up from party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/communicationChannel/communicationChannelCode
161	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Pick up from party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/communicationChannel/communicationChannelCode/@codeListVersion
161	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Pick up from party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/communicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
161	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Pick up from party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/ communicationChannel/communicationChannelName
161	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Pick up from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/ afterHoursCommunicationChannel/ communicationChannelCode
161	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Pick up from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
161	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Pick up from party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/ afterHoursCommunicationChannel/communicationValue
161	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Pick up from party information/Business contact information/After hours communication information/Communication channel	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/ afterHoursCommunicationChannel/ communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
161	BDT00000369	.. 80	0 .. 1	name Tax authority name <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
161	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax registration identification information/ Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
162	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
162	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
162	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Identification scheme	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
162	BDT000000028	.. 35	0 .. 1	responsible agency code content Code list version <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
162	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
162	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
162	BDT000000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription
162	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
162	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
162	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
163	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
163	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/ organisationName
163	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/ officialAddress/countyCode
163	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/ officialAddress/city
163	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/ officialAddress/cityCode
163	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Cross	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/ officialAddress/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
163	BDT00000113	.. 80	0 .. 1	street Post office box number <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/officialAddress/pOBoxNumber
163	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/officialAddress/postalCode
163	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/officialAddress/provinceCode
163	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/officialAddress/state
164	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/officialAddress/streetAddressOne
164	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/officialAddress/streetAddressTwo
	BDT00000129						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
164		.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/officialAddress/streetAddressThree
164	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/officialAddress/countryCode
164	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/officialAddress/countryCode/@codeListVersion
164	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/officialAddress/geographicalCoordinates/latitude
164	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/officialAddress/geographicalCoordinates/longitude
164	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Pick up from party information/Organisation legal		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/issuedCapital

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Issued capital/Issued capital content			
164	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/issuedCapital/@currencyCode
164	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/issuedCapital/@codeListVersion
165	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/legalStructure
165	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/legalStructure/@languageCode
165	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/legalStructure/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
165	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/legalRegistration/legalRegistrationNumber
165	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
165	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/legalRegistration/legalRegistrationType
165	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
165	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Pick up from party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/pickupFrom/financialInstitutionInformation/financialInstitutionName
165	BDT00000060	.. 80	0 .. 1	Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Financial institution division name			<i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/ financialInstitutionBranchName
165	BDT000000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/financialAccount/ financialAccountName
166	BDT000000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumber
166	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
166	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
166	BDT000000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Pick up from party information/	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/pickupFrom/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Financial institution routing number information/Financial routing number			financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
166	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Pick up from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
166	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Pick up from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/pickupFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
166	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Pick up from party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/pickupFrom/financialInstitutionInformation/additionalFinancialInformation/description
166	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Pick up from party information/Financial institution and financial account information/Additional financial institution description/Language code/	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
166	BDT000000028	.. 35	0 .. 1	Language code content Code list version <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
166	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/city
167	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/cityCode
167	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/countyCode
167	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/crossStreet
167	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/name

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
167	BDT00000113	.. 80	0 .. 1	account information/Address information/Party name Post office box number <i>Path:</i> Invoice/Pick up from party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/pickupFrom/financialInstitutionInformation/address/pOBoxNumber
167	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Pick up from party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/financialInstitutionInformation/address/postalCode
167	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Pick up from party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/financialInstitutionInformation/address/provinceCode
167	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Pick up from party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/pickupFrom/financialInstitutionInformation/address/state
167	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Pick up from party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/pickupFrom/financialInstitutionInformation/address/streetAddressOne
167	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Pick up from party information/Financial institution and financial	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/pickupFrom/financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
168	BDT00000129	.. 200	0 .. 1	account information/Address information/Street address two Street address three <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/ streetAddressThree
168	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/countryCode
168	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/countryCode/ @codeListVersion
168	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
168	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/Geographical coordinates	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/ geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
168	BDT00000063	13 .. 13	0 .. 1	information/Longitude Global location number GLN <i>Path:</i> Invoice/Storage location information/ Global location number GLN	0 .. 1		gln <i>Path:</i> invoiceMessage/invoice/inventoryLocation/gln
168	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Storage location information/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ additionalPartyIdentification
168	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Storage location information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
168	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Storage location information/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ additionalPartyIdentification/@codeListVersion
168	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Storage location information/ Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/city
169	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Storage location information/ Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ cityCode
169	BDT00000034	.. 80	0 .. 1	County code	1 .. 80	0 .. 1	countyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Storage location information/ Address information/County code			<i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ countyCode
169	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Storage location information/ Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ crossStreet
169	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Storage location information/ Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/name
169	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Storage location information/ Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ pOBoxNumber
169	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Storage location information/ Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ postalCode
169	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Storage location information/ Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ provinceCode
169	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Storage location information/ Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/state
169	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Storage location information/ Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ streetAddressOne
169	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Storage location information/ Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ streetAddressTwo
170	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Storage location information/	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/Street address three			streetAddressThree
170	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Storage location information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ countryCode
170	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Storage location information/ Address information/Country code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ countryCode/@codeListVersion
170	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Storage location information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ geographicalCoordinates/latitude
170	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Storage location information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ geographicalCoordinates/longitude
170	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Storage location information/ Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ personName
170	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Storage location information/ Business contact information/ Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ departmentName
170	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Storage location information/ Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/jobTitle

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
170	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Storage location information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ contactTypeCode
170	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Storage location information/ Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ contactTypeCode/@codeListVersion
171	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Storage location information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ responsibility
171	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Storage location information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ responsibility/@languageCode
171	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Storage location information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ responsibility/@codeListVersion
171	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Storage location information/ Business contact information/ Communication information/ Communication channel code/	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
171	BDT00000028	.. 35	0 .. 1	Communication channel code content Code list version <i>Path:</i> Invoice/Storage location information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
171	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Storage location information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ communicationChannel/communicationValue
171	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Storage location information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ communicationChannel/communicationChannelName
171	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Storage location information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode
171	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Storage location information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
171	BDT00000032	.. 200	1 .. 1	content/Code list version Communication channel identification <i>Path:</i> Invoice/Storage location information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ afterHoursCommunicationChannel/communicationValue
172	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Storage location information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ afterHoursCommunicationChannel/ communicationChannelName
172	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
172	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax registration identification information/ Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
172	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
172	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax registration identification information/	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
172	BDT00000583	.. 80	1 .. 1	Identification scheme information/ Identification scheme agency name Identification scheme responsible agency code content <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
172	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
172	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
172	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
172	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxDescription

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
173	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
173	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
173	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
173	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
173	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Storage location information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/organisationName
173	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/countyCode
173	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/city

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address/City name			
173	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/cityCode
173	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/crossStreet
173	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/pOBoxNumber
174	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/postalCode
174	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/provinceCode
174	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/state
174	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
174	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/streetAddressTwo
174	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/streetAddressThree
174	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/countryCode
174	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/countryCode/ @codeListVersion
174	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
174	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
175	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Issued		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/issuedCapital

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
175	BDT00000589	.. 80	1 .. 1	capital/Issued capital content Currency code content <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/issuedCapital/@currencyCode
175	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/issuedCapital/@codeListVersion
175	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/legalStructure
175	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/legalStructure/@languageCode
175	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/legalStructure/@codeListVersion
175	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Storage location information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/legalRegistration/ legalRegistrationNumber

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
175	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Storage location information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation
175	BDT000000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Storage location information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/legalRegistration/ legalRegistrationType
175	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Storage location information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
176	BDT000000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/financialInstitutionName
176	BDT000000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/ financialInstitutionBranchName
176	BDT000000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Financial account	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/financialAccount/ financialAccountName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
176	BDT000000059	.. 80	1 .. 1	information/Financial account name Financial account number <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/financialAccount/ financialAccountNumber
176	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
176	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
176	BDT000000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
176	BDT000000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Storage location information/ Financial institution and financial	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			
176	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
176	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Storage location information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description
177	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Storage location information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
177	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Storage location information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
	BDT00000020						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
177		.. 200	0 .. 1	City name <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/city
177	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/cityCode
177	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/countyCode
177	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/crossStreet
177	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/name
177	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
177	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/postalCode
177	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/provinceCode
178	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/state
178	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/streetAddressOne
178	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/streetAddressTwo
178	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/ streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
178	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/countryCode
178	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/countryCode/ @codeListVersion
178	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
178	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
178	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Business unit information/ Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/administrativeUnit/gln
178	BDT00000076	.. 80	0 .. 1	Business unit name <i>Path:</i> Invoice/Business unit information/ Business unit name	1 .. 80	0 .. 1	internalAdministrativeUnitIdentification <i>Path:</i> invoiceMessage/invoice/administrativeUnit/ internalAdministrativeUnitIdentification

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
179	BDT00000582	.. 80	1 .. 1	Business unit type code content <i>Path:</i> Invoice/Business unit information/ Business unit type code/Business unit type code content	1 .. 80	1 .. 1	administrativeUnitTypeCode <i>Path:</i> invoiceMessage/invoice/administrativeUnit/ administrativeUnitTypeCode
179	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Business unit information/ Business unit type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/administrativeUnit/ administrativeUnitTypeCode/@codeListVersion
179	BDT00000411		0 .. 1	Prepayment date <i>Path:</i> Invoice/Invoice total monetary amounts information/Prepayment date		0 .. 1	prepaidAmountDate <i>Path:</i> invoiceMessage/invoice/invoiceTotals/ prepaidAmountDate
179	BDT00000591		1 .. 1	Total invoice monetary amount content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice monetary amount/Total invoice monetary amount content		1 .. 1	totalInvoiceAmount <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalInvoiceAmount
179	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/ totalInvoiceAmount/@currencyCode
179	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/ totalInvoiceAmount/@codeListVersion
179	BDT00000610		1 .. 1	Invoice basis monetary amount content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoice basis monetary amount/Invoice basis monetary amount		0 .. 1	baseAmount <i>Path:</i> invoiceMessage/invoice/invoiceTotals/baseAmount

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
179	BDT00000589	.. 80	1 .. 1	content Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoice basis monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/baseAmount/@currencyCode
179	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoice basis monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/baseAmount/@codeListVersion
179	BDT00000600		1 .. 1	Total prepaid monetary amount content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total prepaid monetary amount/Total prepaid monetary amount content		0 .. 1	prepaidAmount <i>Path:</i> invoiceMessage/invoice/invoiceTotals/prepaidAmount
180	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total prepaid monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/prepaidAmount/@currencyCode
180	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Total prepaid monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/prepaidAmount/@codeListVersion
180	BDT00000538	.. 80	1 .. 1	Tax accounting currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Tax accounting currency code/Tax accounting currency code	1 .. 80	0 .. 1	taxAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxAccountingCurrency

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
180	BDT00000028	.. 35	0 .. 1	content Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Tax accounting currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxAccountingCurrency/@codeListVersion
180	BDT00000633		1 .. 1	Total invoice allowance charge monetary amount content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice allowance charge monetary amount/Total invoice allowance charge monetary amount content		0 .. 1	totalAmountInvoiceAllowancesCharges <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalAmountInvoiceAllowancesCharges
180	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice allowance charge monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalAmountInvoiceAllowancesCharges/@currencyCode
180	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice allowance charge monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalAmountInvoiceAllowancesCharges/@codeListVersion
180	BDT00000593		1 .. 1	Total invoice line allowance monetary amount content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line allowance monetary amount/Total invoice line allowance monetary amount content		0 .. 1	totalAmountLineAllowancesCharges <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalAmountLineAllowancesCharges
180	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Total invoice line allowance monetary amount/Currency code/Currency code content			totalAmountLineAllowancesCharges/@currencyCode
180	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line allowance monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalAmountLineAllowancesCharges/@codeListVersion
181	BDT000000731		1 .. 1	Total invoice line charge monetary amount content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line charge monetary amount/Total invoice line charge monetary amount content		0 .. 1	totalAmountLineAllowancesCharges <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalAmountLineAllowancesCharges
181	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line charge monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalAmountLineAllowancesCharges/@currencyCode
181	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line charge monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalAmountLineAllowancesCharges/@codeListVersion
181	BDT000000611		1 .. 1	Invoice monetary amount payable content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoice monetary amount payable/Invoice monetary amount payable content		0 .. 1	totalInvoiceAmountPayable <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalInvoiceAmountPayable
181	BDT000000589	.. 80	1 .. 1	Currency code content	1 .. 80		currencyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice total monetary amounts information/Invoice monetary amount payable/Currency code/Currency code content			<i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalInvoiceAmountPayable/@currencyCode
181	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoice monetary amount payable/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalInvoiceAmountPayable/@codeListVersion
181	BDT000000594		1 .. 1	Total invoice line monetary amount excluding allowances charges content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line monetary amount excluding allowances charges/Total invoice line monetary amount excluding allowances charges content		0 .. 1	totalLineAmountExclusiveAllowancesCharges <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalLineAmountExclusiveAllowancesCharges
181	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line monetary amount excluding allowances charges/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalLineAmountExclusiveAllowancesCharges/@currencyCode
181	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line monetary amount excluding allowances charges/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalLineAmountExclusiveAllowancesCharges/@codeListVersion
181	BDT000000732		1 .. 1	Total invoice line monetary amount		0 .. 1	totalLineAmountInclusiveAllowancesCharges

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				including line level allowances charges content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line monetary amount including allowances charges/Total invoice line monetary amount including line level allowances charges content			<i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalLineAmountInclusiveAllowancesCharges
182	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line monetary amount including allowances charges/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalLineAmountInclusiveAllowancesCharges/@currencyCode
182	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line monetary amount including allowances charges/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalLineAmountInclusiveAllowancesCharges/@codeListVersion
182	BDT00000612		1 .. 1	Invoice allowance basis monetary amount content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoice allowance basis monetary amount/Invoice allowance basis monetary amount content		0 .. 1	totalPaymentDiscountBasisAmount <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalPaymentDiscountBasisAmount
182	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoice allowance basis monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalPaymentDiscountBasisAmount/@currencyCode
182	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice total monetary amounts information/Invoice allowance basis monetary amount/Currency code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalPaymentDiscountBasisAmount/@codeListVersion
182	BDT00000601		1 .. 1	Total tax monetary amount content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total tax monetary amount/Total tax monetary amount content		0 .. 1	totalTaxAmount <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalTaxAmount
182	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total tax monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalTaxAmount/@currencyCode
182	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Total tax monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalTaxAmount/@codeListVersion
182	BDT00000602		1 .. 1	Total taxable monetary amount content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total taxable monetary amount/Total taxable monetary amount content		0 .. 1	totalTaxBasisAmount <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalTaxBasisAmount
182	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total taxable monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalTaxBasisAmount/@currencyCode
183	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice total monetary amounts information/Total taxable monetary amount/Currency code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalTaxBasisAmount/@codeListVersion
183	BDT00000630		1 .. 1	Total tax monetary amount applicable to the sales transaction content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total tax monetary amount applicable to the sales transaction/Total tax monetary amount applicable to the sales transaction content		0 .. 1	totalVATAmount <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalVATAmount
183	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total tax monetary amount applicable to the sales transaction/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalVATAmount/@currencyCode
183	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Total tax monetary amount applicable to the sales transaction/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalVATAmount/@codeListVersion
183	BDT00000613		1 .. 1	Total invoice economic monetary amount value content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice economic monetary amount value/Total invoice economic monetary amount value content		0 .. 1	totalEconomicValue <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalEconomicValue
183	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Total invoice economic monetary amount value/Currency code/Currency code content			totalEconomicValue/@currencyCode
183	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice economic monetary amount value/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalEconomicValue/@codeListVersion
183	BDT000000595		1 .. 1	Total invoice goods monetary amount value content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice goods monetary amount value/Total invoice goods monetary amount value content		0 .. 1	totalGoodsValue <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalGoodsValue
183	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice goods monetary amount value/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalGoodsValue/@currencyCode
183	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice goods monetary amount value/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalGoodsValue/@codeListVersion
184	BDT000000637		1 .. 1	Total invoice retail monetary amount value content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice retail monetary amount value/Total invoice retail monetary amount value content		0 .. 1	totalRetailValue <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalRetailValue

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
184	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice retail monetary amount value/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalRetailValue/@currencyCode
184	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice retail monetary amount value/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalRetailValue/@codeListVersion
184	BDT00000749		0 .. 1	Rounding monetary amount content <i>Path:</i> Invoice/Invoice total monetary amounts information/Rounding monetary amount/Rounding monetary amount content		0 .. 1	roundingAmount <i>Path:</i> invoiceMessage/invoice/invoiceTotals/roundingAmount
184	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Rounding monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/roundingAmount/@currencyCode
184	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Rounding monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/roundingAmount/@codeListVersion
184	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxAgencyName
184	BDT00000377		0 .. 1	Tax point date		0 .. 1	dutyFeeTaxPointDate

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax point date			<i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxPointDate
184	BDT00000371		0 .. 1	Tax rate <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax rate		0 .. 1	dutyFeeTaxPercentage <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxPercentage
184	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxTypeCode
185	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxTypeCode/@codeListVersion
185	BDT00000537	.. 80	1 .. 1	Tax category code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax category code/Tax category code content	1 .. 80	0 .. 1	dutyFeeTaxCategoryCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxCategoryCode
185	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax category code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxCategoryCode/@codeListVersion
185	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxDescription
185	BDT00000524	.. 80	1 .. 1	Language code content	1 .. 80		languageCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax description/Language code/Language code content			<i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxDescription/@languageCode
185	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxDescription/@codeListVersion
185	BDT00000562		1 .. 1	Tax monetary amount content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax monetary amount/Tax monetary amount content		0 .. 1	dutyFeeTaxAmount <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxAmount
185	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxAmount/@currencyCode
185	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxAmount/@codeListVersion
185	BDT00000561		1 .. 1	Tax monetary amount in accounting currency content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax monetary amount in accounting currency/Tax monetary amount in		0 .. 1	dutyFeeTaxAmountInAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxAmountInAccountingCurrency

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
186	BDT00000589	.. 80	1 .. 1	accounting currency content Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxAmountInAccountingCurrency/@currencyCode
186	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax monetary amount in accounting currency/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxAmountInAccountingCurrency/@codeListVersion
186	BDT00000538	.. 80	1 .. 1	Tax accounting currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	dutyFeeTaxAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxAccountingCurrency
186	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax accounting currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxAccountingCurrency/@codeListVersion
186	BDT00000559		1 .. 1	Taxable monetary amount content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Taxable monetary amount/Taxable monetary amount content		0 .. 1	dutyFeeTaxBasisAmount <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxBasisAmount
186	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Invoiced tax information/ Taxable monetary amount/Currency code/Currency code content			dutyFeeTaxBasisAmount/@currencyCode
186	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/ Taxable monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/ dutyFeeTaxBasisAmount/@codeListVersion
186	BDT000000560		1 .. 1	Taxable monetary amount in accounting currency content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/ Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content		0 .. 1	dutyFeeTaxBasisAmountInAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/ dutyFeeTaxBasisAmountInAccountingCurrency
186	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/ Taxable monetary amount in accounting currency/Currency code/ Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/ dutyFeeTaxBasisAmountInAccountingCurrency/ @currencyCode
186	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/ Taxable monetary amount in accounting currency/Currency code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/ dutyFeeTaxBasisAmountInAccountingCurrency/ @codeListVersion
187	BDT000000575	.. 80	1 .. 1	Tax exemption reason code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax	1 .. 80	0 .. 1	dutyFeeTaxExemptionReason <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/ dutyFeeTaxExemptionReason

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
187	BDT00000028	.. 35	0 .. 1	exemption reason code/Tax exemption reason code content Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax exemption reason code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxExemptionReason/@codeListVersion
187	BDT000000574	.. 70	1 .. 1	Tax exemption reason description content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax exemption reason description/Tax exemption reason description content	1 .. 80	0 .. 1	dutyFeeTaxExemptionDescription <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxExemptionDescription
187	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax exemption reason description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxExemptionDescription/@languageCode
187	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax exemption reason description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxExemptionDescription/@codeListVersion
187	BDT000000018		0 .. 1	Sales commission percentage <i>Path:</i> Invoice/Sales commission information/Sales commission percentage		0 .. 1	salesCommissionPercentage <i>Path:</i> invoiceMessage/invoice/salesCommission/salesCommissionPercentage
187	BDT000000725		1 .. 1	Sales commission basis monetary amount content <i>Path:</i> Invoice/Sales commission information/Sales commission basis		0 .. 1	salesCommissionBasisAmount <i>Path:</i> invoiceMessage/invoice/salesCommission/salesCommissionBasisAmount

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				monetary amount/Sales commission basis monetary amount content			
187	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Sales commission information/Sales commission basis monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/salesCommission/salesCommissionBasisAmount/@currencyCode
187	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Sales commission information/Sales commission basis monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/salesCommission/salesCommissionBasisAmount/@codeListVersion
187	BDT00000723		1 .. 1	Sales commission monetary amount content <i>Path:</i> Invoice/Sales commission information/Sales commission monetary amount/Sales commission monetary amount content		0 .. 1	salesCommissionAmountin <i>Path:</i> invoiceMessage/invoice/salesCommission/salesCommissionAmountin
188	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Sales commission information/Sales commission monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/salesCommission/salesCommissionAmountin/@currencyCode
188	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Sales commission information/Sales commission monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/salesCommission/salesCommissionAmountin/@codeListVersion
188	BDT00000006		0 .. 1	Allowance percentage <i>Path:</i> Invoice/Allowance information/		0 .. 1	allowanceChargePercentage <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
188	BDT00000012	.. 80	0 .. 1	Allowance percentage Bracket criteria <i>Path:</i> Invoice/Allowance information/Bracket criteria	1 .. 80	0 .. 1	allowanceChargePercentage bracketIdentifier <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/bracketIdentifier
188	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Invoice/Allowance information/Calculation sequence number		0 .. 1	sequenceNumber <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/sequenceNumber
188	BDT000000531	.. 80	1 .. 1	Allowance type code content <i>Path:</i> Invoice/Allowance information/Allowance type code/Allowance type code content	1 .. 80	1 .. 1	allowanceChargeType <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeType
188	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Allowance information/Allowance type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeType/@codeListVersion
188	BDT000000532	.. 80	1 .. 1	Settlement allowance code content <i>Path:</i> Invoice/Allowance information/Settlement allowance code/Settlement allowance code content	1 .. 80	1 .. 1	settlementType <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/settlementType
188	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Allowance information/Settlement allowance code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/settlementType/@codeListVersion
188	BDT000000528		1 .. 1	Allowance monetary amount content <i>Path:</i> Invoice/Allowance information/Allowance monetary amount/Allowance monetary amount content		0 .. 1	allowanceChargeAmount <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeAmount
189	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Allowance information/Allowance monetary amount/Currency	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeAmount/@currencyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
189	BDT00000028	.. 35	0 .. 1	code/Currency code content Code list version <i>Path:</i> Invoice/Allowance information/ Allowance monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ allowanceChargeAmount/@codeListVersion
189	BDT000000529		1 .. 1	Allowance monetary amount per unit content <i>Path:</i> Invoice/Allowance information/ Allowance monetary amount per unit/ Allowance monetary amount per unit content		0 .. 1	amountPerUnit <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ amountPerUnit
189	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Allowance information/ Allowance monetary amount per unit/ Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ amountPerUnit/@currencyCode
189	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Allowance information/ Allowance monetary amount per unit/ Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ amountPerUnit/@codeListVersion
189	BDT000000526		1 .. 1	Allowance basis monetary amount content <i>Path:</i> Invoice/Allowance information/ Allowance basis monetary amount/ Allowance basis monetary amount content		0 .. 1	baseAmount <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ baseAmount
189	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Allowance information/ Allowance basis monetary amount/ Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ baseAmount/@currencyCode
189	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Allowance information/ Allowance basis monetary amount/ Currency code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ baseAmount/@codeListVersion
189	BDT00000533		1 .. 1	Allowance quantity basis content <i>Path:</i> Invoice/Allowance information/ Allowance quantity basis/Allowance quantity basis content		0 .. 1	baseNumberOfUnits <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ baseNumberOfUnits
189	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Allowance information/ Allowance quantity basis/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ baseNumberOfUnits/@measurementUnitCode
190	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Allowance information/ Allowance quantity basis/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ baseNumberOfUnits/@codeListVersion
190	BDT00000530	.. 80	1 .. 1	Allowance effective date type code content <i>Path:</i> Invoice/Allowance information/ Allowance effective date type code/ Allowance effective date type code content	1 .. 80	0 .. 1	effectiveDateType <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ effectiveDateType
190	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Allowance information/ Allowance effective date type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ effectiveDateType/@codeListVersion
190	BDT00000534	.. 80	1 .. 1	Special service type code content <i>Path:</i> Invoice/Allowance information/Special service type code/Special service type code content	1 .. 80	0 .. 1	specialServiceType <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ specialServiceType
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
190		.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Allowance information/Special service type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/specialServiceType/@codeListVersion
190	BDT00000527	.. 70	1 .. 1	Allowance description content <i>Path:</i> Invoice/Allowance information/Allowance description/Allowance description content		0 .. 1	allowanceChargeDescription <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeDescription
190	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Allowance information/Allowance description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeDescription/description/@languageCode
190	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Allowance information/Allowance description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeDescription/description/@codeListVersion
190	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Allowance information/Applicable tax information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAgencyName
190	BDT00000537	.. 80	1 .. 1	Tax category code content <i>Path:</i> Invoice/Allowance information/Applicable tax information/Tax category code/Tax category code content	1 .. 80	0 .. 1	dutyFeeTaxCategoryCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxCategoryCode
191	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Allowance information/Applicable tax information/Tax category code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxCategoryCode/@codeListVersion
191	BDT00000371		0 .. 1	Tax rate <i>Path:</i> Invoice/Allowance information/		0 .. 1	dutyFeeTaxPercentage <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
191	BDT00000377		0 .. 1	Applicable tax information/Tax rate Tax point date <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax point date		0 .. 1	leviedDutyFeeTax/dutyFeeTaxPercentage dutyFeeTaxPointDate <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxPointDate
191	BDT00000538	.. 80	1 .. 1	Tax accounting currency code content <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	dutyFeeTaxAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxAccountingCurrency
191	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax accounting currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxAccountingCurrency/ @codeListVersion
191	BDT00000559		1 .. 1	Taxable monetary amount content <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Taxable monetary amount/Taxable monetary amount content		0 .. 1	dutyFeeTaxBasisAmount <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxBasisAmount
191	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Taxable monetary amount/Currency code/ Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxBasisAmount/ @currencyCode
191	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Taxable monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxBasisAmount/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
191	BDT00000562		1 .. 1	Tax monetary amount content <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax monetary amount/Tax monetary amount content		0 .. 1	dutyFeeTaxAmount <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxAmount
191	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax monetary amount/Currency code/ Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxAmount/@currencyCode
192	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxAmount/@codeListVersion
192	BDT00000561		1 .. 1	Tax monetary amount in accounting currency content <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content		0 .. 1	dutyFeeTaxAmountInAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/ dutyFeeTaxAmountInAccountingCurrency
192	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/ dutyFeeTaxAmountInAccountingCurrency/ @currencyCode
192	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Allowance information/	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Applicable tax information/Tax monetary amount in accounting currency/Currency code/Code list version			leviedDutyFeeTax/ dutyFeeTaxAmountInAccountingCurrency/ @codeListVersion
192	BDT00000560		1 .. 1	Taxable monetary amount in accounting currency content <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content		0 .. 1	dutyFeeTaxBasisAmountInAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency
192	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency/ @currencyCode
192	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency/ @codeListVersion
192	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxDescription
192	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxDescription/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description/Language code/Language code content			@languageCode
192	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxDescription/ @codeListVersion
193	BDT000000574	.. 70	1 .. 1	Tax exemption reason description content <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax exemption reason description/Tax exemption reason description content	1 .. 80	0 .. 1	dutyFeeTaxExemptionDescription <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxExemptionDescription
193	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax exemption reason description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxExemptionDescription/ @languageCode
193	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax exemption reason description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxExemptionDescription/ @codeListVersion
193	BDT000000575	.. 80	1 .. 1	Tax exemption reason code content <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax exemption reason code/Tax exemption reason code content	1 .. 80	0 .. 1	dutyFeeTaxExemptionReason <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxExemptionReason
193	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxExemptionReason/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				exemption reason code/Code list version			@codeListVersion
193	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxTypeCode
193	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxTypeCode/ @codeListVersion
193	BDT00000018		0 .. 1	Charge percentage <i>Path:</i> Invoice/Charge information/Charge percentage		0 .. 1	allowanceChargePercentage <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ allowanceChargePercentage
193	BDT00000012	.. 80	0 .. 1	Bracket criteria <i>Path:</i> Invoice/Charge information/Bracket criteria	1 .. 80	0 .. 1	bracketIdentifier <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ bracketIdentifier
193	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Invoice/Charge information/Calculation sequence number		0 .. 1	sequenceNumber <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ sequenceNumber
194	BDT00000620		1 .. 1	Charge monetary amount per unit content <i>Path:</i> Invoice/Charge information/Charge monetary amount per unit/Charge monetary amount per unit content		0 .. 1	amountPerUnit <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ amountPerUnit
194	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Charge information/Charge monetary amount per unit/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ amountPerUnit/@currencyCode
194	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Charge	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				monetary amount per unit/Currency code/Code list version			amountPerUnit/@codeListVersion
194	BDT00000618	.. 80	1 .. 1	Charge type code content <i>Path:</i> Invoice/Charge information/Charge type code/Charge type code content	1 .. 80	1 .. 1	allowanceChargeType <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeType
194	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Charge type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeType/@codeListVersion
194	BDT00000617	.. 80	1 .. 1	Settlement charge code content <i>Path:</i> Invoice/Charge information/Settlement charge code/Settlement charge code content	1 .. 80	1 .. 1	settlementType <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/settlementType
194	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Settlement charge code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/settlementType/@codeListVersion
194	BDT00000619		0 .. 1	Charge monetary amount content <i>Path:</i> Invoice/Charge information/Charge monetary amount/Charge monetary amount content		0 .. 1	allowanceChargeAmount <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeAmount
194	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Charge information/Charge monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeAmount/@currencyCode
194	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Charge monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeAmount/@codeListVersion
195	BDT00000614		1 .. 1	Charge basis monetary amount content <i>Path:</i> Invoice/Charge information/Charge		0 .. 1	baseAmount <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				basis monetary amount/Charge basis monetary amount content			baseAmount
195	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Charge information/Charge basis monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/baseAmount/@currencyCode
195	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Charge basis monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/baseAmount/@codeListVersion
195	BDT00000753		1 .. 1	Charge quantity basis content <i>Path:</i> Invoice/Charge information/Charge quantity basis/Charge quantity basis content		0 .. 1	baseNumberOfUnits <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/baseNumberOfUnits
195	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Charge information/Charge quantity basis/Measurement unit code/Measurement unit code list	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/baseNumberOfUnits/@measurementUnitCode
195	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Charge quantity basis/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/baseNumberOfUnits/@codeListVersion
195	BDT00000615	.. 80	1 .. 1	Charge effective date type code content <i>Path:</i> Invoice/Charge information/Charge effective date type code/Charge effective date type code content	1 .. 80	0 .. 1	effectiveDateType <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/effectiveDateType
195	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Charge effective date type code/Code list	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/effectiveDateType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
195	BDT00000534	.. 80	1 .. 1	Special service type code content <i>Path:</i> Invoice/Charge information/Special service type code/Special service type code content	1 .. 80	0 .. 1	specialServiceType <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/specialServiceType
195	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Special service type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/specialServiceType/@codeListVersion
196	BDT00000573	.. 70	1 .. 1	Charge description content <i>Path:</i> Invoice/Charge information/Charge description/Charge description content		0 .. 1	allowanceChargeDescription <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeDescription
196	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Charge information/Charge description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeDescription/description/@languageCode
196	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Charge description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeDescription/description/@codeListVersion
196	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAgencyName
196	BDT00000537	.. 80	1 .. 1	Tax category code content <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax category code/Tax category code content	1 .. 80	0 .. 1	dutyFeeTaxCategoryCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxCategoryCode
196	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax category code/Code	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxCategoryCode/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				list version			@codeListVersion
196	BDT00000371		0 .. 1	Tax rate <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax rate		0 .. 1	dutyFeeTaxPercentage <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxPercentage
196	BDT00000377		0 .. 1	Tax point date <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax point date		0 .. 1	dutyFeeTaxPointDate <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxPointDate
196	BDT00000538	.. 80	1 .. 1	Tax accounting currency code content <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	dutyFeeTaxAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAccountingCurrency
196	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax accounting currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAccountingCurrency/@codeListVersion
197	BDT00000559		1 .. 1	Taxable monetary amount content <i>Path:</i> Invoice/Charge information/Applicable tax information/Taxable monetary amount/Taxable monetary amount content		0 .. 1	dutyFeeTaxBasisAmount <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmount
197	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Charge information/Applicable tax information/Taxable monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmount/@currencyCode
197	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Applicable tax information/Taxable monetary	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmount/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				amount/Currency code/Code list version			@codeListVersion
197	BDT00000562		1 .. 1	Tax monetary amount content <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax monetary amount/Tax monetary amount content		0 .. 1	dutyFeeTaxAmount <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount
197	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount/@currencyCode
197	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount/@codeListVersion
197	BDT00000561		1 .. 1	Tax monetary amount in accounting currency content <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content		0 .. 1	dutyFeeTaxAmountInAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency
197	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency/@currencyCode
197	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
197	BDT00000560		1 .. 1	Taxable monetary amount in accounting currency content <i>Path:</i> Invoice/Charge information/Applicable tax information/Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content		0 .. 1	dutyFeeTaxBasisAmountInAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency
198	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Charge information/Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency/@currencyCode
198	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency/@codeListVersion
198	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxDescription
198	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxDescription/@languageCode
198	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxDescription/@codeListVersion
198	BDT00000574	.. 70	1 .. 1	Tax exemption reason description content	1 .. 80	0 .. 1	dutyFeeTaxExemptionDescription

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Charge information/Applicable tax information/Tax exemption reason description/Tax exemption reason description content			<i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxExemptionDescription
198	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax exemption reason description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxExemptionDescription/@languageCode
198	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax exemption reason description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxExemptionDescription/@codeListVersion
198	BDT00000575	.. 80	1 .. 1	Tax exemption reason code content <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax exemption reason code/Tax exemption reason code content	1 .. 80	0 .. 1	dutyFeeTaxExemptionReason <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxExemptionReason
198	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax exemption reason code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxExemptionReason/@codeListVersion
199	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxTypeCode
199	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax type code/Code list	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxTypeCode/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			@codeListVersion
199	BDT000000037		0 .. 1	Currency exchange rate <i>Path:</i> Invoice/Tax currency conversion information/Currency exchange rate		0 .. 1	exchangeRate <i>Path:</i> invoiceMessage/invoice/taxCurrencyInformation/exchangeRate
199	BDT000000038		0 .. 1	Currency exchange rate date <i>Path:</i> Invoice/Tax currency conversion information/Currency exchange rate date		0 .. 1	exchangeRateDateTime <i>Path:</i> invoiceMessage/invoice/taxCurrencyInformation/exchangeRateDateTime
199	BDT000000708	.. 80	1 .. 1	Currency conversion from code content <i>Path:</i> Invoice/Tax currency conversion information/Currency conversion from code/Currency conversion from code content	1 .. 80	1 .. 1	currencyConversionFromCode <i>Path:</i> invoiceMessage/invoice/taxCurrencyInformation/currencyConversionFromCode
199	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax currency conversion information/Currency conversion from code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxCurrencyInformation/currencyConversionFromCode/@codeListVersion
199	BDT000000709	.. 80	1 .. 1	Currency conversion to code content <i>Path:</i> Invoice/Tax currency conversion information/Currency conversion to code/Currency conversion to code content	1 .. 80	1 .. 1	currencyConversionToCode <i>Path:</i> invoiceMessage/invoice/taxCurrencyInformation/currencyConversionToCode
199	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Tax currency conversion information/Currency conversion to code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/taxCurrencyInformation/currencyConversionToCode/@codeListVersion
199	BDT000000693		1 .. 1	Payment terms event code content <i>Path:</i> Invoice/Payment terms information/Payment terms event code/Payment	1 .. 80	1 .. 1	paymentTermsEventCode <i>Path:</i> invoiceMessage/invoice/paymentTerms/paymentTermsEventCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
199	BDT000000028	.. 35	0 .. 1	terms event code content Code list version <i>Path:</i> Invoice/Payment terms information/ Payment terms event code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsEventCode/@codeListVersion
200	BDT000000694	.. 80	1 .. 1	Payment terms type code content <i>Path:</i> Invoice/Payment terms information/ Payment terms type code/Payment terms type code content	1 .. 80	1 .. 1	paymentTermsTypeCode <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsTypeCode
200	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payment terms information/ Payment terms type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsTypeCode/@codeListVersion
200	BDT000000039		0 .. 1	Cut off day <i>Path:</i> Invoice/Payment terms information/Cut off day		0 .. 1	proximoCutOffDay <i>Path:</i> invoiceMessage/invoice/paymentTerms/ proximoCutOffDay
200	BDT000000107	.. 80	0 .. 1	Payment discount description <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Payment discount description	1 .. 80	1 .. 1	discountType <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/discountType
200	BDT000000108		0 .. 1	Payment discount percentage <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Payment discount percentage		0 .. 1	discountPercent <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/discountPercent
200	BDT000000692		1 .. 1	Discount monetary amount content <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Discount monetary amount/Discount monetary amount content		0 .. 1	discountAmount <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/discountAmount

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
200	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Discount monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/discountAmount/@currencyCode
200	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Discount monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/discountAmount/ @codeListVersion
200	BDT00000109		0 .. 1	Payment due date <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Payment time period/Payment due date		0 .. 1	dateDue <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/dateDue
200	BDT00000041		0 .. 1	Day of month payment due <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Payment time period/Day of month payment due		0 .. 1	dayOfMonthDue <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/ dayOfMonthDue
201	BDT00000651	.. 80	1 .. 1	Time period due code content <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Payment time period/Time period due code/Time period due code content		0 .. 1	timePeriodDue <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/ timePeriodDue
201	BDT00000134		0 .. 1	Time period measurement unit code content <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Payment time period/Time period due code/Time period measurement unit	1 .. 80		timeMeasurementUnitCode <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/ timePeriodDue/@timeMeasurementUnitCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Time period measurement unit code content			
201	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Payment time period/Time period due code/Time period measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/ timePeriodDue/@codeListVersion
201	BDT00000640	.. 70	1 .. 1	Discount description content <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Discount description/Discount description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/discountDescription/description
201	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Discount description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/discountDescription/ description/@languageCode
201	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Discount description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/discountDescription/ description/@codeListVersion
201	BDT00000110	.. 35	0 .. 1	Payment method identification <i>Path:</i> Invoice/Payment terms information/ Payment method information/Payment method identification	1 .. 200	0 .. 1	paymentMethodIdentification <i>Path:</i> invoiceMessage/invoice/paymentTerms/paymentMethod/ paymentMethodIdentification
201	BDT00000691	.. 80	1 .. 1	Payment method code content <i>Path:</i> Invoice/Payment terms information/ Payment method information/Payment	1 .. 80	1 .. 1	paymentMethodCode <i>Path:</i> invoiceMessage/invoice/paymentTerms/paymentMethod/ paymentMethodCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				method code/Payment method code content			
201	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payment terms information/ Payment method information/Payment method code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/paymentTerms/paymentMethod/ paymentMethodCode/@codeListVersion
201	BDT00000565		1 .. 1	Automated clearing house payment format code content <i>Path:</i> Invoice/Payment terms information/ Payment method information/ Automated clearing house payment format code/Automated clearing house payment format code content	1 .. 80	0 .. 1	automatedClearingHousePaymentFormat <i>Path:</i> invoiceMessage/invoice/paymentTerms/paymentMethod/ automatedClearingHousePaymentFormat
202	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payment terms information/ Payment method information/ Automated clearing house payment format code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/paymentTerms/paymentMethod/ automatedClearingHousePaymentFormat/ @codeListVersion
202	BDT00000109		0 .. 1	Payment due date <i>Path:</i> Invoice/Payment terms information/ Payment due information/Payment due date		0 .. 1	dateDue <i>Path:</i> invoiceMessage/invoice/paymentTerms/ netPaymentDue/dateDue
202	BDT00000041		0 .. 1	Day of month payment due <i>Path:</i> Invoice/Payment terms information/ Payment due information/Day of month payment due		0 .. 1	dayOfMonthDue <i>Path:</i> invoiceMessage/invoice/paymentTerms/ netPaymentDue/dayOfMonthDue
202	BDT00000651	.. 80	1 .. 1	Time period due code content <i>Path:</i> Invoice/Payment terms information/ Payment due information/Time period due code/Time period due code content		0 .. 1	timePeriodDue <i>Path:</i> invoiceMessage/invoice/paymentTerms/netPaymentDue/ timePeriodDue

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
202	BDT00000134		0 .. 1	Time period measurement unit code content <i>Path:</i> Invoice/Payment terms information/ Payment due information/Time period due code/Time period measurement unit code/Time period measurement unit code content	1 .. 80		timeMeasurementUnitCode <i>Path:</i> invoiceMessage/invoice/paymentTerms/netPaymentDue/ timePeriodDue/@timeMeasurementUnitCode
202	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payment terms information/ Payment due information/Time period due code/Time period measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/paymentTerms/netPaymentDue/ timePeriodDue/@codeListVersion
202	BDT00000111		1 .. 1	Percent of payment due <i>Path:</i> Invoice/Payment terms information/ Installment due information/Percent of payment due		1 .. 1	percentOfPaymentDue <i>Path:</i> invoiceMessage/invoice/paymentTerms/installmentDue/ percentOfPaymentDue
202	BDT00000109		0 .. 1	Payment due date <i>Path:</i> Invoice/Payment terms information/ Installment due information/Payment time period/Payment due date		0 .. 1	dateDue <i>Path:</i> invoiceMessage/invoice/paymentTerms/installmentDue/ paymentTimePeriod/dateDue
202	BDT00000041		0 .. 1	Day of month payment due <i>Path:</i> Invoice/Payment terms information/ Installment due information/Payment time period/Day of month payment due		0 .. 1	dayOfMonthDue <i>Path:</i> invoiceMessage/invoice/paymentTerms/installmentDue/ paymentTimePeriod/dayOfMonthDue
202	BDT00000651	.. 80	1 .. 1	Time period due code content <i>Path:</i> Invoice/Payment terms information/ Installment due information/Payment time period/Time period due code/Time period due code content		0 .. 1	timePeriodDue <i>Path:</i> invoiceMessage/invoice/paymentTerms/installmentDue/ paymentTimePeriod/timePeriodDue
203	BDT00000134		0 .. 1	Time period measurement unit code	1 .. 80		timeMeasurementUnitCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Invoice/Payment terms information/ Installment due information/Payment time period/Time period due code/Time period measurement unit code/Time period measurement unit code content			<i>Path:</i> invoiceMessage/invoice/paymentTerms/installmentDue/ paymentTimePeriod/timePeriodDue/ @timeMeasurementUnitCode
203	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payment terms information/ Installment due information/Payment time period/Time period due code/Time period measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/paymentTerms/installmentDue/ paymentTimePeriod/timePeriodDue/@codeListVersion
203	BDT000000135	.. 200	1 .. 1	Transactional reference identification <i>Path:</i> Invoice/Payment terms information/ SEPA information/Transactional reference identification	1 .. 200	1 .. 1	transactionalReferenceValue <i>Path:</i> invoiceMessage/invoice/paymentTerms/sEPAResponse/ transactionalReferenceValue
203	BDT000000364		0 .. 1	Referenced document date time <i>Path:</i> Invoice/Payment terms information/ SEPA information/Referenced document date time		0 .. 1	transactionalReferenceDateTime <i>Path:</i> invoiceMessage/invoice/paymentTerms/sEPAResponse/ transactionalReferenceDateTime
203	BDT000000699	.. 80	1 .. 1	Referenced document type code content <i>Path:</i> Invoice/Payment terms information/ SEPA information/Transactional reference type code/Referenced document type code content	1 .. 80	1 .. 1	transactionalReferenceTypeCode <i>Path:</i> invoiceMessage/invoice/paymentTerms/sEPAResponse/ transactionalReferenceTypeCode
203	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payment terms information/ SEPA information/Transactional reference type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/paymentTerms/sEPAResponse/ transactionalReferenceTypeCode/@codeListVersion
203	BDT000000043		0 .. 1	Delivery method code content	1 .. 80	0 .. 1	deliveryMethod

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate customer delivery information/Delivery method code/Delivery method code content			<i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/deliveryMethod
203	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate customer delivery information/Delivery method code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/deliveryMethod/@codeListVersion
203	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/gln
203	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/additionalPartyIdentification
204	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
204	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Additional party	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification type code/Code list version			
204	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/city
204	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/cityCode
204	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/countyCode
204	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/crossStreet
204	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/pOBoxNumber
204	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate customer delivery	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate customer party information/Address information/Postal code			ultimateCustomer/address/postalCode
204	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/provinceCode
204	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/state
205	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/streetAddressOne
205	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/streetAddressTwo
205	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/streetAddressThree
205	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
205	BDT00000028	.. 35	0 .. 1	information/Address information/ Country code/Country code content Code list version <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/ Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/address/countryCode/ @codeListVersion
205	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/address/geographicalCoordinates/ latitude
205	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/address/geographicalCoordinates/ longitude
205	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/contact/personName
205	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/contact/departmentName
205	BDT00000083	.. 70	0 .. 1	Job title	1 .. 70	0 .. 1	jobTitle

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Job title			<i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/jobTitle
206	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/contactTypeCode
206	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/contactTypeCode/@codeListVersion
206	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/responsibility
206	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Business contact responsibility description/Language	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/responsibility/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
206	BDT000000028	.. 35	0 .. 1	code/Language code content Code list version <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/responsibility/@codeListVersion
206	BDT000000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/communicationChannel/communicationChannelCode
206	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/communicationChannel/communicationChannelCode/@codeListVersion
206	BDT000000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/communicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
206	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/communicationChannel/communicationChannelName
206	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/afterHoursCommunicationChannel/communicationChannelCode
207	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
207	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/afterHoursCommunicationChannel/communicationValue
207	BDT00000033	.. 200	0 .. 1	Communication channel name	1 .. 200	0 .. 1	communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/After hours communication information/Communication channel name			<i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/afterHoursCommunicationChannel/communicationChannelName
207	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
207	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
207	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
207	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Identification scheme information/Identification scheme agency name			
207	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
207	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
207	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
208	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate customer delivery	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate customer party information/Tax registration information/Tax type code/Code list version			ultimateCustomer/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode/@codeListVersion
208	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/dutyFeeTaxRegistration/ dutyFeeTaxDescription
208	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@languageCode
208	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@codeListVersion
208	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType
208	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate customer delivery	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate customer party information/Tax registration information/Tax registration type code/ Code list version			ultimateCustomer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType/@codeListVersion
208	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/organisationDetails/organisationName
208	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/organisationDetails/officialAddress/ countyCode
208	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/organisationDetails/officialAddress/city
208	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/organisationDetails/officialAddress/ cityCode
209	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Cross	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/organisationDetails/officialAddress/ crossStreet

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
209	BDT00000113	.. 80	0 .. 1	street Post office box number <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/pOBoxNumber
209	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/postalCode
209	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/provinceCode
209	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/state
209	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/streetAddressOne
209	BDT00000130	.. 200	0 .. 1	Street address two	1 .. 200	0 .. 1	streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Street address two			<i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/streetAddressTwo
209	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/streetAddressThree
209	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/countryCode
209	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/countryCode/@codeListVersion
210	BDT000000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/geographicalCoordinates/latitude
	BDT000000089						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
210		.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/geographicalCoordinates/longitude
210	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/issuedCapital
210	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/issuedCapital/@currencyCode
210	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/issuedCapital/@codeListVersion
210	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Legal structure description/Legal structure description	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalStructure

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
210	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalStructure/@languageCode
210	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalStructure/@codeListVersion
210	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalRegistration/legalRegistrationNumber
210	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
211	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Ultimate customer delivery	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate customer party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content			ultimateCustomer/organisationDetails/legalRegistration/ legalRegistrationType
211	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
211	BDT000000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/financialInstitutionInformation/ financialInstitutionName
211	BDT000000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/financialInstitutionInformation/ financialInstitutionBranchName
211	BDT000000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial account information/Financial account	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/financialInstitutionInformation/ financialAccount/financialAccountName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
211	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialAccount/financialAccountNumber
211	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
211	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
211	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
211	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
212	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
212	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/additionalFinancialInformation/description
212	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/additionalFinancialInformation/description/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Additional financial institution description/ Language code/ Language code content			@languageCode
212	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
212	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/city
212	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/cityCode
212	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/countyCode
212	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ultimate customer delivery	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate customer party information/Financial institution and financial account information/Address information/Cross street			ultimateCustomer/financialInstitutionInformation/address/crossStreet
212	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBxNumber <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/pOBxNumber
212	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/postalCode
213	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/provinceCode
213	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/state
213	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ultimate customer delivery	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate customer party information/Financial institution and financial account information/Address information/Street address one			ultimateCustomer/financialInstitutionInformation/address/streetAddressOne
213	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/streetAddressTwo
213	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/streetAddressThree
213	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/countryCode
213	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/countryCode/@codeListVersion
	BDT00000085						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
213		.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/geographicalCoordinates/latitude
213	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/geographicalCoordinates/longitude
213	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced promotional deal information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/promotionalDeal/entityIdentification
214	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced promotional deal information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/promotionalDeal/creationDateTime
214	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced promotional deal information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/promotionalDeal/revisionNumber
214	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced promotional deal information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> invoiceMessage/invoice/promotionalDeal/lineItemNumber
214	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Referenced promotional deal information/Referenced document	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/promotionalDeal/referencedDocumentUrl

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
214	BDT00000063	13 .. 13	0 .. 1	external location Global location number GLN <i>Path:</i> Invoice/Referenced promotional deal information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> invoiceMessage/invoice/promotionalDeal/contentOwner/gln
214	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/promotionalDeal/contentOwner/additionalPartyIdentification
214	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/promotionalDeal/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
214	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/promotionalDeal/contentOwner/additionalPartyIdentification/@codeListVersion
214	BDT000000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced purchase order document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/purchaseOrder/entityIdentification

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
214	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced purchase order document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/purchaseOrder/creationDateTime
215	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced purchase order document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/purchaseOrder/revisionNumber
215	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Referenced purchase order document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> invoiceMessage/invoice/purchaseOrder/referencedDocumentUri
215	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced purchase order document information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> invoiceMessage/invoice/purchaseOrder/lineItemNumber
215	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced purchase order document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/purchaseOrder/contentOwner/gln
215	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced purchase order document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/purchaseOrder/contentOwner/additionalPartyIdentification
215	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced purchase order document information/Document	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/purchaseOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			
215	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Referenced purchase order document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/purchaseOrder/contentOwner/additionalPartyIdentification/@codeListVersion
215	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced cargo manifest specification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/manifest/entityIdentification
215	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced cargo manifest specification information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/manifest/creationDateTime
215	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced cargo manifest specification information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/manifest/revisionNumber
216	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced cargo manifest specification information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> invoiceMessage/invoice/manifest/lineItemNumber
216	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Referenced cargo manifest specification information/Referenced	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/manifest/referencedDocumentUrl

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
216	BDT00000063	13 .. 13	0 .. 1	document external location Global location number GLN <i>Path:</i> Invoice/Referenced cargo manifest specification information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/manifest/contentOwner/gln
216	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced cargo manifest specification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/manifest/contentOwner/additionalPartyIdentification
216	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced cargo manifest specification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/manifest/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
216	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Referenced cargo manifest specification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/manifest/contentOwner/additionalPartyIdentification/@codeListVersion
216	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced invoice document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/invoice/entityIdentification

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
216	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced invoice document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/invoice/creationDateTime
216	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced invoice document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/invoice/revisionNumber
216	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Referenced invoice document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> invoiceMessage/invoice/invoice/referencedDocumentUri
217	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced invoice document information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> invoiceMessage/invoice/invoice/lineltemNumber
217	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced invoice document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/invoice/contentOwner/gln
217	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoice/contentOwner/additionalPartyIdentification
217	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced invoice document information/Document content owner/Additional party identification information/Additional party	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification type code/Additional party identification type code content			
217	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoice/contentOwner/additionalPartyIdentification/@codeListVersion
217	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced sales order document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/salesOrder/entityIdentification
217	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced sales order document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/salesOrder/creationDateTime
217	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced sales order document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/salesOrder/revisionNumber
217	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Referenced sales order document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/salesOrder/referencedDocumentUrl
217	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced sales order document information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> invoiceMessage/invoice/salesOrder/lineltemNumber
218	BDT00000063	13 .. 13	0 .. 1	Global location number GLN		0 .. 1	gln

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced sales order document information/Document content owner/Global location number GLN			<i>Path:</i> invoiceMessage/invoice/salesOrder/contentOwner/gln
218	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced sales order document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/salesOrder/contentOwner/additionalPartyIdentification
218	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced sales order document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/salesOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
218	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Referenced sales order document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/salesOrder/contentOwner/additionalPartyIdentification/@codeListVersion
218	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced despatch advice information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/despatchAdvice/entityIdentification
218	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced despatch advice		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/despatchAdvice/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business document creation date time			creationDateTime
218	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced despatch advice information/Revision number	0 .. 1		revisionNumber <i>Path:</i> invoiceMessage/invoice/despatchAdvice/revisionNumber
218	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced despatch advice information/Document line number	0 .. 1		lineltemNumber <i>Path:</i> invoiceMessage/invoice/despatchAdvice/lineltemNumber
218	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Referenced despatch advice information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/despatchAdvice/referencedDocumentUrl
218	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> invoiceMessage/invoice/despatchAdvice/contentOwner/gln
219	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/despatchAdvice/contentOwner/additionalPartyIdentification
219	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/despatchAdvice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
219	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/despatchAdvice/contentOwner/additionalPartyIdentification/@codeListVersion
219	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced order response document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/orderResponse/entityIdentification
219	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced order response document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/orderResponse/creationDateTime
219	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced order response document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/orderResponse/revisionNumber
219	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced order response document information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> invoiceMessage/invoice/orderResponse/lineltemNumber
219	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Referenced order response document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/orderResponse/referencedDocumentUrl
219	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced order response document information/Document content owner/Global location number		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/orderResponse/contentOwner/gln

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				GLN			
219	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced order response document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/orderResponse/contentOwner/additionalPartyIdentification
220	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced order response document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/orderResponse/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
220	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Referenced order response document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/orderResponse/contentOwner/additionalPartyIdentification/@codeListVersion
220	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced delivery note document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/deliveryNote/entityIdentification
220	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/deliveryNote/creationDateTime

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
220	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced delivery note document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/deliveryNote/revisionNumber
220	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Referenced delivery note document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/deliveryNote/referencedDocumentUrl
220	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced delivery note document information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> invoiceMessage/invoice/deliveryNote/lineItemNumber
220	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/deliveryNote/contentOwner/gln
220	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/deliveryNote/contentOwner/additionalPartyIdentification
220	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/deliveryNote/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
221	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/deliveryNote/contentOwner/additionalPartyIdentification/@codeListVersion
221	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced receiving advice information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/receivingAdvice/entityIdentification
221	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/receivingAdvice/creationDateTime
221	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced receiving advice information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/receivingAdvice/revisionNumber
221	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced receiving advice information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> invoiceMessage/invoice/receivingAdvice/lineltemNumber
221	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Referenced receiving advice information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/receivingAdvice/referencedDocumentUrl
221	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/receivingAdvice/contentOwner/gln
221	BDT00000578	.. 80	1 .. 1	Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification content			<i>Path:</i> invoiceMessage/invoice/receivingAdvice/contentOwner/additionalPartyIdentification
221	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/receivingAdvice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
221	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/receivingAdvice/contentOwner/additionalPartyIdentification/@codeListVersion
222	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced price list information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/priceList/entityIdentification
222	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced price list information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/priceList/creationDateTime
222	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced price list information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/priceList/revisionNumber

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
222	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Referenced price list information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> invoiceMessage/invoice/priceList/referencedDocumentUri
222	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced price list information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> invoiceMessage/invoice/priceList/lineltemNumber
222	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced price list information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/priceList/contentOwner/gln
222	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced price list information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/priceList/contentOwner/additionalPartyIdentification
222	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced price list information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/priceList/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
222	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Referenced price list information/Document content owner/Additional party identification information/Additional party	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/priceList/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification type code/Code list version			
222	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced contract information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/contract/entityIdentification
223	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced contract information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/contract/creationDateTime
223	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced contract information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/contract/revisionNumber
223	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Referenced contract information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/contract/referencedDocumentUrl
223	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced contract information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> invoiceMessage/invoice/contract/lineItemNumber
223	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced contract information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/contract/contentOwner/gln
223	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced contract information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/contract/contentOwner/additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
223	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced contract information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/contract/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
223	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Referenced contract information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/contract/contentOwner/additionalPartyIdentification/@codeListVersion
223	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced trade agreement information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/tradeAgreement/entityIdentification
223	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced trade agreement information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/tradeAgreement/creationDateTime
224	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced trade agreement information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/tradeAgreement/revisionNumber
224	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced trade agreement information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> invoiceMessage/invoice/tradeAgreement/lineItemNumber
224	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Referenced trade agreement	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/tradeAgreement/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Referenced document external location			referencedDocumentUrl
224	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced trade agreement information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> invoiceMessage/invoice/tradeAgreement/contentOwner/gln
224	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/tradeAgreement/contentOwner/additionalPartyIdentification
224	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/tradeAgreement/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
224	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/tradeAgreement/contentOwner/additionalPartyIdentification/@codeListVersion
224	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced blanket order document information/Entity	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/blanketOrder/entityIdentification

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification			
224	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced blanket order document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/blanketOrder/creationDateTime
224	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced blanket order document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/blanketOrder/revisionNumber
225	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Referenced blanket order document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/blanketOrder/referencedDocumentUrl
225	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced blanket order document information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> invoiceMessage/invoice/blanketOrder/lineItemNumber
225	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced blanket order document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/blanketOrder/contentOwner/gln
225	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced blanket order document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/blanketOrder/contentOwner/additionalPartyIdentification
225	BDT00000570	.. 80	1 .. 1	Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/blanketOrder/contentOwner/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced blanket order document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			additionalPartyIdentification/@additionalPartyIdentificationTypeCode
225	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Referenced blanket order document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/blanketOrder/contentOwner/additionalPartyIdentification/@codeListVersion
225	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced dispute notice document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/disputeNotice/entityIdentification
225	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced dispute notice document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/disputeNotice/creationDateTime
225	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced dispute notice document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/disputeNotice/revisionNumber
225	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Referenced dispute notice document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/disputeNotice/referencedDocumentUrl
226	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced dispute notice		0 .. 1	lineItemNumber <i>Path:</i> invoiceMessage/invoice/disputeNotice/lineItemNumber

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				document information/Document line number			
226	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced dispute notice document information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> invoiceMessage/invoice/disputeNotice/contentOwner/gln
226	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced dispute notice document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/disputeNotice/contentOwner/additionalPartyIdentification
226	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced dispute notice document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/disputeNotice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
226	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Referenced dispute notice document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/disputeNotice/contentOwner/additionalPartyIdentification/@codeListVersion
226	BDT000000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced sales report	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/salesReport/entityIdentification

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				document information/Entity identification			
226	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced sales report document information/Business document creation date time	0 .. 1		creationDateTime <i>Path:</i> invoiceMessage/invoice/salesReport/creationDateTime
226	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced sales report document information/Revision number	0 .. 1		revisionNumber <i>Path:</i> invoiceMessage/invoice/salesReport/revisionNumber
226	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Referenced sales report document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/salesReport/referencedDocumentUrl
226	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced sales report document information/Document line number	0 .. 1		lineltemNumber <i>Path:</i> invoiceMessage/invoice/salesReport/lineltemNumber
227	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> invoiceMessage/invoice/salesReport/contentOwner/gln
227	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/salesReport/contentOwner/additionalPartyIdentification
227	BDT000000570	.. 80	1 .. 1	Additional party identification type code	1 .. 80		additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			<i>Path:</i> invoiceMessage/invoice/salesReport/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
227	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/salesReport/contentOwner/additionalPartyIdentification/@codeListVersion
227	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced inventory report document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/inventoryReport/entityIdentification
227	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced inventory report document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/inventoryReport/creationDateTime
227	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced inventory report document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/inventoryReport/revisionNumber
227	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Referenced inventory report document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/inventoryReport/referencedDocumentUrl
227	BDT00000049	.. 6	0 .. 1	Document line number		0 .. 1	lineItemNumber

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced inventory report document information/Document line number			<i>Path:</i> invoiceMessage/invoice/inventoryReport/lineItemNumber
227	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/inventoryReport/contentOwner/gln
228	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/inventoryReport/contentOwner/additionalPartyIdentification
228	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/inventoryReport/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
228	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/inventoryReport/contentOwner/additionalPartyIdentification/@codeListVersion
228	BDT000000056	.. 80	1 .. 1	Entity identification	1 .. 80	1 .. 1	entityIdentification

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced returns notice document information/Entity identification			<i>Path:</i> invoiceMessage/invoice/returnsNotice/entityIdentification
228	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced returns notice document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/returnsNotice/creationDateTime
228	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced returns notice document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/returnsNotice/revisionNumber
228	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Referenced returns notice document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/returnsNotice/referencedDocumentUrl
228	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced returns notice document information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> invoiceMessage/invoice/returnsNotice/lineltemNumber
228	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced returns notice document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/returnsNotice/contentOwner/gln
228	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced returns notice document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/returnsNotice/contentOwner/additionalPartyIdentification
	BDT00000570			Additional party identification type code			

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
229		.. 80	1 .. 1	content <i>Path:</i> Invoice/Referenced returns notice document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/returnsNotice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
229	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Referenced returns notice document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/returnsNotice/contentOwner/additionalPartyIdentification/@codeListVersion
229	BDT000000009		0 .. 1	Begin period date <i>Path:</i> Invoice/Invoicing period/Begin period date		0 .. 1	beginDate <i>Path:</i> invoiceMessage/invoice/invoicingPeriod/beginDate
229	BDT000000010		0 .. 1	Begin time period <i>Path:</i> Invoice/Invoicing period/Begin time period		0 .. 1	beginTime <i>Path:</i> invoiceMessage/invoice/invoicingPeriod/beginTime
229	BDT000000054		0 .. 1	End date period <i>Path:</i> Invoice/Invoicing period/End date period		0 .. 1	endDate <i>Path:</i> invoiceMessage/invoice/invoicingPeriod/endDate
229	BDT000000055		0 .. 1	End time period <i>Path:</i> Invoice/Invoicing period/End time period		0 .. 1	endTime <i>Path:</i> invoiceMessage/invoice/invoicingPeriod/endTime
229	BDT000000009		0 .. 1	Begin period date <i>Path:</i> Invoice/Crediting period/Begin period date		0 .. 1	beginDate <i>Path:</i> invoiceMessage/invoice/creditingPeriod/beginDate
	BDT000000010						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
229			0 .. 1	Begin time period <i>Path:</i> Invoice/Crediting period/Begin time period		0 .. 1	beginTime <i>Path:</i> invoiceMessage/invoice/creditingPeriod/beginTime
229	BDT00000054		0 .. 1	End date period <i>Path:</i> Invoice/Crediting period/End date period		0 .. 1	endDate <i>Path:</i> invoiceMessage/invoice/creditingPeriod/endDate
229	BDT00000055		0 .. 1	End time period <i>Path:</i> Invoice/Crediting period/End time period		0 .. 1	endTime <i>Path:</i> invoiceMessage/invoice/creditingPeriod/endTime
230	BDT00000741	.. 80	1 .. 1	Crediting reason code content <i>Path:</i> Invoice/Crediting reason code/Crediting reason code content	1 .. 80	0 .. 1	creditReasonCode <i>Path:</i> invoiceMessage/invoice/creditReasonCode
230	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Crediting reason code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/creditReasonCode/@codeListVersion
230	BDT00000455		0 .. 1	Actual ship date time <i>Path:</i> Invoice/Goods delivery dates information/Actual ship date time		0 .. 1	actualShipDateTime <i>Path:</i> invoiceMessage/invoice/despatchInformation/actualShipDateTime
230	BDT00000456		0 .. 1	Despatch date time <i>Path:</i> Invoice/Goods delivery dates information/Despatch date time		0 .. 1	despatchDateTime <i>Path:</i> invoiceMessage/invoice/despatchInformation/despatchDateTime
230	BDT00000457		0 .. 1	Estimated delivery date time <i>Path:</i> Invoice/Goods delivery dates information/Estimated delivery date time		0 .. 1	estimatedDeliveryDateTime <i>Path:</i> invoiceMessage/invoice/despatchInformation/estimatedDeliveryDateTime
230	BDT00000458		0 .. 1	Estimated delivery date time at ultimate consignee <i>Path:</i> Invoice/Goods delivery dates information/Estimated delivery date		0 .. 1	estimatedDeliveryDateTimeAtUltimateConsignee <i>Path:</i> invoiceMessage/invoice/despatchInformation/estimatedDeliveryDateTimeAtUltimateConsignee

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
230	BDT00000459		0 .. 1	time at ultimate consignee Goods loading date time <i>Path:</i> Invoice/Goods delivery dates information/Goods loading date time		0 .. 1	loadingDateTime <i>Path:</i> invoiceMessage/invoice/despatchInformation/loadingDateTime
230	BDT00000460		0 .. 1	Goods pick up date time <i>Path:</i> Invoice/Goods delivery dates information/Goods pick up date time		0 .. 1	pickUpDateTime <i>Path:</i> invoiceMessage/invoice/despatchInformation/pickUpDateTime
230	BDT00000461		0 .. 1	Seller released goods date time <i>Path:</i> Invoice/Goods delivery dates information/Seller released goods date time		0 .. 1	releaseDateTimeOfSupplier <i>Path:</i> invoiceMessage/invoice/despatchInformation/releaseDateTimeOfSupplier
230	BDT00000009		0 .. 1	Begin period date <i>Path:</i> Invoice/Goods delivery dates information/Estimated delivery period/Begin period date		0 .. 1	beginDate <i>Path:</i> invoiceMessage/invoice/despatchInformation/estimatedDeliveryPeriod/beginDate
231	BDT00000010		0 .. 1	Begin time period <i>Path:</i> Invoice/Goods delivery dates information/Estimated delivery period/Begin time period		0 .. 1	beginTime <i>Path:</i> invoiceMessage/invoice/despatchInformation/estimatedDeliveryPeriod/beginTime
231	BDT00000054		0 .. 1	End date period <i>Path:</i> Invoice/Goods delivery dates information/Estimated delivery period/End date period		0 .. 1	endDate <i>Path:</i> invoiceMessage/invoice/despatchInformation/estimatedDeliveryPeriod/endDate
231	BDT00000055		0 .. 1	End time period <i>Path:</i> Invoice/Goods delivery dates information/Estimated delivery period/End time period		0 .. 1	endTime <i>Path:</i> invoiceMessage/invoice/despatchInformation/estimatedDeliveryPeriod/endTime
231	BDT00000040		1 .. 1	Date <i>Path:</i> Invoice/Goods delivery dates		1 .. 1	date <i>Path:</i> invoiceMessage/invoice/actualDeliveryDate/date

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
231	BDT00000133		0 .. 1	information/Actual delivery date time/ Date Time <i>Path:</i> Invoice/Goods delivery dates information/Actual delivery date time/ Time		0 .. 1	time <i>Path:</i> invoiceMessage/invoice/actualDeliveryDate/time
231	BDT00000647	.. 80	1 .. 1	Handling instruction code content <i>Path:</i> Invoice/Shipment transportation information/Handling instruction code/ Handling instruction code content	1 .. 80	0 .. unbounded	handlingInstructionCode <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/ handlingInstructionCode
231	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Handling instruction code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/ handlingInstructionCode/@codeListVersion
231	BDT00000687	.. 80	1 .. 1	Transport means type code content <i>Path:</i> Invoice/Shipment transportation information/Transport means type code/Transport means type code content	1 .. 80	0 .. 1	transportMeansType <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/transportMeansType
231	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Transport means type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/ transportMeansType/@codeListVersion
231	BDT00000625	.. 80	0 .. 1	Transport means identification content <i>Path:</i> Invoice/Shipment transportation information/Transport means identification/Transport means identification content	1 .. 80	0 .. 1	transportMeansID <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/transportMeansID
232	BDT00000074	.. 80	0 .. 1	Identification scheme name	1 .. 80		identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme name			<i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/transportMeansID/@identificationSchemeName
232	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/transportMeansID/@identificationSchemeAgencyName
232	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/transportMeansID/@identificationSchemeAgencyCode
232	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/transportMeansID/@identificationSchemeAgencyCodeCodeListVersion
232	BDT00000688	.. 80	1 .. 1	Transport mode code content <i>Path:</i> Invoice/Shipment transportation information/Transport mode code/Transport mode code content	1 .. 80	0 .. 1	transportServiceCategoryType <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/transportServiceCategoryType
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
232		.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Transport mode code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/transportServiceCategoryType/@codeListVersion
232	BDT00000689	.. 80	1 .. 1	Transport service level code content <i>Path:</i> Invoice/Shipment transportation information/Transport service level code/Transport service level code content	1 .. 80	0 .. 1	transportServiceLevelCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/transportServiceLevelCode
232	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Transport service level code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/transportServiceLevelCode/@codeListVersion
232	BDT00000626	.. 80	1 .. 1	Transport route identification content <i>Path:</i> Invoice/Shipment transportation information/Transport route identification/Transport route identification content	1 .. 80	0 .. 1	routeID <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/routeID
232	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/routeID/@identificationSchemeName
233	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/routeID/@identificationSchemeAgencyName
233	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency	1 .. 80		identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code content <i>Path:</i> Invoice/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content			<i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/routeID/@identificationSchemeAgencyCode
233	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/routeID/@identificationSchemeAgencyCodeCodeListVersion
233	BDT00000648	.. 70	1 .. 1	Handling instruction description content <i>Path:</i> Invoice/Shipment transportation information/Handling instruction description/Handling instruction description content	1 .. 100	0 .. unbounded	additionalHandlingInstruction <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/additionalHandlingInstruction
233	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Shipment transportation information/Handling instruction description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/additionalHandlingInstruction/@languageCode
233	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Handling instruction description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/additionalHandlingInstruction/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
233	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Global location number, GLN	0 .. 1		gln <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/gln
233	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/additionalPartyIdentification
233	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
233	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/additionalPartyIdentification/@codeListVersion
234	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/city
234	BDT00000019	.. 80	0 .. 1	City code	1 .. 80	0 .. 1	cityCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/City code			<i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/cityCode
234	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/countyCode
234	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/crossStreet
234	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/name
234	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/pOBoxNumber
234	BDT000000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/postalCode
234	BDT000000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/provinceCode
234	BDT000000127	.. 80	0 .. 1	State	1 .. 80	0 .. 1	state

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/State			<i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/state
234	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/streetAddressOne
235	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/streetAddressTwo
235	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/streetAddressThree
235	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/countryCode
235	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/countryCode/@codeListVersion
235	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Geographical	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
235	BDT00000089	.. 80	1 .. 1	coordinates information/Latitude Longitude <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/geographicalCoordinates/longitude
235	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/personName
235	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/departmentName
235	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/jobTitle
235	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/contactTypeCode
236	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/contactTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
236	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/responsibility
236	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/responsibility/@languageCode
236	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/responsibility/@codeListVersion
236	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/communicationChannel/communicationChannelCode
236	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version			communicationChannel/communicationChannelCode/ @codeListVersion
236	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationValue
236	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelName
236	BDT000000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/ communicationChannelCode
236	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
237	BDT00000032	.. 200	1 .. 1	content/Code list version Communication channel identification <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationValue
237	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationChannelName
237	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
237	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
237	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
237	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
237	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
237	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
237	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
237	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
238	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription
238	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
238	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
238	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
238	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Carrier party information/ Tax registration information/Tax registration type code/Code list version			shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
238	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/organisationName
238	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/countyCode
238	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/city
238	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/cityCode
238	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/crossStreet
239	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Shipment transportation	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Carrier party information/ Organisation legal information/Official address/Post office box number			shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/pOBoxNumber
239	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/postalCode
239	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/provinceCode
239	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/state
239	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressOne
239	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressTwo
239	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Shipment transportation	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Carrier party information/ Organisation legal information/Official address/Street address three			shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressThree
239	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/countryCode
239	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/countryCode/ @codeListVersion
239	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
240	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
240	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Issued		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/issuedCapital

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
240	BDT00000589	.. 80	1 .. 1	capital/Issued capital content Currency code content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/issuedCapital/@currencyCode
240	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/issuedCapital/@codeListVersion
240	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/legalStructure
240	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/legalStructure/@languageCode
240	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/legalStructure/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
240	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/legalRegistration/ legalRegistrationNumber
240	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation
240	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/legalRegistration/ legalRegistrationType
241	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
241	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Financial institution and financial account information/Financial institution	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialInstitutionName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
241	BDT000000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialInstitutionBranchName
241	BDT000000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountName
241	BDT000000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountNumber
241	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
241	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Carrier party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version			shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
241	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
241	BDT000000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
241	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
242	BDT000000521	.. 70	1 .. 1	Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description
242	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
242	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
242	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/city
242	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/cityCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
242	BDT000000034	.. 80	0 .. 1	information/City code County code <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countyCode
242	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/crossStreet
242	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/name
242	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/pOBoxNumber
242	BDT000000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/postalCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
243	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/provinceCode
243	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/state
243	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressOne
243	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressTwo
243	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
243	BDT00000774		1 .. 1	information/Street address three Country code content <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countryCode
243	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countryCode/@codeListVersion
243	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/geographicalCoordinates/latitude
243	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/geographicalCoordinates/longitude
243	BDT00000063	13 .. 13	0 .. 1	Global location number GLN		0 .. 1	gln

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Global location number GLN			<i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/gln
244	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification
244	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
244	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification/@codeListVersion
244	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/city
	BDT00000019						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
244		.. 80	0 .. 1	City code <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/cityCode
244	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/countyCode
244	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/crossStreet
244	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/name
244	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/pOBoxNumber
244	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/postalCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
245	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/provinceCode
245	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/state
245	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/streetAddressOne
245	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/streetAddressTwo
245	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/streetAddressThree
245	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/countryCode
245	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Country code/Code list version			<i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/countryCode/@codeListVersion
245	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/geographicalCoordinates/latitude
245	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/geographicalCoordinates/longitude
245	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/personName
246	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/departmentName
246	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/jobTitle

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
246	BDT00000571	.. 80	1 .. 1	information/Job title Contact type code content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/contactTypeCode
246	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/contactTypeCode/@codeListVersion
246	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/responsibility
246	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/responsibility/@languageCode
246	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Code list version			<i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/responsibility/@codeListVersion
246	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelCode
246	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelCode/@codeListVersion
246	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationValue
247	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Shipment transportation	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Freight forwarder party information/Business contact information/Communication information/Communication channel name			shipmentTransportationInformation/freightForwarder/ contact/communicationChannel/ communicationChannelName
247	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationChannelCode
247	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
247	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationValue
247	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/After hours communication information/Communication channel name			contact/afterHoursCommunicationChannel/ communicationChannelName
247	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
247	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
247	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
247	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
247	BDT00000583	.. 80	1 .. 1	scheme agency name Identification scheme responsible agency code content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
248	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
248	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
248	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax type code/Code list version			@codeListVersion
248	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription
248	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
248	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
248	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
248	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration type code/ Code list version			@codeListVersion
248	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ organisationDetails/organisationName
248	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/countyCode
249	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/city
249	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/cityCode
249	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/crossStreet
249	BDT00000113	.. 80	0 .. 1	Post office box number	1 .. 80	0 .. 1	pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Post office box number			<i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/pOBoxNumber
249	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/postalCode
249	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/provinceCode
249	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/state
249	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/streetAddressOne
249	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Street address two			organisationDetails/officialAddress/streetAddressTwo
249	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressThree
250	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/countryCode
250	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/countryCode/ @codeListVersion
250	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
250	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Shipment transportation	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Freight forwarder party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude			shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
250	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ organisationDetails/issuedCapital
250	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ organisationDetails/issuedCapital/@currencyCode
250	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ organisationDetails/issuedCapital/@codeListVersion
250	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure
	BDT00000524						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
250		.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/legalStructure/@languageCode
250	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/legalStructure/@codeListVersion
251	BDT000000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationNumber
251	BDT000000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
251	BDT000000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Registered legal information/Legal registration type code/Legal registration type code content			legalRegistrationType
251	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
251	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialInstitutionName
251	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialInstitutionBranchName
251	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountName
	BDT00000059						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
251		.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumber
251	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
251	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
252	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
252	BDT00000644			Financial routing number type code			

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
		.. 80	1 .. 1	content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
252	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
252	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description
252	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial institution description/ Language code/Language code content			@languageCode
252	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
252	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/city
252	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/cityCode
252	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/countyCode
252	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Cross street			financialInstitutionInformation/address/crossStreet
253	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/name
253	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/pOBoxNumber
253	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/postalCode
253	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/provinceCode
253	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/State			financialInstitutionInformation/address/state
253	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressOne
253	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressTwo
253	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressThree
253	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/countryCode
253	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Shipment transportation	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Freight forwarder party information/Financial institution and financial account information/Address information/Country code/Code list version			shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/countryCode/@codeListVersion
254	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/geographicalCoordinates/latitude
254	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/geographicalCoordinates/longitude
254	BDT00000080		0 .. 1	Signature required indicator <i>Path:</i> Invoice/Delivery terms information/Signature required indicator		0 .. 1	isSignatureRequired <i>Path:</i> invoiceMessage/invoice/deliveryTerms/isSignatureRequired
254	BDT000000649		1 .. 1	Incoterms code content <i>Path:</i> Invoice/Delivery terms information/Incoterms code/Incoterms code content	1 .. 80	0 .. 1	incotermsCode <i>Path:</i> invoiceMessage/invoice/deliveryTerms/incotermsCode
254	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Delivery terms information/Incoterms code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/deliveryTerms/incotermsCode/@codeListVersion
254	BDT00000535	.. 80	1 .. 1	Alternative delivery terms code content <i>Path:</i> Invoice/Delivery terms information/	1 .. 80	0 .. 1	alternateDeliveryTermsCode <i>Path:</i> invoiceMessage/invoice/deliveryTerms/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Alternative delivery terms code/ Alternative delivery terms code content			alternateDeliveryTermsCode
254	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Invoice/Delivery terms information/ Alternative delivery terms code/Code description	1 .. 80		codeDescription <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ alternateDeliveryTermsCode/@codeDescription
254	BDT00000023	.. 80	0 .. 1	Code list agency code <i>Path:</i> Invoice/Delivery terms information/ Alternative delivery terms code/Code list agency code	1 .. 80		codeListAgencyCode <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ alternateDeliveryTermsCode/@codeListAgencyCode
254	BDT00000024	.. 35	0 .. 1	Code list agency code list version <i>Path:</i> Invoice/Delivery terms information/ Alternative delivery terms code/Code list agency code list version	1 .. 35		codeListAgencyCodeListVersion <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ alternateDeliveryTermsCode/ @codeListAgencyCodeListVersion
254	BDT00000025	.. 80	0 .. 1	Code list agency name <i>Path:</i> Invoice/Delivery terms information/ Alternative delivery terms code/Code list agency name	1 .. 80		codeListAgencyName <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ alternateDeliveryTermsCode/@codeListAgencyName
255	BDT00000026	.. 80	0 .. 1	Code list name <i>Path:</i> Invoice/Delivery terms information/ Alternative delivery terms code/Code list name	1 .. 80		codeListName <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ alternateDeliveryTermsCode/@codeListName
255	BDT00000027	.. 500	0 .. 1	Code list URL <i>Path:</i> Invoice/Delivery terms information/ Alternative delivery terms code/Code list URL			codeListURI <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ alternateDeliveryTermsCode/@codeListURI
255	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Delivery terms information/ Alternative delivery terms code/Code	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ alternateDeliveryTermsCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
255	BDT00000641	.. 70	1 .. 1	list version Delivery instructions description content <i>Path:</i> Invoice/Delivery terms information/ Delivery instructions description/ Delivery instructions description content	1 .. 500	0 .. 1	deliveryInstructions <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryInstructions
255	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Delivery terms information/ Delivery instructions description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryInstructions/@languageCode
255	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Delivery terms information/ Delivery instructions description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryInstructions/@codeListVersion
255	BDT00000701	.. 80	1 .. 1	Transport cost payment code content <i>Path:</i> Invoice/Delivery terms information/ Transport cost payment code/Transport cost payment code content	1 .. 80	0 .. 1	deliveryCostPayment <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryCostPayment
255	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Delivery terms information/ Transport cost payment code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryCostPayment/@codeListVersion
255	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/gln
255	BDT00000132	.. 80	0 .. 1	Sub location identification <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location	1 .. 80	0 .. 1	sublocationIdentification <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/sublocationIdentification

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
256	BDT00000088	.. 80	0 .. 1	information/Sub location identification Logistics location name <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/ Logistics location name	1 .. 80	0 .. 1	locationName <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/locationName
256	BDT00000137	.. 20	0 .. 1	Universal Time Coordinated UTC offset <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Universal Time Coordinated UTC offset		0 .. 1	utcOffset <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/utcOffset
256	BDT00000690	.. 80	1 .. 1	United Nations location code, UN/LOCODE content <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/UN location code, UN/ LOCODE/United Nations location code, UN/LOCODE content	1 .. 80	0 .. 1	unLocationCode <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/unLocationCode
256	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/UN location code, UN/ LOCODE/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/unLocationCode/ @codeListVersion
256	BDT00000627	.. 80	1 .. 1	Physical location identification content <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Additional physical location identification/Physical location identification content	1 .. 80	0 .. unbounded	additionalLocationIdentification <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification
256	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Delivery terms information/	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/deliveryTerms/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme name			deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeName
256	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeAgencyName
256	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeAgencyCode
256	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeAgencyCodeCodeListVersion
256	BDT00000744	.. 70	1 .. 1	Specific instructions location description content	1 .. 200	0 .. 1	locationSpecificInstructions <i>Path:</i> invoiceMessage/invoice/deliveryTerms/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Specific instructions location description/Specific instructions location description content			deliveryTermsLocation/locationSpecificInstructions
257	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Specific instructions location description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/locationSpecificInstructions/ @languageCode
257	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Specific instructions location description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/locationSpecificInstructions/ @codeListVersion
257	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/city
257	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/cityCode
257	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/countyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/County code			
257	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/crossStreet
257	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/name
257	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/pOBoxNumber
257	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/postalCode
257	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/ Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/provinceCode
258	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/state

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
258	BDT00000128	.. 200	0 .. 1	information/Address information/State Street address one <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/streetAddressOne
258	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/streetAddressTwo
258	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/streetAddressThree
258	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/countryCode
258	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/ Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/countryCode/ @codeListVersion
258	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/geographicalCoordinates/ latitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Geographical coordinates information/ Latitude			
258	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/geographicalCoordinates/ longitude
258	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/personName
258	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/departmentName
259	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/jobTitle
259	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/contactTypeCode
259	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Contact type code/Code list version			<i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/contactTypeCode/ @codeListVersion
259	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/responsibility
259	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/responsibility/ @languageCode
259	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/responsibility/ @codeListVersion
259	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel code/Communication channel code content			communicationChannelCode
259	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationChannelCode/@codeListVersion
259	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationValue
259	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationChannelName
260	BDT000000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/After hours communication information/Communication channel code/Communication channel code content			communicationChannelCode
260	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/deliveryTerms/deliveryTermsLocation/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
260	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/deliveryTerms/deliveryTermsLocation/contact/afterHoursCommunicationChannel/communicationValue
260	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/deliveryTerms/deliveryTermsLocation/contact/afterHoursCommunicationChannel/communicationChannelName
260	BDTG00000042		0 .. 1	Day of the week code <i>Path:</i> Invoice/Delivery terms information/Delivery terms for location information/Regular operating hours information/Day of the week code		1 .. 1	dayOfTheWeekCode <i>Path:</i> invoiceMessage/invoice/deliveryTerms/deliveryTermsLocation/regularOperatingHours/dayOfTheWeekCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
260	BDT00000078		0 .. 1	Business operational indicator <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Regular operating hours information/Business operational indicator		1 .. 1	isOperational <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/regularOperatingHours/ isOperational
260	BDT00000021		0 .. 1	Closing time <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Regular operating hours information/Closing time		0 .. 1	closingTime <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/regularOperatingHours/ closingTime
260	BDT00000098		0 .. 1	Opening time <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Regular operating hours information/Opening time		0 .. 1	openingTime <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/regularOperatingHours/ openingTime
260	BDT00000078		0 .. 1	Business operational indicator <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Special operating hours information/Business operational indicator		1 .. 1	isOperational <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ isOperational
260	BDT00000126		0 .. 1	Special date <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Special operating hours information/Special date		1 .. 1	specialDate <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDate
261	BDT00000021		0 .. 1	Closing time <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location		0 .. 1	closingTime <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Special operating hours information/Closing time			closingTime
261	BDT00000098		0 .. 1	Opening time <i>Path:</i> Invoice/Delivery terms information/Delivery terms for location information/Special operating hours information/Opening time	0 .. 1		openingTime <i>Path:</i> invoiceMessage/invoice/deliveryTerms/deliveryTermsLocation/specialOperatingHours/openingTime
261	BDT00000669	.. 80	1 .. 1	Name of special day content <i>Path:</i> Invoice/Delivery terms information/Delivery terms for location information/Special operating hours information/Name of special day/Name of special day content	1 .. 80	0 .. 1	specialDateName <i>Path:</i> invoiceMessage/invoice/deliveryTerms/deliveryTermsLocation/specialOperatingHours/specialDateName
261	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Delivery terms information/Delivery terms for location information/Special operating hours information/Name of special day/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/deliveryTerms/deliveryTermsLocation/specialOperatingHours/specialDateName/@languageCode
261	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Delivery terms information/Delivery terms for location information/Special operating hours information/Name of special day/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/deliveryTerms/deliveryTermsLocation/specialOperatingHours/specialDateName/@codeListVersion
261	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced additional information/Business document creation date time	0 .. 1		transactionalReferenceDateTime <i>Path:</i> invoiceMessage/invoice/transactionalGenericReference/transactionalReferenceDateTime
261	BDT00000135	.. 200	1 .. 1	Business document reference	1 .. 200	1 .. 1	transactionalReferenceValue

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification <i>Path:</i> Invoice/Referenced additional information/Business document reference identification			<i>Path:</i> invoiceMessage/invoice/transactionalGenericReference/transactionalReferenceValue
261	BDT00000699	.. 80	1 .. 1	Referenced document type code content <i>Path:</i> Invoice/Referenced additional information/Referenced document type code/Referenced document type code content	1 .. 80	1 .. 1	transactionalReferenceTypeCode <i>Path:</i> invoiceMessage/invoice/transactionalGenericReference/transactionalReferenceTypeCode
261	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Referenced additional information/Referenced document type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/transactionalGenericReference/transactionalReferenceTypeCode/@codeListVersion
261	BDT00000049	.. 6	1 .. 1	Business document line item number <i>Path:</i> Invoice/Invoice line/Business document line item number		1 .. 1	linelItemNumber <i>Path:</i> invoiceMessage/invoice/invoiceLinelItem/linelItemNumber
262	BDT00000105	.. 6	0 .. 1	Parent line item number <i>Path:</i> Invoice/Invoice line/Parent line item number		0 .. 1	parentLinelItemNumber <i>Path:</i> invoiceMessage/invoice/invoiceLinelItem/parentLinelItemNumber
262	BDT00000464		0 .. 1	Excluded from payment discount indicator <i>Path:</i> Invoice/Invoice line/Excluded from payment discount indicator		0 .. 1	excludedFromPaymentDiscountIndicator <i>Path:</i> invoiceMessage/invoice/invoiceLinelItem/excludedFromPaymentDiscountIndicator
262	BDT00000466		0 .. 1	Transfer of ownership date <i>Path:</i> Invoice/Invoice line/Transfer of ownership date		0 .. 1	transferOfOwnershipDate <i>Path:</i> invoiceMessage/invoice/invoiceLinelItem/transferOfOwnershipDate
262	BDT00000483		0 .. 1	Credit line indicator <i>Path:</i> Invoice/Invoice line/Credit line indicator	1 .. 70	0 .. 1	creditLinelIndicator <i>Path:</i> invoiceMessage/invoice/invoiceLinelItem/creditLinelIndicator
262	BDT00000741	.. 80	1 .. 1	Crediting reason code content	1 .. 80	0 .. 1	creditReason

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Crediting reason code/Crediting reason code content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/creditReason
262	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Crediting reason code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/creditReason/@codeListVersion
262	BDT00000066	14 .. 14	0 .. 1	Global trade item number, GTIN <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Global trade item number, GTIN		0 .. 1	gtin <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/gtin
262	BDT00000115	.. 80	0 .. 1	Product variant <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Product variant	1 .. 80	0 .. 1	productVariantIdentifier <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/productVariantIdentifier
262	BDT00000013	.. 35	0 .. 1	Butter fat reference <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Butter fat reference	1 .. 35	0 .. 1	butterFatReference <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/butterFatReference
262	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional trade item identification content	1 .. 80	0 .. unbounded	additionalTradeItemIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/additionalTradeItemIdentification
263	BDT00000518	.. 80	1 .. 1	Additional trade item identification type code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional trade item identification type code/Additional trade item identification type code content	1 .. 80		additionalTradeItemIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/additionalTradeItemIdentification/@additionalTradeItemIdentificationTypeCode
263	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional trade item identification type code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/additionalTradeItemIdentification/@codeListVersion
263	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item quantity/Trade item quantity content		0 .. 1	tradeItemQuantity <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemQuantity
263	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemQuantity/@measurementUnitCode
263	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemQuantity/@codeListVersion
263	BDT00000684	.. 70	1 .. 1	Trade item description content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item description/Trade item description content	1 .. 200	0 .. 1	tradeItemDescription <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemDescription
263	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemDescription/@languageCode
263	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item description/	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemDescription/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Language code/Code list version			@codeListVersion
263	BDT00000656	.. 80	1 .. 1	Item type code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Item type code/Item type code content	1 .. 80	0 .. 1	itemTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/itemTypeCode
263	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Item type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/itemTypeCode/@codeListVersion
264	BDT00000700	.. 80	1 .. 1	Trade item transactional data owner code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item transactional data owner code/Trade item transactional data owner code content	1 .. 80	0 .. 1	tradeItemDataOwner <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemDataOwner
264	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item transactional data owner code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemDataOwner/@codeListVersion
264	BDT00000007		0 .. 1	Available for sale date <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Available for sale date		0 .. 1	availableForSaleDate <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/availableForSaleDate
264	BDT00000008	.. 80	0 .. 1	Batch number <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Batch number	1 .. 80	0 .. 1	batchNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/batchNumber
264	BDT00000011		0 .. 1	Best before date <i>Path:</i> Invoice/Invoice line/Invoiced trade item		0 .. 1	bestBeforeDate <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
264	BDT00000572		1 .. 1	information/Dynamic trade item information/Best before date Country of origin code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Country of origin/Country of origin code content	1 .. 80	0 .. 1	transactionalTradeItem/transactionalItemData/ bestBeforeDate countryOfOrigin <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ countryOfOrigin
264	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Country of origin/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ countryOfOrigin/@codeListVersion
264	BDT00000057		0 .. 1	Expiration date <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Expiration date		0 .. 1	itemExpirationDate <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ itemExpirationDate
264	BDT00000090	.. 80	0 .. 1	Lot number <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Lot number	1 .. 80	0 .. 1	lotNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/lotNumber
264	BDT00000104		0 .. 1	Packaging date <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Packaging date		0 .. 1	packagingDate <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ packagingDate
265	BDT00000116		0 .. 1	Production date <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Production date		0 .. 1	productionDate <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ productionDate
265	BDT00000120		0 .. 1	Sell by date		0 .. 1	sellByDate

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Sell by date			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/sellByDate
265	BDT00000121	.. 20	0 .. unbounded	Serial number <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Serial number	1 .. 20	0 .. unbounded	serialNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/serialNumber
265	BDT00000122	.. 80	0 .. 1	Shelf life <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Shelf life	1 .. 80	0 .. 1	shelfLife <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/shelfLife
265	BDT00000082		0 .. 1	Item in contact with food product indicator <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Item in contact with food product indicator		0 .. 1	itemInContactWithFoodProduct <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/itemInContactWithFoodProduct
265	BDT00000095		0 .. 1	Number of layers <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of layers		0 .. 1	numberOfLayers <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/numberOfLayers
265	BDT00000096		0 .. 1	Number of units per layer <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of units per layer		0 .. 1	numberOfUnitsPerLayer <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/numberOfUnitsPerLayer
265	BDT00000097		0 .. 1	Number of units per platform <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item		0 .. 1	numberOfUnitsPerPallet <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Logistic unit packaging pattern information/Number of units per platform			transactionalItemLogisticUnitInformation/numberOfUnitsPerPallet
265	BDT00000091		1 .. 1	Maximum stacking factor <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Maximum stacking factor		1 .. 1	maximumStackingFactor <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/maximumStackingFactor
265	BDT00000663	.. 80	1 .. 1	Packaging terms and conditions code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Packaging terms and conditions code/Packaging terms and conditions code content	1 .. 80	0 .. 1	packagingTerms <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packagingTerms
266	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Packaging terms and conditions code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packagingTerms/@codeListVersion
266	BDT00000664	.. 80	1 .. 1	Package type code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Package type code/Package type code content	1 .. 80	0 .. 1	packageTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packageTypeCode
266	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Package type code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packageTypeCode/@codeListVersion
266	BDT00000665	.. 80	1 .. 1	Returnable package return transport payment code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Returnable package return transport payment code/Returnable package return transport payment code content	1 .. 80	0 .. 1	returnablePackageTransportCostPayment <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/returnablePackageTransportCostPayment
266	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Returnable package return transport payment code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/returnablePackageTransportCostPayment/@codeListVersion
266	BDT00000661		1 .. 1	Depth measurement content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Depth measurement/Depth measurement content		1 .. 1	depth <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/depth
266	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Depth measurement/Measurement unit code/Measurement unit code content			transactionalTradelItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth/@measurementUnitCode
266	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Depth measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradelItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth/@codeListVersion
266	BDT000000650		1 .. 1	Height measurement content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Height measurement/Height measurement content	1 .. 1		height <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradelItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/height
266	BDT000000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Height measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradelItem/transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/height/ @measurementUnitCode
267	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Height measurement/Measurement unit code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/height/@codeListVersion
267	BDT00000662		1 .. 1	Width measurement content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Width measurement/Width measurement content		1 .. 1	width <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/width
267	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Width measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/width/@measurementUnitCode
267	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Width measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/width/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
267	BDT00000695		1 .. 1	Product quality value content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Product quality value/Product quality value content		0 .. 1	productQualityIndication <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/productQualityIndication
267	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Product quality value/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/productQualityIndication/@measurementUnitCode
267	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Product quality value/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/productQualityIndication/@codeListVersion
267	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item quantity/Trade item quantity content		0 .. 1	tradeItemQuantity <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/tradeItemQuantity
267	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/tradeItemQuantity/@measurementUnitCode
267	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Dynamic trade item information/Trade item quantity/ Measurement unit code/Code list version			transactionalTradeItem/transactionalItemData/ tradeItemQuantity/@codeListVersion
268	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		1 .. 1	measurementValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemWeight/measurementValue
268	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Measurement unit code/ Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemWeight/measurementValue/ @measurementUnitCode
268	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Measurement unit code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemWeight/measurementValue/ @codeListVersion
268	BDT00000666	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Measurement type code/ Measurement type code content	1 .. 80	1 .. 1	measurementType <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemWeight/measurementType
268	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Trade item weight information/Measurement type code/ Code list version			transactionalItemWeight/measurementType/ @codeListVersion
268	BDT00000752		1 .. 1	Trade item volume content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume information/Trade item volume content		1 .. 1	measurementValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemVolume/measurementValue
268	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume information/Measurement unit code/ Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemVolume/measurementValue/ @measurementUnitCode
268	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume information/Measurement unit code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemVolume/measurementValue/ @codeListVersion
268	BDT00000666	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume information/Measurement type code/ Measurement type code content	1 .. 80	1 .. 1	measurementType <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemVolume/measurementType
268	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemVolume/measurementType/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Measurement type code/ Code list version			@codeListVersion
269	BDT00000092		0 .. 1	Maximum value <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Serial number range/ Maximum value		0 .. 1	maximumValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ serialNumberRange/maximumValue
269	BDT00000094		0 .. 1	Minimum value <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Serial number range/ Minimum value		0 .. 1	minimumValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ serialNumberRange/minimumValue
269	BDT00000661		1 .. 1	Depth measurement content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item measurements information/Depth measurement/Depth measurement content		1 .. 1	depth <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/depth
269	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item measurements information/Depth measurement/ Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/depth/ @measurementUnitCode
269	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item measurements information/Depth measurement/	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/depth/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Measurement unit code/Code list version			
269	BDT00000650		1 .. 1	Height measurement content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/Height measurement content		1 .. 1	height <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/height
269	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/height/@measurementUnitCode
269	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/height/@codeListVersion
269	BDT00000662		1 .. 1	Width measurement content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Width measurement content		1 .. 1	width <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/width
269	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Measurement unit code content			transactionalTradeItem/transactionalItemData/transactionalItemDimensions/width/@measurementUnitCode
270	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/width/@codeListVersion
270	BDT000000646	.. 80	1 .. 1	GS1 global trade item number format code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/GS1 global trade item number format code/GS1 global trade item number format code content	1 .. 80	0 .. 1	gs1TransactionalItemIdentificationKey <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/gs1TransactionalItemIdentificationKey
270	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/GS1 global trade item number format code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/gs1TransactionalItemIdentificationKey/@codeListVersion
270	BDT000000639	.. 80	1 .. 1	Data carrier type code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item	1 .. 80	0 .. 1	dataCarrier <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Global trade item number format and type of carrier information/ Data carrier type code/Data carrier type code content			transactionalItemDataCarrierAndIdentification/dataCarrier
270	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/ Data carrier type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDataCarrierAndIdentification/ dataCarrier/@codeListVersion
270	BDT00000138		0 .. 1	Waste identification <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item waste information/Waste identification		0 .. 1	wasteIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ tradeItemWaste/wasteIdentification
270	BDT00000702	.. 80	1 .. 1	Waste type code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Waste type code content	1 .. 80	0 .. unbounded	typeOfWaste <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ tradeItemWaste/typeOfWaste
270	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code description	1 .. 80		codeDescription <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ tradeItemWaste/typeOfWaste/@codeDescription
270	BDT00000023	.. 80	0 .. 1	Code list agency code <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item	1 .. 80		codeListAgencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Trade item waste information/Waste type code/Code list agency code			tradeItemWaste/typeOfWaste/@codeListAgencyCode
270	BDT000000024	.. 35	0 .. 1	Code list agency code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list agency code list version	1 .. 35		codeListAgencyCodeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ tradeItemWaste/typeOfWaste/ @codeListAgencyCodeListVersion
271	BDT000000025	.. 80	0 .. 1	Code list agency name <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list agency name	1 .. 80		codeListAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ tradeItemWaste/typeOfWaste/@codeListAgencyName
271	BDT000000026	.. 80	0 .. 1	Code list name <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list name	1 .. 80		codeListName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ tradeItemWaste/typeOfWaste/@codeListName
271	BDT000000027	.. 500	0 .. 1	Code list URL <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list URL			codeListURI <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ tradeItemWaste/typeOfWaste/@codeListURI
271	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Trade item waste information/Waste type code/Code list version			tradeItemWaste/typeOfWaste/@codeListVersion
271	BDT00000081		1 .. 1	Trade item organic indicator <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item organic information/Trade item organic indicator		1 .. 1	isTradeItemOrganic <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemOrganicInformation/isTradeItemOrganic
271	BDT00000017	.. 200	0 .. 1	Certification value <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item organic information/Organic certification information/Certification value	1 .. 200	0 .. 1	itemCertificationValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemOrganicInformation/organicCertification/itemCertificationValue
271	BDT00000015	.. 200	0 .. 1	Certification agency name <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item organic information/Organic certification information/Certification agency name	1 .. 200	0 .. 1	itemCertificationAgency <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemOrganicInformation/organicCertification/itemCertificationAgency
271	BDT00000016	.. 200	0 .. 1	Certification standard name <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item organic information/Organic certification information/Certification standard name	1 .. 200	0 .. 1	itemCertificationStandard <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemOrganicInformation/organicCertification/itemCertificationStandard
271	BDT00000736		1 .. 1	Colour code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Colour information/Colour code/Colour code content	1 .. 80	0 .. 1	colourCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/colour/colourCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
271	BDT00000029	.. 80	1 .. 1	Colour code system code <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Colour information/Colour code/Colour code system code	1 .. 80		colourCodeListCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/colour/colourCode/@colourCodeListCode
272	BDT00000030	.. 80	0 .. 1	Colour code system description <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Colour information/Colour code/Colour code system description	1 .. 80		colourCodeListDescription <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/colour/colourCode/@colourCodeListDescription
272	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Colour information/Colour code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/colour/colourCode/@codeListVersion
272	BDT00000031	.. 35	0 .. 1	Colour code system version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Colour information/Colour code/Colour code system version	1 .. 35		colourCodeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/colour/colourCode/@colourCodeListVersion
272	BDT00000737	.. 70	1 .. 1	Colour description content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Colour information/Colour description/Colour description content	1 .. 80	0 .. unbounded	colourDescription <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/colour/colourDescription
272	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Colour information/Colour description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/colour/colourDescription/@languageCode
272	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Colour information/Colour description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/colour/colourDescription/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
272	BDT00000679	.. 70	1 .. 1	Size description content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Size information/Size description/Size description content	1 .. 80	0 .. 1	descriptiveSize <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/size/descriptiveSize
272	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Size information/Size description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/size/descriptiveSize/@languageCode
272	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Size information/Size description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/size/descriptiveSize/@codeListVersion
272	BDT00000680	.. 80	1 .. 1	Size code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Size information/Size code/Size code content	1 .. 80	0 .. 1	sizeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/size/sizeCode
273	BDT00000681	.. 80	1 .. 1	Size code list code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Size information/Size code/Size code list code/Size code list code content	1 .. 80		sizeCodeListCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/size/sizeCode/@sizeCodeListCode
273	BDT00000124	.. 80	0 .. 1	Size code list description <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Size information/Size code/Size code list description	1 .. 80		sizeCodeListDescription <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/size/sizeCode/@sizeCodeListDescription
273	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Size information/Size	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/size/sizeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
273	BDT00000125	.. 35	0 .. 1	code/Code list version Size code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Size information/Size code/Size code list version	1 .. 35		sizeCodeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/size/sizeCode/@sizeCodeListVersion
273	BDT00000070	.. 8	1 .. 1	GS1 global product classification GPC brick code <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/GS1 global product classification GPC brick code	1 .. 1		gpcCategoryCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemClassification/gpcCategoryCode
273	BDT00000071	.. 200	0 .. 1	GS1 global product classification GPC brick name <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/GS1 global product classification GPC brick name	1 .. 105	0 .. 1	gpcCategoryName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemClassification/gpcCategoryName
273	BDT00000536	.. 80	1 .. 1	Alternative trade item product classification code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/Alternative trade item product classification code/Alternative trade item product classification code content	1 .. 80	0 .. unbounded	additionalTradeItemClassificationCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemClassification/additionalTradeItemClassificationCode
273	BDT00000002	.. 80	0 .. 1	Additional trade item classification scheme code <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/Alternative trade item	1 .. 80		additionalTradeItemClassificationCodeListCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemClassification/additionalTradeItemClassificationCode/@additionalTradeItemClassificationCodeListCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
273	BDT00000003	.. 35	0 .. 1	product classification code/Additional trade item classification scheme code Additional trade item classification scheme version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/Alternative trade item product classification code/Additional trade item classification scheme version	1 .. 35		additionalTradelItemClassificationCodeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradelItem/tradelItemClassification/additionalTradelItemClassificationCode/@additionalTradelItemClassificationCodeListVersion
273	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/Alternative trade item product classification code/Code description	1 .. 80		codeDescription <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradelItem/tradelItemClassification/additionalTradelItemClassificationCode/@codeDescription
274	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/Alternative trade item product classification code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradelItem/tradelItemClassification/additionalTradelItemClassificationCode/@codeListVersion
274	BDT00000067	.. 8	1 .. 1	GS1 global product classification GPC attribute type code <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute type code	1 .. 1		gpcAttributeTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradelItem/tradelItemClassification/gpcAttribute/gpcAttributeTypeCode
	BDT00000068						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
274		.. 8	1 .. 1	GS1 global product classification GPC attribute value code <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute value code		1 .. 1	gpcAttributeValueCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeValueCode
274	BDT00000064	.. 200	0 .. 1	Global product classification GPC attribute type name <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/Global Product Classification attributes/Global product classification GPC attribute type name	1 .. 105	0 .. 1	gpcAttributeTypeName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeTypeName
274	BDT00000069	.. 200	0 .. 1	GS1 global product classification GPC attribute value name <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute value name	1 .. 105	0 .. 1	gpcAttributeValueName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeValueName
274	BDT00000417		1 .. 1	Invoiced quantity content <i>Path:</i> Invoice/Invoice line/Invoiced quantity/Invoiced quantity content		1 .. 1	invoicedQuantity <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoicedQuantity
274	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Invoice line/Invoiced quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoicedQuantity/@measurementUnitCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
274	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Invoiced quantity/ Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoicedQuantity/@codeListVersion
274	BDT00000429		1 .. 1	Delivered quantity value <i>Path:</i> Invoice/Invoice line/Delivered quantity/ Delivered quantity value		0 .. 1	deliveredQuantity <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ deliveredQuantity
274	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Invoice line/Delivered quantity/Measurement unit code/ Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ deliveredQuantity/@measurementUnitCode
275	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Delivered quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ deliveredQuantity/@codeListVersion
275	BDT00000566		1 .. 1	Total requested quantity content <i>Path:</i> Invoice/Invoice line/Total requested quantity/Total requested quantity content		0 .. 1	totalOrderedQuantity <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ totalOrderedQuantity
275	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Invoice line/Total requested quantity/Measurement unit code/ Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ totalOrderedQuantity/@measurementUnitCode
275	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Total requested quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ totalOrderedQuantity/@codeListVersion
275	BDT00000711		1 .. 1	Free goods quantity content <i>Path:</i> Invoice/Invoice line/Free goods		0 .. 1	freeGoodsQuantity <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
275	BDT00000607	.. 80	1 .. 1	quantity/Free goods quantity content Measurement unit code content <i>Path:</i> Invoice/Invoice line/Free goods quantity/Measurement unit code/Measurement unit code content	1 .. 80		freeGoodsQuantity measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/freeGoodsQuantity/@measurementUnitCode
275	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Free goods quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/freeGoodsQuantity/@codeListVersion
275	BDT00000596		1 .. 1	Total line item gross monetary amount content <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount/Total line item gross monetary amount content		0 .. 1	amountExclusiveAllowancesCharges <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/amountExclusiveAllowancesCharges
275	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/amountExclusiveAllowancesCharges/@currencyCode
275	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/amountExclusiveAllowancesCharges/@codeListVersion
276	BDT00000597		1 .. 1	Total line item gross monetary amount including tax content <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount including tax/Total line item gross monetary amount including tax content		0 .. 1	amountInclusiveAllowancesCharges <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemInformationAfterTaxes/amountInclusiveAllowancesCharges
276	BDT00000589	.. 80	1 .. 1	Currency code content	1 .. 80		currencyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount including tax/ Currency code/Currency code content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceLineItemInformationAfterTaxes/ amountInclusiveAllowancesCharges/@currencyCode
276	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount including tax/ Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceLineItemInformationAfterTaxes/ amountInclusiveAllowancesCharges/@codeListVersion
276	BDT000000598		1 .. 1	Total line item net monetary amount content <i>Path:</i> Invoice/Invoice line/Total line item net monetary amount/Total line item net monetary amount content		0 .. 1	amountInclusiveAllowancesCharges <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ amountInclusiveAllowancesCharges
276	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Total line item net monetary amount/Currency code/ Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ amountInclusiveAllowancesCharges/@currencyCode
276	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Total line item net monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ amountInclusiveAllowancesCharges/@codeListVersion
276	BDT000000599		1 .. 1	Total line item net monetary amount including tax content <i>Path:</i> Invoice/Invoice line/Total line item net monetary amount including tax/Total line item net monetary amount including tax content		0 .. 1	amountExclusiveAllowancesCharges <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceLineItemInformationAfterTaxes/ amountExclusiveAllowancesCharges
276	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Total line item net monetary amount including tax/ Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceLineItemInformationAfterTaxes/ amountExclusiveAllowancesCharges/@currencyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
276	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Total line item net monetary amount including tax/ Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceLineItemInformationAfterTaxes/ amountExclusiveAllowancesCharges/@codeListVersion
276	BDT00000414		1 .. 1	Trade item price base quantity content <i>Path:</i> Invoice/Invoice line/Trade item price base quantity/Trade item price base quantity content		0 .. 1	itemPriceBaseQuantity <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ itemPriceBaseQuantity
277	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Invoice line/Trade item price base quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ itemPriceBaseQuantity/@measurementUnitCode
277	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Trade item price base quantity/Measurement unit code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ itemPriceBaseQuantity/@codeListVersion
277	BDT00000606		1 .. 1	Trade item net price content <i>Path:</i> Invoice/Invoice line/Trade item net price/Trade item net price content		0 .. 1	itemPriceInclusiveAllowancesCharges <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ itemPriceInclusiveAllowancesCharges
277	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Trade item net price/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ itemPriceInclusiveAllowancesCharges/@currencyCode
277	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Trade item net price/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ itemPriceInclusiveAllowancesCharges/@codeListVersion
277	BDT00000604		1 .. 1	Trade item gross price content <i>Path:</i> Invoice/Invoice line/Trade item gross price/Trade item gross price content		0 .. 1	itemPriceExclusiveAllowancesCharges <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ itemPriceExclusiveAllowancesCharges

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
277	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Trade item gross price/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/itemPriceExclusiveAllowancesCharges/@currencyCode
277	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Trade item gross price/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/itemPriceExclusiveAllowancesCharges/@codeListVersion
277	BDT00000754		1 .. 1	Trade item current price content <i>Path:</i> Invoice/Invoice line/Trade item current price/Trade item current price content		0 .. 1	currentPrice <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/currentPrice
277	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Trade item current price/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/currentPrice/@currencyCode
278	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Trade item current price/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/currentPrice/@codeListVersion
278	BDT00000735		1 .. 1	Trade item list current price discounted content <i>Path:</i> Invoice/Invoice line/Trade item list current price discounted/Trade item list current price discounted content		0 .. 1	currentListPriceDiscounted <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/currentListPriceDiscounted
278	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Trade item list current price discounted/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/currentListPriceDiscounted/@currencyCode
278	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Trade item list current price discounted/Currency	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/currentListPriceDiscounted/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
278	BDT00000727		1 .. 1	code/Code list version Trade item contract price temporarily discounted content <i>Path:</i> Invoice/Invoice line/Trade item contract price temporarily discounted/Trade item contract price temporarily discounted content		0 .. 1	contractPriceTemporarilyDiscounted <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contractPriceTemporarilyDiscounted
278	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Trade item contract price temporarily discounted/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contractPriceTemporarilyDiscounted/@currencyCode
278	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Trade item contract price temporarily discounted/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contractPriceTemporarilyDiscounted/@codeListVersion
278	BDT00000729		1 .. 1	Trade item list price discounted content <i>Path:</i> Invoice/Invoice line/Trade item list price discounted/Trade item list price discounted content		0 .. 1	listPriceDiscounted <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/listPriceDiscounted
278	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Trade item list price discounted/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/listPriceDiscounted/@currencyCode
278	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Trade item list price discounted/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/listPriceDiscounted/@codeListVersion
279	BDT00000734		1 .. 1	Trade item sales price to consumer content <i>Path:</i> Invoice/Invoice line/Trade item sales		0 .. 1	salesPriceToConsumer <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				price to consumer/Trade item sales price to consumer content			salesPriceToConsumer
279	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Trade item sales price to consumer/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesPriceToConsumer/@currencyCode
279	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Trade item sales price to consumer/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesPriceToConsumer/@codeListVersion
279	BDT00000722		1 .. 1	Trade item retail price excluding excise tax content <i>Path:</i> Invoice/Invoice line/Trade item retail price excluding excise tax/Trade item retail price excluding excise tax content		0 .. 1	retailPriceExcludingExcise <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/retailPriceExcludingExcise
279	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Trade item retail price excluding excise tax/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/retailPriceExcludingExcise/@currencyCode
279	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Trade item retail price excluding excise tax/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/retailPriceExcludingExcise/@codeListVersion
279	BDT00000721		1 .. 1	Trade item legally retail price content <i>Path:</i> Invoice/Invoice line/Trade item legally retail price/Trade item legally retail price content		0 .. 1	legallyFixedRetailPrice <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/legallyFixedRetailPrice
279	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Trade item legally	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				retail price/Currency code/Currency code content			legallyFixedRetailPrice/@currencyCode
279	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Trade item legally retail price/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/legallyFixedRetailPrice/@codeListVersion
279	BDT00000720		1 .. 1	Trade item recommended retail price content <i>Path:</i> Invoice/Invoice line/Trade item recommended retail price/Trade item recommended retail price content		0 .. 1	recommendedRetailPrice <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/recommendedRetailPrice
280	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Trade item recommended retail price/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/recommendedRetailPrice/@currencyCode
280	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Trade item recommended retail price/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/recommendedRetailPrice/@codeListVersion
280	BDT00000718	.. 80	1 .. 1	Margin scheme type code content <i>Path:</i> Invoice/Invoice line/Margin scheme type code/Margin scheme type code content	1 .. 80	0 .. 1	marginSchemeInformation <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/marginSchemeInformation
280	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Margin scheme type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/marginSchemeInformation/@codeListVersion
280	BDT00000719	.. 70	1 .. 1	Margin scheme type description content <i>Path:</i> Invoice/Invoice line/Margin scheme type description/Margin scheme type	1 .. 200	0 .. 1	marginSchemeDescription <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/marginSchemeDescription

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
280	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Margin scheme type description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/marginSchemeDescription/@languageCode
280	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Margin scheme type description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/marginSchemeDescription/@codeListVersion
280	BDT00000675	.. 80	1 .. 1	Order line instruction description content <i>Path:</i> Invoice/Invoice line/Order line item instruction description/Order line instruction description content	1 .. 100	0 .. 1	additionalOrderLineInstruction <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/additionalOrderLineInstruction
280	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Order line item instruction description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/additionalOrderLineInstruction/@languageCode
280	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Order line item instruction description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/additionalOrderLineInstruction/@codeListVersion
281	BDT00000717	.. 80	1 .. 1	Transfer of ownership condition code content <i>Path:</i> Invoice/Invoice line/Transfer of ownership condition code/Transfer of ownership condition code content	1 .. 80	0 .. 1	ownershipPriorToPayment <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ownershipPriorToPayment
281	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Transfer of ownership condition code/Code list	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ownershipPriorToPayment/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
281	BDT00000670	.. 70	1 .. 1	Notation content <i>Path:</i> Invoice/Invoice line/Notation/Notation content	1 .. 500	0 .. 1	note <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/note
281	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Notation/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/note/@languageCode
281	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Notation/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/note/@codeListVersion
281	BDT00000006		0 .. 1	Allowance percentage <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance percentage		0 .. 1	allowanceChargePercentage <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargePercentage
281	BDT00000012	.. 80	0 .. 1	Bracket criteria <i>Path:</i> Invoice/Invoice line/Allowance information/Bracket criteria	1 .. 80	0 .. 1	bracketIdentifier <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/bracketIdentifier
281	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Invoice/Invoice line/Allowance information/Calculation sequence number		0 .. 1	sequenceNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/sequenceNumber
281	BDT00000531	.. 80	1 .. 1	Allowance type code content <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance type code/Allowance type code content	1 .. 80	1 .. 1	allowanceChargeType <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeType
281	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeType/@codeListVersion
282	BDT00000532	.. 80	1 .. 1	Settlement allowance code content	1 .. 80	1 .. 1	settlementType

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Allowance information/Settlement allowance code/Settlement allowance code content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/settlementType
282	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Allowance information/Settlement allowance code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/settlementType/@codeListVersion
282	BDT00000528		1 .. 1	Allowance monetary amount content <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance monetary amount/Allowance monetary amount content		0 .. 1	allowanceChargeAmount <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeAmount
282	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeAmount/@currencyCode
282	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeAmount/@codeListVersion
282	BDT00000529		1 .. 1	Allowance monetary amount per unit content <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance monetary amount per unit/Allowance monetary amount per unit content		0 .. 1	amountPerUnit <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/amountPerUnit
282	BDT00000589	.. 80	1 .. 1	Currency code content	1 .. 80		currencyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Allowance information/Allowance monetary amount per unit/Currency code/Currency code content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/amountPerUnit/@currencyCode
282	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance monetary amount per unit/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/amountPerUnit/@codeListVersion
282	BDT00000526		1 .. 1	Allowance basis monetary amount content <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance basis monetary amount/Allowance basis monetary amount content		0 .. 1	baseAmount <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/baseAmount
282	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance basis monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/baseAmount/@currencyCode
283	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance basis monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/baseAmount/@codeListVersion
283	BDT00000533		1 .. 1	Allowance quantity basis content <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance quantity basis/Allowance quantity basis content		0 .. 1	baseNumberOfUnits <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/baseNumberOfUnits
283	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Invoice line/Allowance	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Allowance quantity basis/ Measurement unit code/Measurement unit code content			invoiceAllowanceCharge/baseNumberOfUnits/ @measurementUnitCode
283	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance quantity basis/ Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/baseNumberOfUnits/ @codeListVersion
283	BDT000000530	.. 80	1 .. 1	Allowance effective date type code content <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance effective date type code/Allowance effective date type code content	1 .. 80	0 .. 1	effectiveDateType <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/effectiveDateType
283	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance effective date type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/effectiveDateType/ @codeListVersion
283	BDT000000534	.. 80	1 .. 1	Special service type code content <i>Path:</i> Invoice/Invoice line/Allowance information/Special service type code/ Special service type code content	1 .. 80	0 .. 1	specialServiceType <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/specialServiceType
283	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Allowance information/Special service type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/specialServiceType/ @codeListVersion
283	BDT000000527	.. 70	1 .. 1	Allowance description content <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance description/ Allowance description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/allowanceChargeDescription/ description
	BDT000000524						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
283		.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance description/ Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/allowanceChargeDescription/ description/@languageCode
284	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/allowanceChargeDescription/ description/@codeListVersion
284	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/ Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxAgencyName
284	BDT000000537	.. 80	1 .. 1	Tax category code content <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/ Tax category code/Tax category code content	1 .. 80	0 .. 1	dutyFeeTaxCategoryCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxCategoryCode
284	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/ Tax category code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxCategoryCode/@codeListVersion
284	BDT000000371		0 .. 1	Tax rate <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/ Tax rate		0 .. 1	dutyFeeTaxPercentage <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxPercentage
284	BDT000000377		0 .. 1	Tax point date <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/ Tax point date		0 .. 1	dutyFeeTaxPointDate <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxPointDate

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
284	BDT00000538	.. 80	1 .. 1	Tax accounting currency code content <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	dutyFeeTaxAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAccountingCurrency
284	BDT00000559		1 .. 1	Taxable monetary amount content <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Taxable monetary amount/Taxable monetary amount content		0 .. 1	dutyFeeTaxBasisAmount <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmount
284	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Taxable monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmount/@currencyCode
284	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Taxable monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmount/@codeListVersion
285	BDT00000562		1 .. 1	Tax monetary amount content <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax monetary amount/Tax monetary amount content		0 .. 1	dutyFeeTaxAmount <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount
285	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount/@currencyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
285	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount/@codeListVersion
285	BDT000000561		1 .. 1	Tax monetary amount in accounting currency content <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content		0 .. 1	dutyFeeTaxAmountInAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency
285	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency/@currencyCode
285	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency/@codeListVersion
285	BDT000000560		1 .. 1	Taxable monetary amount in accounting currency content <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Taxable monetary amount in accounting currency/Taxable monetary		0 .. 1	dutyFeeTaxBasisAmountInAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
285	BDT00000589	.. 80	1 .. 1	amount in accounting currency content Currency code content <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency/@currencyCode
285	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency/@codeListVersion
285	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxDescription
286	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxDescription/@languageCode
286	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxDescription/@codeListVersion
286	BDT00000574	.. 70	1 .. 1	Tax exemption reason description content <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/	1 .. 80	0 .. 1	dutyFeeTaxExemptionDescription <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Tax exemption reason description/Tax exemption reason description content			dutyFeeTaxExemptionDescription
286	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax exemption reason description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxExemptionDescription/@languageCode
286	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax exemption reason description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxExemptionDescription/@codeListVersion
286	BDT00000575	.. 80	1 .. 1	Tax exemption reason code content <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax exemption reason code/Tax exemption reason code content	1 .. 80	0 .. 1	dutyFeeTaxExemptionReason <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxExemptionReason
286	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax exemption reason code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxExemptionReason/@codeListVersion
286	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxTypeCode
286	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
286	BDT00000018		0 .. 1	Charge percentage <i>Path:</i> Invoice/Invoice line/Charge information/Charge percentage		0 .. 1	allowanceChargePercentage <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargePercentage
287	BDT00000012	.. 80	0 .. 1	Bracket criteria <i>Path:</i> Invoice/Invoice line/Charge information/Bracket criteria	1 .. 80	0 .. 1	bracketIdentifier <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/bracketIdentifier
287	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Invoice/Invoice line/Charge information/Calculation sequence number		0 .. 1	sequenceNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/sequenceNumber
287	BDT000000620		1 .. 1	Charge monetary amount per unit content <i>Path:</i> Invoice/Invoice line/Charge information/Charge monetary amount per unit/Charge monetary amount per unit content		0 .. 1	amountPerUnit <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/amountPerUnit
287	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Charge information/Charge monetary amount per unit/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/amountPerUnit/@currencyCode
287	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Charge information/Charge monetary amount per unit/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/amountPerUnit/@codeListVersion
287	BDT000000618	.. 80	1 .. 1	Charge type code content <i>Path:</i> Invoice/Invoice line/Charge information/Charge type code/Charge type code content	1 .. 80	1 .. 1	allowanceChargeType <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeType

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
287	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Charge information/Charge type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeType/@codeListVersion
287	BDT00000617	.. 80	1 .. 1	Settlement charge code content <i>Path:</i> Invoice/Invoice line/Charge information/Settlement charge code/Settlement charge code content	1 .. 80	1 .. 1	settlementType <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/settlementType
287	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Charge information/Settlement charge code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/settlementType/@codeListVersion
287	BDT00000619		0 .. 1	Charge monetary amount content <i>Path:</i> Invoice/Invoice line/Charge information/Charge monetary amount/Charge monetary amount content		0 .. 1	allowanceChargeAmount <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeAmount
288	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Charge information/Charge monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeAmount/@currencyCode
288	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Charge information/Charge monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeAmount/@codeListVersion
288	BDT00000614		1 .. 1	Charge basis monetary amount content <i>Path:</i> Invoice/Invoice line/Charge information/Charge basis monetary amount/Charge basis monetary amount content		0 .. 1	baseAmount <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/baseAmount

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
288	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Charge information/Charge basis monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/baseAmount/@currencyCode
288	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Charge information/Charge basis monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/baseAmount/@codeListVersion
288	BDT00000753		1 .. 1	Charge quantity basis content <i>Path:</i> Invoice/Invoice line/Charge information/Charge quantity basis/Charge quantity basis content		0 .. 1	baseNumberOfUnits <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/baseNumberOfUnits
288	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Invoice line/Charge information/Charge quantity basis/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/baseNumberOfUnits/@measurementUnitCode
288	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Charge information/Charge quantity basis/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/baseNumberOfUnits/@codeListVersion
288	BDT00000615	.. 80	1 .. 1	Charge effective date type code content <i>Path:</i> Invoice/Invoice line/Charge information/Charge effective date type code/Charge effective date type code content	1 .. 80	0 .. 1	effectiveDateType <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/effectiveDateType
288	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Charge information/Charge effective date type code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/effectiveDateType/@codeListVersion
289	BDT00000534	.. 80	1 .. 1	Special service type code content <i>Path:</i> Invoice/Invoice line/Charge information/Special service type code/Special service type code content	1 .. 80	0 .. 1	specialServiceType <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/specialServiceType
289	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Charge information/Special service type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/specialServiceType/@codeListVersion
289	BDT00000573	.. 70	1 .. 1	Charge description content <i>Path:</i> Invoice/Invoice line/Charge information/Charge description/Charge description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeDescription/description
289	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Charge information/Charge description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeDescription/description/@languageCode
289	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Charge information/Charge description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeDescription/description/@codeListVersion
289	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAgencyName
289	BDT00000537	.. 80	1 .. 1	Tax category code content <i>Path:</i> Invoice/Invoice line/Charge	1 .. 80	0 .. 1	dutyFeeTaxCategoryCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Applicable tax information/ Tax category code/Tax category code content			invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxCategoryCode
289	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/ Tax category code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxCategoryCode/@codeListVersion
289	BDT000000371		0 .. 1	Tax rate <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/ Tax rate		0 .. 1	dutyFeeTaxPercentage <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxPercentage
289	BDT000000377		0 .. 1	Tax point date <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/ Tax point date		0 .. 1	dutyFeeTaxPointDate <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxPointDate
290	BDT000000538	.. 80	1 .. 1	Tax accounting currency code content <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/ Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	dutyFeeTaxAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxAccountingCurrency
290	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/ Tax accounting currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxAccountingCurrency/@codeListVersion
290	BDT000000562		1 .. 1	Tax monetary amount content <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/ Tax monetary amount/Tax monetary amount content		0 .. 1	dutyFeeTaxAmount <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxAmount

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
290	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount/@currencyCode
290	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount/@codeListVersion
290	BDT00000561		1 .. 1	Tax monetary amount in accounting currency content <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content		0 .. 1	dutyFeeTaxBasisAmountInAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency
290	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency/@currencyCode
290	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency/@codeListVersion
290	BDT00000754	.. 70	1 .. 1	Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax description/Tax description content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxDescription
290	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxDescription/@languageCode
291	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxDescription/@codeListVersion
291	BDT00000574	.. 70	1 .. 1	Tax exemption reason description content <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax exemption reason description/Tax exemption reason description content	1 .. 80	0 .. 1	dutyFeeTaxExemptionDescription <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxExemptionDescription
291	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax exemption reason description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxExemptionDescription/@languageCode
291	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax exemption reason description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxExemptionDescription/@codeListVersion
291	BDT00000575	.. 80	1 .. 1	Tax exemption reason code content <i>Path:</i> Invoice/Invoice line/Charge	1 .. 80	0 .. 1	dutyFeeTaxExemptionReason <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Applicable tax information/ Tax exemption reason code/Tax exemption reason code content			invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxExemptionReason
291	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/ Tax exemption reason code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxExemptionReason/@codeListVersion
291	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/ Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxTypeCode
291	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/ Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxTypeCode/@codeListVersion
291	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceLineTaxInformation/dutyFeeTaxAgencyName
291	BDT000000537	.. 80	1 .. 1	Tax category code content <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax category code/Tax category code content	1 .. 80	0 .. 1	dutyFeeTaxCategoryCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceLineTaxInformation/dutyFeeTaxCategoryCode
292	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax category code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceLineTaxInformation/dutyFeeTaxCategoryCode/ @codeListVersion
292	BDT000000371		0 .. 1	Tax rate <i>Path:</i> Invoice/Invoice line/Applicable tax		0 .. 1	dutyFeeTaxPercentage <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
292	BDT00000377		0 .. 1	information/Tax rate Tax point date <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax point date		0 .. 1	invoiceLineTaxInformation/dutyFeeTaxPercentage dutyFeeTaxPointDate <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxPointDate
292	BDT00000538	.. 80	1 .. 1	Tax accounting currency code content <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	dutyFeeTaxAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxAccountingCurrency
292	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax accounting currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxAccountingCurrency/@codeListVersion
292	BDT00000559		1 .. 1	Taxable monetary amount content <i>Path:</i> Invoice/Invoice line/Applicable tax information/Taxable monetary amount/Taxable monetary amount content		0 .. 1	dutyFeeTaxBasisAmount <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxBasisAmount
292	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Applicable tax information/Taxable monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxBasisAmount/@currencyCode
292	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Applicable tax information/Taxable monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxBasisAmount/@codeListVersion
292	BDT00000562		1 .. 1	Tax monetary amount content		0 .. 1	dutyFeeTaxAmount

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax monetary amount/Tax monetary amount content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxAmount
292	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxAmount/@currencyCode
293	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxAmount/@codeListVersion
293	BDT00000561		1 .. 1	Tax monetary amount in accounting currency content <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content		0 .. 1	dutyFeeTaxAmountInAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxAmountInAccountingCurrency
293	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxAmountInAccountingCurrency/@currencyCode
293	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxAmountInAccountingCurrency/@codeListVersion
293	BDT00000560		1 .. 1	Taxable monetary amount in accounting currency content <i>Path:</i> Invoice/Invoice line/Applicable tax		0 .. 1	dutyFeeTaxBasisAmountInAccountingCurrency <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content			dutyFeeTaxBasisAmountInAccountingCurrency
293	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxBasisAmountInAccountingCurrency/@currencyCode
293	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxBasisAmountInAccountingCurrency/@codeListVersion
293	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxDescription
293	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxDescription/@languageCode
293	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxDescription/@codeListVersion
294	BDT00000574	.. 70	1 .. 1	Tax exemption reason description content <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax exemption reason description/Tax exemption reason	1 .. 80	0 .. 1	dutyFeeTaxExemptionDescription <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxExemptionDescription

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
294	BDT00000524	.. 80	1 .. 1	description content Language code content <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax exemption reason description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxExemptionDescription/@languageCode
294	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax exemption reason description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxExemptionDescription/@codeListVersion
294	BDT00000575	.. 80	1 .. 1	Tax exemption reason code content <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax exemption reason code/Tax exemption reason code content	1 .. 80	0 .. 1	dutyFeeTaxExemptionReason <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxExemptionReason
294	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax exemption reason code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxExemptionReason/@codeListVersion
294	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxTypeCode
294	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxTypeCode/@codeListVersion
294	BDT00000455		0 .. 1	Actual ship date time		0 .. 1	actualShipDateTime

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Actual ship date time			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/actualShipDateTime
294	BDT00000456		0 .. 1	Despatch date time <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Despatch date time		0 .. 1	despatchDateTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/despatchDateTime
294	BDT00000457		0 .. 1	Estimated delivery date time <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Estimated delivery date time		0 .. 1	estimatedDeliveryDateTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/estimatedDeliveryDateTime
295	BDT00000458		0 .. 1	Estimated delivery date time at ultimate consignee <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Estimated delivery date time at ultimate consignee		0 .. 1	estimatedDeliveryDateTimeAtUltimateConsignee <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/estimatedDeliveryDateTimeAtUltimateConsignee
295	BDT00000459		0 .. 1	Goods loading date time <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Goods loading date time		0 .. 1	loadingDateTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/loadingDateTime
295	BDT00000460		0 .. 1	Goods pick up date time <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Goods pick up date time		0 .. 1	pickUpDateTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/pickUpDateTime
295	BDT00000461		0 .. 1	Seller released goods date time <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Seller released goods date time		0 .. 1	releaseDateTimeOfSupplier <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/releaseDateTimeOfSupplier
295	BDT00000009		0 .. 1	Begin period date <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Estimated delivery		0 .. 1	beginDate <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/estimatedDeliveryPeriod/beginDate

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
295	BDT00000010		0 .. 1	period/Begin period date Begin time period <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Estimated delivery period/Begin time period		0 .. 1	beginTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ despatchInformation/estimatedDeliveryPeriod/beginTime
295	BDT00000054		0 .. 1	End date period <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Estimated delivery period/End date period		0 .. 1	endDate <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ despatchInformation/estimatedDeliveryPeriod/endDate
295	BDT00000055		0 .. 1	End time period <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Estimated delivery period/End time period		0 .. 1	endTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ despatchInformation/estimatedDeliveryPeriod/endTime
295	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Ship to party information/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/gln
295	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Ship to party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ additionalPartyIdentification
296	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
296		.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship to party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/additionalPartyIdentification/@codeListVersion
296	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/city
296	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/cityCode
296	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/countyCode
296	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/crossStreet
296	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/name
296	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
296	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/postalCode
296	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/provinceCode
297	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/state
297	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/streetAddressOne
297	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/streetAddressTwo
297	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/streetAddressThree
297	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/countryCode
297	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship to party	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/ Country code/Code list version			countryCode/@codeListVersion
297	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/ geographicalCoordinates/latitude
297	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/ geographicalCoordinates/longitude
297	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/ personName
297	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/ departmentName
298	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/ jobTitle
298	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/ contactTypeCode
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
298		.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/contactTypeCode/@codeListVersion
298	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/responsibility
298	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/responsibility/@languageCode
298	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/responsibility/@codeListVersion
298	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Communication channel code content			
298	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/communicationChannel/communicationChannelCode/@codeListVersion
298	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/communicationChannel/communicationValue
298	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/communicationChannel/communicationChannelName
299	BDT000000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/afterHoursCommunicationChannel/communicationChannelCode
299	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship to party	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version			afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
299	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/ afterHoursCommunicationChannel/communicationValue
299	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/ afterHoursCommunicationChannel/ communicationChannelName
299	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
299	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
299	BDT000000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration identification information/Identification scheme information/Identification scheme name			@identificationSchemeName
299	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
299	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
299	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
300	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Invoice line/Ship to party	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax type code/Tax type code content			dutyFeeTaxRegistration/dutyFeeTaxTypeCode
300	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
300	BDT000000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxDescription
300	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
300	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
300	BDT000000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
300	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship to party	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax registration type code/ Code list version			dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
300	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ organisationDetails/organisationName
300	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ organisationDetails/officialAddress/countyCode
300	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ organisationDetails/officialAddress/city
301	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ organisationDetails/officialAddress/cityCode
301	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ organisationDetails/officialAddress/crossStreet
301	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ organisationDetails/officialAddress/pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
301	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/postalCode
301	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/provinceCode
301	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/state
301	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/streetAddressOne
301	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/streetAddressTwo
301	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/streetAddressThree
301	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice line/Ship to party	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Country code/Country code content			organisationDetails/officialAddress/countryCode
302	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ organisationDetails/officialAddress/countryCode/ @codeListVersion
302	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
302	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
302	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ organisationDetails/issuedCapital
302	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ organisationDetails/issuedCapital/@currencyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
302	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/issuedCapital/@codeListVersion
302	BDT000000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/legalStructure
302	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/legalStructure/@languageCode
302	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/legalStructure/@codeListVersion
302	BDT000000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/legalRegistration/legalRegistrationNumber
303	BDT000000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Invoice line/Ship to party	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Registered legal information/Legal registration additional information			organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
303	BDT000000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/legalRegistration/legalRegistrationType
303	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
303	BDT000000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/financialInstitutionName
303	BDT000000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/financialInstitutionBranchName
303	BDT000000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial account information/Financial account name			financialAccountName
303	BDT000000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumber
303	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
303	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
303	BDT000000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
304	BDT000000644	.. 80	1 .. 1	Financial routing number type code	1 .. 80	1 .. 1	financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
304	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
304	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/additionalFinancialInformation/description
304	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
304	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship to party	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version			financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
304	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ financialInstitutionInformation/address/city
304	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ financialInstitutionInformation/address/cityCode
304	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ financialInstitutionInformation/address/countyCode
304	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ financialInstitutionInformation/address/crossStreet
304	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ financialInstitutionInformation/address/name
305	BDT00000113	.. 80	0 .. 1	Post office box number	1 .. 80	0 .. 1	pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Post office box number			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/pOBoxNumber
305	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/postalCode
305	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/provinceCode
305	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/state
305	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/streetAddressOne
305	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/streetAddressTwo
305	BDT00000129	.. 200	0 .. 1	Street address three	1 .. 200	0 .. 1	streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Street address three			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/streetAddressThree
305	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/countryCode
305	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/countryCode/@codeListVersion
305	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/geographicalCoordinates/latitude
306	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/geographicalCoordinates/longitude
306	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Ship from party		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/gln

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Global location number GLN			
306	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Ship from party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ additionalPartyIdentification
306	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
306	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship from party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ additionalPartyIdentification/@codeListVersion
306	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ address/city
306	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ address/cityCode
306	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice line/Ship from party	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/County code			address/countyCode
306	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/crossStreet
306	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/name
307	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBxNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/pOBxNumber
307	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/postalCode
307	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/provinceCode
307	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/state
307	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
307	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/streetAddressTwo
307	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/streetAddressThree
307	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/countryCode
307	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/countryCode/@codeListVersion
307	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/geographicalCoordinates/latitude
308	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/geographicalCoordinates/longitude
308	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/personName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
308	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/departmentName
308	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/jobTitle
308	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/contactTypeCode
308	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/contactTypeCode/@codeListVersion
308	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/responsibility
308	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Business contact	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/responsibility/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
308	BDT00000028	.. 35	0 .. 1	responsibility description/Language code/Language code content Code list version <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/responsibility/@codeListVersion
308	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/communicationChannel/communicationChannelCode
309	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/communicationChannel/communicationChannelCode/@codeListVersion
309	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/communicationChannel/communicationValue
309	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Invoice line/Ship from party	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel name			contact/communicationChannel/ communicationChannelName
309	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ contact/afterHoursCommunicationChannel/ communicationChannelCode
309	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
309	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ contact/afterHoursCommunicationChannel/ communicationValue
309	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ contact/afterHoursCommunicationChannel/ communicationChannelName
	BDT00000369						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
309		.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
309	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
309	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
310	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
310	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax registration identification information/Identification	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			
310	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
310	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
310	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
310	BDT000000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription
310	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax description/Language code/Language code content			@languageCode
310	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
310	BDT000000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
310	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
311	BDT000000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/organisationName
311	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/countyCode
311	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/city

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
311	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/cityCode
311	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/pOBoxNumber
311	BDT000000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/postalCode
311	BDT000000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/provinceCode
311	BDT000000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/state
311	BDT000000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/streetAddressOne
311	BDT000000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
312	BDT00000129	.. 200	0 .. 1	information/Official address/Street address two Street address three <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/streetAddressThree
312	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/countryCode
312	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/countryCode/@codeListVersion
312	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/geographicalCoordinates/latitude
312	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/geographicalCoordinates/longitude
312	BDT00000655		1 .. 1	Issued capital content		0 .. 1	issuedCapital

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Issued capital/Issued capital content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/issuedCapital
312	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/issuedCapital/@currencyCode
312	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/issuedCapital/@codeListVersion
312	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/legalStructure
312	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/legalStructure/@languageCode
313	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Legal structure	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/legalStructure/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description/Language code/Code list version			
313	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/legalRegistration/legalRegistrationNumber
313	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
313	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/legalRegistration/legalRegistrationType
313	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
313	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Financial	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/financialInstitutionName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
313	BDT00000060	.. 80	0 .. 1	institution name Financial institution division name <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/financialInstitutionBranchName
313	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/financialAccount/financialAccountName
313	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumber
313	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
314	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Financial	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
314	BDT00000062	.. 80	1 .. 1	account information/Financial account number type code/Code list version Financial routing number <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
314	BDT00000064	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
314	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
314	BDT00000052	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
314	BDT00000524	.. 80	1 .. 1	description content Language code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
314	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
314	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ financialInstitutionInformation/address/city
314	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ financialInstitutionInformation/address/cityCode
314	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ financialInstitutionInformation/address/countyCode
315	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Ship from party	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Cross street			financialInstitutionInformation/address/crossStreet
315	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/name
315	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBxNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/pOBxNumber
315	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/postalCode
315	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/provinceCode
315	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/state
315	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship from party	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Street address one			financialInstitutionInformation/address/streetAddressOne
315	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/streetAddressTwo
315	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/streetAddressThree
315	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/countryCode
316	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/countryCode/@codeListVersion
316	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Geographical coordinates	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
316	BDT00000089	.. 80	1 .. 1	information/Latitude Longitude <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/geographicalCoordinates/longitude
316	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/gln
316	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/additionalPartyIdentification
316	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
316	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
316	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/city
316	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/cityCode
316	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/countyCode
317	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/crossStreet
317	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/name
317	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/pOBoxNumber
317	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/postalCode
317	BDT00000117	80 ..	0 .. 1	Province identity	1 .. 80	0 .. 1	provinceCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Province identity			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/provinceCode
317	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/state
317	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/streetAddressOne
317	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/streetAddressTwo
317	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/streetAddressThree
317	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/countryCode
318	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/countryCode/@codeListVersion
	BDT00000085						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
318		.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/geographicalCoordinates/latitude
318	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/geographicalCoordinates/longitude
318	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/personName
318	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/departmentName
318	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/jobTitle
318	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/contactTypeCode
318	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/contactTypeCode/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				contact information/Contact type code/Code list version			@codeListVersion
318	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/responsibility/
318	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/responsibility/@languageCode
319	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/responsibility/@codeListVersion
319	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/communicationChannel/communicationChannelCode
319	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/communicationChannel/communicationChannelCode/@codeListVersion
319	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/communicationChannel/communicationValue
319	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/communicationChannel/communicationChannelName
319	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/afterHoursCommunicationChannel/communicationChannelCode
319	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/After hours communication information/Communication channel code/	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Communication channel code content/Code list version			
319	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/afterHoursCommunicationChannel/communicationValue
319	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/afterHoursCommunicationChannel/communicationChannelName
319	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
320	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
320	BDT000000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax registration identification information/Identification	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
320	BDT00000073	.. 80	0 .. 1	scheme information/Identification scheme name Identification scheme agency name <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
320	BDT000000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
320	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
320	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax type code/	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
320	BDT000000028	.. 35	0 .. 1	Tax type code content Code list version <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
320	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
320	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
320	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
321	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
321	BDT000000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax registration type code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
321	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/organisationName
321	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/officialAddress/countyCode
321	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/officialAddress/city
321	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/officialAddress/cityCode
321	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/officialAddress/crossStreet
321	BDT00000113	.. 80	0 .. 1	Post office box number	1 .. 80	0 .. 1	pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/Post office box number			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/officialAddress/ pOBoxNumber
321	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/officialAddress/ postalCode
321	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/officialAddress/ provinceCode
322	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/officialAddress/ state
322	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/officialAddress/ streetAddressOne
322	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/officialAddress/ streetAddressTwo
322	BDT00000129	.. 200	0 .. 1	Street address three	1 .. 200	0 .. 1	streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/Street address three			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/officialAddress/ streetAddressThree
322	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/officialAddress/ countryCode
322	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/officialAddress/ countryCode/@codeListVersion
322	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/officialAddress/ geographicalCoordinates/latitude
322	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/officialAddress/ geographicalCoordinates/longitude
322	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/issuedCapital

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Issued capital/Issued capital content			
322	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/issuedCapital/@currencyCode
323	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/issuedCapital/@codeListVersion
323	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/legalStructure
323	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/legalStructure/@languageCode
323	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Legal structure description/Language code/	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/legalStructure/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
323	BDT000000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/ legalRegistration/legalRegistrationNumber
323	BDT000000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
323	BDT000000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/ legalRegistration/legalRegistrationType
323	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
323	BDT000000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/financialInstitutionInformation/ financialInstitutionName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
323	BDT000000060	.. 80	0 .. 1	information/Financial institution name Financial institution division name <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/financialInstitutionBranchName
324	BDT000000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/financialAccount/financialAccountName
324	BDT000000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/financialAccount/financialAccountNumber
324	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
324	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Incomming goods	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version			inventoryLocationTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
324	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
324	BDT000000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
324	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
324	BDT000000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Invoice line/Incomming goods	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				storage location information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			additionalFinancialInformation/description
324	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
324	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
325	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/city
325	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/cityCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
325	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/countyCode
325	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/crossStreet
325	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/name
325	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/pOBoxNumber
325	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/postalCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
325	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/provinceCode
325	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/state
325	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/streetAddressOne
326	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/streetAddressTwo
326	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/streetAddressThree
326	BDT00000774		1 .. 1	Country code content	1 .. 80	0 .. 1	countryCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/ Country code/Country code content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/countryCode
326	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/ Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/countryCode/@codeListVersion
326	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/geographicalCoordinates/latitude
326	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/geographicalCoordinates/longitude
326	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/gln
326	BDT00000578	.. 80	1 .. 1	Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Additional party identification information/Additional party identification content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/additionalPartyIdentification
326	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
326	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/additionalPartyIdentification/@codeListVersion
327	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/city
327	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/cityCode
327	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/countyCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
327	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/crossStreet
327	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/name
327	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/pOBoxNumber
327	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/postalCode
327	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/provinceCode
327	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/state
327	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/streetAddressOne
328	BDT00000130	.. 200	0 .. 1	Street address two	1 .. 200	0 .. 1	streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Street address two			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/streetAddressTwo
328	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/streetAddressThree
328	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/countryCode
328	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/countryCode/@codeListVersion
328	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/geographicalCoordinates/latitude
328	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/geographicalCoordinates/longitude
328	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/personName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
328	BDT00000044	.. 70	0 .. 1	contact information/Person name Department name <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/contact/departmentName
328	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/contact/jobTitle
328	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/contact/contactTypeCode
329	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/contact/contactTypeCode/ @codeListVersion
329	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/contact/responsibility
329	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/contact/responsibility/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				contact information/Business contact responsibility description/Language code/Language code content			@languageCode
329	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/responsibility/@codeListVersion
329	BDT000000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/communicationChannel/communicationChannelCode
329	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/communicationChannel/communicationChannelCode/@codeListVersion
329	BDT000000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/communicationChannel/communicationValue
329	BDT000000033	.. 200	0 .. 1	Communication channel name	1 .. 200	0 .. 1	communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Communication information/Communication channel name			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/communicationChannel/communicationChannelName
329	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/afterHoursCommunicationChannel/communicationChannelCode
329	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
330	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/afterHoursCommunicationChannel/communicationValue
330	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/After hours communication information/	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/afterHoursCommunicationChannel/communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
330	BDT00000369	.. 80	0 .. 1	Communication channel name Tax authority name <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
330	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
330	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
330	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
330	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			@identificationSchemeAgencyCode
330	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
330	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
330	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
331	BDT000000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription
331	BDT000000524	.. 80	1 .. 1	Language code content	1 .. 80		languageCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax description/Language code/Language code content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
331	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
331	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
331	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
331	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/organisationName
331	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/County code			officialAddress/countyCode
331	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/officialAddress/city
331	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/officialAddress/cityCode
331	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/officialAddress/crossStreet
332	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/officialAddress/pOBoxNumber
332	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/officialAddress/postalCode
332	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Province identity			officialAddress/provinceCode
332	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/officialAddress/state
332	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/officialAddress/streetAddressOne
332	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/officialAddress/streetAddressTwo
332	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/officialAddress/streetAddressThree
332	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/officialAddress/countryCode
332	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Outgoing goods	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				storage location information/ Organisation legal information/Official address/Country code/Code list version			inventoryLocationFrom/organisationDetails/ officialAddress/countryCode/@codeListVersion
332	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ officialAddress/geographicalCoordinates/latitude
333	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ officialAddress/geographicalCoordinates/longitude
333	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/issuedCapital
333	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ issuedCapital/@currencyCode
333	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Issued	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ issuedCapital/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
333	BDT00000659	.. 70	1 .. 1	capital/Currency code/Code list version Legal structure description content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/legalStructure
333	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ legalStructure/@languageCode
333	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ legalStructure/@codeListVersion
333	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ legalRegistration/legalRegistrationNumber
333	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/ Registered legal information/Legal	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
333	BDT00000658	.. 80	1 .. 1	registration additional information Legal registration type code content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ legalRegistration/legalRegistrationType
334	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
334	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/financialInstitutionInformation/ financialInstitutionName
334	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/financialInstitutionInformation/ financialInstitutionBranchName
334	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Financial account	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/financialInstitutionInformation/ financialAccount/financialAccountName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
334	BDT000000059	.. 80	1 .. 1	information/Financial account name Financial account number <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/financialAccount/financialAccountNumber
334	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
334	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
334	BDT000000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
	BDT000000644						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
334		.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
334	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
335	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/additionalFinancialInformation/description
335	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
335	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
335	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/city
335	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/cityCode
335	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/countyCode
335	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Cross	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
335	BDT00000106	.. 200	0 .. 1	street Party name <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/name
335	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/pOBoxNumber
335	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/postalCode
336	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/provinceCode
336	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/state

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
336	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/streetAddressOne
336	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/streetAddressTwo
336	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/streetAddressThree
336	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/countryCode
336	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
336	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/geographicalCoordinates/latitude
336	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/geographicalCoordinates/longitude
336	BDT00000065	.. 29	0 .. 1	Global returnable asset identifier, GRAI <i>Path:</i> Invoice/Invoice line/Returnable asset identification information/Global returnable asset identifier, GRAI		0 .. 1	grai <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ecom_ReturnableAssetIdentification/grai
337	BDT00000743	.. 80	1 .. 1	Additional returnable asset identification content <i>Path:</i> Invoice/Invoice line/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification content	1 .. 80	0 .. unbounded	additionalReturnableAssetIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ecom_ReturnableAssetIdentification/additionalReturnableAssetIdentification
337	BDT00000514	.. 80	1 .. 1	Additional returnable asset identification type code content <i>Path:</i> Invoice/Invoice line/Returnable asset identification information/Additional returnable asset identification	1 .. 80		additionalReturnableAssetIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ecom_ReturnableAssetIdentification/additionalReturnableAssetIdentification/@additionalReturnableAssetIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional return asset identification type code/Additional return asset identification type code content			
337	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Return asset identification information/Additional return asset identification information/Additional return asset identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ecom_ReturnableAssetIdentification/additionalReturnableAssetIdentification/@codeListVersion
337	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/personName
337	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/departmentName
337	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/jobTitle
337	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/contactTypeCode
337	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/contactTypeCode/@codeListVersion
	BDT00000580			Business contact responsibility			

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
337		.. 70	1 .. 1	description content <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/responsibility
337	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/responsibility/@languageCode
338	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/responsibility/@codeListVersion
338	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/communicationChannel/communicationChannelCode
338	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/communicationChannel/communicationChannelCode/@codeListVersion
338	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Contact for invoiced	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				trade item information/Communication information/Communication channel identification			invoiceLineItemContact/communicationChannel/communicationValue
338	BDT000000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/communicationChannel/communicationChannelName
338	BDT000000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/afterHoursCommunicationChannel/communicationChannelCode
338	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
338	BDT000000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/afterHoursCommunicationChannel/communicationValue
338	BDT000000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/After hours communication information/	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/afterHoursCommunicationChannel/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Communication channel name			communicationChannelName
338	BDT00000009		0 .. 1	Begin period date <i>Path:</i> Invoice/Invoice line/Invoiced service delivery period/Begin period date		0 .. 1	beginDate <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/servicetimePeriodLineLevel/beginDate
339	BDT00000010		0 .. 1	Begin time period <i>Path:</i> Invoice/Invoice line/Invoiced service delivery period/Begin time period		0 .. 1	beginTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/servicetimePeriodLineLevel/beginTime
339	BDT00000054		0 .. 1	End date period <i>Path:</i> Invoice/Invoice line/Invoiced service delivery period/End date period		0 .. 1	endDate <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/servicetimePeriodLineLevel/endDate
339	BDT00000055		0 .. 1	End time period <i>Path:</i> Invoice/Invoice line/Invoiced service delivery period/End time period		0 .. 1	endTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/servicetimePeriodLineLevel/endTime
339	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced delivery note document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryNote/entityIdentification
339	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced delivery note document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryNote/creationDateTime
339	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Invoice line/Referenced delivery note document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryNote/revisionNumber
339	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Invoice line/Referenced delivery note document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryNote/referencedDocumentUrl

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
339	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Invoice line/Referenced delivery note document information/Document line number	0 .. 1		lineltemNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineltem/deliveryNote/lineltemNumber
339	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced delivery note document information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> invoiceMessage/invoice/invoiceLineltem/deliveryNote/contentOwner/gln
339	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineltem/deliveryNote/contentOwner/additionalPartyIdentification
340	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineltem/deliveryNote/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
340	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineltem/deliveryNote/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
340	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/ Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseOrder/ entityIdentification
340	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/ Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseOrder/ creationDateTime
340	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/ Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseOrder/ revisionNumber
340	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/ Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseOrder/ referencedDocumentUrl
340	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/ Document line number		0 .. 1	lineItemNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseOrder/ lineItemNumber
340	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/ Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseOrder/ contentOwner/gln
340	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/ Document content owner/Additional party identification information/	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseOrder/ contentOwner/additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
340	BDT00000570	.. 80	1 .. 1	Additional party identification content Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
341	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseOrder/contentOwner/additionalPartyIdentification/@codeListVersion
341	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesOrder/entityIdentification
341	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesOrder/creationDateTime
341	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesOrder/revisionNumber
341	BDT00000118	.. 200	0 .. 1	Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Referenced document external location			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesOrder/referencedDocumentUri
341	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Document line number	0 .. 1		lineItemNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesOrder/lineItemNumber
341	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesOrder/contentOwner/gln
341	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesOrder/contentOwner/additionalPartyIdentification
341	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
341	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Document content owner/Additional party	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesOrder/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification type code/Code list version			
342	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced receiving advice information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/receivingAdvice/entityIdentification
342	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced receiving advice information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/receivingAdvice/creationDateTime
342	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Invoice line/Referenced receiving advice information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/receivingAdvice/revisionNumber
342	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Invoice line/Referenced receiving advice information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/receivingAdvice/lineItemNumber
342	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Invoice line/Referenced receiving advice information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/receivingAdvice/referencedDocumentUrl
342	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced receiving advice information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/receivingAdvice/contentOwner/gln
342	BDT00000578	.. 80	1 .. 1	Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/receivingAdvice/contentOwner/additionalPartyIdentification
342	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/receivingAdvice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
342	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/receivingAdvice/contentOwner/additionalPartyIdentification/@codeListVersion
342	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced promotional deal information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/promotionalDeal/entityIdentification
343	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced promotional deal information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/promotionalDeal/creationDateTime
343	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Invoice line/Referenced		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				promotional deal information/Revision number			promotionalDeal/revisionNumber
343	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Invoice line/Referenced promotional deal information/Document line number	0 .. 1		lineltemNumber <i>Path:</i> invoiceMessage/invoice/invoiceLinItem/promotionalDeal/lineltemNumber
343	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Invoice line/Referenced promotional deal information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/invoiceLinItem/promotionalDeal/referencedDocumentUrl
343	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced promotional deal information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> invoiceMessage/invoice/invoiceLinItem/promotionalDeal/contentOwner/gln
343	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLinItem/promotionalDeal/contentOwner/additionalPartyIdentification
343	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLinItem/promotionalDeal/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
343	BDT000000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/promotionalDeal/contentOwner/additionalPartyIdentification/@codeListVersion
343	BDT000000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced purchase conditions information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseConditions/entityIdentification
343	BDT000000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced purchase conditions information/ Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseConditions/creationDateTime
344	BDT000000119		0 .. 1	Revision number <i>Path:</i> Invoice/Invoice line/Referenced purchase conditions information/ Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseConditions/revisionNumber
344	BDT000000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Invoice line/Referenced purchase conditions information/ Document line number		0 .. 1	lineItemNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseConditions/lineItemNumber
344	BDT000000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Invoice line/Referenced purchase conditions information/ Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseConditions/referencedDocumentUrl
344	BDT000000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced purchase conditions information/ Document content owner/Global		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseConditions/contentOwner/gln

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
344	BDT00000578	.. 80	1 .. 1	location number GLN Additional party identification content <i>Path:</i> Invoice/Invoice line/Referenced purchase conditions information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseConditions/contentOwner/additionalPartyIdentification
344	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced purchase conditions information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseConditions/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
344	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Referenced purchase conditions information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseConditions/contentOwner/additionalPartyIdentification/@codeListVersion
344	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced despatch advice information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchAdvice/entityIdentification
344	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced despatch advice information/Business		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchAdvice/creationDateTime

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
344	BDT00000119		0 .. 1	document creation date time Revision number <i>Path:</i> Invoice/Invoice line/Referenced despatch advice information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchAdvice/revisionNumber
345	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Invoice line/Referenced despatch advice information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchAdvice/lineItemNumber
345	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Invoice line/Referenced despatch advice information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchAdvice/referencedDocumentUrl
345	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced despatch advice information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchAdvice/contentOwner/gln
345	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchAdvice/contentOwner/additionalPartyIdentification
345	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced despatch advice information/Document content owner/Additional party identification information/Additional	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchAdvice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification type code/Additional party identification type code content			
345	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchAdvice/contentOwner/additionalPartyIdentification/@codeListVersion
345	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced invoice document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoice/entityIdentification
345	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced invoice document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoice/creationDateTime
345	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Invoice line/Referenced invoice document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoice/revisionNumber
345	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Invoice line/Referenced invoice document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoice/referencedDocumentUrl
346	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Invoice line/Referenced invoice document information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoice/lineItemNumber
346	BDT00000063	13 .. 13	0 .. 1	Global location number GLN		0 .. 1	gln

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Referenced invoice document information/Document content owner/Global location number GLN			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoice/contentOwner/gln
346	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoice/contentOwner/additionalPartyIdentification
346	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
346	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoice/contentOwner/additionalPartyIdentification/@codeListVersion
346	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced consumption report information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consumptionReport/entityIdentification
346	BDT00000047		0 .. 1	Business document creation date time		0 .. 1	creationDateTime

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Referenced consumption report information/ Business document creation date time			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ consumptionReport/creationDateTime
346	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Invoice line/Referenced consumption report information/ Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ consumptionReport/revisionNumber
346	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Invoice line/Referenced consumption report information/ Document line number		0 .. 1	lineItemNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ consumptionReport/lineItemNumber
346	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Invoice line/Referenced consumption report information/ Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ consumptionReport/referencedDocumentUrl
347	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced consumption report information/ Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ consumptionReport/contentOwner/gln
347	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Referenced consumption report information/ Document content owner/Additional party identification information/ Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ consumptionReport/contentOwner/ additionalPartyIdentification
347	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced consumption report information/	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ consumptionReport/contentOwner/ additionalPartyIdentification/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			@additionalPartyIdentificationTypeCode
347	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Referenced consumption report information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consumptionReport/contentOwner/additionalPartyIdentification/@codeListVersion
347	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced contract information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contract/entityIdentification
347	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced contract information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contract/creationDateTime
347	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Invoice line/Referenced contract information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contract/revisionNumber
347	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Invoice line/Referenced contract information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contract/referencedDocumentUrl
347	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Invoice line/Referenced contract information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contract/lineItemNumber

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
347	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced contract information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contract/contentOwner/gln
348	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Referenced contract information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contract/contentOwner/additionalPartyIdentification
348	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced contract information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contract/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
348	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Referenced contract information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contract/contentOwner/additionalPartyIdentification/@codeListVersion
348	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeAgreement/entityIdentification
348	BDT00000047		0 .. 1	Business document creation date time	0 .. 1		creationDateTime

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Business document creation date time			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeAgreement/creationDateTime
348	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeAgreement/revisionNumber
348	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeAgreement/lineItemNumber
348	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeAgreement/referencedDocumentUrl
348	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeAgreement/contentOwner/gln
348	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeAgreement/contentOwner/additionalPartyIdentification
349	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeAgreement/contentOwner/additionalPartyIdentification/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			@additionalPartyIdentificationTypeCode
349	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeAgreement/contentOwner/additionalPartyIdentification/@codeListVersion
349	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/entityIdentification
349	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/creationDateTime
349	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/revisionNumber
349	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/referencedDocumentUri
349	BDT00000049	.. 6	0 .. 1	Document line number		0 .. 1	lineItemNumber

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Document line number			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/lineItemNumber
349	BDT000000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Document content owner/Global location number GLN	0 .. 1		gln <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/contentOwner/gln
349	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/contentOwner/additionalPartyIdentification
349	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
350	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Document content owner/Additional party identification information/Additional party identification type code/Code list	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
350	BDT00000758	.. 80	0 .. 1	version Logistics service business document type code content <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Logistics service business document type code/Logistics service business document type code content	1 .. 80	1 .. 1	logisticServiceReferenceTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/logisticServiceReferenceTypeCode
350	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Logistics service business document type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/logisticServiceReferenceTypeCode/@codeListVersion
350	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced additional information/Business document creation date time		0 .. 1	transactionalReferenceDateTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalGenericReference/transactionalReferenceDateTime
350	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Invoice/Invoice line/Referenced additional information/Business document reference identification	1 .. 200	1 .. 1	transactionalReferenceValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalGenericReference/transactionalReferenceValue
350	BDT00000699	.. 80	1 .. 1	Referenced document type code content <i>Path:</i> Invoice/Invoice line/Referenced additional information/Referenced document type code/Referenced document type code content	1 .. 80	1 .. 1	transactionalReferenceTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalGenericReference/transactionalReferenceTypeCode
350	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Referenced additional information/Referenced	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalGenericReference/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				document type code/Code list version			transactionalReferenceTypeCode/@codeListVersion
350	BDT00000488	.. 80	0 .. 1	Classification system name <i>Path:</i> Invoice/Invoice line/Trade item statistical classification information/ Classification system name	1 .. 80	0 .. 1	classificationSystemName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ tradeItemStatisticalClassification/ classificationSystemName
350	BDT00000489	.. 35	0 .. 1	Classification system version <i>Path:</i> Invoice/Invoice line/Trade item statistical classification information/ Classification system version	1 .. 35	0 .. 1	classificationSystemVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ tradeItemStatisticalClassification/ classificationSystemVersion
350	BDT00000490	.. 80	1 .. 1	Trade item class code <i>Path:</i> Invoice/Invoice line/Trade item statistical classification information/ Trade item class code	1 .. 80	1 .. 1	classificationSystemCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ tradeItemStatisticalClassification/ classificationSystemCode
351	BDT00000493	4 .. 30	0 .. 1	Global identification number for consignment, GINC <i>Path:</i> Invoice/Invoice line/Consignment information/Consignment identification information/Global identification number for consignment, GINC		0 .. 1	ginc <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ consignmentReference/consignmentIdentification/ginc
351	BDT00000004	.. 80	1 .. 1	Additional consignment identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignment identification information/Additional consignment identification information/Additional consignment identification content	1 .. 80	0 .. unbounded	additionalConsignmentIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ consignmentReference/consignmentIdentification/ additionalConsignmentIdentification
351	BDT00000487	.. 80	1 .. 1	Additional consignment identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignment identification	1 .. 80		additionalConsignmentIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ consignmentReference/consignmentIdentification/ additionalConsignmentIdentification/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional consignment identification information/Additional consignment identification type code/Additional consignment identification type code content			@additionalConsignmentIdentificationTypeCode
351	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Consignment information/Consignment identification information/Additional consignment identification information/Additional consignment identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignmentIdentification/additionalConsignmentIdentification/@codeListVersion
351	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Global location number, GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignor/gln
351	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignor/additionalPartyIdentification
351	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignor/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
351	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignor/additionalPartyIdentification/@codeListVersion
351	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Global location number, GLN		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignee/gln
351	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignee/additionalPartyIdentification
352	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignee/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
352	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignee/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
352	BDT00000500	4 .. 30	0 .. 1	identification information/Additional party identification type code/Code list version Global shipment identification number, GSIN <i>Path:</i> Invoice/Invoice line/Shipment information/Shipment identification/Global shipment identification number, GSIN	0 .. 1		gsin <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/shipmentIdentification/gsin
352	BDT00000517	.. 80	1 .. 1	Additional shipment identification content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipment identification/Additional shipment identification information/Additional shipment identification content	1 .. 80	0 .. unbounded	additionalShipmentIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/shipmentIdentification/additionalShipmentIdentification
352	BDT00000515	.. 80	1 .. 1	Additional shipment identification type code content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipment identification/Additional shipment identification information/Additional shipment identification type code/Additional shipment identification type code content	1 .. 80		additionalShipmentIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/shipmentIdentification/additionalShipmentIdentification/@additionalShipmentIdentificationTypeCode
352	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Shipment information/Shipment identification/Additional shipment identification information/Additional shipment identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/shipmentIdentification/additionalShipmentIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
352	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Global location number, GLN	0 .. 1		gln <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/shipper/gln
352	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/shipper/additionalPartyIdentification
352	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/shipper/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
352	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/shipper/additionalPartyIdentification/@codeListVersion
353	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Shipment information/Goods receiving party identification/Global location number,	0 .. 1		gln <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/receiver/gln

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				GLN			
353	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Shipment information/Goods receiving party identification/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/receiver/additionalPartyIdentification
353	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Shipment information/Goods receiving party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/receiver/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
353	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Shipment information/Goods receiving party identification/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/receiver/additionalPartyIdentification/@codeListVersion
353	BDT00000080		0 .. 1	Signature required indicator <i>Path:</i> Invoice/Invoice line/Delivery terms information/Signature required indicator		0 .. 1	isSignatureRequired <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/isSignatureRequired
353	BDT000000649		1 .. 1	Incoterms code content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Incoterms code/Incoterms code content	1 .. 80	0 .. 1	incotermsCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/incotermsCode
353	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Delivery terms information/Incoterms code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/incotermsCode/@codeListVersion
353	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Invoice/Invoice line/Delivery terms information/Alternative delivery terms code/Code description	1 .. 80		codeDescription <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/alternateDeliveryTermsCode/@codeDescription
353	BDT00000023	.. 80	0 .. 1	Code list agency code <i>Path:</i> Invoice/Invoice line/Delivery terms information/Alternative delivery terms code/Code list agency code	1 .. 80		codeListAgencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyCode
353	BDT00000024	.. 35	0 .. 1	Code list agency code list version <i>Path:</i> Invoice/Invoice line/Delivery terms information/Alternative delivery terms code/Code list agency code list version	1 .. 35		codeListAgencyCodeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyCodeListVersion
354	BDT00000025	.. 80	0 .. 1	Code list agency name <i>Path:</i> Invoice/Invoice line/Delivery terms information/Alternative delivery terms code/Code list agency name	1 .. 80		codeListAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyName
354	BDT00000026	.. 80	0 .. 1	Code list name <i>Path:</i> Invoice/Invoice line/Delivery terms information/Alternative delivery terms code/Code list name	1 .. 80		codeListName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/alternateDeliveryTermsCode/@codeListName
354	BDT00000027	.. 500	0 .. 1	Code list URL <i>Path:</i> Invoice/Invoice line/Delivery terms information/Alternative delivery terms code/Code list URL			codeListURI <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/alternateDeliveryTermsCode/@codeListURI
354	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Delivery terms	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Alternative delivery terms code/Code list version			alternateDeliveryTermsCode/@codeListVersion
354	BDT00000641	.. 70	1 .. 1	Delivery instructions description content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery instructions description/Delivery instructions description content	1 .. 500	0 .. 1	deliveryInstructions <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryInstructions
354	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery instructions description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryInstructions/@languageCode
354	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery instructions description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryInstructions/@codeListVersion
354	BDT00000701	.. 80	1 .. 1	Transport cost payment code content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Transport cost payment code/Transport cost payment code content	1 .. 80	0 .. 1	deliveryCostPayment <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryCostPayment
354	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Delivery terms information/Transport cost payment code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryCostPayment/@codeListVersion
354	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Global location number		0 .. 1	gln <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/gln

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				GLN			
355	BDT00000132	.. 80	0 .. 1	Sub location identification <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Sub location identification	1 .. 80	0 .. 1	sublocationIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/sublocationIdentification
355	BDT00000088	.. 80	0 .. 1	Logistics location name <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Logistics location name	1 .. 80	0 .. 1	locationName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/locationName
355	BDT00000137	.. 20	0 .. 1	Universal Time Coordinated UTC offset <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Universal Time Coordinated UTC offset		0 .. 1	utcOffset <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/utcOffset
355	BDT00000690	.. 80	1 .. 1	United Nations location code, UN/LOCODE content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/UN location code, UN/LOCODE/United Nations location code, UN/LOCODE content	1 .. 80	0 .. 1	unLocationCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/unLocationCode
355	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/UN location code, UN/LOCODE/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/unLocationCode/@codeListVersion
355	BDT00000627	.. 80	1 .. 1	Physical location identification content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Additional physical location	1 .. 80	0 .. unbounded	additionalLocationIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification/Physical location identification content			
355	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification/ @identificationSchemeName
355	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification/ @identificationSchemeAgencyName
355	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification/ @identificationSchemeAgencyCode
355	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification/ @identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				responsible agency code/Code list version			
356	BDT00000744	.. 70	1 .. 1	Specific instructions location description content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Specific instructions location description/Specific instructions location description content	1 .. 200	0 .. 1	locationSpecificInstructions <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/locationSpecificInstructions
356	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Specific instructions location description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/locationSpecificInstructions/@languageCode
356	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Specific instructions location description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/locationSpecificInstructions/@codeListVersion
356	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/city
356	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/City	1 .. 80	0 .. 1	cityCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/cityCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
356	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/countyCode
356	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/crossStreet
356	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/name
356	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/pOBoxNumber
356	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/postalCode
357	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/	1 .. 80	0 .. 1	provinceCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Province identity			
357	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/state
357	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/streetAddressOne
357	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/streetAddressTwo
357	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/streetAddressThree
357	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/countryCode
357	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
357	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/geographicalCoordinates/latitude
357	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/geographicalCoordinates/longitude
357	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/personName
358	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/departmentName
358	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/jobTitle
358	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/contactTypeCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Contact type code/Contact type code content			
358	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/contact/contactTypeCode/ @codeListVersion
358	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/contact/responsibility
358	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/contact/responsibility/ @languageCode
358	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Business contact responsibility description/Language	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/contact/responsibility/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
358	BDT00000525		1 .. 1	code/Code list version Communication channel code content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/communicationChannel/communicationChannelCode
358	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/communicationChannel/communicationChannelCode/@codeListVersion
358	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/communicationChannel/communicationValue
359	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/communicationChannel/communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
359	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/afterHoursCommunicationChannel/communicationChannelCode
359	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
359	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/afterHoursCommunicationChannel/communicationValue
359	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/afterHoursCommunicationChannel/communicationChannelName
359	BDT00000745	.. 80	1 .. 1	Day of the week code content		1 .. 1	dayOfTheWeekCode

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Regular operating hours information/Day of the week code/Day of the week code content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/regularOperatingHours/dayOfTheWeekCode
359	BDT00000078		0 .. 1	Business operational indicator <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Regular operating hours information/Business operational indicator		1 .. 1	isOperational <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/regularOperatingHours/isOperational
359	BDT00000021		0 .. 1	Closing time <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Regular operating hours information/Closing time		0 .. 1	closingTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/regularOperatingHours/closingTime
359	BDT00000098		0 .. 1	Opening time <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Regular operating hours information/Opening time		0 .. 1	openingTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/regularOperatingHours/openingTime
359	BDT00000078		0 .. 1	Business operational indicator <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Special operating hours information/Business operational indicator		1 .. 1	isOperational <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/specialOperatingHours/isOperational
360	BDT00000126		0 .. 1	Special date <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location		1 .. 1	specialDate <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/specialOperatingHours/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Special operating hours information/Special date			specialDate
360	BDT00000021		0 .. 1	Closing time <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Special operating hours information/Closing time		0 .. 1	closingTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ closingTime
360	BDT00000098		0 .. 1	Opening time <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Special operating hours information/Opening time		0 .. 1	openingTime <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ openingTime
360	BDT00000669	.. 80	1 .. 1	Name of special day content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Special operating hours information/Name of special day/Name of special day content	1 .. 80	0 .. 1	specialDateName <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName
360	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Special operating hours information/Name of special day/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName/@languageCode
360	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Special operating hours information/Name of special day/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
360	BDT00000508		0 .. 1	Price calculating factor <i>Path:</i> Invoice/Invoice line/Energy product price calculation information/Price calculating factor		0 .. 1	countedMeasureandFactor <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/energyQuantity/countedMeasureandFactor
360	BDT00000509		0 .. 1	Standard condition conversion <i>Path:</i> Invoice/Invoice line/Energy product price calculation information/Standard condition conversion		0 .. 1	standardConditionConversion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/energyQuantity/standardConditionConversion
360	BDT00000510		0 .. 1	Calorific value <i>Path:</i> Invoice/Invoice line/Energy product price calculation information/Calorific value		0 .. 1	calorificValue <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/energyQuantity/calorificValue
360	BDT00000110	.. 35	0 .. 1	Payment method identification <i>Path:</i> Invoice/Invoice line/Payment method information/Payment method identification	1 .. 200	0 .. 1	paymentMethodIdentification <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/paymentMethod/paymentMethodIdentification
361	BDT00000691	.. 80	1 .. 1	Payment method code content <i>Path:</i> Invoice/Invoice line/Payment method information/Payment method code/ Payment method code content	1 .. 80	1 .. 1	paymentMethodCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/paymentMethod/paymentMethodCode
361	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Payment method information/Payment method code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/paymentMethod/paymentMethodCode/@codeListVersion
361	BDT00000565		1 .. 1	Automated clearing house payment format code content <i>Path:</i> Invoice/Invoice line/Payment method information/Automated clearing house payment format code/Automated clearing house payment format code	1 .. 80	0 .. 1	automatedClearingHousePaymentFormat <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/paymentMethod/automatedClearingHousePaymentFormat

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
361	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Payment method information/Automated clearing house payment format code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/paymentMethod/automatedClearingHousePaymentFormat/@codeListVersion
361	BDT00000005	.. 500	0 .. unbounded	Aggregated level of package unique identity <i>Path:</i> Invoice/Invoice line/Sale of tobacco products information/Aggregated level of package unique identity	1 .. 500	0 .. unbounded	aggregatedLevelUniqueIdentifier <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/euUniqueID/aggregatedLevelUniqueIdentifier
361	BDT00000136	.. 500	0 .. unbounded	Unit pack unique identifier upUI <i>Path:</i> Invoice/Invoice line/Sale of tobacco products information/Unit pack unique identifier upUI	1 .. 500	0 .. unbounded	unitPacketLevelUniqueIdentifier <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/euUniqueID/unitPacketLevelUniqueIdentifier
361	BDT00000643	.. 80	1 .. 1	European Union unique identifier type code content <i>Path:</i> Invoice/Invoice line/Sale of tobacco products information/EU unique identifier type code/European Union unique identifier type code content	1 .. 80	1 .. 1	euUniqueIDTypeCode <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/euUniqueID/euUniqueIDTypeCode
361	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice line/Sale of tobacco products information/EU unique identifier type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/euUniqueID/euUniqueIDTypeCode/@codeListVersion

Legend: No = Consecutive Number