



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
001	BDT00000119		0 .. 1	Revision number <i>Path: Invoice/Revision number</i>		0 .. 1	Exchanged_ Document. Revision_ Identification. Identifier <i>Path: BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Revision_ Identification. Identifier</i>
002	BDT00000119		0 .. 1	Revision number <i>Path: Invoice/Revision number</i>		0 .. 1	Exchanged_ Document. Previous Revision_ Identification. Identifier <i>Path: BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Previous Revision_ Identification. Identifier</i>
003	BDT00000047		1 .. 1	Business document creation date time <i>Path: Invoice/Business document creation date time</i>		1 .. 1	Exchanged_ Document. Issue. Date Time <i>Path: BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issue. Date Time</i>
004	BDT00000047		1 .. 1	Business document creation date time <i>Path: Invoice/Business document creation date time</i>		0 .. 1	Exchanged_ Document. Creation. Date Time <i>Path: BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Creation. Date Time</i>
005	BDT00000046		0 .. 1	Business document standard version <i>Path: Invoice/Business document standard version</i>		0 .. 1	Exchanged_ Document. Version_ Identification. Identifier <i>Path: BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Version_ Identification. Identifier</i>
006	BDT00000048		0 .. 1	Business document last update date time <i>Path: Invoice/Business document last update date time</i>		0 .. 1	Exchanged_ Document. Revision. Date Time <i>Path: BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Revision. Date Time</i>
007	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path: Invoice/Business document identification information/Entity identification</i>		0 .. 1	Exchanged_ Document. Identification. Identifier <i>Path: BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Identification. Identifier</i>
008	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path: Invoice/Business document identification information/Document</i>		0 .. unbounded	Trade_ Party. Global_ Identification. Identifier <i>Path: BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/</i>

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content owner/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>			Trade_Party. Global_ Identification. Identifier
009	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path: Invoice/Business document identification information/Document content owner/Additional party identification information/Additional party identification content</i>	0 .. unbounded		Trade_Party. Registered_ Identification. Identifier <i>Path: BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_Party/Trade_Party. Registered_ Identification. Identifier</i>
010	BDTG00000579		1 .. 1	Additional party identification type code <i>Path: Invoice/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code</i>	0 .. unbounded		Trade_Party. Type. Code <i>Path: BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_Party/Trade_Party. Type. Code</i>
011	BDT00000653	.. 80	1 .. 1	Invoice type code content <i>Path: Invoice/Invoice type code/Invoice type code content</i>	0 .. 1		Exchanged_ Document. Type. Code <i>Path: BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Type. Code</i>
012	BDT00000652	.. 80	1 .. 1	Invoice currency code content <i>Path: Invoice/Invoice currency code/Invoice currency code content</i>	0 .. 1		Header_ Trade Settlement. Invoice_ Currency. Code <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice_ Currency. Code</i>
013	BDT00000028	.. 35	0 .. 1	Code list version <i>Path: Invoice/Invoice currency code/Code list version</i>	0 .. 1		Header_ Trade Settlement. Invoice_ Currency. Code <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.</i>

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
014	BDT00000037		0 .. 1	Currency exchange rate <i>Path:</i> Invoice/Currency conversion information/Currency exchange rate		1 .. 1	Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice_ Currency. Code Trade_ Currency Exchange. Conversion. Rate <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payment_ Applicable. Trade_ Currency Exchange/Trade_ Currency Exchange. Conversion. Rate
015	BDT00000038		0 .. 1	Currency exchange rate date <i>Path:</i> Invoice/Currency conversion information/Currency exchange rate date		0 .. 1	Trade_ Currency Exchange. Conversion Rate. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payment_ Applicable. Trade_ Currency Exchange/Trade_ Currency Exchange. Conversion Rate. Date Time
016	BDT000000708	.. 80	1 .. 1	Currency conversion from code content <i>Path:</i> Invoice/Currency conversion information/Currency conversion from code/Currency conversion from code content		1 .. 1	Trade_ Currency Exchange. Source Currency. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payment_ Applicable. Trade_ Currency Exchange/Trade_ Currency Exchange. Source Currency. Code
017	BDT000000709	.. 80	1 .. 1	Currency conversion to code content <i>Path:</i> Invoice/Currency conversion information/Currency conversion to code/Currency conversion to code content		1 .. 1	Trade_ Currency Exchange. Target Currency. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payment_ Applicable. Trade_ Currency Exchange/Trade_ Currency Exchange. Target Currency. Code
018	BDT000000538	.. 80	1 .. 1	Tax accounting currency code content		0 .. 1	Header_ Trade Settlement. Tax_ Currency. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Tax accounting currency code/ Tax accounting currency code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Tax_ Currency. Code
019	BDT00000538	.. 80	1 .. 1	Tax accounting currency code content <i>Path:</i> Invoice/Tax accounting currency code/ Tax accounting currency code content		0 .. 1	Trade_ Tax. Currency. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Currency. Code
020	BDT00000538	.. 80	1 .. 1	Tax accounting currency code content <i>Path:</i> Invoice/Tax accounting currency code/ Tax accounting currency code content		0 .. 1	Trade_ Tax. Currency. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Subtotal_ Calculated. Trade_ Tax/Trade_ Tax. Currency. Code
021	BDT00000575	.. 80	1 .. 1	Tax exemption reason code content <i>Path:</i> Invoice/Tax exemption reason code/Tax exemption reason code content		0 .. 1	Trade_ Tax. Exemption Reason. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Exemption Reason. Code
022	BDT00000575	.. 80	1 .. 1	Tax exemption reason code content <i>Path:</i> Invoice/Tax exemption reason code/Tax exemption reason code content		0 .. 1	Trade_ Tax. Exemption Reason. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Subtotal_ Calculated. Trade_ Tax/Trade_ Tax. Exemption Reason. Code
023	BDT00000670	.. 70	1 .. 1	Notation content <i>Path:</i> Invoice/Notation/Notation content		0 .. unbounded	Note. Content. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
024	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Buyer party information/Global location number, GLN <i>GS1 General Specifications:</i> The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.	0 .. unbounded	0 .. 1	Document/Exchanged_ Document. Included. Note/Note. Content. Text Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
025	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Buyer party information/Additional party identification information/Additional party identification content	0 .. unbounded	0 .. 1	Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Identification. Identifier
026	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Buyer party information/Address information/City name	0 .. 1	0 .. 1	Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
027	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Buyer party information/Address information/County code	0 .. 1	0 .. 1	Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
028	BDT000000106	.. 200	0 .. 1	Party name	0 .. 1	0 .. 1	Trade_ Party. Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Buyer party information/Address information/Party name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Name. Text
029	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Buyer party information/Address information/Post office box number		0 .. 1	Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
030	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Buyer party information/Address information/Postal code		0 .. 1	Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
031	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Buyer party information/Address information/Street address one		0 .. 1	Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
032	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Buyer party information/Address information/Street address two		0 .. 1	Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
033	BDT00000129	.. 200	0 .. 1	Street address three		0 .. 1	Trade_ Address. Line Three. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Buyer party information/Address information/Street address three			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
034	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Buyer party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
035	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Buyer party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
036	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Buyer party information/ Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
037	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
038	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Buyer party information/ Business contact information/Job title	0 .. 1		Agreement. Buyer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Department Name. Text Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text
039	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Buyer party information/ Business contact information/Contact type code/Contact type code content	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Type. Code
040	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Telephone. Universal_ Communication/Universal_Communication. Channel. Code
041	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Direct Telephone. Universal_Communication/Universal_Communication. Channel. Code
	BDTG00000175						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
042			1 .. 1	Communication channel code <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. Channel. Code
043	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. Complete Number. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text
044	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. Complete Number. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Direct_ Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text
045	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. Complete Number. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
046	BDTG00000585		1 .. 1	Tax registration identification information <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax registration identification information		0 .. 1	Complete Number. Text Tax_Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer_ Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. Identification. Identifier
047	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax type code/ Tax type code content		0 .. 1	Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer_ Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
048	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax description/Tax description content		0 .. unbounded	Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer_ Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text
049	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax registration type code/Tax registration type code content		0 .. 1	Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer_ Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
050	BDT00000028	.. 35	0 .. 1	Code list version		0 .. unbounded	Trade_ Party. Type. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice processing party information/Additional party identification information/Additional party identification type code/Code list version			<i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Type. Code
051	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice processing party information/Address information/Postal code	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
052	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Address information/ Country code/Code list version	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code
053	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax registration type code/ Code list version	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
054	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
055	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/County	0 .. 1		Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code			Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier
056	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text
057	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/City code	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
058	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
059	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
060	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Postal code	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
061	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Province identity	0 .. 1		Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
062	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
063	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
064	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Street address two	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
065	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Street	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address three			Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
066	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Country code/Country code content	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
067	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Country code/Code list version	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
068	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/ Geographical Coordinate. Latitude. Measure
069	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/ Geographical Coordinate. Longitude. Measure
070	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Legal structure description/	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
071	BDT00000087	.. 80	1 .. 1	Legal structure description content Legal registration number <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration number	0 .. 1		Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier
072	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration additional information	0 .. 1		Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier
073	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
074	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
075	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Logistics_ Location/Logistics_

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
076	BDT00000089	.. 80	1 .. 1	information/Geographical coordinates information/Latitude Longitude <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	0 .. 1		Location. Physical. Geographical Coordinate/ Geographical Coordinate. Latitude. Measure Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_Document. Issuer. Trade_Party/ Trade_Party. Specified. Logistics_Location/Logistics_ Location. Physical. Geographical Coordinate/ Geographical Coordinate. Longitude. Measure
077	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Payer party information/Global location number, GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. unbounded		Trade_Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_Party/Trade_Party. Global_ Identification. Identifier
078	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Payer party information/ Additional party identification information/Additional party identification content	0 .. unbounded		Trade_Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_Party/Trade_Party. Registered_ Identification. Identifier
079	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Payer party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_Party/Trade_Party. Type. Code
080	BDT000000020	.. 200	0 .. 1	City name	0 .. 1		Trade_ Address. City Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payer party information/Address information/City name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
081	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Payer party information/Address information/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
082	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Payer party information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Street Name. Text
083	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Payer party information/Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Name. Text
084	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Payer party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
	BDT00000114						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
085		.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Payer party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
086	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Payer party information/Address information/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code
087	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Payer party information/Address information/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
088	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Payer party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
089	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Payer party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
090	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Payer party information/Address information/Street address one	0 .. 1		Trade_ Address/Trade_ Address. Line One. Text Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
091	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Payer party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
092	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Payer party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
093	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Payer party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
094	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Payer party information/Address	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Geographical coordinates information/Longitude			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
095	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Payer party information/ Business contact information/Person name	0 .. 1		Contact_ Person. Given Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Specified. Contact_ Person/Contact_ Person. Given Name. Text
096	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Payer party information/ Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
097	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Payer party information/ Business contact information/ Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
098	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Payer party information/ Business contact information/Job title	0 .. 1		Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text
	BDT00000571						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
099		.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Payer party information/ Business contact information/Contact type code/Contact type code content	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
100	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Payer party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	0 .. 1		Trade_Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text
101	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Payer party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. Channel. Code
102	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Payer party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
103	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Payer party information/	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/ Communication information/ Communication channel code			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. Channel. Code
104	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Payer party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. URI. Identifier
105	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Payer party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
106	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Payer party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. URI. Identifier
107	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Payer party information/ Business contact information/After hours communication information/	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Communication channel code			Mobile_Telephone. Universal_Communication/ Universal_Communication. Channel. Code
108	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Payer party information/ Business contact information/After hours communication information/ Communication channel code	0 .. 1		Universal_Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Payer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Mobile_Telephone. Universal_Communication/Universal_Communication. Channel. Code
109	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Payer party information/ Business contact information/After hours communication information/ Communication channel identification	0 .. 1		Universal_Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_Document. Issuer. Trade_Party/ Trade_Party. Defined. Trade_Contact/Trade_Contact. Mobile_Telephone. Universal_Communication/ Universal_Communication. URI. Identifier
110	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Payer party information/ Business contact information/After hours communication information/ Communication channel identification	0 .. 1		Universal_Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Payer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Mobile_Telephone. Universal_Communication/Universal_Communication. URI. Identifier
111	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Payer party information/ Business contact information/After hours communication information/ Communication channel name	0 .. 1		Universal_Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_Document. Issuer. Trade_Party/ Trade_Party. Defined. Trade_Contact/Trade_Contact. Mobile_Telephone. Universal_Communication/ Universal_Communication. URI. Identifier
	BDT00000584						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
112		.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. Identification. Identifier
113	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_Registration. IOSS_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. IOSS_ Identification. Identifier
114	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax type code/ Tax type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
115	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text
116	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Payer party information/ Organisation legal information/	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation name			Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
117	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Payer party information/ Organisation legal information/ Organisation name	0 .. 1		Legal_ Organization. Trading Business Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Trading Business Name. Text
118	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text
119	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
120	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
121	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
122	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code
123	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
124	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
125	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address/State			Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
126	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text
127	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
128	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
129	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
130	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Payer party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
131	BDTG00000305		1 .. 1	Seller party information <i>Path:</i> Invoice/Seller party information	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Identification. Identifier
132	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Seller party information/Global location number, GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
133	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Seller party information/Global location number, GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check</i>	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
134	BDT00000063	13 .. 13	0 .. 1	<i>digit.</i> Global location number, GLN <i>Path: Invoice/Seller party information/Global location number, GLN</i> <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. unbounded		Trade_Party. Global_ Identification. Identifier <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.</i> <i>Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Global_ Identification. Identifier</i>
135	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path: Invoice/Seller party information/ Additional party identification information/Additional party identification content</i>	0 .. unbounded		Trade_Party. Registered_ Identification. Identifier <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.</i> <i>Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_Party/Trade_Party. Registered_ Identification. Identifier</i>
136	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path: Invoice/Seller party information/ Additional party identification information/Additional party identification content</i>	0 .. unbounded		Trade_Party. Identification. Identifier <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.</i> <i>Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Identification. Identifier</i>
137	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path: Invoice/Seller party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content</i>	0 .. unbounded		Trade_Party. Type. Code <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.</i> <i>Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_Party/Trade_Party. Type. Code</i>
138	BDT00000570	.. 80	1 .. 1	Additional party identification type code content	0 .. unbounded		Trade_Party. Role. Code <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade</i>

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Role. Code
139	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Seller party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Type. Code
140	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Seller party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
141	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/ Additional party identification information/Additional party identification type code/Code list version	0 .. 1		Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
142	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
143	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
144	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
145	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City Name. Text
146	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
147	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/City name			Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text
148	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
149	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
150	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
151	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
152	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
153	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Seller party information/Address information/City code	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
154	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Seller party information/Address information/City code	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier
155	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Seller party information/Address information/County code	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
156	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Seller party information/Address information/County code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
157	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party information/Address information/Cross street	0 .. 1		Trade_ Address/Trade_ Address. Type. Code Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
158	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Street Name. Text
159	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Street Name. Text
160	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
161	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party information/Address	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Cross street			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Street Name. Text
162	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Street Name. Text
163	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Seller party information/Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Name. Text
164	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Seller party information/Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Name. Text
165	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Seller party information/Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Name. Text
166	BDT00000113	.. 80	0 .. 1	Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party information/Address information/Post office box number			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text
167	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party information/Address information/Post office box number	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text
168	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party information/Address information/Post office box number	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Postal. Trade_Address/Trade_Address. Post Office Box. Text
169	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party information/Address information/Post office box number	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_Address/Trade_Address. Post Office Box. Text
170	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party information/Address information/Post office box number	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
171	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
172	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
173	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
174	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
175	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Postal.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
176	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. 1		Trade_ Address/Trade_ Address. Type. Code Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Postcode. Code
177	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Type. Code
178	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code
179	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
180	BDT00000114	.. 80	0 .. 1	Postal code	0 .. 1		Trade_ Address. Postcode. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party information/Address information/Postal code			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
181	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code
182	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Postcode. Code
183	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Type. Code
184	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party information/Address information/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
185	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party information/Address information/Province identity		0 .. 1	Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
186	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party information/Address information/Province identity		0 .. 1	Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
187	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party information/Address information/Province identity		0 .. 1	Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
188	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party information/Address information/Province identity		0 .. 1	Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
	BDT00000117						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
189		80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party information/Address information/Province identity		0 .. 1	Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
190	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party information/Address information/State		0 .. 1	Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
191	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party information/Address information/State		0 .. 1	Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
192	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party information/Address information/State		0 .. 1	Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
193	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party information/Address		0 .. 1	Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/State			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
194	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
195	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
196	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
197	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
198	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Settlement. Invoicer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line One. Text Trade_Address. Additional_Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Invoicer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Additional_Street Name. Text
199	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Invoicer. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Postal. Trade_Address/Trade_Address. Line One. Text
200	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_Address. Additional_Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Invoicer. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Postal. Trade_Address/Trade_Address. Additional_Street Name. Text
201	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Payee. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_Address/Trade_Address. Line One. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
202	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
203	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
204	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
205	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line One. Text
206	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
207	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party information/Address information/Street address two	0 .. 1		Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
208	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party information/Address information/Street address two	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
209	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
210	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line Two. Text
211	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party information/Address	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Street address two			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
212	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
213	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line Two. Text
214	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
215	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
	BDT00000129						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
216		.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line Three. Text
217	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text
218	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
219	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line Three. Text
220	BDTG00000179		0 .. 1	Country code <i>Path:</i> Invoice/Seller party information/Address information/Country code	0 .. 1		Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
221	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Seller party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Country. Identifier Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
222	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Seller party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
223	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Seller party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
224	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Seller party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Specified.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
225	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Seller party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
226	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Seller party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
227	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Seller party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
228	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Seller party information/ Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
229	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Seller party information/ Business contact information/Person name	0 .. 1		Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
230	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Seller party information/ Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
231	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Seller party information/ Business contact information/ Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
232	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Seller party information/ Business contact information/ Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
233	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Seller party information/ Business contact information/ Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
234	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Seller party information/ Business contact information/Job title	0 .. 1		Settlement. Payee. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Department Name. Text Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text
235	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Seller party information/ Business contact information/Job title	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text
236	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Seller party information/ Business contact information/Job title	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text
237	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Seller party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	0 .. 1		Trade_Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Responsibility. Text
238	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Seller party information/	0 .. 1		Trade_Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/Business contact responsibility description/ Business contact responsibility description content			Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text
239	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Seller party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	0 .. 1		Trade_ Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text
240	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
241	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. Channel. Code
242	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. URI.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
243	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel code		0 .. 1	Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. Channel. Code
244	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel code		0 .. 1	Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
245	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel code		0 .. 1	Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. Channel. Code
246	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel identification		0 .. 1	Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
247	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Identifier Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
248	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. URI. Identifier
249	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
250	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. URI. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
251	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
252	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. URI. Identifier
253	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel name	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
254	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party information/ Business contact information/After hours communication information/ Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code
255	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party information/	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/After hours communication information/Communication channel code			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. Channel. Code
256	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party information/ Business contact information/After hours communication information/Communication channel code		0 .. 1	Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. Channel. Code
257	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/After hours communication information/Communication channel identification		0 .. 1	Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
258	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/After hours communication information/Communication channel identification		0 .. 1	Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
259	BDT00000032	.. 200	1 .. 1	Communication channel identification		0 .. 1	Universal_ Communication. URI. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party information/ Business contact information/After hours communication information/ Communication channel identification			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
260	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Seller party information/ Business contact information/After hours communication information/ Communication channel name	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
261	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
262	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier
263	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax registration identification information/Tax registration	0 .. 1		Tax_ Registration. IOSS_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Tax registration identification content			Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier
264	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier
265	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_ Registration. IOSS_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier
266	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax type code/ Tax type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
267	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax type code/ Tax type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
268	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax type code/ Tax type code content	0 .. 1		Associated. Registered_ Tax/Registered_ Tax. Type. Code Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
269	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax type code/ Code list version	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
270	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text
271	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
272	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text
273	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax registration type code/Tax registration type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
274	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Tax type code/Tax type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Type. Code
275	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Tax type code/Code list version	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Type. Code
276	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs duty description/Customs duty	0 .. 1		Registered_ Tax. Customs Duty. Indicator <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description content			Specified. Tax_Registration/Tax_Registration. Associated. Registered_Tax/Registered_Tax. Customs Duty. Indicator
277	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
278	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
279	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Organisation name	0 .. 1		Legal_ Organization. Trading Business Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Trading Business Name. Text
280	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
281	BDT00000102	.. 200	1 .. 1	Organisation name	0 .. 1		Legal_ Organization. Trading Business Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Organisation name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Trading Business Name. Text
282	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text
283	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub- Division Name. Text
284	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
285	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party information/	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Post office box number			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
286	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code
287	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
288	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
289	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address/State			Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
290	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text
291	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
292	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
293	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
294	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text
295	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
296	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Organization. Legal Classification. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code
297	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Seller party corporate office information/Additional party identification/Additional party identification content	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
					0 .. 1		Trade_ Address. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
298	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Seller party corporate office information/Additional party identification/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code
299	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Additional party identification/Additional party identification type code/Code list version	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code
300	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party corporate office information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
301	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Seller party corporate office information/Address information/City code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code
302	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Seller party corporate office information/Address information/County code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
303	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party corporate office information/Address information/Cross street	0 .. 1		Trade_ Address/Trade_ Address. Type. Code Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Street Name. Text
304	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party corporate office information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
305	BDT000000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party corporate office information/Address information/ Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
306	BDT000000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party corporate office information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
307	BDT000000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party corporate office information/Address information/Street	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address one			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
308	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party corporate office information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
309	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party corporate office information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
310	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
311	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
312	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Seller party corporate office information/Business contact	0 .. 1		Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Job title			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text
313	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Contact type code/Contact type code content	0 .. 1		Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
314	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Contact type code/Code list version	0 .. 1		Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
315	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Business contact responsibility description/Business contact responsibility description content	0 .. 1		Trade_ Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text
316	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. Channel. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
317	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
318	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Communication information/Communication channel code/Communication channel code content	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
319	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
320	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
321	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party corporate office information/Business contact	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/After hours communication information/Communication channel identification			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
322	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier
323	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	0 .. 1		Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
324	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
325	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Identification	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			Registered_Tax/Registered_Tax. Type. Code
326	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	0 .. 1		Registered_Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_Tax/Registered_Tax. Type. Code
327	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax type code/Tax type code content	0 .. 1		Registered_Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_Tax/Registered_Tax. Type. Code
328	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax type code/Code list version	0 .. 1		Registered_Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_Tax/Registered_Tax. Type. Code
329	BDT000000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Specified.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
330	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration type code/ Tax registration type code content	0 .. 1		Tax_Registration/Tax_Registration. Associated. Registered_Tax/Registered_Tax. Description. Text Registered_Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_Tax/Registered_Tax. Type. Code
331	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration type code/ Code list version	0 .. 1		Registered_Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_Tax/Registered_Tax. Type. Code
332	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Organisation name	0 .. 1		Legal_Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Name. Text
333	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/City name	0 .. 1		Trade_Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_Address/Trade_Address. City Name. Text
334	BDT00000019	.. 80	0 .. 1	City code	0 .. unbounded		Trade_Address. Type. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/City code			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
335	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
336	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
337	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Postal code	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
338	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Province	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identity			Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
339	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
340	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text
341	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
342	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
343	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Seller representative party information/Additional party identification information/Additional party identification content	0 .. 1		Address/Trade_ Address. Line Three. Text Trade_ Contact. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier
344	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Seller representative party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
345	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Additional party identification information/Additional party identification type code/Code list version	0 .. 1		Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
346	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller representative party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
347	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Seller representative party information/Address information/City code	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
348	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Seller representative party information/Address information/County code	0 .. unbounded		Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text Trade_Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Type. Code
349	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller representative party information/Address information/Cross street	0 .. 1		Trade_Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Additional_ Street Name. Text
350	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller representative party information/Address information/Post office box number	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text
351	BDT000000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller representative party information/Address information/Postal code	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text
352	BDT000000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller representative party information/Address information/	0 .. 1		Trade_Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Province identity			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
353	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller representative party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
354	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller representative party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
355	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller representative party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
356	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller representative party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
357	BDT00000085	.. 80	1 .. 1	Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller representative party information/Address information/Geographical coordinates information/Latitude			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
358	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Seller representative party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
359	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Seller representative party information/Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
360	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Seller representative party information/Business contact information/Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
361	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Seller representative party information/Business contact information/Job title	0 .. 1		Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
362	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Seller representative party information/Business contact information/Contact type code/Contact type code content	0 .. 1		Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Type. Code
363	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Business contact information/Contact type code/Code list version	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Type. Code
364	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Seller representative party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	0 .. 1		Trade_Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Responsibility. Text
365	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller representative party information/Business contact information/Communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
366	BDT00000032	.. 200	1 .. 1	Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller representative party information/Business contact information/Communication information/Communication channel identification			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
367	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Seller representative party information/Business contact information/Communication information/Communication channel name	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
368	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller representative party information/Business contact information/After hours communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code
369	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller representative party information/Business contact information/After hours communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
370	BDT00000033	.. 200	0 .. 1	Communication channel name	0 .. 1		Universal_ Communication. URI. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller representative party information/Business contact information/After hours communication information/Communication channel name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
371	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax authority name	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
372	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax type code/Tax type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
373	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax type code/Code list version	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
374	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Seller representative party	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax description/Tax description content			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text
375	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax registration type code/ Tax registration type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
376	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax registration type code/ Code list version	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
377	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
378	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice issuer party information/Global location number, GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical</i>	0 .. unbounded		Trade_ Party. Global Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>			Identification. Identifier
379	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice issuer party information/Additional party identification information/Additional party identification content	0 .. 1		Trade_Contact. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier
380	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice issuer party information/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier
381	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice issuer party information/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
382	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice issuer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
	BDT00000570						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
383		.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice issuer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_Party/Trade_Party. Type. Code
384	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Additional party identification information/Additional party identification type code/Code list version	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Type. Code
385	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice issuer party information/Address information/City name	0 .. 1		Trade_Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Name. Text
386	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice issuer party information/Address information/City name	0 .. 1		Trade_Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Name. Text
387	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice issuer party information/Address information/City name	0 .. 1		Trade_Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
388	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice issuer party information/Address information/City code	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
389	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice issuer party information/Address information/County code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code
390	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice issuer party information/Address information/Cross street	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
391	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice issuer party information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Street Name. Text
	BDT00000106						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
392		.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice issuer party information/Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Name. Text
393	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice issuer party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
394	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice issuer party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
395	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice issuer party information/Address information/Postal code	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
396	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice issuer party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
397	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice issuer party information/Address information/Postal code	0 .. unbounded		Document. Issuer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Postcode. Code Trade_Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_Document/Referenced_Document. Issuer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Type. Code
398	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice issuer party information/Address information/ Province identity	0 .. 1		Trade_Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Country Sub-Division. Identifier
399	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice issuer party information/Address information/ Province identity	0 .. 1		Trade_Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_Document/Referenced_Document. Issuer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Country Sub-Division. Identifier
400	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice issuer party information/Address information/State	0 .. 1		Trade_Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Country Sub-Division Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
401	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice issuer party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
402	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice issuer party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
403	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice issuer party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
404	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice issuer party information/Address information/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
405	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice issuer party	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Street address two			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
406	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice issuer party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
407	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice issuer party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
408	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice issuer party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
409	BDT00000112	.. 70	0 .. 1	Person name	0 .. 1		Trade_ Contact. Person Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Person name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
410	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
411	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Job title	0 .. 1		Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text
412	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Contact type code/Contact type code content	0 .. 1		Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
413	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Invoice issuer party information/Business contact	0 .. 1		Trade_ Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact responsibility description/Business contact responsibility description content			Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text
414	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Communication information/Communication channel code		0 .. 1	Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. Channel. Code
415	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Communication information/Communication channel code		0 .. 1	Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
416	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Communication information/Communication channel code		0 .. 1	Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. Channel. Code
417	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice issuer party		0 .. 1	Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel identification			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. URI. Identifier
418	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
419	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. URI. Identifier
420	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/After hours communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
421	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/After hours communication information/Communication channel identification	0 .. 1		Channel. Code Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
422	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier
423	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_ Registration. IOSS_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier
424	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax type code/Tax type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
425	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Document. Issuer. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_Tax/Registered_Tax. Type. Code Registered_Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_Document/Referenced_Document. Issuer. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_Tax/Registered_Tax. Description. Text
426	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Organisation name	0 .. 1		Legal_Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_Document/Referenced_Document. Issuer. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Name. Text
427	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Organisation name	0 .. 1		Legal_Organization. Trading Business Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_Document/Referenced_Document. Issuer. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Trading Business Name. Text
428	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/City name	0 .. 1		Trade_Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_Document/Referenced_Document. Issuer. Trade_Party/Trade_Party. Specified. Trade_Address/Trade_Address. City Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
429	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/City name	0 .. 1		Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text
430	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
431	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Post office box number	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
432	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Postal code	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
					0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
433	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Postal code	0 .. unbounded		Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
434	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
435	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
436	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice issuer party	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Street address one			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text
437	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
438	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
439	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text
440	BDT00000658	.. 80	1 .. 1	Legal registration type code content	0 .. 1		Legal_ Registration. Type. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
441	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Bill to party information/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Trade_ Party/Trade_ Party. Global Identification. Identifier
442	BDTG00000577		0 .. unbounded	Additional party identification <i>Path:</i> Invoice/Bill to party information/ Additional party identification	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Identification. Identifier
443	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Bill to party information/ Additional party identification/Additional party identification content	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Identification. Identifier
444	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Bill to party information/ Additional party identification/Additional	0 .. 1		Identification Scheme. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
445	BDT00000570	.. 80	1 .. 1	party identification type code/Additional party identification type code content Additional party identification type code content <i>Path:</i> Invoice/Bill to party information/Additional party identification/Additional party identification type code/Additional party identification type code content	0 .. unbounded	0 .. unbounded	Agreement. Buyer. Trade_ Party/Trade_ Party. Identification. Identifier/Identification Scheme. Identifier Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Type. Code
446	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/Additional party identification type code/Code list version	0 .. unbounded	0 .. unbounded	Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Type. Code
447	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Bill to party information/Address information/City name	0 .. 1	0 .. 1	Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
448	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Bill to party information/Address information/County code	0 .. 1	0 .. 1	Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
449	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Bill to party information/Address information/Cross street	0 .. 1	0 .. 1	Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
450	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Bill to party information/Address information/Post office box number	0 .. 1		Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Street Name. Text Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
451	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Bill to party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
452	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Bill to party information/Address information/Postal code	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
453	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Bill to party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
454	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Bill to party information/Address information/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
455	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Bill to party information/Address information/State	0 .. 1		Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
456	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Bill to party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
457	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Bill to party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
458	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Bill to party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
	BDT00000130						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
459		.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Bill to party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
460	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Bill to party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
461	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Bill to party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
462	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Bill to party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
463	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Bill to party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
464	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Bill to party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
465	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Bill to party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
466	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Bill to party information/ Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
467	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Bill to party information/ Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
468	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Bill to party information/ Business contact information/ Department name	0 .. 1		Trade_Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
469	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Bill to party information/ Business contact information/ Department name	0 .. 1		Trade_Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
470	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Bill to party information/ Business contact information/Job title	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text
471	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Bill to party information/ Business contact information/Job title	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text
472	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Bill to party information/ Business contact information/Contact type code/Contact type code content	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
473	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/ Business contact information/Contact type code/Code list version	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
474	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Bill to party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. Channel. Code
475	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Bill to party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. URI. Identifier
476	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Bill to party information/ Business contact information/After hours communication information/ Communication channel code	0 .. 1		Universal_Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. Channel. Code
477	BDT00000032	.. 200	1 .. 1	Communication channel identification	0 .. 1		Universal_Communication. URI. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Bill to party information/ Business contact information/After hours communication information/ Communication channel identification			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
478	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier
479	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	0 .. 1		Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
480	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
481	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax type code/	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Tax type code content			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
482	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax type code/Code list version	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
483	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text
484	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration type code/Tax registration type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
485	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration type code/Code list version	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
486	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Organisation name	0 .. 1		Registered_ Tax/Registered_ Tax. Type. Code Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer_ Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
487	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer_ Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text
488	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/City code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer_ Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
489	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer_ Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
490	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Bill to party information/	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Post office box number			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
491	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
492	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
493	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
494	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
495	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Street address two	0 .. 1		Agreement. Buyer. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_ Address/Trade_Address. Line One. Text Trade_Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Agreement/Header_Trade Agreement. Buyer. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_ Address/Trade_Address. Line Two. Text
496	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Street address three	0 .. 1		Trade_Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Agreement/Header_Trade Agreement. Buyer. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_ Address/Trade_Address. Line Three. Text
497	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration number	0 .. 1		Legal_Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Agreement/Header_Trade Agreement. Buyer. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Authorized. Legal_Registration/Legal_Registration. Identification. Identifier
498	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration additional information	0 .. 1		Legal_Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Agreement/Header_Trade Agreement. Buyer. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Authorized.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
499	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Registration/Legal_ Registration. Identification. Identifier Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
500	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
501	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Remit to party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Type. Code
502	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/ Additional party identification information/Additional party identification type code/Code list version	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Type. Code
503	BDT00000028	.. 35	0 .. 1	Code list version	0 .. 1		Trade_ Contact. Type. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Remit to party information/ Business contact information/Contact type code/Code list version			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
504	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax type code/ Code list version	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
505	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax registration type code/Code list version	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
506	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/ Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
507	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
508	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/City code	0 .. unbounded		Address/Trade_ Address. City Name. Text Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer_ Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
509	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer_ Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
510	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer_ Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
511	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer_ Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
512	BDT00000117	80 ..	0 .. 1	Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Province identity			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
513	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
514	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text
515	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
516	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address/Street address three			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text
517	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/ Registered legal information/Legal registration number	0 .. 1		Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier
518	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/ Registered legal information/Legal registration additional information	0 .. 1		Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier
519	BDT000000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
520	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/ Registered legal information/Legal	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration type code/Code list version			Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
521	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Payee party information/ Additional party identification information/Additional party identification type code/Code list version	0 .. 1		Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
522	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Payee party information/ Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
523	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Payee party information/ Address information/City code	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier
524	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Payee party information/ Address information/County code	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
525	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Payee party information/	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/Post office box number			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
526	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Payee party information/ Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
527	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Payee party information/ Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
528	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Payee party information/ Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
529	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Payee party information/ Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
530	BDT00000129	.. 200	0 .. 1	Street address three	0 .. 1		Trade_ Address. Line Three. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payee party information/ Address information/Street address three			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
531	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Payee party information/ Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
532	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Payee party information/ Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
533	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Payee party information/ Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
534	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Payee party information/ Business contact information/ Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
535	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Payee party information/ Business contact information/Job title	0 .. 1		Settlement. Payee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text
536	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Tax representative party information/Global location number, GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/ Trade_ Party. Global_ Identification. Identifier
537	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Tax representative party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
538	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Tax representative party information/Address information/City code	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
539	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Tax representative party information/Address information/County code	0 .. 1		City. Identifier Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
540	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Tax representative party information/Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/ Trade_ Party. Name. Text
541	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Tax representative party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
542	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Tax representative party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
543	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Tax representative party	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/State			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
544	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Tax representative party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
545	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Tax representative party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
546	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Tax representative party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
547	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Tax representative party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
548	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Tax representative party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
549	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Tax representative party information/Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
550	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Tax representative party information/Business contact information/Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
551	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Tax representative party information/Business contact information/Job title	0 .. 1		Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
552	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path: Invoice/Ultimate consignee party information/Global location number GLN</i> <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. unbounded	0 .. 1	Trade_ Party. Global_ Identification. Identifier <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.</i> <i>Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Global_ Identification. Identifier</i>
553	BDT00000020	.. 200	0 .. 1	City name <i>Path: Invoice/Ultimate consignee party information/Address information/City name</i>	0 .. 1	0 .. 1	Trade_ Address. City Name. Text <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.</i> <i>Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text</i>
554	BDT00000019	.. 80	0 .. 1	City code <i>Path: Invoice/Ultimate consignee party information/Address information/City code</i>	0 .. 1	0 .. 1	Trade_ Address. City. Identifier <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.</i> <i>Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier</i>
555	BDT00000034	.. 80	0 .. 1	County code <i>Path: Invoice/Ultimate consignee party information/Address information/County code</i>	0 .. 1	0 .. 1	Trade_ Address. City Sub-Division Name. Text <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.</i> <i>Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text</i>
556	BDT00000106	.. 200	0 .. 1	Party name <i>Path: Invoice/Ultimate consignee party</i>	0 .. 1	0 .. 1	Trade_ Party. Name. Text <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade</i>

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Party name			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Name. Text
557	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
558	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
559	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ultimate consignee party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
560	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
	BDT00000130						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
561		.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
562	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
563	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
564	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
565	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Ultimate consignee party information/Business contact	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Person name			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
566	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
567	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Job title	0 .. 1		Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text
568	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Ship to party information/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
569	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ship to party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
570	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ship to party information/ Address information/City code	0 .. 1		Trade_ Address/Trade_ Address. City Name. Text Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier
571	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Ship to party information/ Address information/County code	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
572	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Ship to party information/ Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Name. Text
573	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ship to party information/ Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
574	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ship to party information/ Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
575	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ship to party information/ Address information/Province identity	0 .. 1		Trade_ Address/Trade_ Address. Postcode. Code Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
576	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ship to party information/ Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
577	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ship to party information/ Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
578	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ship to party information/ Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
579	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ship to party information/ Address information/Street address	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				three			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
580	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Ship to party information/ Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
581	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Ship to party information/ Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
582	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Ship to party information/ Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
583	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Ship to party information/ Business contact information/ Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
584	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Ship to party information/ Business contact information/Job title	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text
585	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/ Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
586	BDT00000006		0 .. 1	Allowance percentage <i>Path:</i> Invoice/Allowance information/ Allowance percentage	0 .. 1		Trade_ Allowance Charge. Calculation. Percent <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Calculation. Percent
587	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Invoice/Allowance information/ Calculation sequence number	0 .. 1		Trade_ Allowance Charge. Sequence. Numeric <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Sequence. Numeric
588	BDT00000018		0 .. 1	Charge percentage <i>Path:</i> Invoice/Charge information/Charge percentage	0 .. 1		Trade_ Allowance Charge. Calculation. Percent <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Calculation. Percent

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
589	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Invoice/Charge information/Calculation sequence number		0 .. 1	Trade_ Allowance Charge. Sequence. Numeric <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Sequence. Numeric
590	BDT00000037		0 .. 1	Currency exchange rate <i>Path:</i> Invoice/Tax currency conversion information/Currency exchange rate		1 .. 1	Trade_ Currency Exchange. Conversion. Rate <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Tax_ Applicable. Trade_ Currency Exchange/Trade_ Currency Exchange. Conversion. Rate
591	BDT00000037		0 .. 1	Currency exchange rate <i>Path:</i> Invoice/Tax currency conversion information/Currency exchange rate		1 .. 1	Trade_ Currency Exchange. Conversion. Rate <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice_ Applicable. Trade_ Currency Exchange/Trade_ Currency Exchange. Conversion. Rate
592	BDT00000038		0 .. 1	Currency exchange rate date <i>Path:</i> Invoice/Tax currency conversion information/Currency exchange rate date		0 .. 1	Trade_ Currency Exchange. Conversion Rate. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Tax_ Applicable. Trade_ Currency Exchange/Trade_ Currency Exchange. Conversion Rate. Date Time
593	BDT00000038		0 .. 1	Currency exchange rate date <i>Path:</i> Invoice/Tax currency conversion information/Currency exchange rate date		0 .. 1	Trade_ Currency Exchange. Conversion Rate. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice_ Applicable. Trade_ Currency Exchange/Trade_ Currency Exchange. Conversion Rate.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
594	BDTG00000272		1 .. 1	Payment terms type code <i>Path:</i> Invoice/Payment terms information/ Payment terms type code		0 .. 1	Trade Settlement_ Payment Means. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade Settlement_ Payment Means/Trade Settlement_ Payment Means. Type. Code
595	BDT00000772	.. 80	0 .. 1	Bank assigned creditor identification <i>Path:</i> Invoice/Payment terms information/ Direct debit information/Bank assigned creditor identification		0 .. 1	Debtor_ Financial Account. Proprietary_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade Settlement_ Payment Means/Trade Settlement_ Payment Means. Payer_ Party. Debtor_ Financial Account/Debtor_ Financial Account. Proprietary_ Identification. Identifier
596	BDT00000773	.. 80	0 .. 1	Debited account identification <i>Path:</i> Invoice/Payment terms information/ Direct debit information/Debited account identification		0 .. 1	Debtor_ Financial Account. IBAN_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade Settlement_ Payment Means/Trade Settlement_ Payment Means. Payer_ Party. Debtor_ Financial Account/Debtor_ Financial Account. IBAN_ Identification. Identifier
597	BDT00000107	.. 80	0 .. 1	Payment discount description <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Payment discount description		0 .. unbounded	Trade Settlement_ Payment Means. Information. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade Settlement_ Payment Means/Trade Settlement_ Payment Means. Information. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
598	BDT00000110	.. 35	0 .. 1	Payment method identification <i>Path:</i> Invoice/Payment terms information/ Payment method information/Payment method identification	0 .. unbounded		Trade Settlement_ Payment Means. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade Settlement_ Payment Means/Trade Settlement_ Payment Means. Identification. Identifier
599	BDT00000691	.. 80	1 .. 1	Payment method code content <i>Path:</i> Invoice/Payment terms information/ Payment method information/Payment method code/Payment method code content	0 .. 1		Trade Settlement_ Payment Means. Guarantee Method. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade Settlement_ Payment Means/Trade Settlement_ Payment Means. Guarantee Method. Code
600	BDT00000691	.. 80	1 .. 1	Payment method code content <i>Path:</i> Invoice/Payment terms information/ Payment method information/Payment method code/Payment method code content	0 .. 1		Trade Settlement_ Payment Means. Payment Method. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade Settlement_ Payment Means/Trade Settlement_ Payment Means. Payment Method. Code
601	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Global_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
602	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Type. Code
603	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
604	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
605	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City Name. Text
606	BDT00000020	.. 200	0 .. 1	City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/City name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
607	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/City code	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier
608	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/City code	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City. Identifier
609	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Street Name. Text
610	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Cross	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				street			Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Postal. Trade_Address/Trade_Address. Street Name. Text
611	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Cross street	0 .. 1		Trade_Address. Additional_Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Postal. Trade_Address/Trade_Address. Additional_Street Name. Text
612	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Party name	0 .. 1		Trade_Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Name. Text
613	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Post office box number	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text
614	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Post office box number	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Postal. Trade_Address/Trade_Address. Post Office Box. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
615	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
616	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code
617	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Postcode. Code
618	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Type. Code
619	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Province identity			Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
620	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
621	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/State	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
622	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
623	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Country Sub-Division

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
624	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address one	0 .. 1		Name. Text Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
625	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
626	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line One. Text
627	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
628	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Street address two			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line Two. Text
629	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
630	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line Three. Text
631	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
632	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
633	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Person name	0 .. 1		Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure Trade_Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Person Name. Text
634	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Department name	0 .. 1		Trade_Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Department Name. Text
635	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Job title	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text
636	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Contact type code/Contact type code content	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Type. Code
637	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content	0 .. 1		Trade_Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Business contact responsibility description/Business contact responsibility description content			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text
638	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel code		0 .. 1	Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. Channel. Code
639	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel code		0 .. 1	Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
640	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel code		0 .. 1	Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. Channel. Code
641	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Ultimate customer delivery		0 .. 1	Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate customer party information/Business contact information/Communication information/Communication channel identification			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. URI. Identifier
642	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
643	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. URI. Identifier
644	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/After hours communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile Telephone. Universal_ Communication/Universal_ Communication. Channel. Code
645	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/After hours communication information/Communication channel identification			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
646	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier
647	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_ Registration. IOSS_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier
648	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax type code/Tax type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
649	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax description/Tax description content			Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_Tax/Registered_Tax. Description. Text
650	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Organisation name	0 .. 1		Legal_Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Name. Text
651	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Organisation name	0 .. 1		Legal_Organization. Trading Business Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Trading Business Name. Text
652	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/City name	0 .. 1		Trade_Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_Address/Trade_Address. City Name. Text
653	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/City name	0 .. 1		Trade_Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
654	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/City code	0 .. 1		Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier
655	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
656	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
657	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
658	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Postal code	0 .. unbounded		Postal. Trade_ Address/Trade_ Address. Postcode. Code Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
659	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
660	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
661	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
662	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
663	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
664	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text
665	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Organization. Legal Classification. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code
666	BDT00000658	.. 80	1 .. 1	Legal registration type code content	0 .. 1		Legal_ Registration. Type. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
667	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced order document information/Entity identification	0 .. 1		Referenced_ Document. Page. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Reference. Referenced_ Document/Referenced_ Document. Page. Identifier
668	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced order document information/Business document creation date time	0 .. 1		Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Reference. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
669	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced order document information/Document line number	0 .. 1		Referenced_ Document. Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Reference. Referenced_ Document/Referenced_ Document. Line. Identifier
670	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced order document information/Document line number	0 .. 1		Referenced_ Document. Subordinate Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Reference. Referenced_ Document/Referenced_ Document. Subordinate Line. Identifier
671	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced order document information/Document content owner/	0 .. 1		Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Reference.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>			Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier
672	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path: Invoice/Referenced order document information/Document content owner/ Additional party identification information/Additional party identification content</i>	0 .. 1		Referenced_ Document. URI_ Identification. Identifier <i>Path: BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Reference. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier</i>
673	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path: Invoice/Referenced order document information/Document content owner/ Additional party identification information/Additional party identification content</i>	0 .. 1		Referenced_ Document. Revision_ Identification. Identifier <i>Path: BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Reference. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier</i>
674	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path: Invoice/Referenced order document information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content</i>	0 .. 1		Referenced_ Document. Type. Code <i>Path: BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Reference. Referenced_ Document/Referenced_ Document. Type. Code</i>
675	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path: Invoice/Referenced order document information/Document content owner/ Additional party identification</i>	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path: BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Reference. Referenced_ Document/Referenced_ Document.</i>

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional party identification type code/Additional party identification type code content			Reference_ Type. Code
676	BDT000000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced invoice document information/Entity identification	0 .. 1		Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier
677	BDT000000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced invoice document information/Entity identification	0 .. 1		Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
678	BDT000000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced invoice document information/Entity identification	0 .. unbounded		Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Previous Revision_ Identification. Identifier
679	BDT000000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced invoice document information/Business document creation date time	0 .. 1		Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Receipt. Date Time
680	BDT000000047		0 .. 1	Business document creation date time	0 .. 1		Referenced_ Document. Formatted_ Issue. Date Time

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced invoice document information/Business document creation date time			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
681	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced invoice document information/Revision number		0 .. 1	Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier
682	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced invoice document information/Document content owner/ Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>		0 .. 1	Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier
683	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced invoice document information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content		0 .. 1	Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Status. Code
684	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced invoice document		0 .. 1	Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content			Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Type. Code
685	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced invoice document information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
686	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced despatch advice information/Entity identification	0 .. 1		Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/ Referenced_ Document. Issuer Assigned_ Identification. Identifier
687	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced despatch advice information/Entity identification	0 .. 1		Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/ Referenced_ Document. URI_ Identification. Identifier
688	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced despatch advice	0 .. 1		Supply Chain_ Event. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Entity identification			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Despatch. Supply Chain_ Event/Supply Chain_ Event. Identification. Identifier
689	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced despatch advice information/Entity identification	0 .. 1		Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/ Referenced_ Document. Issuer Assigned_ Identification. Identifier
690	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced despatch advice information/Entity identification	0 .. 1		Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/ Referenced_ Document. URI_ Identification. Identifier
691	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced despatch advice information/Entity identification	0 .. 1		Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/ Referenced_ Document. Revision_ Identification. Identifier
692	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced despatch advice information/Entity identification	0 .. 1		Referenced_ Document. Page. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/ Referenced_ Document. Page. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
693	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced despatch advice information/Entity identification	0 .. 1		Referenced_ Document. Subordinate Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Subordinate Line. Identifier
694	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced despatch advice information/Business document creation date time	0 .. 1		Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Receipt. Date Time
695	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced despatch advice information/Business document creation date time	0 .. 1		Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
696	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced despatch advice information/Business document creation date time	0 .. 1		Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Despatch. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time
697	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced despatch advice information/Business document creation date time	0 .. 1		Supply Chain_ Event. Latest_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Despatch. Supply Chain_ Event/Supply

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
698	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced despatch advice information/Business document creation date time		0 .. 1	Supply Chain_ Event. Earliest_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Despatch. Supply Chain_ Event/Supply Chain_ Event. Earliest_ Occurrence. Date Time
699	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced despatch advice information/Business document creation date time		0 .. 1	Supply Chain_ Event. Time_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Despatch. Supply Chain_ Event/Supply Chain_ Event. Time_ Occurrence. Date Time
700	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced despatch advice information/Business document creation date time		0 .. 1	Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Receipt. Date Time
701	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced despatch advice information/Business document creation date time		0 .. 1	Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
702	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced despatch advice information/Document line number		0 .. 1	Supply Chain_ Event. Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Despatch. Supply Chain_ Event/Supply

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
703	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced despatch advice information/Document line number	0 .. 1		Referenced_ Document. Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Line. Identifier
704	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Global location number GLN <i>GS1 General Specifications:</i> The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.	0 .. 1		Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier
705	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Global location number GLN <i>GS1 General Specifications:</i> The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.	0 .. 1		Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier
706	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party	0 .. 1		Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification content			Delivery. Despatch Advice. Referenced_ Document/ Referenced_ Document. Revision_ Identification. Identifier
707	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/ Additional party identification information/Additional party identification content	0 .. unbounded		Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/ Referenced_ Document. Previous Revision_ Identification. Identifier
708	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/ Additional party identification information/Additional party identification content	0 .. unbounded		Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/ Referenced_ Document. Previous Revision_ Identification. Identifier
709	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/ Referenced_ Document. Status. Code
710	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced despatch advice	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/ Referenced_ Document. Type. Code
711	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/ Referenced_ Document. Reference_ Type. Code
712	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Supply Chain_ Event. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Despatch. Supply Chain_ Event/Supply Chain_ Event. Type. Code
713	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/ Referenced_ Document. Status. Code
714	BDT00000570	.. 80	1 .. 1	Additional party identification type code content	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Type. Code
715	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
716	BDT000000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced delivery note document information/Entity identification	0 .. 1		Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier
717	BDT000000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced delivery note document information/Entity identification	0 .. 1		Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
718	BDT000000056	.. 80	1 .. 1	Entity identification	0 .. 1		Supply Chain_ Event. Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced delivery note document information/Entity identification			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Identification. Identifier
719	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced delivery note document information/Entity identification		0 .. 1	Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier
720	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced delivery note document information/Entity identification		0 .. 1	Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
721	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced delivery note document information/Entity identification		0 .. 1	Supply Chain_ Event. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Previous_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Identification. Identifier
722	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
723	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	Referenced_ Document. Receipt. Date Time Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
724	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time
725	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	Supply Chain_ Event. Latest_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Latest_ Occurrence. Date Time
726	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	Supply Chain_ Event. Earliest_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Earliest_ Occurrence. Date Time
727	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	Supply Chain_ Event. Time_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
728	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Previous_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time
729	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	Supply Chain_ Event. Latest Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Previous_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Latest Occurrence. Date Time
730	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	Supply Chain_ Event. Earliest Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Previous_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Earliest Occurrence. Date Time
731	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	Supply Chain_ Event. Time Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Previous_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Time Occurrence. Date Time
732	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced delivery note document information/Revision number		0 .. 1	Referenced Document. Revision Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier
733	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced delivery note document information/Document line number	0 .. 1		Supply Chain_ Event. Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Unit. Quantity
734	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced delivery note document information/Document line number	0 .. 1		Supply Chain_ Event. Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Previous_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Unit. Quantity
735	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. 1		Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier
736	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional	0 .. unbounded		Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification content			Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Previous Revision_ Identification. Identifier
737	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Status. Code
738	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Type. Code
739	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
740	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced delivery note	0 .. 1		Supply Chain_ Event. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Type. Code
741	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Supply Chain_ Event. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Previous_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Type. Code
742	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced receiving advice information/Entity identification	0 .. 1		Supply Chain_ Event. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Pick-Up. Supply Chain_ Event/Supply Chain_ Event. Identification. Identifier
743	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced receiving advice information/Entity identification	0 .. 1		Supply Chain_ Event. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Receipt. Supply Chain_ Event/Supply Chain_ Event. Identification. Identifier
744	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced receiving advice information/Entity identification	0 .. 1		Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
745	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced receiving advice information/Entity identification	0 .. 1		Referenced_ Document. Issuer Assigned_ Identification. Identifier Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
746	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time	0 .. 1		Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Pick-Up. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time
747	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time	0 .. 1		Supply Chain_ Event. Latest_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Pick-Up. Supply Chain_ Event/Supply Chain_ Event. Latest_ Occurrence. Date Time
748	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time	0 .. 1		Supply Chain_ Event. Earliest_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Pick-Up. Supply Chain_ Event/Supply Chain_ Event. Earliest_ Occurrence. Date Time
749	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time	0 .. 1		Supply Chain_ Event. Time_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
750	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time		0 .. 1	Delivery. Actual_Pick-Up. Supply Chain_Event/Supply Chain_Event. Time Occurrence. Date Time Supply Chain_Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Actual_Receipt. Supply Chain_Event/Supply Chain_Event. Occurrence. Date Time
751	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time		0 .. 1	Supply Chain_Event. Latest Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Actual_Receipt. Supply Chain_Event/Supply Chain_Event. Latest Occurrence. Date Time
752	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time		0 .. 1	Supply Chain_Event. Earliest Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Actual_Receipt. Supply Chain_Event/Supply Chain_Event. Earliest Occurrence. Date Time
753	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time		0 .. 1	Supply Chain_Event. Time Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Actual_Receipt. Supply Chain_Event/Supply Chain_Event. Time Occurrence. Date Time
754	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time		0 .. 1	Referenced_Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
755	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time		0 .. 1	Delivery. Receiving Advice. Referenced_ Document/Referenced_ Document. Receipt. Date Time Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
756	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced receiving advice information/Document line number		0 .. 1	Supply Chain_ Event. Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Pick-Up. Supply Chain_ Event/Supply Chain_ Event. Unit. Quantity
757	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced receiving advice information/Document line number		0 .. 1	Supply Chain_ Event. Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Receipt. Supply Chain_ Event/Supply Chain_ Event. Unit. Quantity
758	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>		0 .. 1	Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier
759	BDT000000578	.. 80	1 .. 1	Additional party identification content		0 .. 1	Referenced_ Document. Line. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/Referenced_ Document. Line. Identifier
760	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification content	0 .. 1		Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier
761	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification content	0 .. unbounded		Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/Referenced_ Document. Previous Revision_ Identification. Identifier
762	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Supply Chain_ Event. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Pick-Up. Supply Chain_ Event/Supply Chain_ Event. Type. Code
763	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced receiving advice	0 .. 1		Supply Chain_ Event. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Receipt. Supply Chain_ Event/Supply Chain_ Event. Type. Code
764	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/ Referenced_ Document. Status. Code
765	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/ Referenced_ Document. Type. Code
766	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/ Referenced_ Document. Reference_ Type. Code
767	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced sales report	0 .. 1		Referenced_ Document. Issuer Assigned_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				document information/Entity identification			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Packing List. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier
768	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced sales report document information/Entity identification	0 .. 1		Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Packing List. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
769	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced sales report document information/Business document creation date time	0 .. 1		Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Packing List. Referenced_ Document/Referenced_ Document. Receipt. Date Time
770	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced sales report document information/Business document creation date time	0 .. 1		Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Packing List. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
771	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical</i>	0 .. 1		Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Packing List. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>			
772	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Additional party identification information/Additional party identification content	0 .. 1		Referenced_Document.Revision_Identifier.Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Packing List. Referenced_Document/Referenced_Document.Revision_Identifier.Identifier
773	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Additional party identification information/Additional party identification content	0 .. unbounded		Referenced_Document.Previous Revision_Identifier.Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Packing List. Referenced_Document/Referenced_Document.Previous Revision_Identifier.Identifier
774	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_Document.Status.Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Packing List. Referenced_Document/Referenced_Document.Status.Code
775	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Additional party	0 .. 1		Referenced_Document.Type.Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Packing List. Referenced_Document/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification type code/Additional party identification type code content			Referenced_ Document. Type. Code
776	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Packing List. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
777	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced inventory report document information/Entity identification	0 .. 1		Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier
778	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced inventory report document information/Entity identification	0 .. 1		Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
779	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced inventory report document information/Entity identification	0 .. unbounded		Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Previous Revision_ Identification. Identifier
780	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced inventory report document information/Entity identification	0 .. 1		Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier
781	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced inventory report document information/Entity identification	0 .. 1		Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
782	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced inventory report document information/Business document creation date time	0 .. 1		Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Receipt. Date Time
783	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced inventory report document information/Business document creation date time	0 .. 1		Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
784	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced inventory report document information/Business document creation date time		0 .. 1	Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Receipt. Date Time
785	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced inventory report document information/Business document creation date time		0 .. 1	Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
786	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>		0 .. 1	Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier
787	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Global location number GLN <i>GS1 General Specifications: The GS1</i>		0 .. 1	Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>			
788	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification content	0 .. 1		Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier
789	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification content	0 .. 1		Referenced_ Document. Page. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Page. Identifier
790	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification content	0 .. 1		Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier
791	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification content	0 .. unbounded		Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification content			Delivery. Consumption Report. Referenced_ Document/ Referenced_ Document. Previous Revision_ Identification. Identifier
792	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Status. Code
793	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Type. Code
794	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
795	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced inventory report document information/Document	0 .. 1		Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Status. Code
796	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Type. Code
797	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
798	BDT00000741	.. 80	1 .. 1	Crediting reason code content <i>Path:</i> Invoice/Crediting reason code/Crediting reason code content	0 .. unbounded		Header_ Trade Settlement. Creditor Reference Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Creditor Reference Type. Code
799	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced additional information/Business document creation date time	0 .. 1		Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Receipt. Date Time

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
800	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced additional information/Business document creation date time		0 .. 1	Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
801	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Invoice/Referenced additional information/Business document reference identification		0 .. 1	Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier
802	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Invoice/Referenced additional information/Business document reference identification		0 .. 1	Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
803	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Invoice/Referenced additional information/Business document reference identification		0 .. 1	Referenced_ Document. Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Line. Identifier
804	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Invoice/Referenced additional information/Business document reference identification		0 .. 1	Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
805	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Invoice/Referenced additional information/Business document reference identification	0 .. unbounded	Document. Revision_ Identification. Identifier Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Previous Revision_ Identification. Identifier	
806	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Invoice/Referenced additional information/Business document reference identification	0 .. 1	Referenced_ Document. Page. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Page. Identifier	
807	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Invoice/Referenced additional information/Business document reference identification	0 .. 1	Referenced_ Document. Subordinate Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Subordinate Line. Identifier	
808	BDT00000699	.. 80	1 .. 1	Referenced document type code content <i>Path:</i> Invoice/Referenced additional information/Referenced document type code/Referenced document type code content	0 .. 1	Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Status. Code	
809	BDT00000699	.. 80	1 .. 1	Referenced document type code content <i>Path:</i> Invoice/Referenced additional information/Referenced document type code/Referenced document type code	0 .. 1	Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade	

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			Delivery. Additional. Referenced_ Document/Referenced_ Document. Type. Code
810	BDT00000699	.. 80	1 .. 1	Referenced document type code content <i>Path:</i> Invoice/Referenced additional information/Referenced document type code/Referenced document type code content	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
811	BDT00000049	.. 6	1 .. 1	Business document line item number <i>Path:</i> Invoice/Invoice line/Business document line item number	0 .. 1		Document Line_ Document. Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Associated. Document Line_ Document/Document Line_ Document. Line. Identifier
812			0 .. 1	Actual delivery date <i>Path:</i> Invoice/Invoice line/Actual delivery date	0 .. 1		Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Actual_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time
813	BDT00000105	.. 6	0 .. 1	Parent line item number <i>Path:</i> Invoice/Invoice line/Parent line item number	0 .. 1		Document Line_ Document. Parent_ Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Associated. Document Line_ Document/Document Line_ Document. Parent_ Line. Identifier
814	BDT00000066	14 .. 14	0 .. 1	Global trade item number, GTIN <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Global trade item number,	0 .. 1		Trade_ Product. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				GTIN <i>GS1 General Specifications: The GS1 identification key used to identify trade items. The key comprises a GS1 Company Prefix, an item reference and check digit.</i>			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Global Identification. Identifier
815	BDTG00000142		0 .. 1	Additional trade item identification information <i>Path: Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information</i>		0 .. 1	Trade_ Product. Buyer Assigned_ Identification. Identifier <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Buyer Assigned_ Identification. Identifier</i>
816	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path: Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional trade item identification content</i>		0 .. 1	Trade_ Product. Identification. Identifier <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Identification. Identifier</i>
817	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path: Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional trade item identification content</i>		0 .. 1	Trade_ Product. Manufacturer Assigned_ Identification. Identifier <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer Assigned_ Identification. Identifier</i>
818	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path: Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional trade item identification content</i>		0 .. 1	Trade_ Product. Industry Assigned_ Identification. Identifier <i>Path: BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Industry Assigned_ Identification. Identifier</i>

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
819	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional trade item identification content	0 .. 1		Trade_ Product. Model_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Model_ Identification. Identifier
820	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional trade item identification content	0 .. unbounded		Trade_ Product. Product Group. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Product Group. Identifier
821	BDT00000518	.. 80	1 .. 1	Additional trade item identification type code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional trade item identification type code/ Additional trade item identification type code content	0 .. 1		Document Line_ Document. Line Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Associated. Document Line_ Document/Document Line_ Document. Line Status. Code
822	BDT00000518	.. 80	1 .. 1	Additional trade item identification type code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional trade item identification type code/ Additional trade item identification type code content	0 .. 1		Document Line_ Document. Line Status Reason. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Associated. Document Line_ Document/Document Line_ Document. Line Status Reason. Code
823	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Invoice/Invoice line/Invoiced trade item	0 .. 1		Line_ Trade Delivery. Product_ Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Trade item quantity/Trade item quantity content			Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Product_ Unit. Quantity
824	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item quantity/Trade item quantity content		0 .. 1	Line_ Trade Delivery. Per Package_ Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Per Package_ Unit. Quantity
825	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item quantity/Trade item quantity content		0 .. 1	Supply Chain_ Consignment. Package. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Package. Quantity
826	BDT00000684	.. 70	1 .. 1	Trade item description content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item description/ Trade item description content		0 .. unbounded	Trade_ Product. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Description. Text
827	BDT00000684	.. 70	1 .. 1	Trade item description content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item description/ Trade item description content		0 .. unbounded	Trade_ Product. Use_ Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Use_ Description. Text
828	BDT00000684	.. 70	1 .. 1	Trade item description content		0 .. unbounded	Trade_ Product. Concise_ Description. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item description/Trade item description content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Concise_ Description. Text
829	BDT00000684	.. 70	1 .. 1	Trade item description content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item description/Trade item description content	0 .. unbounded		Trade_ Product. Designation. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Designation. Text
830	BDT00000656	.. 80	1 .. 1	Item type code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Item type code/Item type code content	0 .. 1		Trade_ Product. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Type. Code
831	BDT00000656	.. 80	1 .. 1	Item type code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Item type code/Item type code content	0 .. 1		Trade_ Product. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Status. Code
832	BDT00000008	.. 80	0 .. 1	Batch number <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Batch number	0 .. unbounded		Trade_ Product. Batch_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Batch_ Identification. Identifier
833	BDT00000116		0 .. 1	Production date	0 .. 1		Trade_ Product. Formatted Latest_ Product Data Change.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Production date			Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Formatted Latest_ Product Data Change. Date Time
834	BDT000000095		0 .. 1	Number of layers <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of layers		0 .. 1	Supply Chain_ Packaging. Layer_ Total Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Layer_ Total Unit. Quantity
835	BDT000000096		0 .. 1	Number of units per layer <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of units per layer		0 .. 1	Supply Chain_ Packaging. Content Layer. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Content Layer. Quantity
836	BDT000000091		1 .. 1	Maximum stacking factor <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Maximum stacking factor		0 .. 1	Supply Chain_ Packaging. Maximum Stackability. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Maximum Stackability. Quantity
837	BDT000000091		1 .. 1	Maximum stacking factor <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging		0 .. 1	Supply Chain_ Packaging. Maximum Stackability_ Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				pattern information/Maximum stacking factor			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Maximum Stackability_ Weight. Measure
838	BDT00000663	.. 80	1 .. 1	Packaging terms and conditions code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Packaging terms and conditions code/Packaging terms and conditions code content	0 .. 1		Supply Chain_ Packaging. Condition. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Condition. Code
839	BDT00000664	.. 80	1 .. 1	Package type code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Package type code/Package type code content	0 .. 1		Supply Chain_ Packaging. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Type. Code
840	BDT00000665	.. 80	1 .. 1	Returnable package return transport payment code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Returnable package return transport payment code/Returnable package return transport payment code content	0 .. 1		Returnable Asset_ Instructions. Terms And Conditions_ Description. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Applicable. Returnable Asset_ Instructions/Returnable Asset_ Instructions. Terms And Conditions_ Description. Code
841	BDT00000661		1 .. 1	Depth measurement content	0 .. 1		Spatial_ Dimension. Length. Measure

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Depth measurement/Depth measurement content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Linear. Spatial_ Dimension/Spatial_ Dimension. Length. Measure
842	BDT00000650		1 .. 1	Height measurement content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Height measurement/Height measurement content		0 .. 1	Spatial_ Dimension. Height. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Linear. Spatial_ Dimension/Spatial_ Dimension. Height. Measure
843	BDT00000662		1 .. 1	Width measurement content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Width measurement/Width measurement content		0 .. 1	Spatial_ Dimension. Width. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Linear. Spatial_ Dimension/Spatial_ Dimension. Width. Measure
844	BDT00000662		1 .. 1	Width measurement content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Width measurement/Width measurement content		0 .. 1	Spatial_ Dimension. Diameter. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Linear. Spatial_ Dimension/Spatial_ Dimension. Diameter. Measure

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
845	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item quantity/Trade item quantity content		0 .. 1	Supply Chain_ Packaging. Customer Facing_ Total Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Customer Facing_ Total Unit. Quantity
846	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item quantity/Trade item quantity content		0 .. 1	Supply Chain_ Consignment. Consignment Item. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignment Item. Quantity
847	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		0 .. 1	Trade_ Product. Net Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Net Weight. Measure
848	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		0 .. 1	Trade_ Product. Gross Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Gross Weight. Measure
849	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		0 .. 1	Trade_ Product. Drained_ Net Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Trade item weight information/Trade item weight content			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Drained_ Net Weight. Measure
850	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		0 .. 1	Line_ Trade Delivery. Net Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Net Weight. Measure
851	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		0 .. 1	Line_ Trade Delivery. Gross Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Gross Weight. Measure
852	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		0 .. 1	Line_ Trade Delivery. Theoretical Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Theoretical Weight. Measure
853	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		0 .. unbounded	Supply Chain_ Packaging. Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Weight. Measure
854	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item		0 .. unbounded	Supply Chain_ Consignment. Gross Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Dynamic trade item information/Trade item weight information/Trade item weight content			Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Gross Weight. Measure
855	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		0 .. unbounded	Supply Chain_ Consignment. Net Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Net Weight. Measure
856	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		0 .. 1	Supply Chain_ Consignment. Chargeable Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Chargeable Weight. Measure
857	BDT00000752		1 .. 1	Trade item volume content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume information/Trade item volume content		0 .. 1	Trade_ Product. Net Volume. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Net Volume. Measure
858	BDT00000752		1 .. 1	Trade item volume content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume information/Trade item volume content		0 .. 1	Trade_ Product. Gross Volume. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Gross Volume. Measure

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
859	BDT00000752		1 .. 1	Trade item volume content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume information/Trade item volume content		0 .. 1	Spatial_Dimension. Value. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Linear. Spatial_Dimension/Spatial_Dimension. Value. Measure
860	BDT00000752		1 .. 1	Trade item volume content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume information/Trade item volume content		0 .. unbounded	Supply Chain_ Consignment. Gross Volume. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Gross Volume. Measure
861	BDT00000752		1 .. 1	Trade item volume content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume information/Trade item volume content		0 .. unbounded	Supply Chain_ Consignment. Net Volume. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Net Volume. Measure
862	BDT00000666	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume information/Measurement type code/Measurement type code content		0 .. 1	Spatial_Dimension. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Linear. Spatial_Dimension/Spatial_Dimension. Type. Code
863	BDT00000736		1 .. 1	Colour code content		0 .. 1	Trade_Product. Colour. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Colour information/Colour code/Colour code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Colour. Code
864	BDT00000030	.. 80	0 .. 1	Colour code system description <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Colour information/Colour code/Colour code system description	0 .. unbounded		Trade_ Product. Colour_ Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Colour_ Description. Text
865	BDT000000679	.. 70	1 .. 1	Size description content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Size information/Size description/Size description content	0 .. 1		Trade_ Product. Area Density. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Area Density. Measure
866	BDT000000417		1 .. 1	Invoiced quantity content <i>Path:</i> Invoice/Invoice line/Invoiced quantity/ Invoiced quantity content	0 .. 1		Trade_ Product. Content_ Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Content_ Unit. Quantity
867	BDT000000417		1 .. 1	Invoiced quantity content <i>Path:</i> Invoice/Invoice line/Invoiced quantity/ Invoiced quantity content	0 .. 1		Line_ Trade Delivery. Billed. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Billed. Quantity
868	BDT000000607	.. 80	1 .. 1	Measurement unit code content	0 .. unbounded		Trade_ Product. Unit_ Type. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Invoiced quantity/ Measurement unit code/Measurement unit code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Unit_ Type. Code
869	BDT00000429		1 .. 1	Delivered quantity value <i>Path:</i> Invoice/Invoice line/Delivered quantity/ Delivered quantity value		0 .. 1	Line_ Trade Delivery. Received. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Received. Quantity
870	BDT00000429		1 .. 1	Delivered quantity value <i>Path:</i> Invoice/Invoice line/Delivered quantity/ Delivered quantity value		0 .. 1	Line_ Trade Delivery. Package. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Package. Quantity
871	BDT00000429		1 .. 1	Delivered quantity value <i>Path:</i> Invoice/Invoice line/Delivered quantity/ Delivered quantity value		0 .. 1	Line_ Trade Delivery. Despatched. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatched. Quantity
872	BDT00000566		1 .. 1	Total requested quantity content <i>Path:</i> Invoice/Invoice line/Total requested quantity/Total requested quantity content		0 .. 1	Line_ Trade Delivery. Requested. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Requested. Quantity
873	BDT00000711		1 .. 1	Free goods quantity content		0 .. 1	Line_ Trade Delivery. Charge Free. Quantity

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Free goods quantity/Free goods quantity content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Charge Free. Quantity
874	BDT00000596		1 .. 1	Total line item gross monetary amount content <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount/Total line item gross monetary amount content		0 .. 1	Supply Chain_ Consignment. FOB. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. FOB. Amount
875	BDT00000596		1 .. 1	Total line item gross monetary amount content <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount/Total line item gross monetary amount content		0 .. 1	Supply Chain_ Consignment. Insurance Value. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Insurance Value. Amount
876	BDT00000596		1 .. 1	Total line item gross monetary amount content <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount/Total line item gross monetary amount content		0 .. 1	Supply Chain_ Consignment. Insurance Premium. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Insurance Premium. Amount
877	BDT00000596		1 .. 1	Total line item gross monetary amount content <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount/Total line item gross monetary amount content		0 .. unbounded	Trade Settlement Line_ Monetary Summation. Gross_ Line Total. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade Settlement Line_ Monetary Summation/Trade Settlement Line_ Monetary Summation. Gross_ Line Total. Amount
878	BDT00000597		1 .. 1	Total line item gross monetary amount including tax content <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount including tax/Total line item gross monetary amount including tax content		0 .. unbounded	Trade Settlement Line_ Monetary Summation. Including Taxes_ Line Total. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade Settlement Line_ Monetary Summation/Trade Settlement Line_ Monetary Summation. Including Taxes_ Line Total. Amount
879	BDT00000604		1 .. 1	Trade item gross price content <i>Path:</i> Invoice/Invoice line/Trade item gross price/Trade item gross price content		0 .. 1	Supply Chain_ Consignment. Total Charge. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Total Charge. Amount
880	BDT00000006		0 .. 1	Allowance percentage <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance percentage		0 .. 1	Trade_ Allowance Charge. Calculation. Percent <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Calculation. Percent
881	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Invoice/Invoice line/Allowance information/Calculation sequence number		0 .. 1	Trade_ Allowance Charge. Sequence. Numeric <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
882	BDT00000018		0 .. 1	Charge percentage <i>Path:</i> Invoice/Invoice line/Charge information/Charge percentage		0 .. 1	Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Sequence. Numeric Trade_ Allowance Charge. Calculation. Percent <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Calculation. Percent
883	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Invoice/Invoice line/Charge information/Calculation sequence number		0 .. 1	Trade_ Allowance Charge. Sequence. Numeric <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Sequence. Numeric
884	BDTG00000321		0 .. 1	Tax category code <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax category code		0 .. 1	Trade_ Tax. Category. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Category. Code
885	BDT00000371		0 .. 1	Tax rate <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax rate		0 .. 1	Trade_ Tax. Rate. Applicable. Percent <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Rate_ Applicable. Percent

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
886	BDT00000377		0 .. 1	Tax point date <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax point date		0 .. 1	Trade_ Tax. Tax Point. Date <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Tax Point. Date
887	BDT00000456		0 .. 1	Despatch date time <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Despatch date time		0 .. 1	Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Actual_ Despatch. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time
888	BDT00000460		0 .. 1	Goods pick up date time <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Goods pick up date time		0 .. 1	Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Actual_ Pick-Up. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time
889	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Ship to party information/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>		0 .. unbounded	Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
890	BDT00000063	13 .. 13	0 .. 1	Global location number GLN		0 .. unbounded	Trade_ Party. Global_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Ship to party information/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Global Identification. Identifier
891	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Ship to party information/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
892	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Ship to party information/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Identification. Identifier
893	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Type. Code
894	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Ship to party	0 .. unbounded		Trade_ Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional party identification information/Additional party identification type code/Additional party identification type code content			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Role. Code
895	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
896	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
897	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/City code	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier
898	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/County code	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
	BDT00000035						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
899		.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Street Name. Text
900	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Name. Text
901	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
902	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
903	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code
904	BDT00000117	80 ..	0 .. 1	Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Province identity			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
905	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
906	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
907	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
908	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
909	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Street address three	0 .. 1		Trade_ Address/Trade_ Address. Line Two. Text Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
910	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
911	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
912	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
913	BDT00000044	.. 70	0 .. 1	Department name	0 .. 1		Trade_ Contact. Department Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Department name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
914	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Job title		0 .. 1	Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text
915	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Contact type code/Contact type code content		0 .. 1	Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
916	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content		0 .. 1	Trade_ Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text
917	BDTG000000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel code		0 .. 1	Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
918	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel code		0 .. 1	Party. Defined. Trade_Contact/Trade_Contact. VOIP. Universal_Communication/Universal_Communication. Channel. Code Universal_Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. URI. Universal_Communication/Universal_Communication. Channel. Code
919	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel code		0 .. 1	Universal_Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. VOIP. Universal_Communication/Universal_Communication. Channel. Code
920	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel code		0 .. 1	Universal_Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. URI. Universal_Communication/Universal_Communication. Channel. Code
921	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel code		0 .. 1	Universal_Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. End Point

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code			URI. Universal_ Communication/Universal_ Communication. Channel. Code
922	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. URI. Identifier
923	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
924	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. URI. Identifier
925	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication channel identification			Delivery. Ship To. Trade_Party/Trade_Party. URI. Universal_Communication/Universal_Communication. URI. Identifier
926	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ship To. Trade_Party/Trade_Party. End Point_URI. Universal_Communication/Universal_Communication. URI. Identifier
927	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/After hours communication information/Communication channel code	0 .. 1		Universal_Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ship To. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Mobile_Telephone. Universal_Communication/Universal_Communication. Channel. Code
928	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/After hours communication information/Communication channel identification	0 .. 1		Universal_Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Included. Supply Chain_Trade Line Item/Supply Chain_Trade Line Item. Specified. Line_Trade Agreement/Line_Trade Agreement. Buyer_Requisitioner. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Mobile_Telephone. Universal_Communication/Universal_Communication. URI. Identifier
929	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/After hours communication	0 .. 1		Universal_Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication channel identification			Delivery. Ship To. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Mobile_Telephone. Universal_Communication/Universal_Communication. URI. Identifier
930	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Identification. Identifier
931	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_Registration. IOSS_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. IOSS_ Identification. Identifier
932	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax type code/Tax type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
933	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Associated.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
934	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Organisation name	0 .. 1		Registered_ Tax/Registered_ Tax. Description. Text Legal_ Organization. Trading Business Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Trading Business Name. Text
935	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
936	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization. Trading Business Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Trading Business Name. Text
937	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
938	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
939	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text
940	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
941	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/City code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
942	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/City code	0 .. 1		Type. Code Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier
943	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
944	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
945	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
946	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Post office box number	0 .. 1		Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
947	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
948	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code
949	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
950	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Province identity		0 .. 1	Address/Trade_ Address. Type. Code Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
951	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Province identity		0 .. 1	Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
952	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/State		0 .. 1	Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
953	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/State		0 .. 1	Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
954	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address one	0 .. 1		Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text
955	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text
956	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
957	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
958	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address two	0 .. 1		Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
959	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text
960	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text
961	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Registered legal	0 .. 1		Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Legal registration number			Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier
962	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
963	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Organization. Legal Classification. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code
964	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
965	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Ship from party information/Global location number GLN <i>GS1 General Specifications: The GS1</i>	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>			Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Global Identification. Identifier
966	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Ship from party information/Global location number GLN <i>GS1 General Specifications:</i> The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Global Identification. Identifier
967	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Ship from party information/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Identification. Identifier
968	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Ship from party information/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Global Identification. Identifier
969	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Ship from party information/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
970	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Type. Code
971	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
972	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
973	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
974	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/City	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier
975	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/City code	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier
976	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/County code	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
977	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Street Name. Text
978	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
979	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Name. Text
980	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
981	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
982	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
983	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
984	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Postal code	0 .. unbounded		Trade_ Address/Trade_ Address. Postcode. Code Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code
985	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
986	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
987	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
988	BDT00000128	.. 200	0 .. 1	Street address one	0 .. 1		Trade_ Address. Line One. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address one			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
989	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
990	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
991	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
992	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
993	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address three	0 .. 1		Trade_ Address/Trade_ Address. Line Two. Text Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
994	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
995	BDTG00000179		0 .. 1	Country code <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/ Country code	0 .. 1		Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier
996	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/ Geographical coordinates information/ Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
	BDT00000085						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
997		.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
998	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
999	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
100	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
100	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Person name	0 .. 1		Trade_Contact/Trade_Contact. Person Name. Text Trade_Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Person Name. Text
100	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Department name	0 .. 1		Trade_Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Department Name. Text
100	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Department name	0 .. 1		Trade_Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Department Name. Text
100	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Job title	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text
100	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Job title			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text
100	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Contact type code/Contact type code content	0 .. 1		Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
100	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	0 .. 1		Trade_ Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text
100	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
100	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. Channel. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
101	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
101	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. URI. Identifier
101	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/After hours communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. Channel. Code
101	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/After hours communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. Channel. Code
101	BDT00000032	.. 200	1 .. 1	Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/After hours communication information/Communication channel identification			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
101	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/After hours communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. URI. Identifier
101	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier
101	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_ Registration. IOSS_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier
101	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Invoice line/Ship from party	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax type code/Tax type code content			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
101	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text
102	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
102	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
102	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice line/Ship from party	0 .. 1		Legal_ Organization. Trading Business Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Organisation name			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Trading Business Name. Text
102	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text
102	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub- Division Name. Text
102	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/City code	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier
102	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
102	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
102	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code
102	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
103	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
103	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/State	0 .. 1		Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
103	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text
103	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
103	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
103	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Street address three	0 .. 1		Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text
103	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
103	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Business unit information/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
103	BDT00000076	.. 80	0 .. 1	Business unit name <i>Path:</i> Invoice/Invoice line/Business unit information/Business unit name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
103	BDT00000582	.. 80	1 .. 1	Business unit type code content <i>Path:</i> Invoice/Invoice line/Business unit information/Business unit type code/ Business unit type code content	0 .. unbounded		Manufacturer. Trade_Party/Trade_Party. Name. Text Trade_Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_Product/Trade_Product. Manufacturer. Trade_Party/Trade_Party. Type. Code
104	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/ Entity identification	0 .. 1		Trade_Product. Buyer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_Product/Trade_Product. Buyer Assigned_ Identification. Identifier
104	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/ Entity identification	0 .. unbounded		Trade_Product. Customer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_Product/Trade_Product. Customer Assigned_ Identification. Identifier
104	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Entity identification	0 .. 1		Trade_Product. Seller Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_Product/Trade_Product. Seller Assigned_ Identification. Identifier
104	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. 1		Referenced_Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier
104	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. 1		Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
104	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. 1		Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier
104	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. 1		Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier
104	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. unbounded		Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Previous Revision_ Identification. Identifier
104	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier
104	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
105	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
105	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade	0 .. 1		Referenced_ Document. Issuer Assigned_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				agreement information/Entity identification			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier
105	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. 1		Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
105	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. 1		Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier
105	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. unbounded		Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Previous Revision_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
105	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. unbounded		Trade_Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier
105	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. unbounded		Trade_Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
105	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. unbounded		Trade_Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_Seller. Trade_ Party/Trade_ Party. Identification. Identifier
105	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. unbounded		Trade_Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_Buyer. Trade_ Party/Trade_ Party. Identification. Identifier
105	BDT00000056	.. 80	1 .. 1	Entity identification	0 .. unbounded		Trade_Party. Registered_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_Buyer. Trade_Party/Trade_Party. Registered_ Identification. Identifier
106	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Business document creation date time		0 .. 1	Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Receipt. Date Time
106	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Business document creation date time		0 .. 1	Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
106	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Business document creation date time		0 .. 1	Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Receipt. Date Time
106	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Business document creation date time		0 .. 1	Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
106	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Referenced document external location	0 .. 1		Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time Line_ Trade Agreement. Buyer_ Reference. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Reference. Text
106	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. 1		Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier
106	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. 1		Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier
106	BDT00000063	13 .. 13	0 .. 1	Global location number GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
106	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_ Seller. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
106	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Global location number GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_ Buyer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
107	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Referenced trade	0 .. 1		Referenced_ Document. Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				agreement information/Document content owner/Additional party identification information/Additional party identification content			Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Line. Identifier
107	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_ Seller. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
107	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Status. Code
107	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Type. Code
107	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
107	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Type. Code
107	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Status. Code
107	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Type. Code
107	BDT00000570	.. 80	1 .. 1	Additional party identification type code content	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
107	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Type. Code
108	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Role. Code
108	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_ Seller. Trade_ Party/Trade_ Party. Type. Code
108	BDT00000570	.. 80	1 .. 1	Additional party identification type code content	0 .. unbounded		Trade_ Party. Role. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_ Seller. Trade_ Party/Trade_ Party. Role. Code
108	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_ Buyer. Trade_ Party/Trade_ Party. Type. Code
108	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_ Buyer. Trade_ Party/Trade_ Party. Role. Code
108	BDT00000004	.. 80	1 .. 1	Additional consignment identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignment identification information/Additional consignment identification information/Additional consignment identification content	0 .. 1		Supply Chain_ Consignment. Consignor Assigned. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignor Assigned. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
108	BDT00000004	.. 80	1 .. 1	Additional consignment identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignment identification information/Additional consignment identification information/Additional consignment identification content	0 .. unbounded		Supply Chain_ Consignment. Customs_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs_ Identification. Identifier
108	BDT00000004	.. 80	1 .. 1	Additional consignment identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignment identification information/Additional consignment identification information/Additional consignment identification content	0 .. 1		Supply Chain_ Consignment. Freight Forwarder Assigned. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder Assigned. Identifier
108	BDT000000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Global location number, GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignor. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
108	BDT000000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Global location number,	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>			Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Exporter. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
109	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Global location number, GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Export Agent. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
109	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignor. Trade_ Party/Trade_ Party. Identification. Identifier
109	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignor. Trade_ Party/Trade_ Party. Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
109	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Party. Registered_ Identification. Identifier Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Exporter. Trade_ Party/Trade_ Party. Identification. Identifier
109	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Exporter. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
109	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Export Agent. Trade_ Party/Trade_ Party. Identification. Identifier
109	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
109	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Chain_ Consignment. Customs Export Agent. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
109	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignor. Trade_ Party/Trade_ Party. Type. Code
109	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignor. Trade_ Party/Trade_ Party. Role. Code
110	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Export Agent. Trade_ Party/Trade_ Party. Type. Code
110	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Export Agent. Trade_ Party/Trade_ Party. Role. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
110	BDT00000063	13 .. 13	0 .. 1	identification information/Additional party identification type code/Additional party identification type code content Global location number, GLN <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Global location number, GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>			Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Export Agent. Trade_Party/Trade_Party. Role. Code 0 .. unbounded Trade_Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Importer. Trade_Party/Trade_Party. Global_ Identification. Identifier
110	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Global location number, GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>		0 .. unbounded	Trade_Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Import Agent. Trade_Party/Trade_Party. Global_ Identification. Identifier
110	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification content		0 .. unbounded	Trade_Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_Party/Trade_Party. Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
110	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_Party/Trade_Party. Global_ Identification. Identifier
110	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Importer. Trade_Party/Trade_Party. Identification. Identifier
110	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Import Agent. Trade_Party/Trade_Party. Identification. Identifier
110	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Import Agent. Trade_Party/Trade_Party. Registered_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
110	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Party/Trade_Party. Registered_ Identification. Identifier Trade_Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_Party/Trade_Party. Type. Code
110	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_Party/Trade_Party. Registered_ Identification. Identifier
111	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Importer. Trade_Party/Trade_Party. Type. Code
111	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional	0 .. unbounded		Trade_Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
111	BDT00000570	.. 80	1 .. 1	party identification type code/Additional party identification type code content Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Chain_ Consignment. Importer. Trade_ Party/Trade_ Party. Role. Code Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Importer. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
111	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Import Agent. Trade_ Party/Trade_ Party. Type. Code
111	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Import Agent. Trade_ Party/Trade_ Party. Role. Code
111	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Global location number, GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>			Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_Party/Trade_Party. Global_ Identification. Identifier
111	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Global location number, GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. unbounded		Trade_Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_Party/Trade_Party. Global_ Identification. Identifier
111	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Global location number, GLN <i>GS1 General Specifications: The GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit.</i>	0 .. unbounded		Trade_Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Delivery. Trade_Party/Trade_Party. Global_ Identification. Identifier
111	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
111	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Identification. Identifier Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
112	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Identification. Identifier
112	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
112	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification content			Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Delivery. Trade_ Party/Trade_ Party. Identification. Identifier
112	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Delivery. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
112	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Type. Code
112	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Type. Code
112	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party	0 .. unbounded		Trade_ Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification/Additional party identification information/Additional party identification type code/Additional party identification type code content			Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Role. Code
112	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Delivery. Trade_ Party/Trade_ Party. Type. Code
112	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Delivery. Trade_ Party/Trade_ Party. Role. Code
112	BDT00000132	.. 80	0 .. 1	Sub location identification <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Sub location identification	0 .. 1		Logistics_ Location. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Identification. Identifier
113	BDT00000088	.. 80	0 .. 1	Logistics location name <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location	0 .. unbounded		Logistics_ Location. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Logistics location name			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Name. Text
113	BDT00000690	.. 80	1 .. 1	United Nations location code, UN/LOCODE content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/UN location code, UN/LOCODE/United Nations location code, UN/LOCODE content	0 .. 1		Logistics_ Location. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Type. Code
113	BDT00000627	.. 80	1 .. 1	Physical location identification content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Additional physical location identification/Physical location identification content	0 .. 1		Trade_ Address. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Identification. Identifier
113	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Postcode. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
113	BDT00000744	.. 70	1 .. 1	content Specific instructions location description content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Specific instructions location description/Specific instructions location description content	0 .. unbounded		Logistics_ Location. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Description. Text
113	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City Name. Text
113	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
113	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/City	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code			Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City. Identifier
113	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Street Name. Text
113	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Export Agent. Trade_ Party/Trade_ Party. Name. Text
114	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
114	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Type. Code
114	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Province identity	0 .. 1		Logistics_ Location. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Country Sub-Division. Identifier
114	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
114	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Street	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address one			Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line One. Text
114	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
114	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line Two. Text
114	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
114	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Geographical coordinates information/Latitude	0 .. 1		Trade_ Address. Line Three. Text Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
114	BDT00000110	.. 35	0 .. 1	Payment method identification <i>Path:</i> Invoice/Invoice line/Payment method information/Payment method identification	0 .. 1		Trade_ Payment Terms. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Payment Terms/Trade_ Payment Terms. Identification. Identifier
115	BDT00000691	.. 80	1 .. 1	Payment method code content <i>Path:</i> Invoice/Invoice line/Payment method information/Payment method code/ Payment method code content	0 .. 1		Supply Chain_ Consignment. Payment Arrangement. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Payment Arrangement. Code

Legend: No = Consecutive Number