



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
001	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Business document identification information/Entity identification	0 .. 1		Exchanged_ Document. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Identification. Identifier
002	BDT000000653	.. 80	1 .. 1	Invoice type code content <i>Path:</i> Invoice/Invoice type code/Invoice type code content	0 .. 1		Exchanged_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Type. Code
003	BDT00000047		1 .. 1	Business document creation date time <i>Path:</i> Invoice/Business document creation date time	1 .. 1		Exchanged_ Document. Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issue. Date Time
004	BDT00000048		0 .. 1	Business document last update date time <i>Path:</i> Invoice/Business document last update date time	0 .. 1		Exchanged_ Document. Revision. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Revision. Date Time
005	BDT00000046		0 .. 1	Business document standard version <i>Path:</i> Invoice/Business document standard version	0 .. 1		Exchanged_ Document. Version_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Version_ Identification. Identifier
006	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Revision number	0 .. 1		Exchanged_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Revision_ Identification. Identifier
007	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Revision number	0 .. 1		Exchanged_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Previous Revision_ Identification. Identifier
008	BDT00000047		1 .. 1	Business document creation date time <i>Path:</i> Invoice/Business document creation date time	0 .. 1		Exchanged_ Document. Creation. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Creation. Date Time

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
009	BDT00000670	.. 70	1 .. 1	Notation content <i>Path:</i> Invoice/Notation/Notation content	0 .. unbounded		Note. Content. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Included. Note/Note. Content. Text
010	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced order document information/Document content owner/ Additional party identification information/Additional party identification content	0 .. 1		Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Reference. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
011	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced order document information/Document line number	0 .. 1		Referenced_ Document. Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Reference. Referenced_ Document/Referenced_ Document. Line. Identifier
012	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced order document information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Reference. Referenced_ Document/Referenced_ Document. Type. Code
013	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced order document information/Document content owner/ Global location number GLN	0 .. 1		Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Reference. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier
014	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced order document	0 .. 1		Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Document content owner/ Additional party identification information/Additional party identification content			Document/Exchanged_ Document. Reference. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier
015	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced order document information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Reference. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
016	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced order document information/Business document creation date time	0 .. 1		Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Reference. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
017	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced order document information/Entity identification	0 .. 1		Referenced_ Document. Page. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Reference. Referenced_ Document/Referenced_ Document. Page. Identifier
018	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced order document information/Document line number	0 .. 1		Referenced_ Document. Subordinate Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Reference. Referenced_ Document/Referenced_ Document. Subordinate Line. Identifier
019	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Business document identification information/Document	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content owner/Global location number GLN			Trade_Party. Global_ Identification. Identifier
020	BDTG00000579		1 .. 1	Additional party identification type code <i>Path:</i> Invoice/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code	0 .. unbounded		Trade_Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_Document/Exchanged_Document. Issuer. Trade_Party/Trade_Party. Type. Code
021	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Additional party identification information/Additional party identification type code/Code list version	0 .. unbounded		Trade_Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_Document/Exchanged_Document. Issuer. Trade_Party/Trade_Party. Type. Code
022	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Business document identification information/Document content owner/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_Document/Exchanged_Document. Issuer. Trade_Party/Trade_Party. Registered_ Identification. Identifier
023	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_Document/Exchanged_Document. Issuer. Trade_Party/Trade_Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
024	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Legal structure description/ Legal structure description content	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_Document/Exchanged_Document. Issuer. Trade_Party/Trade_Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
025	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/City code	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
026	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
027	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Postal code	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
028	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
029	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
030	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/County code	0 .. 1		Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country. Identifier
031	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
032	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
033	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
034	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Street address two	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
035	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Street address three	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
036	BDT00000774		1 .. 1	Country code content <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Country code/Country code content	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
037	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Country code/Code list version	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
038	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
039	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration type	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
040	BDT00000087	.. 80	1 .. 1	code/Code list version Legal registration number <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration number	0 .. 1		Registration. Type. Code Legal_Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_Document/Exchanged_Document. Issuer. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Authorized. Legal_Registration/Legal_Registration. Identification. Identifier
041	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration additional information	0 .. 1		Legal_Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_Document/Exchanged_Document. Issuer. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Authorized. Legal_Registration/Legal_Registration. Identification. Identifier
042	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Payer party information/Business contact information/After hours communication information/Communication channel identification	0 .. 1		Universal_Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_Document/Exchanged_Document. Issuer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Mobile_Telephone. Universal_Communication/Universal_Communication. URI. Identifier
043	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Payer party information/Business contact information/After hours communication information/Communication channel name	0 .. 1		Universal_Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_Document/Exchanged_Document. Issuer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Mobile_Telephone. Universal_Communication/Universal_Communication. URI. Identifier
044	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Payer party information/Business contact information/After hours communication information/Communication channel code	0 .. 1		Universal_Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_Document/Exchanged_Document. Issuer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Mobile_Telephone. Universal_Communication/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
045	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Payer party information/ Business contact information/Person name	0 .. 1		Universal_ Communication. Channel. Code Contact_ Person. Given Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Specified. Contact_ Person/Contact_ Person. Given Name. Text
046	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice processing party information/Address information/Postal code	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
047	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Address information/ Country code/Code list version	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code
048	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/ Geographical Coordinate. Latitude. Measure
049	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_ Document/Exchanged_ Document. Issuer. Trade_ Party/ Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/ Geographical Coordinate. Latitude. Measure
050	BDT00000089	.. 80	1 .. 1	Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Geographical coordinates information/Longitude			<i>Path:</i> BSP Master. Details/BSP Master. Exchanged_Document/Exchanged_Document. Issuer. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
051	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_Document/Exchanged_Document. Issuer. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
052	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax registration type code/Code list version	0 .. 1		Registered_Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Exchanged_Document/Exchanged_Document. Issuer. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_Tax/Registered_Tax. Type. Code
053	BDT00000049	.. 6	1 .. 1	Business document line item number <i>Path:</i> Invoice/Invoice line/Business document line item number	0 .. 1		Document Line_Document. Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Included. Supply Chain_Trade Line Item/Supply Chain_Trade Line Item. Associated. Document Line_Document/Document Line_Document. Line. Identifier
054	BDT00000105	.. 6	0 .. 1	Parent line item number <i>Path:</i> Invoice/Invoice line/Parent line item number	0 .. 1		Document Line_Document. Parent_Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Included. Supply Chain_Trade Line Item/Supply Chain_Trade Line Item. Associated. Document Line_Document/Document Line_Document. Parent_Line. Identifier
055	BDT00000518	.. 80	1 .. 1	Additional trade item identification type	0 .. 1		Document Line_Document. Line Status. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional trade item identification type code/Additional trade item identification type code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Associated. Document Line_ Document/Document Line_ Document. Line Status. Code
056	BDT00000518	.. 80	1 .. 1	Additional trade item identification type code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional trade item identification type code/Additional trade item identification type code content	0 .. 1		Document Line_ Document. Line Status Reason. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Associated. Document Line_ Document/Document Line_ Document. Line Status Reason. Code
057	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional trade item identification content	0 .. 1		Trade_ Product. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Identification. Identifier
058	BDT00000066	14 .. 14	0 .. 1	Global trade item number, GTIN <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Global trade item number, GTIN	0 .. 1		Trade_ Product. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Global_ Identification. Identifier
059	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Entity	0 .. 1		Trade_ Product. Seller Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification			Item. Specified. Trade_ Product/Trade_ Product. Seller Assigned_ Identification. Identifier
060	BDTG00000142		0 .. 1	Additional trade item identification information <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information	0 .. 1		Trade_ Product. Buyer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Buyer Assigned_ Identification. Identifier
061	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/Entity identification	0 .. 1		Trade_ Product. Buyer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Buyer Assigned_ Identification. Identifier
062	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional trade item identification content	0 .. 1		Trade_ Product. Manufacturer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer Assigned_ Identification. Identifier
063	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional trade item identification content	0 .. 1		Trade_ Product. Industry Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Industry Assigned_ Identification. Identifier
064	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Additional trade item	0 .. 1		Trade_ Product. Model_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional trade item identification content			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Model_ Identification. Identifier
065	BDT00000684	.. 70	1 .. 1	Trade item description content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item description/Trade item description content	0 .. unbounded		Trade_ Product. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Description. Text
066	BDT00000656	.. 80	1 .. 1	Item type code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Item type code/Item type code content	0 .. 1		Trade_ Product. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Type. Code
067	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content	0 .. 1		Trade_ Product. Net Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Net Weight. Measure
068	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content	0 .. 1		Trade_ Product. Gross Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Gross Weight. Measure
069	BDT00000656	.. 80	1 .. 1	Item type code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Item type code/Item type	0 .. 1		Trade_ Product. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code content			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Status. Code
070	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional trade item identification content	0 .. unbounded		Trade_ Product. Product Group. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Product Group. Identifier
071	BDT00000752		1 .. 1	Trade item volume content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume information/Trade item volume content	0 .. 1		Trade_ Product. Net Volume. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Net Volume. Measure
072	BDT00000752		1 .. 1	Trade item volume content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume information/Trade item volume content	0 .. 1		Trade_ Product. Gross Volume. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Gross Volume. Measure
073	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/Entity identification	0 .. unbounded		Trade_ Product. Customer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Customer Assigned_ Identification. Identifier
074	BDT00000008	.. 80	0 .. 1	Batch number <i>Path:</i> Invoice/Invoice line/Invoiced trade item	0 .. unbounded		Trade_ Product. Batch_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Dynamic trade item information/Batch number			Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Batch_ Identification. Identifier
075	BDT00000679	.. 70	1 .. 1	Size description content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Size information/Size description/Size description content	0 .. 1		Trade_ Product. Area Density. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Area Density. Measure
076	BDT00000684	.. 70	1 .. 1	Trade item description content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item description/Trade item description content	0 .. unbounded		Trade_ Product. Use_ Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Use_ Description. Text
077	BDT00000684	.. 70	1 .. 1	Trade item description content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item description/Trade item description content	0 .. unbounded		Trade_ Product. Concise_ Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Concise_ Description. Text
078	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content	0 .. 1		Trade_ Product. Drained_ Net Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Drained_ Net Weight. Measure
079	BDT00000736		1 .. 1	Colour code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item	0 .. 1		Trade_ Product. Colour. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Colour information/Colour code/Colour code content			Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Colour. Code
080	BDT00000030	.. 80	0 .. 1	Colour code system description <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Colour information/Colour code/Colour code system description	0 .. unbounded		Trade_ Product. Colour_ Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Colour_ Description. Text
081	BDT000000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Invoice/Invoice line/Invoiced quantity/ Measurement unit code/Measurement unit code content	0 .. unbounded		Trade_ Product. Unit_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Unit_ Type. Code
082	BDT000000417		1 .. 1	Invoiced quantity content <i>Path:</i> Invoice/Invoice line/Invoiced quantity/ Invoiced quantity content	0 .. 1		Trade_ Product. Content_ Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Content_ Unit. Quantity
083	BDT000000684	.. 70	1 .. 1	Trade item description content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item description/ Trade item description content	0 .. unbounded		Trade_ Product. Designation. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Designation. Text
084	BDT000000116		0 .. 1	Production date <i>Path:</i> Invoice/Invoice line/Invoiced trade item	0 .. 1		Trade_ Product. Formatted Latest_ Product Data Change. Date Time

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Dynamic trade item information/Production date			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Formatted Latest_ Product Data Change. Date Time
085	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Business unit information/Global location number GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
086	BDT000000582	.. 80	1 .. 1	Business unit type code content <i>Path:</i> Invoice/Invoice line/Business unit information/Business unit type code/ Business unit type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Type. Code
087	BDT000000076	.. 80	0 .. 1	Business unit name <i>Path:</i> Invoice/Invoice line/Business unit information/Business unit name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Trade_ Product/Trade_ Product. Manufacturer. Trade_ Party/Trade_ Party. Name. Text
088	BDT000000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Referenced document external location	0 .. 1		Line_ Trade Agreement. Buyer_ Reference. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Reference. Text
	BDT000000578						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
089		.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Ship to party information/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_Party/Trade_Party. Registered_ Identification. Identifier
090	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization. Trading Business Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_Party/Trade_Party. Specified. Legal_ Organization/Legal_ Organization. Trading Business Name. Text
091	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_Party/Trade_Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
092	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_Party/Trade_Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
093	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address two	0 .. 1		Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
094	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text
095	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
096	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship to party	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/City name			Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text
097	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
098	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
099	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
100	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Cross street	0 .. 1		Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
101	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/City code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
102	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
103	BDT00000032	.. 200	1 .. 1	Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/After hours communication information/Communication channel identification			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
104	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. URI. Identifier
105	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. Channel. Code
106	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification			Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
107	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Requisitioner. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
108	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. 1		Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier
109	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. 1		Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
110	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document	0 .. 1		Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Status. Code
111	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification content	0 .. 1		Referenced_ Document. Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Line. Identifier
112	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Type. Code
113	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. 1		Referenced_ Document. Global Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Global Identification. Identifier
114	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Global location number GLN	0 .. 1		Referenced_ Document. Global Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
115	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. 1		Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier
116	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Business document creation date time	0 .. 1		Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Receipt. Date Time
117	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
118	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. unbounded		Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
119	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Business document creation date time		0 .. 1	Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Previous Revision_ Identification. Identifier Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
120	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification		0 .. unbounded	Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier
121	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification		0 .. unbounded	Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
122	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party		0 .. unbounded	Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
123	BDT00000056	.. 80	1 .. 1	identification information/Additional party identification type code/Additional party identification type code content Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. unbounded		Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Type. Code Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Seller_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
124	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. 1		Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier
125	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. 1		Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
126	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document	0 .. 1		Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Status. Code
127	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Type. Code
128	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Global location number GLN	0 .. 1		Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier
129	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. 1		Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier
130	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Business document creation date time	0 .. 1		Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
131	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Receipt. Date Time Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
132	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. unbounded		Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Previous Revision_ Identification. Identifier
133	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Business document creation date time	0 .. 1		Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
134	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
135	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Global location number GLN	0 .. unbounded	0 .. unbounded	Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
136	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded	0 .. unbounded	Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Type. Code
137	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded	0 .. unbounded	Trade_ Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Role. Code
138	BDT000000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity	0 .. unbounded	0 .. unbounded	Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Buyer_ Order. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
139	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_ Seller. Trade_ Party/Trade_ Party. Identification. Identifier
140	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Global location number GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_ Seller. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
141	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_ Seller. Trade_ Party/Trade_ Party. Type. Code
142	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document	0 .. unbounded		Trade_ Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_ Seller. Trade_ Party/Trade_ Party. Role. Code
143	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_ Seller. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
144	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_ Buyer. Trade_ Party/Trade_ Party. Identification. Identifier
145	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Global location number GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_ Buyer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
146	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_ Buyer. Trade_ Party/Trade_ Party.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification type code/Additional party identification type code content			Type. Code
147	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_ Buyer. Trade_ Party/Trade_ Party. Role. Code
148	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Agreement/Line_ Trade Agreement. Item_ Buyer. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
149	BDT00000566		1 .. 1	Total requested quantity content <i>Path:</i> Invoice/Invoice line/Total requested quantity/Total requested quantity content	0 .. 1		Line_ Trade Delivery. Requested. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Requested. Quantity
150	BDT00000429		1 .. 1	Delivered quantity value <i>Path:</i> Invoice/Invoice line/Delivered quantity/ Delivered quantity value	0 .. 1		Line_ Trade Delivery. Received. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Received. Quantity
151	BDT00000417		1 .. 1	Invoiced quantity content	0 .. 1		Line_ Trade Delivery. Billed. Quantity

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Invoiced quantity/ Invoiced quantity content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Billed. Quantity
152	BDT00000711		1 .. 1	Free goods quantity content <i>Path:</i> Invoice/Invoice line/Free goods quantity/Free goods quantity content		0 .. 1	Line_ Trade Delivery. Charge Free. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Charge Free. Quantity
153	BDT00000429		1 .. 1	Delivered quantity value <i>Path:</i> Invoice/Invoice line/Delivered quantity/ Delivered quantity value		0 .. 1	Line_ Trade Delivery. Package. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Package. Quantity
154	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item quantity/Trade item quantity content		0 .. 1	Line_ Trade Delivery. Product_ Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Product_ Unit. Quantity
155	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item quantity/Trade item quantity content		0 .. 1	Line_ Trade Delivery. Per Package_ Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Per Package_ Unit. Quantity
156	BDT00000728		1 .. 1	Trade item weight content		0 .. 1	Line_ Trade Delivery. Net Weight. Measure

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Net Weight. Measure
157	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		0 .. 1	Line_ Trade Delivery. Gross Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Gross Weight. Measure
158	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		0 .. 1	Line_ Trade Delivery. Theoretical Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Theoretical Weight. Measure
159	BDT00000429		1 .. 1	Delivered quantity value <i>Path:</i> Invoice/Invoice line/Delivered quantity/ Delivered quantity value		0 .. 1	Line_ Trade Delivery. Despatched. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatched. Quantity
160	BDT00000664	.. 80	1 .. 1	Package type code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Package type code/Package type code content		0 .. 1	Supply Chain_ Packaging. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Type. Code
	BDT00000663						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
161		.. 80	1 .. 1	Packaging terms and conditions code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Packaging terms and conditions code/Packaging terms and conditions code content	0 .. 1		Supply Chain_ Packaging. Condition. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Condition. Code
162	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content	0 .. unbounded		Supply Chain_ Packaging. Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Weight. Measure
163	BDT00000091		1 .. 1	Maximum stacking factor <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Maximum stacking factor	0 .. 1		Supply Chain_ Packaging. Maximum Stackability. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Maximum Stackability. Quantity
164	BDT00000091		1 .. 1	Maximum stacking factor <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Maximum stacking factor	0 .. 1		Supply Chain_ Packaging. Maximum Stackability_ Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Maximum Stackability_ Weight. Measure

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
165	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item quantity/Trade item quantity content		0 .. 1	Supply Chain_ Packaging. Customer Facing_ Total Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Customer Facing_ Total Unit. Quantity
166	BDT00000095		0 .. 1	Number of layers <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of layers		0 .. 1	Supply Chain_ Packaging. Layer_ Total Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Layer_ Total Unit. Quantity
167	BDT00000096		0 .. 1	Number of units per layer <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of units per layer		0 .. 1	Supply Chain_ Packaging. Content Layer. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Content Layer. Quantity
168	BDT00000752		1 .. 1	Trade item volume content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume information/Trade item volume content		0 .. 1	Spatial_ Dimension. Value. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Linear. Spatial_ Dimension/Spatial_ Dimension. Value. Measure
169	BDT00000666						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
		.. 80	1 .. 1	Measurement type code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume information/Measurement type code/Measurement type code content	0 .. 1		Spatial_Dimension. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Linear. Spatial_Dimension/Spatial_Dimension. Type. Code
170	BDT00000662		1 .. 1	Width measurement content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Width measurement/Width measurement content	0 .. 1		Spatial_Dimension. Width. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Linear. Spatial_Dimension/Spatial_Dimension. Width. Measure
171	BDT00000661		1 .. 1	Depth measurement content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Depth measurement/Depth measurement content	0 .. 1		Spatial_Dimension. Length. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Linear. Spatial_Dimension/Spatial_Dimension. Length. Measure
172	BDT00000650		1 .. 1	Height measurement content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Height measurement/Height measurement	0 .. 1		Spatial_Dimension. Height. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Linear. Spatial_Dimension/Spatial_Dimension. Height. Measure

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
173	BDT00000662		1 .. 1	Width measurement content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Width measurement/Width measurement content		0 .. 1	Dimension. Height. Measure Spatial_ Dimension. Diameter. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Linear. Spatial_ Dimension/Spatial_ Dimension. Diameter. Measure
174	BDT00000665	.. 80	1 .. 1	Returnable package return transport payment code content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Returnable package return transport payment code/ Returnable package return transport payment code content		0 .. 1	Returnable Asset_ Instructions. Terms And Conditions_ Description. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Included. Supply Chain_ Packaging/Supply Chain_ Packaging. Applicable. Returnable Asset_ Instructions/Returnable Asset_ Instructions. Terms And Conditions_ Description. Code
175	BDT00000004	.. 80	1 .. 1	Additional consignment identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignment identification information/Additional consignment identification information/Additional consignment identification content		0 .. 1	Supply Chain_ Consignment. Consignor Assigned. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignor Assigned. Identifier
176	BDT00000004	.. 80	1 .. 1	Additional consignment identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignment identification		0 .. unbounded	Supply Chain_ Consignment. Customs_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional consignment identification information/Additional consignment identification content			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs_ Identification. Identifier
177	BDT00000004	.. 80	1 .. 1	Additional consignment identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignment identification information/Additional consignment identification information/Additional consignment identification content	0 .. 1		Supply Chain_ Consignment. Freight Forwarder Assigned. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder Assigned. Identifier
178	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content	0 .. unbounded		Supply Chain_ Consignment. Gross Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Gross Weight. Measure
179	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content	0 .. unbounded		Supply Chain_ Consignment. Net Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Net Weight. Measure
180	BDT00000752		1 .. 1	Trade item volume content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume	0 .. unbounded		Supply Chain_ Consignment. Gross Volume. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Trade item volume content			Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Gross Volume. Measure
181	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		0 .. 1	Supply Chain_ Consignment. Chargeable Weight. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Chargeable Weight. Measure
182	BDT00000596		1 .. 1	Total line item gross monetary amount content <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount/Total line item gross monetary amount content		0 .. 1	Supply Chain_ Consignment. FOB. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. FOB. Amount
183	BDT00000596		1 .. 1	Total line item gross monetary amount content <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount/Total line item gross monetary amount content		0 .. 1	Supply Chain_ Consignment. Insurance Value. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Insurance Value. Amount
184	BDT00000596		1 .. 1	Total line item gross monetary amount content <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount/Total line item gross monetary amount content		0 .. 1	Supply Chain_ Consignment. Insurance Premium. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Insurance Premium. Amount

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
185	BDT00000604		1 .. 1	Trade item gross price content <i>Path:</i> Invoice/Invoice line/Trade item gross price/Trade item gross price content		0 .. 1	Supply Chain_ Consignment. Total Charge. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Total Charge. Amount
186	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item quantity/Trade item quantity content		0 .. 1	Supply Chain_ Consignment. Consignment Item. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignment Item. Quantity
187	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item quantity/Trade item quantity content		0 .. 1	Supply Chain_ Consignment. Package. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Package. Quantity
188	BDT00000691	.. 80	1 .. 1	Payment method code content <i>Path:</i> Invoice/Invoice line/Payment method information/Payment method code/ Payment method code content		0 .. 1	Supply Chain_ Consignment. Payment Arrangement. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Payment Arrangement. Code
189	BDT00000752		1 .. 1	Trade item volume content <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item		0 .. unbounded	Supply Chain_ Consignment. Net Volume. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Trade item volume information/Trade item volume content			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Net Volume. Measure
190	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignor. Trade_ Party/Trade_ Party. Identification. Identifier
191	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Global location number, GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignor. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
192	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignor. Trade_ Party/Trade_ Party. Type. Code
193	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment	0 .. unbounded		Trade_ Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Consignor party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignor. Trade_ Party/Trade_ Party. Role. Code
194	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignor. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
195	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Identification. Identifier
196	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
197	BDT00000570	.. 80	1 .. 1	Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content			Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Type. Code
198	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Consignee. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
199	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Identification. Identifier
200	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Global location number, GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
201	BDT00000570	.. 80	1 .. 1	Additional party identification type code	0 .. unbounded		Trade_ Party. Type. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Type. Code
202	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Carrier. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
203	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Identification. Identifier
204	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Global location number, GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_ Party/Trade_ Party. Global_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
205	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_Party/Trade_Party. Type. Code
206	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_Party/Trade_Party. Role. Code
207	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Freight Forwarder. Trade_Party/Trade_Party. Registered_ Identification. Identifier
208	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Importer. Trade_Party/Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
209	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Global location number, GLN	0 .. unbounded		Party. Identification. Identifier Trade_Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Importer. Trade_Party/Trade_Party. Global_ Identification. Identifier
210	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Importer. Trade_Party/Trade_Party. Type. Code
211	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Importer. Trade_Party/Trade_Party. Role. Code
212	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional	0 .. unbounded		Trade_Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
213	BDT00000578	.. 80	1 .. 1	party identification type code/Additional party identification type code content Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Chain_ Consignment. Importer. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Exporter. Trade_ Party/Trade_ Party. Identification. Identifier
214	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Global location number, GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Exporter. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
215	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Exporter. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
216	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification content			Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Delivery. Trade_ Party/Trade_ Party. Identification. Identifier
217	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Global location number, GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Delivery. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
218	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Delivery. Trade_ Party/Trade_ Party. Type. Code
219	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Delivery. Trade_ Party/Trade_ Party. Role. Code
220	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification content			Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Delivery. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
221	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Import Agent. Trade_ Party/Trade_ Party. Identification. Identifier
222	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Global location number, GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Import Agent. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
223	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Import Agent. Trade_ Party/Trade_ Party. Type. Code
224	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment	0 .. unbounded		Trade_ Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Consignee party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Import Agent. Trade_ Party/Trade_ Party. Role. Code
225	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Import Agent. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
226	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Export Agent. Trade_ Party/Trade_ Party. Identification. Identifier
227	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Global location number, GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Export Agent. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
228	BDT00000570	.. 80	1 .. 1	Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content			Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Export Agent. Trade_ Party/Trade_ Party. Type. Code
229	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Export Agent. Trade_ Party/Trade_ Party. Name. Text
230	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Export Agent. Trade_ Party/Trade_ Party. Role. Code
231	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Customs Export Agent. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
232	BDT00000132	.. 80	0 .. 1	Sub location identification	0 .. 1		Logistics_ Location. Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Sub location identification			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Identification. Identifier
233	BDT00000088	.. 80	0 .. 1	Logistics location name <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Logistics location name	0 .. unbounded		Logistics_ Location. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Name. Text
234	BDT00000690	.. 80	1 .. 1	United Nations location code, UN/LOCODE content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/UN location code, UN/LOCODE/United Nations location code, UN/LOCODE content	0 .. 1		Logistics_ Location. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Type. Code
235	BDT00000744	.. 70	1 .. 1	Specific instructions location description content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Specific instructions location description/Specific instructions location description content	0 .. unbounded		Logistics_ Location. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Description. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
236	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Province identity	0 .. 1		Logistics_ Location. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Country Sub-Division. Identifier
237	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
238	BDT00000627	.. 80	1 .. 1	Physical location identification content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Additional physical location identification/Physical location identification content	0 .. 1		Trade_ Address. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Identification. Identifier
239	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content			Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Postcode. Code
240	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Post office box number		0 .. 1	Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
241	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Street address one		0 .. 1	Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line One. Text
242	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Street address two		0 .. 1	Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line Two. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
243	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Street address three	0 .. 1		Location/Logistics_Location. Postal. Trade_Address/Trade_Address. Line Two. Text Trade_Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Included. Supply Chain_Trade Line Item/Supply Chain_Trade Line Item. Specified. Line_Trade Delivery/Line_Trade Delivery. Related. Supply Chain_Consignment/Supply Chain_Consignment. Loading Baseport. Logistics_Location/Logistics_Location. Postal. Trade_Address/Trade_Address. Line Three. Text
244	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Cross street	0 .. 1		Trade_Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Included. Supply Chain_Trade Line Item/Supply Chain_Trade Line Item. Specified. Line_Trade Delivery/Line_Trade Delivery. Related. Supply Chain_Consignment/Supply Chain_Consignment. Loading Baseport. Logistics_Location/Logistics_Location. Postal. Trade_Address/Trade_Address. Street Name. Text
245	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/City name	0 .. 1		Trade_Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Included. Supply Chain_Trade Line Item/Supply Chain_Trade Line Item. Specified. Line_Trade Delivery/Line_Trade Delivery. Related. Supply Chain_Consignment/Supply Chain_Consignment. Loading Baseport. Logistics_Location/Logistics_Location. Postal. Trade_Address/Trade_Address. City Name. Text
246	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Delivery terms	0 .. 1		Trade_Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Delivery terms for location information/Address information/City name			Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/ Trade_ Address. City Sub-Division Name. Text
247	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Province identity		0 .. 1	Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/ Trade_ Address. Country Sub-Division. Identifier
248	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Street address one		0 .. 1	Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/ Trade_ Address. Additional_ Street Name. Text
249	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/City code		0 .. 1	Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/ Trade_ Address. City Sub-Division Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
250	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Postal code	0 .. unbounded		Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/ Trade_ Address. City. Identifier
251	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Ship to party information/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Related. Supply Chain_ Consignment/Supply Chain_ Consignment. Loading Baseport. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/ Trade_ Address. Type. Code
252	BDT000000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Ship to party information/Global location number GLN	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Identification. Identifier
253	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Additional party identification information/Additional	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
					0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification type code/Additional party identification type code content			Delivery. Ship To. Trade_ Party/Trade_ Party. Type. Code
254	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Role. Code
255	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Ship from party information/Global location number GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
256	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Name. Text
257	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
258	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Person name	0 .. 1		Trade_Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Person Name. Text
259	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Department name	0 .. 1		Trade_Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Department Name. Text
260	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Job title	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text
261	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Postal code	0 .. 1		Trade_Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_Address/Trade_Address. Postcode. Code
262	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Post	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				office box number			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
263	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
264	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
265	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
266	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
267	BDTG00000179		0 .. 1	Country code <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Country code		0 .. 1	Trade_ Address/Trade_ Address. City Name. Text Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier
268	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/County code		0 .. 1	Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
269	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/State		0 .. 1	Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
270	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/City code		0 .. 1	Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
271	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
272	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
273	BDT00000456		0 .. 1	Despatch date time <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Despatch date time	0 .. 1		Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Actual_ Despatch. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time
274	BDT00000460		0 .. 1	Goods pick up date time <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Goods pick up date time	0 .. 1		Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Actual_ Pick-Up. Supply Chain_ Event/Supply

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
275			0 .. 1	Actual delivery date <i>Path:</i> Invoice/Invoice line/Actual delivery date		0 .. 1	Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Actual_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time
276	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced despatch advice information/Entity identification		0 .. 1	Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier
277	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced despatch advice information/Entity identification		0 .. 1	Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
278	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party		0 .. 1	Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Status. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
279	BDT00000570	.. 80	1 .. 1	identification type code content Additional party identification type code content <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Type. Code
280	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Global location number GLN	0 .. 1		Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier
281	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification content	0 .. 1		Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier
282	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced despatch advice information/Business document creation date time	0 .. 1		Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Receipt. Date Time

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
283	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
284	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification content	0 .. unbounded		Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Previous Revision_ Identification. Identifier
285	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced despatch advice information/Business document creation date time	0 .. 1		Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
286	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced delivery note document information/Entity identification	0 .. 1		Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
287	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced delivery note document information/Entity identification	0 .. 1		Referenced_ Document. Issuer Assigned_ Identification. Identifier Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
288	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Status. Code
289	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Type. Code
290	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Global location number GLN	0 .. 1		Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
291	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced delivery note document information/Revision number		0 .. 1	Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier
292	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Receipt. Date Time
293	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content		0 .. 1	Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
294	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification content		0 .. unbounded	Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
295	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	Referenced_ Document. Previous Revision_ Identification. Identifier Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Delivery Note. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
296	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced inventory report document information/Entity identification		0 .. 1	Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier
297	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced inventory report document information/Entity identification		0 .. 1	Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
298	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional		0 .. 1	Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification type code/Additional party identification type code content			Referenced_ Document. Status. Code
299	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Type. Code
300	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Global location number GLN	0 .. 1		Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier
301	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification content	0 .. 1		Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier
302	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced inventory report document information/Business document creation date time	0 .. 1		Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
303	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Receipt. Date Time Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
304	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced inventory report document information/Entity identification	0 .. unbounded		Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Previous Revision_ Identification. Identifier
305	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced inventory report document information/Business document creation date time	0 .. 1		Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
306	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification content	0 .. 1		Referenced_ Document. Page. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Delivery/Line_ Trade Delivery. Consumption Report. Referenced_ Document/

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
307	BDTG00000321		0 .. 1	Tax category code <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax category code		0 .. 1	Referenced_ Document. Page. Identifier Trade_ Tax. Category. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Category. Code
308	BDT00000377		0 .. 1	Tax point date <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax point date		0 .. 1	Trade_ Tax. Tax Point. Date <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Tax Point. Date
309	BDT00000371		0 .. 1	Tax rate <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax rate		0 .. 1	Trade_ Tax. Rate_ Applicable. Percent <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Rate_ Applicable. Percent
310	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Invoice/Invoice line/Allowance information/Calculation sequence number		0 .. 1	Trade_ Allowance Charge. Sequence. Numeric <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Sequence. Numeric
311	BDT00000014		0 .. 1	Calculation sequence number		0 .. 1	Trade_ Allowance Charge. Sequence. Numeric

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Charge information/Calculation sequence number			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Sequence. Numeric
312	BDT00000006		0 .. 1	Allowance percentage <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance percentage		0 .. 1	Trade_ Allowance Charge. Calculation. Percent <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Calculation. Percent
313	BDT00000018		0 .. 1	Charge percentage <i>Path:</i> Invoice/Invoice line/Charge information/Charge percentage		0 .. 1	Trade_ Allowance Charge. Calculation. Percent <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Calculation. Percent
314	BDT00000110	.. 35	0 .. 1	Payment method identification <i>Path:</i> Invoice/Invoice line/Payment method information/Payment method identification		0 .. 1	Trade_ Payment Terms. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade_ Payment Terms/Trade_ Payment Terms. Identification. Identifier
315	BDT00000596		1 .. 1	Total line item gross monetary amount content <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount/Total line item gross		0 .. unbounded	Trade Settlement Line_ Monetary Summation. Gross_ Line Total. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				monetary amount content			Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade Settlement Line_ Monetary Summation/Trade Settlement Line_ Monetary Summation. Gross_ Line Total. Amount
316	BDT00000597		1 .. 1	Total line item gross monetary amount including tax content <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount including tax/Total line item gross monetary amount including tax content	0 .. unbounded		Trade Settlement Line_ Monetary Summation. Including Taxes_ Line Total. Amount <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Included. Supply Chain_ Trade Line Item/Supply Chain_ Trade Line Item. Specified. Line_ Trade Settlement/Line_ Trade Settlement. Specified. Trade Settlement Line_ Monetary Summation/Trade Settlement Line_ Monetary Summation. Including Taxes_ Line Total. Amount
317	BDTG00000305		1 .. 1	Seller party information <i>Path:</i> Invoice/Seller party information	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Identification. Identifier
318	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Seller party information/Global location number, GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
319	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Tax type code/Tax type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Type.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
320	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Tax type code/Code list version	0 .. unbounded		Code Trade_Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Type. Code
321	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Seller party information/Address information/Party name	0 .. 1		Trade_Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Name. Text
322	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. unbounded		Trade_Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Registered_ Identification. Identifier
323	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
324	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Specified.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
325	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization/Legal_ Organization. Name. Text Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
326	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
327	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Postal code	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
328	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text
329	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party corporate office	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Street address two			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
330	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text
331	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
332	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text
333	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
334	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/State	0 .. 1		Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
335	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/City code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
336	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Seller representative party information/Additional party identification information/Additional party identification content	0 .. 1		Trade_ Contact. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier
337	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice issuer party information/Additional party identification information/Additional party identification content	0 .. 1		Trade_ Contact. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Identification. Identifier
338	BDT000000112	.. 70	0 .. 1	Person name	0 .. 1		Trade_ Contact. Person Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party information/ Business contact information/Person name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Person Name. Text
339	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Person name	0 .. 1		Trade_Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Person Name. Text
340	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Seller representative party information/Business contact information/Person name	0 .. 1		Trade_Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Person Name. Text
341	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Seller party information/ Business contact information/ Department name	0 .. 1		Trade_Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Department Name. Text
342	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Department name	0 .. 1		Trade_Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Department Name. Text
343	BDT00000044	.. 70	0 .. 1	Department name	0 .. 1		Trade_Contact. Department Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller representative party information/Business contact information/Department name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Department Name. Text
344	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/Additional party identification information/Additional party identification type code/Code list version	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Type. Code
345	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Contact type code/Contact type code content	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Type. Code
346	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Contact type code/Code list version	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Type. Code
347	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Seller representative party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Type. Code
	BDT000000028						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
348		.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Additional party identification information/Additional party identification type code/Code list version	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
349	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Seller representative party information/Business contact information/Contact type code/Contact type code content	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
350	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Business contact information/Contact type code/Code list version	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
351	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice issuer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
352	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice issuer party information/Additional party identification information/Additional party identification type code/Code list	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
353	BDT000000028	.. 35	0 .. 1	version Code list version <i>Path:</i> Invoice/Payee party information/ Additional party identification information/Additional party identification type code/Code list version	0 .. 1		Trade_Contact/Trade_Contact. Type. Code Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Type. Code
354	BDT000000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Seller party information/ Business contact information/Job title	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text
355	BDT000000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Job title	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text
356	BDT000000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Seller representative party information/Business contact information/Job title	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text
357	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Seller party information/ Business contact information/Business contact responsibility description/	0 .. 1		Trade_Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Trade_ Party/Trade_ Party. Defined.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact responsibility description content			Trade_Contact/Trade_Contact. Responsibility. Text
358	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Business contact responsibility description/Business contact responsibility description content	0 .. 1		Trade_Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Responsibility. Text
359	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Seller representative party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	0 .. 1		Trade_Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Responsibility. Text
360	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
361	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/After hours communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
362	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Seller party information/ Business contact information/After hours communication information/ Communication channel name	0 .. 1		Trade_Contact/Trade_Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
363	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller representative party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
364	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller representative party information/Business contact information/After hours communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
365	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Seller representative party information/Business contact information/After hours communication	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication channel name			Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Telephone. Universal Communication/Universal Communication. URI. Identifier
366	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax authority name	0 .. 1		Universal Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain Trade Transaction/Supply Chain Trade Transaction. Applicable. Header Trade Agreement/Header Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Telephone. Universal Communication/Universal Communication. URI. Identifier
367	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party information/Business contact information/After hours communication information/Communication channel code	0 .. 1		Universal Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain Trade Transaction/Supply Chain Trade Transaction. Applicable. Header Trade Agreement/Header Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Telephone. Universal Communication/Universal Communication. Channel. Code
368	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller representative party information/Business contact information/After hours communication information/Communication channel code	0 .. 1		Universal Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain Trade Transaction/Supply Chain Trade Transaction. Applicable. Header Trade Agreement/Header Trade Agreement. Seller. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Telephone. Universal Communication/Universal Communication. Channel. Code
369	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party corporate office information/Business contact	0 .. 1		Universal Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain Trade Transaction/Supply Chain Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication information/Communication channel code			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. Channel. Code
370	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Seller party corporate office information/Additional party identification/Additional party identification content	0 .. 1		Trade_ Address. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Identification. Identifier
371	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
372	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Seller party information/Address information/City code	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
373	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
374	BDT00000114	.. 80	0 .. 1	Postal code	0 .. 1		Trade_ Address. Post Office Box. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party information/Address information/Postal code			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text
375	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party corporate office information/Address information/Post office box number	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text
376	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Seller representative party information/Address information/City code	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text
377	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller representative party information/Address information/Post office box number	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text
378	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller representative party information/Address information/Postal code	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text
379	BDT00000019	.. 80	0 .. 1	City code	0 .. 1		Trade_Address. Post Office Box. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice issuer party information/Address information/City code			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text
380	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice issuer party information/Address information/Post office box number	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text
381	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice issuer party information/Address information/Postal code	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text
382	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line One. Text
383	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party corporate office information/Address information/Street address one	0 .. 1		Trade_Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line One. Text
384	BDT00000128	.. 200	0 .. 1	Street address one	0 .. 1		Trade_Address. Line One. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller representative party information/Address information/Street address one			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line One. Text
385	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice issuer party information/Address information/Street address one	0 .. 1		Trade_Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line One. Text
386	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party information/Address information/Street address two	0 .. 1		Trade_Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line Two. Text
387	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party corporate office information/Address information/Street address two	0 .. 1		Trade_Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line Two. Text
388	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller representative party information/Address information/Street address two	0 .. 1		Trade_Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line Two. Text
389	BDT00000129	.. 200	0 .. 1	Street address three	0 .. 1		Trade_Address. Line Three. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party information/Address information/Street address three			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line Three. Text
390	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party corporate office information/Address information/Street address three	0 .. 1		Trade_Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line Three. Text
391	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller representative party information/Address information/Street address three	0 .. 1		Trade_Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line Three. Text
392	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party information/Address information/Street address two	0 .. 1		Trade_Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Street Name. Text
393	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party corporate office information/Address information/Cross street	0 .. 1		Trade_Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Street Name. Text
394	BDT00000020	.. 200	0 .. 1	City name	0 .. 1		Trade_Address. City Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party information/Address information/City name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Name. Text
395	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party corporate office information/Address information/City name	0 .. 1		Trade_Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Name. Text
396	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller representative party information/Address information/City name	0 .. 1		Trade_Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Name. Text
397	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice issuer party information/Address information/City name	0 .. 1		Trade_Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Name. Text
398	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Seller party information/Address information/County code	0 .. 1		Trade_Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Sub-Division Name. Text
	BDTG00000179						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
399			0 .. 1	Country code <i>Path:</i> Invoice/Seller party information/Address information/Country code		0 .. 1	Trade_ Address. Country. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country. Identifier
400	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party information/Address information/Province identity		0 .. 1	Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
401	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party corporate office information/Address information/Province identity		0 .. 1	Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
402	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller representative party information/Address information/Province identity		0 .. 1	Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
403	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice issuer party information/Address information/		0 .. 1	Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Province identity			Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Country Sub-Division. Identifier
404	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party information/Address information/State	0 .. 1		Trade_Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Country Sub-Division Name. Text
405	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party corporate office information/Address information/State	0 .. 1		Trade_Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Country Sub-Division Name. Text
406	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller representative party information/Address information/State	0 .. 1		Trade_Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Country Sub-Division Name. Text
407	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice issuer party information/Address information/State	0 .. 1		Trade_Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Country Sub-Division Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
408	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party information/Address information/Cross street	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
409	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller representative party information/Address information/Cross street	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
410	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice issuer party information/Address information/Cross street	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
411	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Seller party information/Address information/City code	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier
412	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Seller party information/Address information/County code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
413	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Seller party corporate office information/Additional party identification/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Type. Code Trade_Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Agreement/Header_Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Type. Code
414	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Additional party identification/Additional party identification type code/Code list version	0 .. unbounded		Trade_Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Agreement/Header_Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Type. Code
415	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Seller party corporate office information/Address information/City code	0 .. unbounded		Trade_Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Agreement/Header_Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Type. Code
416	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Seller party corporate office information/Address information/County code	0 .. unbounded		Trade_Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Agreement/Header_Trade Agreement. Seller. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Type. Code
417	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Seller representative party information/Address information/County	0 .. unbounded		Trade_Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code
418	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice issuer party information/Address information/County code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code
419	BDT000000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
420	BDT000000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel name	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
421	BDT000000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
	BDT000000032						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
422		.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/After hours communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
423	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Invoice/Seller representative party information/Business contact information/Communication information/Communication channel name	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
424	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
425	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
426	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Invoice/Seller party corporate office information/Business contact	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication information/Communication channel code/Communication channel code content			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
427	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
428	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller representative party information/Business contact information/Communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
429	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Seller party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
430	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Seller representative party information/Address information/ Geographical coordinates information/ Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
431	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Seller party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Logistics_Location/Logistics_Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
432	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Seller representative party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
433	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Identification. Identifier
434	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Identification	0 .. 1		Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_Party/Trade_Party. Specified.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
435	BDT00000073	.. 80	0 .. 1	scheme information/Identification scheme name Identification scheme agency name <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		Tax_Registration/Tax_Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
436	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax type code/ Tax type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
437	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax type code/ Code list version	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
438	BDT000000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax registration type code/Tax registration type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
	BDT000000583						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
439		.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content		0 .. 1	Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
440	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version		0 .. 1	Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
441	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax type code/Tax type code content		0 .. 1	Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
442	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax type code/Code list version		0 .. 1	Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
443	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration type code/ Tax registration type code content	0 .. 1		Registered_ Tax/Registered_ Tax. Type. Code Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
444	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration type code/ Code list version	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
445	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax type code/Tax type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
446	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax type code/Code list version	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
447	BDT00000588	.. 80	1 .. 1	Tax registration type code content	0 .. 1		Registered_ Tax. Type. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax registration type code/Tax registration type code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
448	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax registration type code/Code list version	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
449	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text
450	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text
451	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description content			Agreement. Seller. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_Tax/Registered_Tax. Description. Text
452	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Buyer party information/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Agreement/Header_Trade Agreement. Buyer. Trade_Party/Trade_Party. Identification. Identifier
453	BDTG00000577		0 .. unbounded	Additional party identification <i>Path:</i> Invoice/Bill to party information/Additional party identification	0 .. unbounded		Trade_Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Agreement/Header_Trade Agreement. Buyer. Trade_Party/Trade_Party. Identification. Identifier
454	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Bill to party information/Additional party identification/Additional party identification content	0 .. unbounded		Trade_Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Agreement/Header_Trade Agreement. Buyer. Trade_Party/Trade_Party. Identification. Identifier
455	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Bill to party information/Additional party identification/Additional party identification type code/Additional party identification type code content	0 .. 1		Identification Scheme. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Agreement/Header_Trade Agreement. Buyer. Trade_Party/Trade_Party. Identification. Identifier/Identification Scheme. Identifier
456	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Buyer party information/Global location number, GLN	0 .. unbounded		Trade_Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
457	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Bill to party information/ Additional party identification/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Type. Code
458	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/ Additional party identification/Additional party identification type code/Code list version	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Type. Code
459	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Remit to party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Type. Code
460	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/ Additional party identification information/Additional party identification type code/Code list version	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Type. Code
461	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Buyer party information/Address	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Party name			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Name. Text
462	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
463	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/ Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
464	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
465	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
	BDT00000128						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
466		.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text
467	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text
468	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
469	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
470	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address/Street address three			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text
471	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text
472	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
473	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
474	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
475	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/City name	0 .. 1		Address/Trade_ Address. City Name. Text Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer_ Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text
476	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer_ Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
477	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer_ Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
478	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer_ Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
	BDT00000127						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
479		.. 80	0 .. 1	State <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
480	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/City code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
481	BDT00000014	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
482	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/City code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
483	BDT00000014	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Remit to party information/	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Postal code			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
484	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
485	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
486	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
487	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
488	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration number	0 .. 1		Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier
489	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration additional information	0 .. 1		Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier
490	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/ Registered legal information/Legal registration number	0 .. 1		Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier
491	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/ Registered legal information/Legal registration additional information	0 .. 1		Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier
492	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Buyer party information/ Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
493	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Bill to party information/ Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
494	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
495	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Bill to party information/ Business contact information/ Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
496	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Buyer party information/ Business contact information/Contact	0 .. 1		Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				type code/Contact type code content			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
497	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Bill to party information/ Business contact information/Contact type code/Contact type code content	0 .. 1		Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
498	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/ Business contact information/Contact type code/Code list version	0 .. 1		Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
499	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/ Business contact information/Contact type code/Code list version	0 .. 1		Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
500	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Buyer party information/ Business contact information/Job title	0 .. 1		Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text
501	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Bill to party information/ Business contact information/Job title	0 .. 1		Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
502	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Communication information/ Communication channel code		0 .. 1	Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Channel. Code
503	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Communication information/ Communication channel identification		0 .. 1	Universal_ Communication. Complete Number. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text
504	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Communication information/ Communication channel code		0 .. 1	Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Direct_ Telephone. Universal_ Communication/Universal_ Communication. Channel. Code
505	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Communication information/		0 .. 1	Universal_ Communication. Complete Number. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Communication channel identification			Agreement. Buyer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Direct_Telephone. Universal_Communication/Universal_Communication. Complete Number. Text
506	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Bill to party information/ Business contact information/After hours communication information/ Communication channel identification	0 .. 1		Universal_Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Mobile_Telephone. Universal_Communication/Universal_Communication. URI. Identifier
507	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Mobile_Telephone. Universal_Communication/Universal_Communication. Channel. Code
508	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Bill to party information/ Business contact information/After hours communication information/ Communication channel code	0 .. 1		Universal_Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Mobile_Telephone. Universal_Communication/Universal_Communication. Channel. Code
509	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Buyer party information/ Business contact information/	0 .. 1		Universal_Communication. Complete Number. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Communication information/ Communication channel identification			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. Complete Number. Text
510	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Bill to party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. URI. Identifier
511	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Bill to party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. Channel. Code
512	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Buyer party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
513	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Buyer party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
514	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Bill to party information/Address information/Post office box number	0 .. 1		Agreement. Buyer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text
515	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Bill to party information/Address information/Postal code	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text
516	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Buyer party information/Address information/Street address one	0 .. 1		Trade_Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line One. Text
517	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Buyer party information/Address information/Street address two	0 .. 1		Trade_Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line Two. Text
518	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Bill to party information/Address information/Street address two	0 .. 1		Trade_Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
519	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Bill to party information/Address information/Street address three	0 .. 1		Agreement. Buyer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line Two. Text Trade_Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line Two. Text
520	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Buyer party information/Address information/Street address three	0 .. 1		Trade_Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line Three. Text
521	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Bill to party information/Address information/Cross street	0 .. 1		Trade_Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Street Name. Text
522	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Buyer party information/Address information/City name	0 .. 1		Trade_Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Name. Text
523	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Buyer party information/Address information/County code	0 .. 1		Trade_Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
524	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Bill to party information/Address information/Province identity	0 .. 1		Agreement. Buyer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Sub-Division Name. Text Trade_Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_Trade Agreement/Header_Trade Agreement. Buyer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Country Sub-Division. Identifier
525	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Bill to party information/Address information/State	0 .. 1		Trade_Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_Trade Agreement/Header_Trade Agreement. Buyer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Country Sub-Division Name. Text
526	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Buyer party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_Trade Agreement/Header_Trade Agreement. Buyer. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
527	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Seller party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_Trade Agreement/Header_Trade Agreement. Buyer. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Physical.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
528	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Bill to party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate/Geographical Coordinate. Latitude. Measure Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
529	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Buyer party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
530	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Bill to party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
531	BDTG00000585		1 .. 1	Tax registration identification information <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax registration identification information	0 .. 1		Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
532	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_Registration/Tax_Registration. Identification. Identifier Tax_Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Identification. Identifier
533	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	0 .. 1		Identification Scheme. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. IOSS_ Identification. Identifier/Identification Scheme. Name. Text
534	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	0 .. 1		Identification Scheme. Agency Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. IOSS_ Identification. Identifier/Identification Scheme. Agency Name. Text
535	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax type code/ Tax type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
	BDT00000588						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
536		.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax registration type code/Tax registration type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
537	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax type code/ Tax type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
538	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax type code/ Code list version	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
539	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration type code/Tax registration type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
540	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				type code/Code list version			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
541	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax type code/Code list version	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
542	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax registration type code/Code list version	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
543	BDT000000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text
544	BDT000000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Buyer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
545	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Tax representative party information/Global location number, GLN	0 .. unbounded	0 .. 1	Registered_Tax/Registered_Tax. Description. Text Trade_Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_Party/Trade_Party. Global_ Identification. Identifier
546	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Tax representative party information/Address information/Party name	0 .. 1	0 .. 1	Trade_Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_Party/Trade_Party. Name. Text
547	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Tax representative party information/Business contact information/Person name	0 .. 1	0 .. 1	Trade_Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Person Name. Text
548	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Tax representative party information/Business contact information/Department name	0 .. 1	0 .. 1	Trade_Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Department Name. Text
549	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Tax representative party information/Business contact	0 .. 1	0 .. 1	Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Job title			Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/ Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text
550	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Tax representative party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
551	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Tax representative party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
552	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Tax representative party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
553	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Tax representative party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
554	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Tax representative party information/Address information/Street address three	0 .. 1		Line Two. Text Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
555	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Tax representative party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
556	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Tax representative party information/Address information/County code	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
557	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Tax representative party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
558	BDT00000019	.. 80	0 .. 1	City code	0 .. 1		Trade_ Address. City. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Tax representative party information/Address information/City code			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/ Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier
559	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Tax representative party information/Address information/ Geographical coordinates information/ Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/ Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/ Geographical Coordinate. Latitude. Measure
560	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Tax representative party information/Address information/ Geographical coordinates information/ Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Agreement/Header_ Trade Agreement. Seller_ Tax Representative. Trade_ Party/ Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/ Geographical Coordinate. Longitude. Measure
561	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Ship to party information/Global location number GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
562	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Ship to party information/Global location number GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
563	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Ship to party information/ Address information/Party name	0 .. 1		Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Global_ Identification. Identifier Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Name. Text
564	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Name. Text
565	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Organization. Legal Classification. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code
566	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/ Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
567	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
568	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Organisation name	0 .. 1		Delivery. Ship To. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Name. Text Legal_Organization. Trading Business Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ship To. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Trading Business Name. Text
569	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Postal code	0 .. 1		Trade_Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ship To. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_Address/Trade_Address. Postcode. Code
570	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Post office box number	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ship To. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_Address/Trade_Address. Post Office Box. Text
571	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ship To. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_Address/Trade_Address. Line One. Text
	BDT00000130						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
572		.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
573	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text
574	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
575	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text
576	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/City name			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
577	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
578	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
579	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
580	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/City code	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
581	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Postal code	0 .. unbounded		Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
582	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
583	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Registered legal information/Legal registration number	0 .. 1		Legal_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Identification. Identifier
584	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Ship to party information/Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
	BDT00000112						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
585		.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Person name	0 .. 1		Trade_Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Person Name. Text
586	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Ship to party information/ Business contact information/ Department name	0 .. 1		Trade_Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Department Name. Text
587	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Department name	0 .. 1		Trade_Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Department Name. Text
588	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Contact type code/Contact type code content	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Type. Code
589	BDT000000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Ship to party information/ Business contact information/Job title	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
590	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Job title	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text
591	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	0 .. 1		Trade_Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Responsibility. Text
592	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/After hours communication information/Communication channel identification	0 .. 1		Universal_Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Mobile_ Telephone. Universal_Communication/Universal_Communication. URI. Identifier
593	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/After hours communication information/Communication channel code	0 .. 1		Universal_Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Mobile_ Telephone. Universal_Communication/Universal_Communication. Channel. Code
594	BDT00000032						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
		.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. URI. Identifier
595	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. Channel. Code
596	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ship to party information/ Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
597	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
598	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ship to party information/ Address information/Post office box	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				number			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
599	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
600	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ship to party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
601	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
602	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ship to party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
603	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Street	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address two			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
604	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ship to party information/ Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
605	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
606	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Street Name. Text
607	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ship to party information/ Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
608	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/City	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
609	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
610	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Ship to party information/Address information/County code	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
611	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ship to party information/Address information/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
612	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/County code	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
613	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
614	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ship to party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
615	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
616	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
617	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ship to party information/	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/City code			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier
618	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/City code	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier
619	BDT000000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code
620	BDT000000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
621	BDTG000000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
622	BDT000000085	.. 80	1 .. 1	Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ship to party information/ Address information/Geographical coordinates information/Latitude			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
623	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/ Geographical coordinates information/ Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
624	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Ship to party information/ Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
625	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/ Geographical coordinates information/ Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
626	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. Identification. Identifier
627	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_Registration. IOSS_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. IOSS_ Identification. Identifier
628	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax type code/Tax type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
629	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text
630	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication information/Communication channel identification			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. URI. Identifier
631	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship To. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. Channel. Code
632	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Global location number GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
633	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Ultimate consignee party information/Global location number GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
634	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Type. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
635	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Name. Text
636	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Name. Text
637	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
638	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Organization. Legal Classification. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code
639	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Ultimate customer delivery	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate customer party information/Organisation legal information/Organisation name			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
640	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization. Trading Business Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Trading Business Name. Text
641	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code
642	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
643	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/Street address one			Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_Address/Trade_Address. Line One. Text
644	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Street address two	0 .. 1		Trade_Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_Address/Trade_Address. Line Two. Text
645	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Street address three	0 .. 1		Trade_Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_Address/Trade_Address. Line Three. Text
646	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Cross street	0 .. 1		Trade_Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_Address/Trade_Address. Street Name. Text
647	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/City name	0 .. 1		Trade_Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
648	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/City name	0 .. 1		Postal. Trade_ Address/Trade_ Address. City Name. Text Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
649	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
650	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
651	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
652	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/City code	0 .. 1		Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier
653	BDT000000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
654	BDT000000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
655	BDT000000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
656	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Person name	0 .. 1		Trade_Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Person Name. Text
657	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Department name	0 .. 1		Trade_Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Department Name. Text
658	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Department name	0 .. 1		Trade_Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Department Name. Text
659	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Contact type code/Contact type code content	0 .. 1		Trade_Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Type. Code
660	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Job title			Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text
661	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Job title	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text
662	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	0 .. 1		Trade_Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Responsibility. Text
663	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/After hours communication information/Communication channel identification	0 .. 1		Universal_Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Mobile_Telephone. Universal_Communication/Universal_Communication. URI. Identifier
664	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/After hours communication information/Communication channel	0 .. 1		Universal_Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Mobile

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code			Telephone. Universal_ Communication/Universal_ Communication. Channel. Code
665	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. URI. Identifier
666	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. Channel. Code
667	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
668	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
	BDT00000113						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
669		.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
670	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
671	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
672	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
673	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
674	BDT00000130	.. 200	0 .. 1	address two Street address two <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Street address two	0 .. 1		Postal. Trade_ Address/Trade_ Address. Line Two. Text Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
675	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
676	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
677	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Street Name. Text
678	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/City	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Name. Text
679	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ultimate consignee party information/Address information/City name	0 .. 1		Trade_Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Name. Text
680	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/State	0 .. 1		Trade_Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Sub- Division Name. Text
681	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Ultimate consignee party information/Address information/County code	0 .. 1		Trade_Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Sub- Division Name. Text
682	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/ Province identity	0 .. 1		Trade_Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Country Sub- Division. Identifier
683	BDT000000127	.. 80	0 .. 1	State	0 .. 1		Trade_Address. Country Sub-Division Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/State			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
684	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ultimate consignee party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
685	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
686	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/City code	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier
687	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ultimate consignee party information/Address information/City code	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
688	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Postal code	0 .. unbounded	0 .. 1	Postal. Trade_Address/Trade_Address. City. Identifier Trade_Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Type. Code
689	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel identification	0 .. 1	0 .. 1	Universal_Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. URI. Universal_Communication/Universal_Communication. URI. Identifier
690	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel code	0 .. 1	0 .. 1	Universal_Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. URI. Universal_Communication/Universal_Communication. Channel. Code
691	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Geographical coordinates information/Latitude	0 .. 1	0 .. 1	Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
692	BDT00000085	.. 80	1 .. 1	Latitude	0 .. 1	0 .. 1	Geographical Coordinate. Latitude. Measure

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate consignee party information/Address information/Geographical coordinates information/Latitude			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
693	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
694	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
695	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Postcode. Code
696	BDT00000113	.. 80	0 .. 1	Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Post office box number			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
697	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line One. Text
698	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line Two. Text
699	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line Three. Text
700	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Cross	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				street			Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Postal. Trade_Address/Trade_Address. Street Name. Text
701	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/City name	0 .. 1		Trade_Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Postal. Trade_Address/Trade_Address. City Name. Text
702	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/City name	0 .. 1		Trade_Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Postal. Trade_Address/Trade_Address. City Sub-Division Name. Text
703	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Province identity	0 .. 1		Trade_Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Postal. Trade_Address/Trade_Address. Country Sub-Division. Identifier
704	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/State	0 .. 1		Trade_Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Ultimate_Ship To. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Postal. Trade_Address/Trade_Address. Country Sub-Division. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
705	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Cross street	0 .. 1		Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
706	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/City code	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City. Identifier
707	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Type. Code
708	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Tax	0 .. 1		Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
709	BDT00000584	.. 200	1 .. 1	registration identification content Tax registration identification content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Identification. Identifier Tax_Registration. IOSS_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier
710	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax type code/Tax type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
711	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text
712	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. URI. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
713	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ultimate_ Ship To. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. Channel. Code
714	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Ship from party information/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Identification. Identifier
715	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Invoice line/Ship from party information/Global location number GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
716	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Ship from party information/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
717	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Additional party identification information/Additional	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Type.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification type code/Additional party identification type code content			Code
718	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Name. Text
719	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice line/Ship from party information/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
720	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
721	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization. Trading Business Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Trading Business Name. Text
722	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship from party	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Postal code			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code
723	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
724	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text
725	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
726	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Street	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address three			Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text
727	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
728	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text
729	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub- Division Name. Text
730	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
731	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/State	0 .. 1		Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
732	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
733	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/City code	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City. Identifier
734	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
735	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
736	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
737	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
738	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Contact type code/Contact type code content	0 .. 1		Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
739	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Invoice line/Ship from party	0 .. 1		Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Job title			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text
740	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	0 .. 1		Trade_ Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text
741	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/After hours communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
742	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/After hours communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. Channel. Code
743	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/After hours communication information/Communication channel identification			Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. URI. Identifier
744	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/After hours communication information/Communication channel code		0 .. 1	Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. Channel. Code
745	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Postal code		0 .. 1	Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
746	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Post office box number		0 .. 1	Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
747	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address one		0 .. 1	Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
748	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
749	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
750	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Street Name. Text
751	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
752	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
753	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Province identity	0 .. 1		Name. Text Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
754	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
755	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
756	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/City code	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier
757	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice line/Ship from party	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Postal code			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code
758	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
759	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
760	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
761	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
762	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier
763	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_ Registration. IOSS_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier
764	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax type code/Tax type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
765	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
766	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Associated. Registered_ Tax/Registered_ Tax. Description. Text Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. URI. Identifier
767	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Ship From. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. Channel. Code
768	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced despatch advice information/Entity identification	0 .. 1		Supply Chain_ Event. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Despatch. Supply Chain_ Event/Supply Chain_ Event. Identification. Identifier
769	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced despatch advice information/Business document creation date time	0 .. 1		Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Despatch. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time
770	BDT00000570	.. 80	1 .. 1	Additional party identification type code content	0 .. 1		Supply Chain_ Event. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Despatch. Supply Chain_ Event/Supply Chain_ Event. Type. Code
771	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced despatch advice information/Document line number		0 .. 1	Supply Chain_ Event. Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Despatch. Supply Chain_ Event/Supply Chain_ Event. Unit. Quantity
772	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced despatch advice information/Business document creation date time		0 .. 1	Supply Chain_ Event. Latest_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Despatch. Supply Chain_ Event/Supply Chain_ Event. Latest_ Occurrence. Date Time
773	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced despatch advice information/Business document creation date time		0 .. 1	Supply Chain_ Event. Earliest_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Despatch. Supply Chain_ Event/Supply Chain_ Event. Earliest_ Occurrence. Date Time
774	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced despatch advice information/Business document creation date time		0 .. 1	Supply Chain_ Event. Time_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Despatch. Supply Chain_ Event/Supply Chain_ Event. Time_ Occurrence. Date Time
	BDT00000056						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
775		.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced receiving advice information/Entity identification		0 .. 1	Supply Chain_ Event. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Pick-Up. Supply Chain_ Event/Supply Chain_ Event. Identification. Identifier
776	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time		0 .. 1	Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Pick-Up. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time
777	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content		0 .. 1	Supply Chain_ Event. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Pick-Up. Supply Chain_ Event/Supply Chain_ Event. Type. Code
778	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced receiving advice information/Document line number		0 .. 1	Supply Chain_ Event. Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Pick-Up. Supply Chain_ Event/Supply Chain_ Event. Unit. Quantity
779	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time		0 .. 1	Supply Chain_ Event. Latest Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
780	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time		0 .. 1	Supply Chain_ Event. Earliest_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Pick-Up. Supply Chain_ Event/Supply Chain_ Event. Earliest_ Occurrence. Date Time
781	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time		0 .. 1	Supply Chain_ Event. Time_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Pick-Up. Supply Chain_ Event/Supply Chain_ Event. Time_ Occurrence. Date Time
782	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced delivery note document information/Entity identification		0 .. 1	Supply Chain_ Event. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Identification. Identifier
783	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time
784	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced delivery note document information/Document		0 .. 1	Supply Chain_ Event. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			Delivery. Actual_Delivery. Supply Chain_Event/Supply Chain_Event. Type. Code
785	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced delivery note document information/Document line number		0 .. 1	Supply Chain_Event. Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Actual_Delivery. Supply Chain_Event/Supply Chain_Event. Unit. Quantity
786	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	Supply Chain_Event. Latest_Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Actual_Delivery. Supply Chain_Event/Supply Chain_Event. Latest_Occurrence. Date Time
787	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	Supply Chain_Event. Earliest_Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Actual_Delivery. Supply Chain_Event/Supply Chain_Event. Earliest_Occurrence. Date Time
788	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	Supply Chain_Event. Time_Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Actual_Delivery. Supply Chain_Event/Supply Chain_Event. Time_Occurrence. Date Time
789	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced receiving advice		0 .. 1	Supply Chain_Event. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Entity identification			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Receipt. Supply Chain_ Event/Supply Chain_ Event. Identification. Identifier
790	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time		0 .. 1	Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Receipt. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time
791	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content		0 .. 1	Supply Chain_ Event. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Receipt. Supply Chain_ Event/Supply Chain_ Event. Type. Code
792	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced receiving advice information/Document line number		0 .. 1	Supply Chain_ Event. Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Receipt. Supply Chain_ Event/Supply Chain_ Event. Unit. Quantity
793	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time		0 .. 1	Supply Chain_ Event. Latest Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Receipt. Supply Chain_ Event/Supply Chain_ Event. Latest Occurrence. Date Time
	BDT00000047						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
794			0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time		0 .. 1	Supply Chain_ Event. Earliest_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Receipt. Supply Chain_ Event/Supply Chain_ Event. Earliest_ Occurrence. Date Time
795	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time		0 .. 1	Supply Chain_ Event. Time_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Actual_ Receipt. Supply Chain_ Event/Supply Chain_ Event. Time_ Occurrence. Date Time
796	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Invoice/Referenced additional information/Business document reference identification		0 .. 1	Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier
797	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Invoice/Referenced additional information/Business document reference identification		0 .. 1	Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
798	BDT00000699	.. 80	1 .. 1	Referenced document type code content <i>Path:</i> Invoice/Referenced additional information/Referenced document type code/Referenced document type code content		0 .. 1	Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Status. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
799	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Invoice/Referenced additional information/Business document reference identification	0 .. 1		Document. Status. Code Referenced_ Document. Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Line. Identifier
800	BDT00000699	.. 80	1 .. 1	Referenced document type code content <i>Path:</i> Invoice/Referenced additional information/Referenced document type code/Referenced document type code content	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Type. Code
801	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Invoice/Referenced additional information/Business document reference identification	0 .. 1		Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier
802	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced additional information/Business document creation date time	0 .. 1		Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Receipt. Date Time
803	BDT00000699	.. 80	1 .. 1	Referenced document type code content <i>Path:</i> Invoice/Referenced additional information/Referenced document type code/Referenced document type code content	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Reference_ Type. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
804	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Invoice/Referenced additional information/Business document reference identification		0 .. unbounded	Document. Reference_ Type. Code Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Previous Revision_ Identification. Identifier
805	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced additional information/Business document creation date time		0 .. 1	Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
806	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Invoice/Referenced additional information/Business document reference identification		0 .. 1	Referenced_ Document. Page. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Page. Identifier
807	BDT00000135	.. 200	1 .. 1	Business document reference identification <i>Path:</i> Invoice/Referenced additional information/Business document reference identification		0 .. 1	Referenced_ Document. Subordinate Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Additional. Referenced_ Document/Referenced_ Document. Subordinate Line. Identifier
808	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced despatch advice information/Entity identification		0 .. 1	Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier
809	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced despatch advice information/Entity identification	0 .. 1		Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
810	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Status. Code
811	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced despatch advice information/Document line number	0 .. 1		Referenced_ Document. Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Line. Identifier
812	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Type. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
813	BDT00000063	13 .. 13	0 .. 1	identification type code content Global location number GLN <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Global location number GLN	0 .. 1		Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier
814	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced despatch advice information/Entity identification	0 .. 1		Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier
815	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced despatch advice information/Business document creation date time	0 .. 1		Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Receipt. Date Time
816	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
817	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced despatch advice	0 .. unbounded		Referenced_ Document. Previous Revision_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Document content owner/ Additional party identification information/Additional party identification content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/ Referenced_ Document. Previous Revision_ Identification. Identifier
818	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced despatch advice information/Business document creation date time		0 .. 1	Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/ Referenced_ Document. Formatted_ Issue. Date Time
819	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced despatch advice information/Entity identification		0 .. 1	Referenced_ Document. Page. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/ Referenced_ Document. Page. Identifier
820	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced despatch advice information/Entity identification		0 .. 1	Referenced_ Document. Subordinate Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Despatch Advice. Referenced_ Document/ Referenced_ Document. Subordinate Line. Identifier
821	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced receiving advice information/Entity identification		0 .. 1	Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/ Referenced_ Document. Issuer Assigned_ Identification.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
822	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced receiving advice information/Entity identification	0 .. 1		Identifier Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
823	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/Referenced_ Document. Status. Code
824	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification content	0 .. 1		Referenced_ Document. Line. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/Referenced_ Document. Line. Identifier
825	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/Referenced_ Document. Type. Code
826	BDT000000063	13 .. 13	0 .. 1	Global location number GLN	0 .. 1		Referenced_ Document. Global_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/ Global location number GLN			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/ Referenced_ Document. Global_ Identification. Identifier
827	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/ Additional party identification information/Additional party identification content	0 .. 1		Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/ Referenced_ Document. Revision_ Identification. Identifier
828	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time	0 .. 1		Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/ Referenced_ Document. Receipt. Date Time
829	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/ Referenced_ Document. Reference_ Type. Code
830	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/ Additional party identification information/Additional party	0 .. unbounded		Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification content			Delivery. Receiving Advice. Referenced_ Document/ Referenced_ Document. Previous Revision_ Identification. Identifier
831	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time	0 .. 1		Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Receiving Advice. Referenced_ Document/ Referenced_ Document. Formatted_ Issue. Date Time
832	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced delivery note document information/Entity identification	0 .. 1		Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/ Referenced_ Document. Issuer Assigned_ Identification. Identifier
833	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced delivery note document information/Entity identification	0 .. 1		Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Delivery Note. Referenced_ Document/ Referenced_ Document. URI_ Identification. Identifier
834	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced inventory report document information/Entity identification	0 .. 1		Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Consumption Report. Referenced_ Document/ Referenced_ Document. Issuer Assigned_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
835	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced inventory report document information/Entity identification	0 .. 1		Referenced_Document.URI_Identification.Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Consumption Report. Referenced_Document/Referenced_Document.URI_Identification.Identifier
836	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_Document.Status.Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Consumption Report. Referenced_Document/Referenced_Document.Status.Code
837	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_Document.Type.Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Consumption Report. Referenced_Document/Referenced_Document.Type.Code
838	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Global location number GLN	0 .. 1		Referenced_Document.Global_Identification.Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery/Header_Trade Delivery. Consumption Report. Referenced_Document/Referenced_Document.Global_Identification.Identifier
839	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced inventory report	0 .. 1		Referenced_Document.Revision_Identification.Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				document information/Document content owner/Additional party identification information/Additional party identification content			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier
840	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced inventory report document information/Business document creation date time		0 .. 1	Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Receipt. Date Time
841	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content		0 .. 1	Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
842	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification content		0 .. unbounded	Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Previous Revision_ Identification. Identifier
843	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced inventory report document information/Business document creation date time		0 .. 1	Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
844	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced delivery note document information/Entity identification	0 .. 1		Delivery. Consumption Report. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time Supply Chain_ Event. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Previous_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Identification. Identifier
845	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time	0 .. 1		Supply Chain_ Event. Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Previous_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Occurrence. Date Time
846	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Supply Chain_ Event. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Previous_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Type. Code
847	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Invoice/Referenced delivery note document information/Document line number	0 .. 1		Supply Chain_ Event. Unit. Quantity <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Previous_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Unit. Quantity
848	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note	0 .. 1		Supply Chain_ Event. Latest_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				document information/Business document creation date time			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Previous_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Latest_ Occurrence. Date Time
849	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	Supply Chain_ Event. Earliest_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Previous_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Earliest_ Occurrence. Date Time
850	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	Supply Chain_ Event. Time_ Occurrence. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Previous_ Delivery. Supply Chain_ Event/Supply Chain_ Event. Time_ Occurrence. Date Time
851	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced sales report document information/Entity identification		0 .. 1	Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Packing List. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier
852	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced sales report document information/Entity identification		0 .. 1	Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Packing List. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
	BDT000000570						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
853		.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Packing List. Referenced_ Document/Referenced_ Document. Status. Code
854	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Packing List. Referenced_ Document/Referenced_ Document. Type. Code
855	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Global location number GLN	0 .. 1		Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Packing List. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier
856	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Additional party identification information/Additional party identification content	0 .. 1		Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Packing List. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier
857	BDT00000047		0 .. 1	Business document creation date time	0 .. 1		Referenced_ Document. Receipt. Date Time

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced sales report document information/Business document creation date time			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Packing List. Referenced_ Document/Referenced_ Document. Receipt. Date Time
858	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Packing List. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
859	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Additional party identification information/Additional party identification content	0 .. unbounded		Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Packing List. Referenced_ Document/Referenced_ Document. Previous Revision_ Identification. Identifier
860	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced sales report document information/Business document creation date time	0 .. 1		Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Delivery/Header_ Trade Delivery. Packing List. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
861	BDT00000741	.. 80	1 .. 1	Crediting reason code content <i>Path:</i> Invoice/Crediting reason code/Crediting reason code content	0 .. unbounded		Header_ Trade Settlement. Creditor Reference Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
862	BDT00000538	.. 80	1 .. 1	Tax accounting currency code content <i>Path:</i> Invoice/Tax accounting currency code/ Tax accounting currency code content	0 .. 1		Settlement. Creditor Reference Type. Code Header_Trade Settlement. Tax_Currency. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Tax_Currency. Code
863	BDT00000652	.. 80	1 .. 1	Invoice currency code content <i>Path:</i> Invoice/Invoice currency code/Invoice currency code content	0 .. 1		Header_Trade Settlement. Invoice_Currency. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Invoice_Currency. Code
864	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Invoice/Invoice currency code/Code list version	0 .. 1		Header_Trade Settlement. Invoice_Currency. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Invoice_Currency. Code
865	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Seller party information/Global location number, GLN	0 .. unbounded		Trade_Party. Global_Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Invoicer. Trade_Party/Trade_Party. Global_ Identification. Identifier
866	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Seller party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Invoicer. Trade_Party/Trade_Party. Type. Code
867	BDT00000106	.. 200	0 .. 1	Party name	0 .. 1		Trade_Party. Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party information/Address information/Party name			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Name. Text
868	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Seller party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Role. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Role. Code
869	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Seller party information/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
870	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Seller party information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
871	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Seller party information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization. Trading Business Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
872	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Postal code	0 .. 1		Trading Business Name. Text Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code
873	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
874	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text
875	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
	BDT00000129						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
876		.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text
877	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
878	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text
879	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub- Division Name. Text
880	BDT00000117	80 ..	0 .. 1	Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Province identity			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub- Division. Identifier
881	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/State		0 .. 1	Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub- Division Name. Text
882	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Street address one		0 .. 1	Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
883	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Postal code		0 .. unbounded	Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
884	BDT00000658	.. 80	1 .. 1	Legal registration type code content		0 .. 1	Legal_ Registration. Type. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
885	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Seller party information/ Business contact information/Person name	0 .. 1		Trade_Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
886	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Seller party information/ Business contact information/ Department name	0 .. 1		Trade_Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
887	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Seller party information/ Business contact information/Job title	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text
888	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Seller party information/ Business contact information/Business contact responsibility description/ Business contact responsibility	0 .. 1		Trade_Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
889	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/After hours communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
890	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party information/ Business contact information/After hours communication information/ Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. Channel. Code
891	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. URI. Identifier
892	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
893	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. 1		Communication/Universal_ Communication. Channel. Code Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
894	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
895	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
896	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
897	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
898	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party information/Address information/Cross street	0 .. 1		Settlement. Invoicer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line Three. Text Trade_Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Invoicer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Street Name. Text
899	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	0 .. 1		Trade_Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Invoicer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Name. Text
900	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	0 .. 1		Trade_Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Invoicer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Sub-Division Name. Text
901	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party information/Address information/Province identity	0 .. 1		Trade_Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Invoicer. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Country Sub-Division. Identifier
902	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party information/Address	0 .. 1		Trade_Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/State			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
903	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
904	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code
905	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
906	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
907	BDT000000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Seller party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Channel. Code Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
908	BDT000000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Seller party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
909	BDT000000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Postcode. Code
910	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
911	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line One. Text
912	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line Two. Text
913	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line Three. Text
914	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Street Name. Text
915	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/City name			Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City Name. Text
916	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
917	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party information/Address information/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
918	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
919	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
920	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Type. Code
921	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier
922	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_ Registration. IOSS_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier
923	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax type code/ Tax type code content	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_ Party/Trade_ Party.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
924	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax description/Tax description content	0 .. unbounded	0 .. 1	Specified. Tax_Registration/Tax_Registration. Associated. Registered_Tax/Registered_Tax. Type. Code Registered_Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_Tax/Registered_Tax. Description. Text
925	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs duty description/Customs duty description content	0 .. 1	0 .. 1	Registered_Tax. Customs Duty. Indicator <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicer. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_Tax/Registered_Tax. Customs Duty. Indicator
926	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Bill to party information/Global location number GLN	0 .. unbounded	0 .. 1	Trade_Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_Party/Trade_Party. Global_ Identification. Identifier
927	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Bill to party information/ Business contact information/Person name	0 .. 1	0 .. 1	Trade_Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Person Name. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
928	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Bill to party information/ Business contact information/ Department name	0 .. 1		Trade_Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
929	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Bill to party information/ Business contact information/Job title	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text
930	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Bill to party information/Address information/Postal code	0 .. 1		Trade_Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
931	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Bill to party information/Address information/Post office box number	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
932	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Bill to party information/Address information/Street address one	0 .. 1		Trade_Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
933	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Bill to party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
934	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Bill to party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
935	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Bill to party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
936	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Bill to party information/Address information/County code	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
937	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Bill to party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
938	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Bill to party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
939	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Bill to party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoicee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
940	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Seller party information/ Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Identification. Identifier
941	BDT000000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Seller party information/Global location number, GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
942	BDT000000570	.. 80	1 .. 1	Additional party identification type code	0 .. unbounded		Trade_ Party. Type. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Invoice/Seller party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Type. Code
943	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Seller party information/Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Name. Text
944	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Seller party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Registered_ Identification. Identifier
945	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Organization. Legal Classification. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Legal Classification. Code
946	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
947	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Organisation name	0 .. 1		Legal_ Organization/Legal_ Organization. Name. Text Legal_ Organization. Trading Business Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Trading Business Name. Text
948	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code
949	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
950	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text
951	BDT00000130	.. 200	0 .. 1	Street address two	0 .. 1		Trade_ Address. Line Two. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party information/Address information/Street address two			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
952	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text
953	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
954	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text
955	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
956	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party information/Address information/Province identity	0 .. 1		Settlement. Payee. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_Address/Trade_Address. City Sub-Division Name. Text Trade_Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Payee. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_Address/Trade_Address. Country Sub-Division. Identifier
957	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party information/Address information/State	0 .. 1		Trade_Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Payee. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_Address/Trade_Address. Country Sub-Division Name. Text
958	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_Address. Additional_Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Payee. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_Address/Trade_Address. Additional_Street Name. Text
959	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. unbounded		Trade_Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Payee. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Postal. Trade_Address/Trade_Address. Type. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
960	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Address/Trade_ Address. Type. Code Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
961	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Seller party information/ Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
962	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Payee party information/ Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
963	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Seller party information/ Business contact information/ Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
964	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Payee party information/ Business contact information/ Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
965	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Seller party information/ Business contact information/Job title	0 .. 1		Settlement. Payee. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Department Name. Text Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text
966	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Payee party information/ Business contact information/Job title	0 .. 1		Trade_Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Job Title. Text
967	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Seller party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	0 .. 1		Trade_Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Responsibility. Text
968	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/After hours communication information/ Communication channel identification	0 .. 1		Universal_Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Defined. Trade_Contact/Trade_Contact. Mobile_Telephone. Universal_Communication/Universal_Communication. URI. Identifier
969	BDTG00000175		1 .. 1	Communication channel code	0 .. 1		Universal_Communication. Channel. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party information/ Business contact information/After hours communication information/ Communication channel code			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. Channel. Code
970	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. URI. Identifier
971	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. Channel. Code
972	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
973	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Payee party information/	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/Postal code			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Postcode. Code
974	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party information/Address information/Post office box number	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text
975	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Payee party information/Address information/Post office box number	0 .. 1		Trade_Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Post Office Box. Text
976	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line One. Text
977	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Payee party information/Address information/Street address one	0 .. 1		Trade_Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Line One. Text
978	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party information/Address	0 .. 1		Trade_Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Street address two			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
979	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Payee party information/ Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
980	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
981	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Payee party information/ Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
982	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Street Name. Text
983	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/City name			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Name. Text
984	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Payee party information/ Address information/City name	0 .. 1		Trade_Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Name. Text
985	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	0 .. 1		Trade_Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Sub-Division Name. Text
986	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Invoice/Payee party information/ Address information/County code	0 .. 1		Trade_Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. City Sub-Division Name. Text
987	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party information/Address information/Province identity	0 .. 1		Trade_Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_Party/Trade_Party. Postal. Trade_Address/Trade_Address. Country Sub-Division. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
988	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
989	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Payee party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
990	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
991	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Invoice/Payee party information/Address information/City code	0 .. 1		Trade_ Address. City. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City. Identifier
992	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
993	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Settlement. Payee. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
994	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
995	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Seller party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
996	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Payee party information/ Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
997	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Seller party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Latitude. Measure Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
998	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Payee party information/ Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
999	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Postcode. Code
100	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Seller party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
100	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line One. Text
100	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Seller party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line Two. Text
100	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Seller party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Line Three. Text
100	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Seller party information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Street Name. Text
100	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/City name			Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City Name. Text
100	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Seller party information/Address information/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
100	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Seller party information/Address information/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
100	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Seller party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
100	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Seller party information/Address information/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
101	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Seller party information/Address information/Postal code	0 .. unbounded		Logistics_Location/Logistics_Location. Postal. Trade Address/Trade_Address. Additional_Street Name. Text Trade_Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Payee. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Postal. Trade Address/Trade_Address. Type. Code
101	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Payee. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Identification. Identifier
101	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_Registration. IOSS_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Payee. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. IOSS_ Identification. Identifier
101	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax type code/Tax type code content	0 .. 1		Registered_Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Payee. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Associated. Registered_Tax/Registered_Tax. Type. Code
	BDT00000754						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
101		.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Seller party information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text
101	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. URI. Identifier
101	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payee. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. Channel. Code
101	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Payer party information/Global location number, GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
101	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Payer party information/	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional party identification information/Additional party identification type code/Additional party identification type code content			Settlement. Payer. Trade_Party/Trade_Party. Type. Code
101	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Payer party information/Address information/Party name	0 .. 1		Trade_Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_Party/Trade_Party. Name. Text
102	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Payer party information/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_Party/Trade_Party. Registered_ Identification. Identifier
102	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Payer party information/Organisation legal information/Organisation name	0 .. 1		Legal_Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Name. Text
102	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Payer party information/Organisation legal information/Organisation name	0 .. 1		Legal_Organization. Trading Business Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_Party/Trade_Party. Specified. Legal_Organization/Legal_Organization. Trading Business Name. Text
102	BDT00000114	.. 80	0 .. 1	Postal code	0 .. 1		Trade_Address. Postcode. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Postal code			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code
102	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Post office box number		0 .. 1	Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
102	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Street address one		0 .. 1	Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text
102	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Street address two		0 .. 1	Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
102	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Street address three		0 .. 1	Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
102	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Cross street	0 .. 1		Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
102	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text
103	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
103	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
103	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
103	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
103	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
103	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Payer party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
103	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Payer party information/	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/Person name			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
103	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Payer party information/ Business contact information/ Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
103	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Payer party information/ Business contact information/Contact type code/Contact type code content	0 .. 1		Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
103	BDT000000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Payer party information/ Business contact information/Job title	0 .. 1		Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Job Title. Text
104	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Payer party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	0 .. 1		Trade_ Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Responsibility. Text
104	BDT000000032	.. 200	1 .. 1	Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payer party information/ Business contact information/After hours communication information/ Communication channel identification			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
104	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Payer party information/ Business contact information/After hours communication information/ Communication channel code		0 .. 1	Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. Channel. Code
104	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Payer party information/ Business contact information/ Communication information/ Communication channel identification		0 .. 1	Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. URI. Identifier
104	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Payer party information/ Business contact information/ Communication information/ Communication channel code		0 .. 1	Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. Channel. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
 Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
 Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
104	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Payer party information/Address information/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
104	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Payer party information/Address information/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
104	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Payer party information/Address information/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
104	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Payer party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
104	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Payer party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
105	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Payer party information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Street Name. Text
105	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Payer party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Name. Text
105	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Payer party information/Address information/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
105	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Payer party information/Address information/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
105	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Payer party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
105	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Payer party information/Address information/Street address one	0 .. 1		Trade_ Address/Trade_ Address. Country Sub-Division Name. Text Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
105	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Payer party information/Address information/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code
105	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Payer party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
105	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Payer party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
105	BDT00000085	.. 80	1 .. 1	Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payer party information/Address information/Geographical coordinates information/Latitude			<i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Latitude. Measure
106	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Payer party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Logistics_ Location/Logistics_ Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
106	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_ Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Identification. Identifier
106	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_ Registration. IOSS_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. IOSS_ Identification. Identifier
106	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Payer party information/Tax	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration information/Tax type code/ Tax type code content			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
106	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text
106	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Payer party information/ Business contact information/ Communication information/ Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. URI. Identifier
106	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Payer party information/ Business contact information/ Communication information/ Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payer. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. Channel. Code
106	BDT00000037		0 .. 1	Currency exchange rate <i>Path:</i> Invoice/Tax currency conversion information/Currency exchange rate	1 .. 1		Trade_ Currency Exchange. Conversion. Rate <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Tax_ Applicable. Trade_ Currency

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
106	BDT00000038		0 .. 1	Currency exchange rate date <i>Path:</i> Invoice/Tax currency conversion information/Currency exchange rate date		0 .. 1	Exchange/Trade_Currency Exchange. Conversion. Rate Trade_Currency Exchange. Conversion Rate. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Tax_Applicable. Trade_Currency Exchange/Trade_Currency Exchange. Conversion Rate. Date Time
106	BDT00000037		0 .. 1	Currency exchange rate <i>Path:</i> Invoice/Tax currency conversion information/Currency exchange rate		1 .. 1	Trade_Currency Exchange. Conversion. Rate <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Invoice_Applicable. Trade_Currency Exchange/Trade_Currency Exchange. Conversion. Rate
107	BDT00000038		0 .. 1	Currency exchange rate date <i>Path:</i> Invoice/Tax currency conversion information/Currency exchange rate date		0 .. 1	Trade_Currency Exchange. Conversion Rate. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Invoice_Applicable. Trade_Currency Exchange/Trade_Currency Exchange. Conversion Rate. Date Time
107	BDT00000708	.. 80	1 .. 1	Currency conversion from code content <i>Path:</i> Invoice/Currency conversion information/Currency conversion from code/Currency conversion from code content		1 .. 1	Trade_Currency Exchange. Source Currency. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade Transaction/Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement/Header_Trade Settlement. Payment_Applicable. Trade_Currency Exchange/Trade_Currency Exchange. Source Currency. Code
107	BDT00000709	.. 80	1 .. 1	Currency conversion to code content <i>Path:</i> Invoice/Currency conversion		1 .. 1	Trade_Currency Exchange. Target Currency. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Currency conversion to code/Currency conversion to code content			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payment_ Applicable. Trade_ Currency Exchange/Trade_ Currency Exchange. Target Currency. Code
107	BDT00000037		0 .. 1	Currency exchange rate <i>Path:</i> Invoice/Currency conversion information/Currency exchange rate		1 .. 1	Trade_ Currency Exchange. Conversion. Rate <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payment_ Applicable. Trade_ Currency Exchange/Trade_ Currency Exchange. Conversion. Rate
107	BDT00000038		0 .. 1	Currency exchange rate date <i>Path:</i> Invoice/Currency conversion information/Currency exchange rate date		0 .. 1	Trade_ Currency Exchange. Conversion Rate. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Payment_ Applicable. Trade_ Currency Exchange/Trade_ Currency Exchange. Conversion Rate. Date Time
107	BDTG00000272		1 .. 1	Payment terms type code <i>Path:</i> Invoice/Payment terms information/ Payment terms type code		0 .. 1	Trade Settlement_ Payment Means. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade Settlement_ Payment Means/Trade Settlement_ Payment Means. Type. Code
107	BDT00000691	.. 80	1 .. 1	Payment method code content <i>Path:</i> Invoice/Payment terms information/ Payment method information/Payment method code/Payment method code content		0 .. 1	Trade Settlement_ Payment Means. Guarantee Method. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade Settlement_ Payment Means/Trade Settlement_ Payment Means. Guarantee

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
107	BDT00000691	.. 80	1 .. 1	Payment method code content <i>Path:</i> Invoice/Payment terms information/ Payment method information/Payment method code/Payment method code content	0 .. 1		Method. Code Trade Settlement_ Payment Means. Payment Method. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade Settlement_ Payment Means/Trade Settlement_ Payment Means. Payment Method. Code
107	BDT00000107	.. 80	0 .. 1	Payment discount description <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Payment discount description	0 .. unbounded		Trade Settlement_ Payment Means. Information. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade Settlement_ Payment Means/Trade Settlement_ Payment Means. Information. Text
107	BDT00000110	.. 35	0 .. 1	Payment method identification <i>Path:</i> Invoice/Payment terms information/ Payment method information/Payment method identification	0 .. unbounded		Trade Settlement_ Payment Means. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade Settlement_ Payment Means/Trade Settlement_ Payment Means. Identification. Identifier
108	BDT00000773	.. 80	0 .. 1	Debited account identification <i>Path:</i> Invoice/Payment terms information/ Direct debit information/Debited account identification	0 .. 1		Debtor_ Financial Account. IBAN_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade Settlement_ Payment Means/Trade Settlement_ Payment Means. Payer_ Party. Debtor_ Financial Account/Debtor_ Financial Account. IBAN_ Identification. Identifier
	BDT00000772						

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
108		.. 80	0 .. 1	Bank assigned creditor identification <i>Path:</i> Invoice/Payment terms information/ Direct debit information/Bank assigned creditor identification		0 .. 1	Debtor_ Financial Account. Proprietary_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade Settlement_ Payment Means/Trade Settlement_ Payment Means. Payer_ Party. Debtor_ Financial Account/Debtor_ Financial Account. Proprietary_ Identification. Identifier
108	BDT00000538	.. 80	1 .. 1	Tax accounting currency code content <i>Path:</i> Invoice/Tax accounting currency code/ Tax accounting currency code content		0 .. 1	Trade_ Tax. Currency. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Currency. Code
108	BDT00000575	.. 80	1 .. 1	Tax exemption reason code content <i>Path:</i> Invoice/Tax exemption reason code/Tax exemption reason code content		0 .. 1	Trade_ Tax. Exemption Reason. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Applicable. Trade_ Tax/Trade_ Tax. Exemption Reason. Code
108	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Invoice/Allowance information/ Calculation sequence number		0 .. 1	Trade_ Allowance Charge. Sequence. Numeric <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Sequence. Numeric
108	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Invoice/Charge information/Calculation sequence number		0 .. 1	Trade_ Allowance Charge. Sequence. Numeric <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
							Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Sequence. Numeric
108	BDT00000006		0 .. 1	Allowance percentage <i>Path:</i> Invoice/Allowance information/ Allowance percentage		0 .. 1	Trade_ Allowance Charge. Calculation. Percent <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Calculation. Percent
108	BDT00000018		0 .. 1	Charge percentage <i>Path:</i> Invoice/Charge information/Charge percentage		0 .. 1	Trade_ Allowance Charge. Calculation. Percent <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Specified. Trade_ Allowance Charge/Trade_ Allowance Charge. Calculation. Percent
108	BDT000000538	.. 80	1 .. 1	Tax accounting currency code content <i>Path:</i> Invoice/Tax accounting currency code/ Tax accounting currency code content		0 .. 1	Trade_ Tax. Currency. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Subtotal_ Calculated. Trade_ Tax/Trade_ Tax. Currency. Code
108	BDT000000575	.. 80	1 .. 1	Tax exemption reason code content <i>Path:</i> Invoice/Tax exemption reason code/Tax exemption reason code content		0 .. 1	Trade_ Tax. Exemption Reason. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Subtotal_ Calculated. Trade_ Tax/Trade_ Tax. Exemption Reason. Code
109	BDT000000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced invoice document information/Entity identification		0 .. 1	Referenced_ Document. Issuer Assigned_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
109	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced invoice document information/Entity identification	0 .. 1		Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer Assigned_ Identification. Identifier Referenced_ Document. URI_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. URI_ Identification. Identifier
109	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced invoice document information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Status. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Status. Code
109	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced invoice document information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. 1		Referenced_ Document. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Type. Code
109	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Invoice/Referenced invoice document information/Document content owner/ Global location number GLN	0 .. 1		Referenced_ Document. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Global_ Identification. Identifier

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
109	BDT00000119		0 .. 1	Revision number <i>Path:</i> Invoice/Referenced invoice document information/Revision number		0 .. 1	Document. Global_ Identification. Identifier Referenced_ Document. Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Revision_ Identification. Identifier
109	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced invoice document information/Business document creation date time		0 .. 1	Referenced_ Document. Receipt. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Receipt. Date Time
109	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Referenced invoice document information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content		0 .. 1	Referenced_ Document. Reference_ Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Reference_ Type. Code
109	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Invoice/Referenced invoice document information/Entity identification		0 .. unbounded	Referenced_ Document. Previous Revision_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Previous Revision_ Identification. Identifier
109	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Invoice/Referenced invoice document		0 .. 1	Referenced_ Document. Formatted_ Issue. Date Time <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business document creation date time			Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Formatted_ Issue. Date Time
110	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice issuer party information/Additional party identification information/Additional party identification content	0 .. unbounded		Trade_ Party. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Identification. Identifier
110	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Invoice/Invoice issuer party information/Global location number, GLN	0 .. unbounded		Trade_ Party. Global_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Global_ Identification. Identifier
110	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Invoice/Invoice issuer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	0 .. unbounded		Trade_ Party. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Type. Code
110	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Invoice/Invoice issuer party information/Address information/Party name	0 .. 1		Trade_ Party. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Name.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
110	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Invoice/Invoice issuer party information/Additional party identification information/Additional party identification content	0 .. unbounded		Text Trade_Party. Registered_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_Party/Trade_Party. Registered_ Identification. Identifier
110	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization. Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_Party/Trade_Party. Specified. Legal_ Organization/Legal_ Organization. Name. Text
110	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Organisation name	0 .. 1		Legal_ Organization. Trading Business Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_Party/Trade_Party. Specified. Legal_ Organization/Legal_ Organization. Trading Business Name. Text
110	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Postal code	0 .. 1		Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_Party/Trade_Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Postcode. Code

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
110	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Post office box number	0 .. 1		Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
110	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line One. Text
111	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Two. Text
111	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Line Three. Text

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
111	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Cross street	0 .. 1		Address/Trade_ Address. Line Three. Text Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Street Name. Text
111	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Name. Text
111	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
111	BDT000000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
111	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/State	0 .. 1		Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
111	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Additional_ Street Name. Text
111	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Postal code	0 .. unbounded		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Postal. Trade_ Address/Trade_ Address. Type. Code
111	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Registered legal	0 .. 1		Legal_ Registration. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Legal registration type code/Legal registration type code content			Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Legal_ Organization/Legal_ Organization. Authorized. Legal_ Registration/Legal_ Registration. Type. Code
112	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Person name	0 .. 1		Trade_ Contact. Person Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Person Name. Text
112	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Department name	0 .. 1		Trade_ Contact. Department Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Department Name. Text
112	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Contact type code/Contact type code content	0 .. 1		Trade_ Contact. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. Type. Code
112	BDT000000083	.. 70	0 .. 1	Job title <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Job title	0 .. 1		Trade_ Contact. Job Title. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
112	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	0 .. 1		Trade_Contact/Trade_Contact. Job Title. Text Trade_Contact. Responsibility. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Responsibility. Text
112	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/After hours communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. URI. Identifier
112	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/After hours communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_Contact/Trade_Contact. Mobile_ Telephone. Universal_ Communication/Universal_ Communication. Channel. Code
112	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Communication	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication channel identification			Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. URI. Identifier
112	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Communication information/Communication channel code		0 .. 1	Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Defined. Trade_ Contact/Trade_ Contact. VOIP. Universal_ Communication/Universal_ Communication. Channel. Code
112	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice issuer party information/Address information/Postal code		0 .. 1	Trade_ Address. Postcode. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Postcode. Code
113	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Invoice/Invoice issuer party information/Address information/Post office box number		0 .. 1	Trade_ Address. Post Office Box. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Post Office Box. Text
113	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice issuer party information/Address information/Street		0 .. 1	Trade_ Address. Line One. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address one			Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line One. Text
113	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Invoice/Invoice issuer party information/Address information/Street address two	0 .. 1		Trade_ Address. Line Two. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Two. Text
113	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Invoice/Invoice issuer party information/Address information/Street address three	0 .. 1		Trade_ Address. Line Three. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Line Three. Text
113	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Invoice/Invoice issuer party information/Address information/Cross street	0 .. 1		Trade_ Address. Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Street Name. Text
113	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice issuer party information/Address information/City name	0 .. 1		Trade_ Address. City Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
113	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Invoice/Invoice issuer party information/Address information/City name	0 .. 1		Trade_ Address. City Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. City Sub-Division Name. Text
113	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Invoice/Invoice issuer party information/Address information/Province identity	0 .. 1		Trade_ Address. Country Sub-Division. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division. Identifier
113	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Invoice/Invoice issuer party information/Address information/State	0 .. 1		Trade_ Address. Country Sub-Division Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Country Sub-Division Name. Text
113	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Invoice/Invoice issuer party information/Address information/Street address one	0 .. 1		Trade_ Address. Additional_ Street Name. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
114	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Invoice/Invoice issuer party information/Address information/Postal code	0 .. unbounded		Trade_ Address/Trade_ Address. Additional_ Street Name. Text
114	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Trade_ Address. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Postal. Trade_ Address/Trade_ Address. Type. Code
114	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Communication information/Communication channel code	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. URI. Identifier
114	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice issuer party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. URI. Universal_ Communication/Universal_ Communication. Channel. Code
114	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Invoice/Invoice issuer party information/Address information/Geographical coordinates information/Latitude	0 .. 1		Geographical Coordinate. Latitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMap)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
114	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Invoice/Invoice issuer party information/Address information/Geographical coordinates information/Longitude	0 .. 1		Logistics_Location/Logistics_Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure Geographical Coordinate. Longitude. Measure <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_Document/Referenced_Document. Issuer. Trade_Party/Trade_Party. Specified. Logistics_Location/Logistics_Location. Physical. Geographical Coordinate/Geographical Coordinate. Longitude. Measure
114	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_Registration. Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_Document/Referenced_Document. Issuer. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. Identification. Identifier
114	BDT000000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax registration identification information/Tax registration identification content	0 .. 1		Tax_Registration. IOSS_ Identification. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_Document/Referenced_Document. Issuer. Trade_Party/Trade_Party. Specified. Tax_Registration/Tax_Registration. IOSS_ Identification. Identifier
114	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Invoice/Invoice issuer party information/Tax registration	0 .. 1		Registered_ Tax. Type. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction.

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft - Guide(INVOICMapp)
Root Element: **Invoice**

Model: CII SCRDM; GS1; Draft
Root Element: **BSP Master. Details**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax type code/Tax type code content			Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Type. Code
114	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax description/Tax description content	0 .. unbounded		Registered_ Tax. Description. Text <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. Specified. Tax_ Registration/Tax_ Registration. Associated. Registered_ Tax/Registered_ Tax. Description. Text
114	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Communication information/Communication channel identification	0 .. 1		Universal_ Communication. URI. Identifier <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. URI. Identifier
115	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Communication information/Communication channel code	0 .. 1		Universal_ Communication. Channel. Code <i>Path:</i> BSP Master. Details/BSP Master. Supply Chain_ Trade Transaction/Supply Chain_ Trade Transaction. Applicable. Header_ Trade Settlement/Header_ Trade Settlement. Invoice. Referenced_ Document/Referenced_ Document. Issuer. Trade_ Party/Trade_ Party. End Point_ URI. Universal_ Communication/Universal_ Communication. Channel. Code

Legend: No = Consecutive Number