



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
001	BDT00000047		1 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Business document creation date time		1 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/creationDateTime
002	BDT00000050		1 .. 1	<b>Business document status code</b> <i>Path:</i> Invoice/Business document status code		1 .. 1	<b>documentStatusCode</b> <i>Path:</i> invoiceMessage/invoice/documentStatusCode
003	BDT00000045		0 .. 1	<b>Business document action code</b> <i>Path:</i> Invoice/Business document action code		0 .. 1	<b>documentActionCode</b> <i>Path:</i> invoiceMessage/invoice/documentActionCode
004	BDT00000046		0 .. 1	<b>Business document standard version</b> <i>Path:</i> Invoice/Business document standard version	1 .. 80	0 .. 1	<b>documentStructureVersion</b> <i>Path:</i> invoiceMessage/invoice/documentStructureVersion
005	BDT00000048		0 .. 1	<b>Business document last update date time</b> <i>Path:</i> Invoice/Business document last update date time		0 .. 1	<b>lastUpdateDateTime</b> <i>Path:</i> invoiceMessage/invoice/lastUpdateDateTime
006	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/revisionNumber
007	BDT00000040		0 .. 1	<b>Date</b> <i>Path:</i> Invoice/Business document effective date time/Date		1 .. 1	<b>date</b> <i>Path:</i> invoiceMessage/invoice/documentEffectiveDate/date
008	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Invoice/Business document effective date time/Time		0 .. 1	<b>time</b> <i>Path:</i> invoiceMessage/invoice/documentEffectiveDate/time
009	BDT00000653	.. 80	1 .. 1	<b>Invoice type code content</b> <i>Path:</i> Invoice/Invoice type code/Invoice type code content	1 .. 80	1 .. 1	<b>invoiceType</b> <i>Path:</i> invoiceMessage/invoice/invoiceType
010	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceType/@codeListVersion
011	BDT00000652	.. 80	1 .. 1	<b>Invoice currency code content</b>	1 .. 80	1 .. 1	<b>invoiceCurrencyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice currency code/Invoice currency code content			<i>Path:</i> invoiceMessage/invoice/invoiceCurrencyCode
012	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceCurrencyCode/@codeListVersion
013	BDT00000741	.. 80	1 .. 1	<b>Crediting reason code content</b> <i>Path:</i> Invoice/Crediting reason code/Crediting reason code content	1 .. 80	0 .. 1	<b>creditReasonCode</b> <i>Path:</i> invoiceMessage/invoice/creditReasonCode
014	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Crediting reason code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/creditReasonCode/@codeListVersion
015	BDT00000538	.. 80	1 .. 1	<b>Tax accounting currency code content</b> <i>Path:</i> Invoice/Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	<b>invoiceDutyFeeTaxAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceDutyFeeTaxAccountingCurrency
016	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax accounting currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceDutyFeeTaxAccountingCurrency/@codeListVersion
017	BDT00000657	.. 80	1 .. 1	<b>Last country of supply of goods code content</b> <i>Path:</i> Invoice/Last country of supply of goods code/Last country of supply of goods code content	1 .. 80	0 .. 1	<b>countryOfSupplyOfGoods</b> <i>Path:</i> invoiceMessage/invoice/countryOfSupplyOfGoods
018	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Last country of supply of goods code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/countryOfSupplyOfGoods/@codeListVersion
019	BDT00000575	.. 80	1 .. 1	<b>Tax exemption reason code content</b> <i>Path:</i> Invoice/Tax exemption reason code/Tax exemption reason code content	1 .. 70	0 .. 1	<b>dutyFeeTaxExemptionReason</b> <i>Path:</i> invoiceMessage/invoice/dutyFeeTaxExemptionReason

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
020	BDT00000726	.. 35	0 .. 1	<b>Payment reference</b> <i>Path:</i> Invoice/Payment reference	1 .. 70	0 .. 1	<b>paymentReference</b> <i>Path:</i> invoiceMessage/invoice/paymentReference
021	BDT00000748	.. 35	0 .. 1	<b>Approval for charging tax reference</b> <i>Path:</i> Invoice/Approval for charging tax reference	1 .. 200	0 .. 1	<b>approvalChargingTaxReference</b> <i>Path:</i> invoiceMessage/invoice/approvalChargingTaxReference
022	BDT00000759	.. 70	0 .. 1	<b>Supplier account receivable</b> <i>Path:</i> Invoice/Supplier account receivable	1 .. 70	0 .. 1	<b>supplierAccountReceivable</b> <i>Path:</i> invoiceMessage/invoice/supplierAccountReceivable
023	BDT00000670	.. 70	1 .. 1	<b>Notation content</b> <i>Path:</i> Invoice/Notation/Notation content	1 .. 500	0 .. 1	<b>note</b> <i>Path:</i> invoiceMessage/invoice/note
024	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Notation/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/note/@languageCode
025	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Notation/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/note/@codeListVersion
026	BDT00000642	.. 80	1 .. 1	<b>Discount agreement type code content</b> <i>Path:</i> Invoice/Discount agreement type code/Discount agreement type code content	1 .. 80	0 .. 1	<b>discountAgreementTerms</b> <i>Path:</i> invoiceMessage/invoice/discountAgreementTerms
027	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Discount agreement type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/discountAgreementTerms/ @codeListVersion
028	BDT00000654	.. 70	1 .. 1	<b>Invoice type description content</b> <i>Path:</i> Invoice/Invoice type description/Invoice type description content	1 .. 500	0 .. 1	<b>invoiceTypeDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceTypeDescription
029	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice type description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTypeDescription/ @languageCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
030	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice type description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTypeDescription/ @codeListVersion
031	BDT00000404		0 .. 1	<b>Buyer party registered in the European Union indicator</b> <i>Path:</i> Invoice/Buyer party information/Buyer party registered in the European Union indicator		0 .. 1	<b>isBuyerBasedInEu</b> <i>Path:</i> invoiceMessage/invoice/isBuyerBasedInEu
032	BDT00000405		0 .. 1	<b>Invoice issuing party first seller and registered in the European Union indicator</b> <i>Path:</i> Invoice/Invoice issuing party first seller and registered in the European Union indicator		0 .. 1	<b>isFirstSellerBasedInEu</b> <i>Path:</i> invoiceMessage/invoice/isFirstSellerBasedInEu
033	BDT00000040		1 .. 1	<b>Date</b> <i>Path:</i> Invoice/Goods delivery dates information/Actual delivery date time/ Date		1 .. 1	<b>date</b> <i>Path:</i> invoiceMessage/invoice/actualDeliveryDate/date
034	BDT00000133		0 .. 1	<b>Time</b> <i>Path:</i> Invoice/Goods delivery dates information/Actual delivery date time/ Time		0 .. 1	<b>time</b> <i>Path:</i> invoiceMessage/invoice/actualDeliveryDate/time
035	BDT00000582	.. 80	1 .. 1	<b>Business unit type code content</b> <i>Path:</i> Invoice/Business unit information/ Business unit type code/Business unit type code content	1 .. 80	1 .. 1	<b>administrativeUnitTypeCode</b> <i>Path:</i> invoiceMessage/invoice/administrativeUnit/ administrativeUnitTypeCode
036	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Business unit information/ Business unit type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/administrativeUnit/ administrativeUnitTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
037	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Business unit information/ Global location number GLN	0 .. 1		<b>gln</b> <i>Path:</i> invoiceMessage/invoice/administrativeUnit/gln
038	BDT00000076	.. 80	0 .. 1	<b>Business unit name</b> <i>Path:</i> Invoice/Business unit information/ Business unit name	1 .. 80	0 .. 1	<b>internalAdministrativeUnitIdentification</b> <i>Path:</i> invoiceMessage/invoice/administrativeUnit/ internalAdministrativeUnitIdentification
039	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Bill to party information/Global location number GLN	0 .. 1		<b>gln</b> <i>Path:</i> invoiceMessage/invoice/billTo/gln
040	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Bill to party information/ Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/billTo/additionalPartyIdentification
041	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Bill to party information/ Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
042	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Bill to party information/ Additional party identification/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/billTo/ additionalPartyIdentification/@codeListVersion
043	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Bill to party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/billTo/address/city
044	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Bill to party information/Address	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/address/cityCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
045	BDT00000774		1 .. 1	information/City code <b>Country code content</b> <i>Path:</i> Invoice/Bill to party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/address/countryCode
046	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Bill to party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/billTo/address/countryCode/@codeListVersion
047	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Bill to party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/address/countyCode
048	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Bill to party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/billTo/address/crossStreet
049	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Bill to party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/billTo/address/name
050	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Bill to party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/billTo/address/pOBoxNumber
051	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Bill to party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/address/postalCode
052	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Bill to party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/address/provinceCode
053	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Bill to party information/Address	1 .. 80	0 .. 1	<b>state</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
054	BDT00000128	.. 200	0 .. 1	information/State <b>Street address one</b> <i>Path:</i> Invoice/Bill to party information/Address information/Street address one	1 .. 200	0 .. 1	<i>Path:</i> invoiceMessage/invoice/billTo/address/state <b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/billTo/address/streetAddressOne
055	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Bill to party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/billTo/address/streetAddressTwo
056	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Bill to party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/billTo/address/streetAddressThree
057	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Bill to party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/billTo/address/geographicalCoordinates/latitude
058	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Bill to party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/billTo/address/geographicalCoordinates/longitude
059	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Bill to party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/contact/contactTypeCode
060	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Bill to party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/billTo/contact/contactTypeCode/@codeListVersion
061	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Bill to party information/Business contact information/Person	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/billTo/contact/personName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
062	BDT00000044	.. 70	0 .. 1	<b>name</b> <b>Department name</b> <i>Path:</i> Invoice/Bill to party information/ Business contact information/ Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/billTo/contact/departmentName
063	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Bill to party information/ Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/billTo/contact/jobTitle
064	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Bill to party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/billTo/contact/responsibility
065	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Bill to party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/contact/responsibility/ @languageCode
066	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Bill to party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/billTo/contact/responsibility/ @codeListVersion
067	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Bill to party information/ Business contact information/ Communication information/ Communication channel code/	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/contact/ communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
068	BDT00000028	.. 35	0 .. 1	<b>Communication channel code content</b> <b>Code list version</b> <i>Path:</i> Invoice/Bill to party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/billTo/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
069	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Bill to party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/billTo/contact/ communicationChannel/communicationValue
070	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Bill to party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/billTo/contact/ communicationChannel/communicationChannelName
071	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Bill to party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode
072	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Bill to party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/billTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
073	BDT00000032	.. 200	1 .. 1	content/Code list version <b>Communication channel identification</b> <i>Path:</i> Invoice/Bill to party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/billTo/contact/ afterHoursCommunicationChannel/communicationValue
074	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Bill to party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/billTo/contact/ afterHoursCommunicationChannel/ communicationChannelName
075	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID
076	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
077	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme responsible agency code/Code list version			
078	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
079	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
080	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
081	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
082	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
083	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxDescription

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
084	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
085	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
086	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
087	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Bill to party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
088	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Bill to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/organisationName
089	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Bill to party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/issuedCapital
090	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Bill to party information/Organisation legal information/Issued	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/issuedCapital/@currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				capital/Currency code/Currency code content			
091	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ issuedCapital/@codeListVersion
092	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ legalStructure
093	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ legalStructure/@languageCode
094	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ legalStructure/@codeListVersion
095	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/city
096	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/cityCode
	BDT00000774						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
097			1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/countryCode
098	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/countryCode/@codeListVersion
099	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/countyCode
100	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/crossStreet
101	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/pOBoxNumber
102	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/postalCode
103	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/provinceCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
104	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/state
105	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/streetAddressOne
106	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/streetAddressTwo
107	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/streetAddressThree
108	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/geographicalCoordinates/latitude
109	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ officialAddress/geographicalCoordinates/longitude
110	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Registered legal information/Legal	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ legalRegistration/legalRegistrationNumber

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
111	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ legalRegistration/legalRegistrationType
112	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
113	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Bill to party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/billTo/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
114	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/financialInstitutionName
115	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/ financialInstitutionBranchName
116	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial account information/Financial account number			financialAccountNumber
117	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
118	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/billTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
119	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Bill to party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/billTo/financialInstitutionInformation/financialAccount/financialAccountName
120	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/billTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
121	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Bill to party information/	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/financialInstitutionInformation/financialRoutingNumber/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			financialRoutingNumberTypeCode
122	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/billTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
123	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Bill to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/billTo/financialInstitutionInformation/additionalFinancialInformation/description
124	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Bill to party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
125	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Bill to party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/billTo/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
126	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/city
127	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/cityCode
128	BDT00000074		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/countryCode
129	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/countryCode/ @codeListVersion
130	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/countyCode
131	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
132	BDT00000106	.. 200	0 .. 1	account information/Address information/Cross street  <b>Party name</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/name
133	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/pOBoxNumber
134	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/postalCode
135	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/provinceCode
136	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/state
137	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/streetAddressOne

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
138	BDT00000130	.. 200	0 .. 1	account information/Address information/Street address one  <b>Street address two</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/streetAddressTwo
139	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/ streetAddressThree
140	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
141	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Bill to party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/billTo/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
142	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Referenced blanket order document information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/blanketOrder/entityIdentification
143	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Referenced blanket order		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/blanketOrder/contentOwner/gln

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				document information/Document content owner/Global location number GLN			
144	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Referenced blanket order document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/blanketOrder/contentOwner/additionalPartyIdentification
145	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Referenced blanket order document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/blanketOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
146	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Referenced blanket order document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/blanketOrder/contentOwner/additionalPartyIdentification/@codeListVersion
147	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Referenced blanket order document information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/blanketOrder/creationDateTime
148	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Referenced blanket order		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/blanketOrder/revisionNumber

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
149	BDT000000049	.. 6	0 .. 1	document information/Revision number <b>Document line number</b> <i>Path:</i> Invoice/Referenced blanket order document information/Document line number	0 .. 1		<b>lineltemNumber</b> <i>Path:</i> invoiceMessage/invoice/blanketOrder/lineltemNumber
150	BDT000000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Referenced blanket order document information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/blanketOrder/referencedDocumentUrl
151	BDT000000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Invoice/Buyer party information/Global location number, GLN	0 .. 1		<b>gln</b> <i>Path:</i> invoiceMessage/invoice/buyer/gln
152	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Buyer party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/buyer/additionalPartyIdentification
153	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Buyer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
154	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
155	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Buyer party information/ Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/city
156	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Buyer party information/ Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/cityCode
157	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Buyer party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/countryCode
158	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/ Address information/Country code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/countryCode/ @codeListVersion
159	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Buyer party information/ Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/countyCode
160	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Buyer party information/ Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/crossStreet
161	BDT000000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/ currencyOfPartyCode
162	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Currency of party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/ currencyOfPartyCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
163	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/ Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/ languageOfThePartyCode
164	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/ Language of the party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/ languageOfThePartyCode/@codeListVersion
165	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Buyer party information/ Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/name
166	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Buyer party information/ Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/pOBoxNumber
167	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Buyer party information/ Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/postalCode
168	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Buyer party information/ Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/provinceCode
169	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Buyer party information/ Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/state
170	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Buyer party information/ Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/streetAddressOne

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
171	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Buyer party information/ Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/streetAddressTwo
172	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Buyer party information/ Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/ streetAddressThree
173	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Buyer party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/ geographicalCoordinates/latitude
174	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Buyer party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/buyer/address/ geographicalCoordinates/longitude
175	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Buyer party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/contact/contactTypeCode
176	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/ Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/contact/ contactTypeCode/@codeListVersion
177	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Buyer party information/ Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/buyer/contact/personName
178	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Buyer party information/	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/buyer/contact/departmentName

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/ Department name			
179	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Buyer party information/ Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/buyer/contact/jobTitle
180	BDT000000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Buyer party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/buyer/contact/responsibility
181	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Buyer party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/contact/responsibility/ @languageCode
182	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/contact/responsibility/ @codeListVersion
183	BDT000000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/contact/ communicationChannel/communicationChannelCode
184	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/contact/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version			communicationChannel/communicationChannelCode/ @codeListVersion
185	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/buyer/contact/ communicationChannel/communicationValue
186	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Buyer party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/buyer/contact/ communicationChannel/communicationChannelName
187	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Buyer party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/contact/ afterHoursCommunicationChannel/ communicationChannelCode
188	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
189	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Buyer party information/	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/buyer/contact/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/After hours communication information/Communication channel identification			afterHoursCommunicationChannel/communicationValue
190	BDT000000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Buyer party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/buyer/contact/ afterHoursCommunicationChannel/ communicationChannelName
191	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID
192	BDT000000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
193	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
194	BDT000000073	.. 80	0 .. 1	<b>Identification scheme agency name</b>	1 .. 80		<b>identificationSchemeAgencyName</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name			<i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
195	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
196	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
197	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
198	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
199	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/dutyFeeTaxDescription
200	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description/Language code/Language code content			
201	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
202	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
203	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
204	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Buyer party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/organisationName
205	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Buyer party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/issuedCapital
206	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Buyer party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/issuedCapital/@currencyCode
	BDT00000028						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
207		.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ issuedCapital/@codeListVersion
208	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ legalStructure
209	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ legalStructure/@languageCode
210	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ legalStructure/@codeListVersion
211	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/city
212	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/cityCode
213	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address/Country code/Country code content			
214	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/countryCode/@codeListVersion
215	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/countyCode
216	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/crossStreet
217	BDT000000710	.. 80	1 .. 1	<b>Currency of party code content</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	<b>currencyOfPartyCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/currencyOfPartyCode
218	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Currency of party code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/currencyOfPartyCode/@codeListVersion
219	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/ Language of the party code/Language code content	1 .. 80	0 .. 1	<b>languageOfThePartyCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/languageOfThePartyCode
220	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Buyer party information/ Organisation legal information/ Language of the party code/Code list version			<i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/languageOfThePartyCode/ @codeListVersion
221	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/pOBoxNumber
222	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/postalCode
223	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/provinceCode
224	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/state
225	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/streetAddressOne
226	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/streetAddressTwo
227	BDT00000129	.. 200	0 .. 1	<b>Street address three</b>	1 .. 200	0 .. 1	<b>streetAddressThree</b>

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Street address three			<i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/streetAddressThree
228	BDT000000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/geographicalCoordinates/latitude
229	BDT000000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ officialAddress/geographicalCoordinates/longitude
230	BDT000000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ legalRegistration/legalRegistrationNumber
231	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ legalRegistration/legalRegistrationType
232	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
233	BDT000000086	.. 200	0 .. 1	<b>Legal registration additional information</b>	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Buyer party information/ Organisation legal information/ Registered legal information/Legal registration additional information			<i>Path:</i> invoiceMessage/invoice/buyer/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
234	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/financialInstitutionName
235	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/ financialInstitutionBranchName
236	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/financialAccount/ financialAccountNumber
237	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
238	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial account information/Financial account number type code/Code list version			financialAccountNumberTypeCode/@codeListVersion
239	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Buyer party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/buyer/financialInstitutionInformation/financialAccount/financialAccountName
240	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Buyer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/buyer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
241	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Buyer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
242	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
243	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description</b>	1 .. 70	1 .. unbounded	<b>description</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>content</b> <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			<i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/ additionalFinancialInformation/description
244	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
245	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
246	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/city
247	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/cityCode
248	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Buyer party information/	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Address information/Country code/Country code content			financialInstitutionInformation/address/countryCode
249	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Buyer party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/buyer/financialInstitutionInformation/address/countryCode/@codeListVersion
250	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Buyer party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/financialInstitutionInformation/address/countyCode
251	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Buyer party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/buyer/financialInstitutionInformation/address/crossStreet
252	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Buyer party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/buyer/financialInstitutionInformation/address/pOBoxNumber
253	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Buyer party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/financialInstitutionInformation/address/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
254	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/provinceCode
255	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/state
256	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/streetAddressOne
257	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/streetAddressTwo
258	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/ streetAddressThree
259	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/Geographical coordinates	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/ geographicalCoordinates/latitude

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
260	BDT000000089	.. 80	1 .. 1	information/Latitude <b>Longitude</b> <i>Path:</i> Invoice/Buyer party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/buyer/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
261	BDT000000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Invoice/Consignee party information/ Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/consignee/gln
262	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Consignee party information/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/consignee/ additionalPartyIdentification
263	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Consignee party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
264	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Consignee party information/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/consignee/ additionalPartyIdentification/@codeListVersion
265	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Consignee party information/	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/consignee/address/city

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/City name			
266	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Consignee party information/ Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/address/cityCode
267	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Consignee party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/address/countryCode
268	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Consignee party information/ Address information/Country code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/consignee/address/ countryCode/@codeListVersion
269	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Consignee party information/ Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/address/countyCode
270	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Consignee party information/ Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/consignee/address/crossStreet
271	BDT000000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Consignee party information/ Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/consignee/address/name
272	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Consignee party information/ Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/consignee/address/ pOBoxNumber
273	BDT000000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Consignee party information/ Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/address/postalCode
274	BDT000000117	80 ..	0 .. 1	<b>Province identity</b>	1 .. 80	0 .. 1	<b>provinceCode</b>

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Consignee party information/ Address information/Province identity			<i>Path:</i> invoiceMessage/invoice/consignee/address/provinceCode
275	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Consignee party information/ Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/consignee/address/state
276	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Consignee party information/ Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/consignee/address/ streetAddressOne
277	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Consignee party information/ Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/consignee/address/ streetAddressTwo
278	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Consignee party information/ Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/consignee/address/ streetAddressThree
279	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Consignee party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/consignee/address/ geographicalCoordinates/latitude
280	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Consignee party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/consignee/address/ geographicalCoordinates/longitude
281	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Consignee party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/contact/ contactTypeCode
282	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Consignee party information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/consignee/contact/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/Contact type code/Code list version			contactTypeCode/@codeListVersion
283	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Consignee party information/ Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/consignee/contact/personName
284	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Consignee party information/ Business contact information/ Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/consignee/contact/ departmentName
285	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Consignee party information/ Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/consignee/contact/jobTitle
286	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Consignee party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/consignee/contact/responsibility
287	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Consignee party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/contact/ responsibility/@languageCode
288	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Consignee party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/consignee/contact/ responsibility/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
289	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Consignee party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/contact/ communicationChannel/communicationChannelCode
290	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Consignee party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/consignee/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
291	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Consignee party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/consignee/contact/ communicationChannel/communicationValue
292	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Consignee party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/consignee/contact/ communicationChannel/communicationChannelName
293	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Consignee party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/contact/ afterHoursCommunicationChannel/ communicationChannelCode
294	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Consignee party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version			<i>Path:</i> invoiceMessage/invoice/consignee/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
295	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Consignee party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/consignee/contact/ afterHoursCommunicationChannel/communicationValue
296	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Consignee party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/consignee/contact/ afterHoursCommunicationChannel/ communicationChannelName
297	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax registration identification information/ Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
298	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
	BDT00000028						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
299		.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
300	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
301	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
302	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
303	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
304	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
305	BDT00000754	.. 70	1 .. 1	<b>authority name</b> <b>Tax description content</b> <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxDescription
306	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
307	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
308	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
309	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Consignee party information/ Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/consignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
310	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ organisationName
311	BDT00000655		1 .. 1	<b>Issued capital content</b>		0 .. 1	<b>issuedCapital</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Issued capital/Issued capital content			<i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ issuedCapital
312	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ issuedCapital/@currencyCode
313	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ issuedCapital/@codeListVersion
314	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ legalStructure
315	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ legalStructure/@languageCode
316	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ legalStructure/@codeListVersion
317	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/city

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
318	BDT00000019	.. 80	0 .. 1	address/City name <b>City code</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/cityCode
319	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/countryCode
320	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/countryCode/@codeListVersion
321	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/countyCode
322	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/crossStreet
323	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/pOBoxNumber
324	BDT000000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/postalCode

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
325	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/provinceCode
326	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/state
327	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/streetAddressOne
328	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/streetAddressTwo
329	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/streetAddressThree
330	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/geographicalCoordinates/latitude
331	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/Official	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ officialAddress/geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address/Geographical coordinates information/Longitude			
332	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ legalRegistration/legalRegistrationNumber
333	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ legalRegistration/legalRegistrationType
334	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
335	BDT000000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Consignee party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/consignee/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
336	BDT000000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/financialInstitutionName
337	BDT000000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Consignee party information/	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/consignee/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Financial institution division name			financialInstitutionInformation/ financialInstitutionBranchName
338	BDT000000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/financialAccount/ financialAccountNumber
339	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
340	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
341	BDT000000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/financialAccount/ financialAccountName
342	BDT000000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/financialRoutingNumber/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial institution routing number information/Financial routing number			financialRoutingNumber
343	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
344	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/consignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
345	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Consignee party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/consignee/financialInstitutionInformation/additionalFinancialInformation/description
346	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Consignee party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
347	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
348	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/city
349	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/cityCode
350	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/countryCode
351	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Consignee party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/consignee/ financialInstitutionInformation/address/countryCode/ @codeListVersion
352	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Consignee party information/	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Address information/County code			financialInstitutionInformation/address/countyCode
353	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Consignee party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/consignee/financialInstitutionInformation/address/crossStreet
354	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Consignee party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/consignee/financialInstitutionInformation/address/name
355	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Consignee party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/consignee/financialInstitutionInformation/address/pOBoxNumber
356	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Consignee party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/financialInstitutionInformation/address/postalCode
357	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Consignee party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/consignee/financialInstitutionInformation/address/provinceCode
358	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Consignee party information/	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/consignee/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Address information/State			financialInstitutionInformation/address/state
359	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Consignee party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/consignee/financialInstitutionInformation/address/streetAddressOne
360	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Consignee party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/consignee/financialInstitutionInformation/address/streetAddressTwo
361	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Consignee party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/consignee/financialInstitutionInformation/address/streetAddressThree
362	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/consignee/financialInstitutionInformation/address/geographicalCoordinates/latitude
363	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/consignee/financialInstitutionInformation/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
364	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Referenced contract information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/contract/entityIdentification
365	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Referenced contract information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/contract/contentOwner/gln
366	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Referenced contract information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/contract/contentOwner/additionalPartyIdentification
367	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Referenced contract information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/contract/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
368	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Referenced contract information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/contract/contentOwner/additionalPartyIdentification/@codeListVersion
369	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Referenced contract		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/contract/creationDateTime

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business document creation date time			
370	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Referenced contract information/Revision number	0 .. 1		<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/contract/revisionNumber
371	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Referenced contract information/Document line number	0 .. 1		<b>lineltemNumber</b> <i>Path:</i> invoiceMessage/invoice/contract/lineltemNumber
372	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Referenced contract information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/contract/referencedDocumentUrl
373	BDT00000009		0 .. 1	<b>Begin period date</b> <i>Path:</i> Invoice/Crediting period/Begin period date	0 .. 1		<b>beginDate</b> <i>Path:</i> invoiceMessage/invoice/creditingPeriod/beginDate
374	BDT00000010		0 .. 1	<b>Begin time period</b> <i>Path:</i> Invoice/Crediting period/Begin time period	0 .. 1		<b>beginTime</b> <i>Path:</i> invoiceMessage/invoice/creditingPeriod/beginTime
375	BDT00000054		0 .. 1	<b>End date period</b> <i>Path:</i> Invoice/Crediting period/End date period	0 .. 1		<b>endDate</b> <i>Path:</i> invoiceMessage/invoice/creditingPeriod/endDate
376	BDT00000055		0 .. 1	<b>End time period</b> <i>Path:</i> Invoice/Crediting period/End time period	0 .. 1		<b>endTime</b> <i>Path:</i> invoiceMessage/invoice/creditingPeriod/endTime
377	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Referenced delivery note document information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/deliveryNote/entityIdentification
378	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b>	0 .. 1		<b>gln</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Global location number GLN			<i>Path:</i> invoiceMessage/invoice/deliveryNote/contentOwner/gln
379	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/deliveryNote/contentOwner/additionalPartyIdentification
380	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/deliveryNote/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
381	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/deliveryNote/contentOwner/additionalPartyIdentification/@codeListVersion
382	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Referenced delivery note document information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/deliveryNote/creationDateTime
383	BDT00000119		0 .. 1	<b>Revision number</b>		0 .. 1	<b>revisionNumber</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced delivery note document information/Revision number			<i>Path:</i> invoiceMessage/invoice/deliveryNote/revisionNumber
384	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Referenced delivery note document information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> invoiceMessage/invoice/deliveryNote/lineItemNumber
385	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Referenced delivery note document information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/deliveryNote/referencedDocumentUrl
386	BDT000000649		1 .. 1	<b>Incoterms code content</b> <i>Path:</i> Invoice/Delivery terms information/Incoterms code/Incoterms code content	1 .. 80	0 .. 1	<b>incotermsCode</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/incotermsCode
387	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Delivery terms information/Incoterms code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/incotermsCode/@codeListVersion
388	BDT000000535	.. 80	1 .. 1	<b>Alternative delivery terms code content</b> <i>Path:</i> Invoice/Delivery terms information/Alternative delivery terms code/Alternative delivery terms code content	1 .. 80	0 .. 1	<b>alternateDeliveryTermsCode</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/alternateDeliveryTermsCode
389	BDT00000022	.. 80	0 .. 1	<b>Code description</b> <i>Path:</i> Invoice/Delivery terms information/Alternative delivery terms code/Code description	1 .. 80		<b>codeDescription</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/alternateDeliveryTermsCode/@codeDescription
390	BDT00000023	.. 80	0 .. 1	<b>Code list agency code</b> <i>Path:</i> Invoice/Delivery terms information/Alternative delivery terms code/Code list agency code	1 .. 80		<b>codeListAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyCode
391	BDT00000024	.. 35	0 .. 1	<b>Code list agency code list version</b>	1 .. 35		<b>codeListAgencyCodeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Delivery terms information/ Alternative delivery terms code/Code list agency code list version			<i>Path:</i> invoiceMessage/invoice/deliveryTerms/ alternateDeliveryTermsCode/ @codeListAgencyCodeListVersion
392	BDT000000025	.. 80	0 .. 1	<b>Code list agency name</b> <i>Path:</i> Invoice/Delivery terms information/ Alternative delivery terms code/Code list agency name	1 .. 80		<b>codeListAgencyName</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ alternateDeliveryTermsCode/@codeListAgencyName
393	BDT000000026	.. 80	0 .. 1	<b>Code list name</b> <i>Path:</i> Invoice/Delivery terms information/ Alternative delivery terms code/Code list name	1 .. 80		<b>codeListName</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ alternateDeliveryTermsCode/@codeListName
394	BDT000000027	.. 500	0 .. 1	<b>Code list URL</b> <i>Path:</i> Invoice/Delivery terms information/ Alternative delivery terms code/Code list URL			<b>codeListURI</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ alternateDeliveryTermsCode/@codeListURI
395	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Delivery terms information/ Alternative delivery terms code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ alternateDeliveryTermsCode/@codeListVersion
396	BDT000000641	.. 70	1 .. 1	<b>Delivery instructions description content</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery instructions description/ Delivery instructions description content	1 .. 500	0 .. 1	<b>deliveryInstructions</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryInstructions
397	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery instructions description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryInstructions/@languageCode
398	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Delivery terms information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Delivery instructions description/ Language code/Code list version			deliveryInstructions/@codeListVersion
399	BDT00000701	.. 80	1 .. 1	<b>Transport cost payment code content</b> <i>Path:</i> Invoice/Delivery terms information/ Transport cost payment code/Transport cost payment code content	1 .. 80	0 .. 1	<b>deliveryCostPayment</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryCostPayment
400	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Delivery terms information/ Transport cost payment code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryCostPayment/@codeListVersion
401	BDT00000080		0 .. 1	<b>Signature required indicator</b> <i>Path:</i> Invoice/Delivery terms information/ Signature required indicator		0 .. 1	<b>isSignatureRequired</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ isSignatureRequired
402	BDT00000690	.. 80	1 .. 1	<b>United Nations location code, UN/LOCODE content</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/UN location code, UN/ LOCODE/United Nations location code, UN/LOCODE content	1 .. 80	0 .. 1	<b>unLocationCode</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/unLocationCode
403	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/UN location code, UN/ LOCODE/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/unLocationCode/ @codeListVersion
404	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/gln

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
405	BDT00000627	.. 80	1 .. 1	<b>Physical location identification content</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Additional physical location identification/Physical location identification content	1 .. 80	0 .. unbounded	<b>additionalLocationIdentification</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification
406	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification/ @identificationSchemeAgencyCode
407	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification/ @identificationSchemeAgencyCodeCodeListVersion
408	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification/ @identificationSchemeAgencyName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
409	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/additionalLocationIdentification/ @identificationSchemeName
410	BDT00000132	.. 80	0 .. 1	<b>Sub location identification</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Sub location identification	1 .. 80	0 .. 1	<b>sublocationIdentification</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/sublocationIdentification
411	BDT00000088	.. 80	0 .. 1	<b>Logistics location name</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/ Logistics location name	1 .. 80	0 .. 1	<b>locationName</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/locationName
412	BDT00000744	.. 70	1 .. 1	<b>Specific instructions location description content</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Specific instructions location description/Specific instructions location description content	1 .. 200	0 .. 1	<b>locationSpecificInstructions</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/locationSpecificInstructions
413	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Specific instructions location description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/locationSpecificInstructions/ @languageCode
414	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/locationSpecificInstructions/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Specific instructions location description/Language code/ Code list version			@codeListVersion
415	BDT00000137	.. 20	0 .. 1	<b>Universal Time Coordinated UTC offset</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Universal Time Coordinated UTC offset		0 .. 1	<b>utcOffset</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/utcOffset
416	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/city
417	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/cityCode
418	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/countryCode
419	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/ Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/countryCode/ @codeListVersion
420	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Delivery terms information/	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Delivery terms for location information/Address information/County code			deliveryTermsLocation/address/countyCode
421	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/crossStreet
422	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/name
423	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/pOBoxNumber
424	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/postalCode
425	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/ Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/provinceCode
426	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Delivery terms information/	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Delivery terms for location information/Address information/State			deliveryTermsLocation/address/state
427	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/streetAddressOne
428	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/streetAddressTwo
429	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/streetAddressThree
430	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/geographicalCoordinates/ latitude
431	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/address/geographicalCoordinates/ longitude
432	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b>	1 .. 80	0 .. 1	<b>contactTypeCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Contact type code/Contact type code content			<i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/contactTypeCode
433	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/contactTypeCode/ @codeListVersion
434	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/personName
435	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/departmentName
436	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/jobTitle
437	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/responsibility

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Business contact responsibility description/Business contact responsibility description content			
438	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/responsibility/ @languageCode
439	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/responsibility/ @codeListVersion
440	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationChannelCode
441	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication information/Communication channel code/Communication channel code content/Code list version			
442	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationValue
443	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationChannelName
444	BDT000000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode
445	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/After hours communication	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
446	BDT00000032	.. 200	1 .. 1	information/Communication channel code/Communication channel code content/Code list version  <b>Communication channel identification</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/communicationValue
447	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/ communicationChannelName
448	BDTG00000042		0 .. 1	<b>Day of the week code</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Regular operating hours information/Day of the week code		1 .. 1	<b>dayOfTheWeekCode</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/regularOperatingHours/ dayOfTheWeekCode
449	BDT00000078		0 .. 1	<b>Business operational indicator</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Regular operating hours information/Business operational indicator		1 .. 1	<b>isOperational</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/regularOperatingHours/ isOperational
450	BDT00000021		0 .. 1	<b>Closing time</b> <i>Path:</i> Invoice/Delivery terms information/		0 .. 1	<b>closingTime</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Delivery terms for location information/Regular operating hours information/Closing time			deliveryTermsLocation/regularOperatingHours/closingTime
451	BDT00000098		0 .. 1	<b>Opening time</b> <i>Path:</i> Invoice/Delivery terms information/Delivery terms for location information/Regular operating hours information/Opening time		0 .. 1	<b>openingTime</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/deliveryTermsLocation/regularOperatingHours/openingTime
452	BDT00000078		0 .. 1	<b>Business operational indicator</b> <i>Path:</i> Invoice/Delivery terms information/Delivery terms for location information/Special operating hours information/Business operational indicator		1 .. 1	<b>isOperational</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/deliveryTermsLocation/specialOperatingHours/isOperational
453	BDT00000126		0 .. 1	<b>Special date</b> <i>Path:</i> Invoice/Delivery terms information/Delivery terms for location information/Special operating hours information/Special date		1 .. 1	<b>specialDate</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/deliveryTermsLocation/specialOperatingHours/specialDate
454	BDT00000021		0 .. 1	<b>Closing time</b> <i>Path:</i> Invoice/Delivery terms information/Delivery terms for location information/Special operating hours information/Closing time		0 .. 1	<b>closingTime</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/deliveryTermsLocation/specialOperatingHours/closingTime
455	BDT00000098		0 .. 1	<b>Opening time</b> <i>Path:</i> Invoice/Delivery terms information/Delivery terms for location information/Special operating hours information/Opening time		0 .. 1	<b>openingTime</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/deliveryTermsLocation/specialOperatingHours/openingTime
456	BDT00000669	.. 80	1 .. 1	<b>Name of special day content</b>	1 .. 80	0 .. 1	<b>specialDateName</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Special operating hours information/Name of special day/Name of special day content			<i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName
457	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Special operating hours information/Name of special day/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName/@languageCode
458	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Delivery terms information/ Delivery terms for location information/Special operating hours information/Name of special day/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName/@codeListVersion
459	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Referenced despatch advice information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/despatchAdvice/ entityIdentification
460	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/ Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/despatchAdvice/contentOwner/ gln
461	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/despatchAdvice/contentOwner/ additionalPartyIdentification

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
462	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/despatchAdvice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
463	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/despatchAdvice/contentOwner/additionalPartyIdentification/@codeListVersion
464	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Referenced despatch advice information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/despatchAdvice/creationDateTime
465	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Referenced despatch advice information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/despatchAdvice/revisionNumber
466	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Referenced despatch advice information/Document line number		0 .. 1	<b>lineltemNumber</b> <i>Path:</i> invoiceMessage/invoice/despatchAdvice/lineltemNumber
467	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Referenced despatch advice information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/despatchAdvice/referencedDocumentUrl
468	BDT00000455		0 .. 1	<b>Actual ship date time</b>		0 .. 1	<b>actualShipDateTime</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Goods delivery dates information/Actual ship date time			<i>Path:</i> invoiceMessage/invoice/despatchInformation/actualShipDateTime
469	BDT00000456		0 .. 1	<b>Despatch date time</b> <i>Path:</i> Invoice/Goods delivery dates information/Despatch date time		0 .. 1	<b>despatchDateTime</b> <i>Path:</i> invoiceMessage/invoice/despatchInformation/despatchDateTime
470	BDT00000457		0 .. 1	<b>Estimated delivery date time</b> <i>Path:</i> Invoice/Goods delivery dates information/Estimated delivery date time		0 .. 1	<b>estimatedDeliveryDateTime</b> <i>Path:</i> invoiceMessage/invoice/despatchInformation/estimatedDeliveryDateTime
471	BDT00000458		0 .. 1	<b>Estimated delivery date time at ultimate consignee</b> <i>Path:</i> Invoice/Goods delivery dates information/Estimated delivery date time at ultimate consignee		0 .. 1	<b>estimatedDeliveryDateTimeAtUltimateConsignee</b> <i>Path:</i> invoiceMessage/invoice/despatchInformation/estimatedDeliveryDateTimeAtUltimateConsignee
472	BDT00000459		0 .. 1	<b>Goods loading date time</b> <i>Path:</i> Invoice/Goods delivery dates information/Goods loading date time		0 .. 1	<b>loadingDateTime</b> <i>Path:</i> invoiceMessage/invoice/despatchInformation/loadingDateTime
473	BDT00000460		0 .. 1	<b>Goods pick up date time</b> <i>Path:</i> Invoice/Goods delivery dates information/Goods pick up date time		0 .. 1	<b>pickUpDateTime</b> <i>Path:</i> invoiceMessage/invoice/despatchInformation/pickUpDateTime
474	BDT00000461		0 .. 1	<b>Seller released goods date time</b> <i>Path:</i> Invoice/Goods delivery dates information/Seller released goods date time		0 .. 1	<b>releaseDateTimeOfSupplier</b> <i>Path:</i> invoiceMessage/invoice/despatchInformation/releaseDateTimeOfSupplier
475	BDT00000009		0 .. 1	<b>Begin period date</b> <i>Path:</i> Invoice/Goods delivery dates information/Estimated delivery period/Begin period date		0 .. 1	<b>beginDate</b> <i>Path:</i> invoiceMessage/invoice/despatchInformation/estimatedDeliveryPeriod/beginDate
476	BDT00000010		0 .. 1	<b>Begin time period</b>		0 .. 1	<b>beginTime</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Goods delivery dates information/Estimated delivery period/Begin time period			<i>Path:</i> invoiceMessage/invoice/despatchInformation/estimatedDeliveryPeriod/beginTime
477	BDT000000054		0 .. 1	<b>End date period</b> <i>Path:</i> Invoice/Goods delivery dates information/Estimated delivery period/End date period		0 .. 1	<b>endDate</b> <i>Path:</i> invoiceMessage/invoice/despatchInformation/estimatedDeliveryPeriod/endDate
478	BDT000000055		0 .. 1	<b>End time period</b> <i>Path:</i> Invoice/Goods delivery dates information/Estimated delivery period/End time period		0 .. 1	<b>endTime</b> <i>Path:</i> invoiceMessage/invoice/despatchInformation/estimatedDeliveryPeriod/endTime
479	BDT000000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Referenced dispute notice document information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/disputeNotice/entityIdentification
480	BDT000000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Referenced dispute notice document information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/disputeNotice/contentOwner/gln
481	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Referenced dispute notice document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/disputeNotice/contentOwner/additionalPartyIdentification
482	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Referenced dispute notice document information/Document	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/disputeNotice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			
483	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Referenced dispute notice document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/disputeNotice/contentOwner/additionalPartyIdentification/@codeListVersion
484	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Referenced dispute notice document information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/disputeNotice/creationDateTime
485	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Referenced dispute notice document information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/disputeNotice/revisionNumber
486	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Referenced dispute notice document information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> invoiceMessage/invoice/disputeNotice/lineItemNumber
487	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Referenced dispute notice document information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/disputeNotice/referencedDocumentUrl
488	BDT00000043		0 .. 1	<b>Delivery method code content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Delivery method code/Delivery method code content	1 .. 80	0 .. 1	<b>deliveryMethod</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/deliveryMethod

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
489	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Delivery method code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/deliveryMethod/@codeListVersion
490	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/gln
491	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/additionalPartyIdentification
492	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
493	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
494	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/city
495	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/cityCode
496	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/countryCode
497	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/countryCode/@codeListVersion
498	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/countyCode
499	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/crossStreet

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
500	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/pOBoxNumber
501	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/postalCode
502	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/provinceCode
503	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/state
504	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/streetAddressOne
505	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/streetAddressTwo
506	BDT00000129	.. 200	0 .. 1	<b>Street address three</b>	1 .. 200	0 .. 1	<b>streetAddressThree</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Street address three			<i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/streetAddressThree
507	BDT000000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/geographicalCoordinates/latitude
508	BDT000000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/address/geographicalCoordinates/longitude
509	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/contactTypeCode
510	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/contactTypeCode/@codeListVersion
511	BDT000000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Ultimate customer delivery	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate customer party information/Business contact information/Person name			ultimateCustomer/contact/personName
512	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/contact/departmentName
513	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/contact/jobTitle
514	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/contact/responsibility
515	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/contact/responsibility/@languageCode
516	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Business contact responsibility description/Language code/Code list version			<i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/responsibility/@codeListVersion
517	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/communicationChannel/communicationChannelCode
518	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/communicationChannel/communicationChannelCode/@codeListVersion
519	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/contact/communicationChannel/communicationValue
520	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Ultimate customer delivery	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate customer party information/Business contact information/Communication information/Communication channel name			ultimateCustomer/contact/communicationChannel/ communicationChannelName
521	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/contact/ afterHoursCommunicationChannel/ communicationChannelCode
522	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
523	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/contact/ afterHoursCommunicationChannel/communicationValue
524	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/contact/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/After hours communication information/Communication channel name			afterHoursCommunicationChannel/ communicationChannelName
525	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID
526	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
527	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
528	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
529	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
530	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
531	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
532	BDT000000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax authority name			dutyFeeTaxAgencyName
533	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/dutyFeeTaxRegistration/ dutyFeeTaxDescription
534	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@languageCode
535	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@codeListVersion
536	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType
537	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Tax registration	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
538	BDT00000102	.. 200	1 .. 1	information/Tax registration type code/ Code list version <b>Organisation name</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/organisationDetails/organisationName
539	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/organisationDetails/issuedCapital
540	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/organisationDetails/issuedCapital/ @currencyCode
541	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/organisationDetails/issuedCapital/ @codeListVersion
542	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Legal structure	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/organisationDetails/legalStructure

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description/Legal structure description content			
543	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalStructure/@languageCode
544	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalStructure/@codeListVersion
545	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/city
546	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/cityCode
547	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/countryCode

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
548	BDT00000028	.. 35	0 .. 1	information/Official address/Country code/Country code content <b>Code list version</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/countryCode/@codeListVersion
549	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/countyCode
550	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/crossStreet
551	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/pOBoxNumber
552	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
553	BDT00000117	80 ..	0 .. 1	information/Official address/Postal code <b>Province identity</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/organisationDetails/officialAddress/ provinceCode
554	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/organisationDetails/officialAddress/ state
555	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/organisationDetails/officialAddress/ streetAddressOne
556	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/organisationDetails/officialAddress/ streetAddressTwo
557	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/organisationDetails/officialAddress/ streetAddressThree

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
558	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/geographicalCoordinates/latitude
559	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/officialAddress/geographicalCoordinates/longitude
560	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalRegistration/legalRegistrationNumber
561	BDT00000068	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalRegistration/legalRegistrationType
562	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalRegistration/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Registered legal information/Legal registration type code/Code list version			legalRegistrationType/@codeListVersion
563	BDT000000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
564	BDT000000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialInstitutionName
565	BDT000000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialInstitutionBranchName
566	BDT000000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialAccount/financialAccountNumber
	BDT000000645						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
567		.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
568	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
569	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialAccount/financialAccountName
570	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
571	BDT00000644			<b>Financial routing number type code</b>			

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
		.. 80	1 .. 1	<b>content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
572	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
573	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/additionalFinancialInformation/description
574	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Additional	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
575	BDT00000028	.. 35	0 .. 1	financial institution description/ Language code/Language code content <b>Code list version</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
576	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/financialInstitutionInformation/address/ city
577	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/financialInstitutionInformation/address/ cityCode
578	BDT00000074		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ ultimateCustomer/financialInstitutionInformation/address/ countryCode
579	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate customer delivery	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ultimate customer party information/Financial institution and financial account information/Address information/Country code/Code list version			ultimateCustomer/financialInstitutionInformation/address/countryCode/@codeListVersion
580	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/countryCode
581	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/crossStreet
582	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/pOBoxNumber
583	BDT000000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/postalCode
584	BDT000000117	80 ..	0 .. 1	<b>Province identity</b>	1 .. 80	0 .. 1	<b>provinceCode</b>

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Province identity			<i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/provinceCode
585	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/state
586	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/streetAddressOne
587	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/streetAddressTwo
588	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/streetAddressThree
589	BDT00000085	.. 80	1 .. 1	<b>Latitude</b>	1 .. 80	1 .. 1	<b>latitude</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			<i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/geographicalCoordinates/latitude
590	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Ultimate customer delivery information/Ultimate customer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/endCustomerRelatedDetails/ultimateCustomer/financialInstitutionInformation/address/geographicalCoordinates/longitude
591	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Storage location information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/gln
592	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Storage location information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/additionalPartyIdentification
593	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Storage location information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
594	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Storage location information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional party identification information/Additional party identification type code/Code list version			additionalPartyIdentification/@codeListVersion
595	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Storage location information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/city
596	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Storage location information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/cityCode
597	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Storage location information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/countryCode
598	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Storage location information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/countryCode/@codeListVersion
599	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Storage location information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/countyCode
600	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Storage location information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/crossStreet
601	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Storage location information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/name
602	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Storage location information/	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/Post office box number			pOBoxNumber
603	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Storage location information/ Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ postalCode
604	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Storage location information/ Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ provinceCode
605	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Storage location information/ Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/state
606	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Storage location information/ Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ streetAddressOne
607	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Storage location information/ Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ streetAddressTwo
608	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Storage location information/ Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ streetAddressThree
609	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Storage location information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ geographicalCoordinates/latitude
610	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Storage location information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/address/ geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
611	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Storage location information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ contactTypeCode
612	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Storage location information/ Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ contactTypeCode/@codeListVersion
613	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Storage location information/ Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ personName
614	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Storage location information/ Business contact information/ Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ departmentName
615	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Storage location information/ Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/jobTitle
616	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Storage location information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ responsibility
617	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Storage location information/ Business contact information/Business contact responsibility description/	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ responsibility/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
618	BDT00000028	.. 35	0 .. 1	Language code/Language code content <b>Code list version</b> <i>Path:</i> Invoice/Storage location information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ responsibility/@codeListVersion
619	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Storage location information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ communicationChannel/communicationChannelCode
620	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Storage location information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
621	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Storage location information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ communicationChannel/communicationValue
622	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Storage location information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ communicationChannel/communicationChannelName
623	BDT00000525		1 .. 1	<b>Communication channel code content</b>	1 .. 80	1 .. 1	<b>communicationChannelCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Storage location information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content			<i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode
624	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Storage location information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
625	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Storage location information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ afterHoursCommunicationChannel/communicationValue
626	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Storage location information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/contact/ afterHoursCommunicationChannel/ communicationChannelName
627	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax registration identification information/ Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
628	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Storage location information/	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Identification scheme responsible agency code content			@identificationSchemeAgencyCode
629	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Storage location information/ Tax registration information/ Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
630	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Storage location information/ Tax registration information/ Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Code list version	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
631	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Storage location information/ Tax registration information/ Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Code list version	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
632	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Storage location information/ Tax registration information/ Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
633	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax type code/Code list version			<i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
634	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
635	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxDescription
636	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
637	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
638	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
639	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Storage location information/ Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
640	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/organisationName
641	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/issuedCapital
642	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/issuedCapital/@currencyCode
643	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/issuedCapital/@codeListVersion
644	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/legalStructure
645	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/legalStructure/@languageCode
646	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Legal	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/legalStructure/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				structure description/Language code/ Code list version			
647	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/city
648	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/cityCode
649	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/countryCode
650	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/countryCode/ @codeListVersion
651	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/countyCode
652	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/crossStreet
653	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Storage location information/	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Post office box number			organisationDetails/officialAddress/pOBoxNumber
654	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/postalCode
655	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/provinceCode
656	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/state
657	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/streetAddressOne
658	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/streetAddressTwo
659	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/streetAddressThree
660	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address/Geographical coordinates information/Latitude			geographicalCoordinates/latitude
661	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
662	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/legalRegistration/ legalRegistrationNumber
663	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/legalRegistration/ legalRegistrationType
664	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
665	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Storage location information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation
666	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Storage location information/	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Financial institution name			financialInstitutionInformation/financialInstitutionName
667	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Storage location information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/financialInstitutionInformation/financialInstitutionBranchName
668	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Storage location information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumber
669	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
670	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
671	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Storage location information/Financial institution and financial	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial account information/Financial account name			financialAccountName
672	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
673	BDT00000064	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
674	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
675	BDT00000052	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Storage location information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/financialInstitutionInformation/additionalFinancialInformation/description
	BDT00000054						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
676		.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
677	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
678	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/city
679	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/cityCode
680	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/countryCode
681	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Storage location information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Address information/Country code/Code list version			financialInstitutionInformation/address/countryCode/@codeListVersion
682	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Storage location information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/financialInstitutionInformation/address/countyCode
683	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Storage location information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/financialInstitutionInformation/address/crossStreet
684	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Storage location information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/financialInstitutionInformation/address/name
685	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Storage location information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/financialInstitutionInformation/address/pOBoxNumber
686	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Storage location information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/financialInstitutionInformation/address/postalCode
687	BDT00000117	80 ..	0 .. 1	<b>Province identity</b>	1 .. 80	0 .. 1	<b>provinceCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Province identity			<i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/provinceCode
688	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/state
689	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/streetAddressOne
690	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/streetAddressTwo
691	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/ streetAddressThree
692	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/ geographicalCoordinates/latitude

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
693	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Storage location information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/inventoryLocation/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
694	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Referenced inventory report document information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/inventoryReport/ entityIdentification
695	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/inventoryReport/contentOwner/ gln
696	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/inventoryReport/contentOwner/ additionalPartyIdentification
697	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/inventoryReport/contentOwner/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
698	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced inventory report document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version			<i>Path:</i> invoiceMessage/invoice/inventoryReport/contentOwner/additionalPartyIdentification/@codeListVersion
699	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Referenced inventory report document information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/inventoryReport/creationDateTime
700	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Referenced inventory report document information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/inventoryReport/revisionNumber
701	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Referenced inventory report document information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> invoiceMessage/invoice/inventoryReport/lineItemNumber
702	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Referenced inventory report document information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/inventoryReport/referencedDocumentUrl
703	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Referenced invoice document information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoice/entityIdentification
704	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Referenced invoice document information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoice/contentOwner/gln
705	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b>	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification content			<i>Path:</i> invoiceMessage/invoice/invoice/contentOwner/additionalPartyIdentification
706	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
707	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoice/contentOwner/additionalPartyIdentification/@codeListVersion
708	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Referenced invoice document information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/invoice/creationDateTime
709	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Referenced invoice document information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/invoice/revisionNumber
710	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Referenced invoice document information/Document line number		0 .. 1	<b>lineltemNumber</b> <i>Path:</i> invoiceMessage/invoice/invoice/lineltemNumber

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
711	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Referenced invoice document information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUri</b> <i>Path:</i> invoiceMessage/invoice/invoice/referencedDocumentUri
712	BDT00000531	.. 80	1 .. 1	<b>Allowance type code content</b> <i>Path:</i> Invoice/Allowance information/ Allowance type code/Allowance type code content	1 .. 80	1 .. 1	<b>allowanceChargeType</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ allowanceChargeType
713	BDT00000618	.. 80	1 .. 1	<b>Charge type code content</b> <i>Path:</i> Invoice/Charge information/Charge type code/Charge type code content	1 .. 80	1 .. 1	<b>allowanceChargeType</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ allowanceChargeType
714	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Allowance information/ Allowance type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ allowanceChargeType/@codeListVersion
715	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Charge information/Charge type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ allowanceChargeType/@codeListVersion
716	BDT00000532	.. 80	1 .. 1	<b>Settlement allowance code content</b> <i>Path:</i> Invoice/Allowance information/ Settlement allowance code/Settlement allowance code content	1 .. 80	1 .. 1	<b>settlementType</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ settlementType
717	BDT00000617	.. 80	1 .. 1	<b>Settlement charge code content</b> <i>Path:</i> Invoice/Charge information/Settlement charge code/Settlement charge code content	1 .. 80	1 .. 1	<b>settlementType</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ settlementType
718	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Allowance information/ Settlement allowance code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ settlementType/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
719	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Charge information/Settlement charge code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/settlementType/@codeListVersion
720	BDT00000528		1 .. 1	<b>Allowance monetary amount content</b> <i>Path:</i> Invoice/Allowance information/Allowance monetary amount/Allowance monetary amount content		0 .. 1	<b>allowanceChargeAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeAmount
721	BDT00000619		0 .. 1	<b>Charge monetary amount content</b> <i>Path:</i> Invoice/Charge information/Charge monetary amount/Charge monetary amount content		0 .. 1	<b>allowanceChargeAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeAmount
722	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Allowance information/Allowance monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeAmount/@currencyCode
723	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Charge information/Charge monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeAmount/@currencyCode
724	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Allowance information/Allowance monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeAmount/@codeListVersion
725	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Charge information/Charge monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeAmount/@codeListVersion
726	BDT00000006		0 .. 1	<b>Allowance percentage</b> <i>Path:</i> Invoice/Allowance information/		0 .. 1	<b>allowanceChargePercentage</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
727	BDT00000018		0 .. 1	Allowance percentage <b>Charge percentage</b> <i>Path:</i> Invoice/Charge information/Charge percentage		0 .. 1	allowanceChargePercentage <b>allowanceChargePercentage</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargePercentage
728	BDT00000529		1 .. 1	<b>Allowance monetary amount per unit content</b> <i>Path:</i> Invoice/Allowance information/Allowance monetary amount per unit/Allowance monetary amount per unit content		0 .. 1	<b>amountPerUnit</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/amountPerUnit
729	BDT00000620		1 .. 1	<b>Charge monetary amount per unit content</b> <i>Path:</i> Invoice/Charge information/Charge monetary amount per unit/Charge monetary amount per unit content		0 .. 1	<b>amountPerUnit</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/amountPerUnit
730	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Allowance information/Allowance monetary amount per unit/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/amountPerUnit/@currencyCode
731	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Charge information/Charge monetary amount per unit/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/amountPerUnit/@currencyCode
732	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Allowance information/Allowance monetary amount per unit/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/amountPerUnit/@codeListVersion
733	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Charge information/Charge monetary amount per unit/Currency	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/amountPerUnit/@codeListVersion

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
734	BDT00000526		1 .. 1	code/Code list version <b>Allowance basis monetary amount content</b> <i>Path:</i> Invoice/Allowance information/ Allowance basis monetary amount/ Allowance basis monetary amount content		0 .. 1	<b>baseAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ baseAmount
735	BDT00000614		1 .. 1	<b>Charge basis monetary amount content</b> <i>Path:</i> Invoice/Charge information/Charge basis monetary amount/Charge basis monetary amount content		0 .. 1	<b>baseAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ baseAmount
736	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Allowance information/ Allowance basis monetary amount/ Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ baseAmount/@currencyCode
737	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Charge information/Charge basis monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ baseAmount/@currencyCode
738	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Allowance information/ Allowance basis monetary amount/ Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ baseAmount/@codeListVersion
739	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Charge information/Charge basis monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ baseAmount/@codeListVersion
740	BDT00000533		1 .. 1	<b>Allowance quantity basis content</b> <i>Path:</i> Invoice/Allowance information/ Allowance quantity basis/Allowance		0 .. 1	<b>baseNumberOfUnits</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ baseNumberOfUnits

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
741	BDT00000753		1 .. 1	quantity basis content <b>Charge quantity basis content</b> <i>Path:</i> Invoice/Charge information/Charge quantity basis/Charge quantity basis content		0 .. 1	<b>baseNumberOfUnits</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/baseNumberOfUnits
742	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Allowance information/Allowance quantity basis/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/baseNumberOfUnits/@measurementUnitCode
743	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Charge information/Charge quantity basis/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/baseNumberOfUnits/@measurementUnitCode
744	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Allowance information/Allowance quantity basis/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/baseNumberOfUnits/@codeListVersion
745	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Charge information/Charge quantity basis/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/baseNumberOfUnits/@codeListVersion
746	BDT00000012	.. 80	0 .. 1	<b>Bracket criteria</b> <i>Path:</i> Invoice/Allowance information/Bracket criteria	1 .. 80	0 .. 1	<b>bracketIdentifier</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/bracketIdentifier
747	BDT00000012	.. 80	0 .. 1	<b>Bracket criteria</b> <i>Path:</i> Invoice/Charge information/Bracket criteria	1 .. 80	0 .. 1	<b>bracketIdentifier</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/bracketIdentifier
748	BDT00000530	.. 80	1 .. 1	<b>Allowance effective date type code content</b>	1 .. 80	0 .. 1	<b>effectiveDateType</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Allowance information/ Allowance effective date type code/ Allowance effective date type code content			<i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ effectiveDateType
749	BDT00000615	.. 80	1 .. 1	<b>Charge effective date type code content</b> <i>Path:</i> Invoice/Charge information/Charge effective date type code/Charge effective date type code content	1 .. 80	0 .. 1	<b>effectiveDateType</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ effectiveDateType
750	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Allowance information/ Allowance effective date type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ effectiveDateType/@codeListVersion
751	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Charge information/Charge effective date type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ effectiveDateType/@codeListVersion
752	BDT00000014		0 .. 1	<b>Calculation sequence number</b> <i>Path:</i> Invoice/Allowance information/ Calculation sequence number		0 .. 1	<b>sequenceNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ sequenceNumber
753	BDT00000014		0 .. 1	<b>Calculation sequence number</b> <i>Path:</i> Invoice/Charge information/Calculation sequence number		0 .. 1	<b>sequenceNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ sequenceNumber
754	BDT00000534	.. 80	1 .. 1	<b>Special service type code content</b> <i>Path:</i> Invoice/Allowance information/Special service type code/Special service type code content	1 .. 80	0 .. 1	<b>specialServiceType</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ specialServiceType
755	BDT00000534	.. 80	1 .. 1	<b>Special service type code content</b> <i>Path:</i> Invoice/Charge information/Special service type code/Special service type	1 .. 80	0 .. 1	<b>specialServiceType</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ specialServiceType

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
756	BDT00000028	.. 35	0 .. 1	code content <b>Code list version</b> <i>Path:</i> Invoice/Allowance information/Special service type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/specialServiceType/@codeListVersion
757	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Charge information/Special service type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/specialServiceType/@codeListVersion
758	BDT00000527	.. 70	1 .. 1	<b>Allowance description content</b> <i>Path:</i> Invoice/Allowance information/Allowance description/Allowance description content		0 .. 1	<b>allowanceChargeDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeDescription
759	BDT00000573	.. 70	1 .. 1	<b>Charge description content</b> <i>Path:</i> Invoice/Charge information/Charge description/Charge description content		0 .. 1	<b>allowanceChargeDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeDescription
760	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Allowance information/Allowance description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeDescription/description/@languageCode
761	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Charge information/Charge description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeDescription/description/@languageCode
762	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Allowance information/Allowance description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeDescription/description/@codeListVersion
763	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Charge information/Charge description/Language code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/allowanceChargeDescription/description/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			@codeListVersion
764	BDT00000538	.. 80	1 .. 1	<b>Tax accounting currency code content</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	<b>dutyFeeTaxAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxAccountingCurrency
765	BDT00000538	.. 80	1 .. 1	<b>Tax accounting currency code content</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	<b>dutyFeeTaxAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxAccountingCurrency
766	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax accounting currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxAccountingCurrency/ @codeListVersion
767	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax accounting currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxAccountingCurrency/ @codeListVersion
768	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxAgencyName
769	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxAgencyName
770	BDT00000562		1 .. 1	<b>Tax monetary amount content</b> <i>Path:</i> Invoice/Allowance information/		0 .. 1	<b>dutyFeeTaxAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Applicable tax information/Tax monetary amount/Tax monetary amount content			leviedDutyFeeTax/dutyFeeTaxAmount
771	BDT00000562		1 .. 1	<b>Tax monetary amount content</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax monetary amount/Tax monetary amount content		0 .. 1	<b>dutyFeeTaxAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount
772	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Allowance information/Applicable tax information/Tax monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount/@currencyCode
773	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount/@currencyCode
774	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Allowance information/Applicable tax information/Tax monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount/@codeListVersion
775	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount/@codeListVersion
776	BDT00000561		1 .. 1	<b>Tax monetary amount in accounting currency content</b> <i>Path:</i> Invoice/Allowance information/Applicable tax information/Tax monetary amount in accounting		0 .. 1	<b>dutyFeeTaxAmountInAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
777	BDT00000561		1 .. 1	currency/Tax monetary amount in accounting currency content <b>Tax monetary amount in accounting currency content</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content		0 .. 1	<b>dutyFeeTaxAmountInAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency
778	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Allowance information/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency/@currencyCode
779	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency/@currencyCode
780	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Allowance information/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency/@codeListVersion
781	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
782	BDT00000559		1 .. 1	<b>Taxable monetary amount content</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Taxable monetary amount/Taxable monetary amount content		0 .. 1	<b>dutyFeeTaxBasisAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxBasisAmount
783	BDT00000559		1 .. 1	<b>Taxable monetary amount content</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Taxable monetary amount/Taxable monetary amount content		0 .. 1	<b>dutyFeeTaxBasisAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxBasisAmount
784	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Taxable monetary amount/Currency code/ Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxBasisAmount/ @currencyCode
785	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Taxable monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxBasisAmount/ @currencyCode
786	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Taxable monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxBasisAmount/ @codeListVersion
787	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Taxable monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxBasisAmount/ @codeListVersion

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
788	BDT00000560		1 .. 1	<b>Taxable monetary amount in accounting currency content</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content		0 .. 1	<b>dutyFeeTaxBasisAmountInAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency
789	BDT00000560		1 .. 1	<b>Taxable monetary amount in accounting currency content</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content		0 .. 1	<b>dutyFeeTaxBasisAmountInAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency
790	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency/ @currencyCode
791	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Taxable monetary amount in accounting currency/ Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency/ @currencyCode
792	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency/ @codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
793	BDT000000028	.. 35	0 .. 1	version <b>Code list version</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency/@codeListVersion
794	BDT000000537	.. 80	1 .. 1	<b>Tax category code content</b> <i>Path:</i> Invoice/Allowance information/Applicable tax information/Tax category code/Tax category code content	1 .. 80	0 .. 1	<b>dutyFeeTaxCategoryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxCategoryCode
795	BDT000000537	.. 80	1 .. 1	<b>Tax category code content</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax category code/Tax category code content	1 .. 80	0 .. 1	<b>dutyFeeTaxCategoryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxCategoryCode
796	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Allowance information/Applicable tax information/Tax category code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxCategoryCode/@codeListVersion
797	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax category code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxCategoryCode/@codeListVersion
798	BDT000000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Allowance information/Applicable tax information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxDescription
799	BDT000000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax description/Tax	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxDescription

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
800	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxDescription/ @languageCode
801	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxDescription/ @languageCode
802	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxDescription/ @codeListVersion
803	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxDescription/ @codeListVersion
804	BDT00000574	.. 70	1 .. 1	<b>Tax exemption reason description content</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax exemption reason description/Tax exemption reason description content	1 .. 80	0 .. 1	<b>dutyFeeTaxExemptionDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxExemptionDescription
805	BDT00000574	.. 70	1 .. 1	<b>Tax exemption reason description content</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax exemption reason description/Tax exemption reason description content	1 .. 80	0 .. 1	<b>dutyFeeTaxExemptionDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxExemptionDescription
	BDT00000524						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
806		.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax exemption reason description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxExemptionDescription/ @languageCode
807	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax exemption reason description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxExemptionDescription/ @languageCode
808	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax exemption reason description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxExemptionDescription/ @codeListVersion
809	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax exemption reason description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxExemptionDescription/ @codeListVersion
810	BDT00000575	.. 80	1 .. 1	<b>Tax exemption reason code content</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax exemption reason code/Tax exemption reason code content	1 .. 80	0 .. 1	<b>dutyFeeTaxExemptionReason</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxExemptionReason
811	BDT00000575	.. 80	1 .. 1	<b>Tax exemption reason code content</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax exemption reason code/Tax exemption reason code content	1 .. 80	0 .. 1	<b>dutyFeeTaxExemptionReason</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxExemptionReason

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
812	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax exemption reason code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxExemptionReason/ @codeListVersion
813	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax exemption reason code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxExemptionReason/ @codeListVersion
814	BDT00000371		0 .. 1	<b>Tax rate</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax rate		0 .. 1	<b>dutyFeeTaxPercentage</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxPercentage
815	BDT00000371		0 .. 1	<b>Tax rate</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax rate		0 .. 1	<b>dutyFeeTaxPercentage</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxPercentage
816	BDT00000377		0 .. 1	<b>Tax point date</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax point date		0 .. 1	<b>dutyFeeTaxPointDate</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxPointDate
817	BDT00000377		0 .. 1	<b>Tax point date</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax point date		0 .. 1	<b>dutyFeeTaxPointDate</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxPointDate
818	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxTypeCode
819	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax type code/Tax type	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
820	BDT00000028	.. 35	0 .. 1	code content <b>Code list version</b> <i>Path:</i> Invoice/Allowance information/ Applicable tax information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxTypeCode/ @codeListVersion
821	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Charge information/Applicable tax information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceAllowanceCharge/ leviedDutyFeeTax/dutyFeeTaxTypeCode/ @codeListVersion
822	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Business document identification information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceIdentification/ entityIdentification
823	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Business document identification information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceIdentification/ contentOwner/gln
824	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Business document identification information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceIdentification/ contentOwner/additionalPartyIdentification
825	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Business document identification information/Document content owner/Additional party identification information/Additional	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIdentification/ contentOwner/additionalPartyIdentification/ @additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
826	BDT00000028	.. 35	0 .. 1	party identification type code/Additional party identification type code content  <b>Code list version</b> <i>Path:</i> Invoice/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIdentification/ contentOwner/additionalPartyIdentification/ @codeListVersion
827	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Invoice/Invoice issuer party information/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/gln
828	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice issuer party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ additionalPartyIdentification
829	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice issuer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
830	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice issuer party information/Additional party identification information/Additional party identification type code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
831	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice issuer party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/city
832	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice issuer party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/cityCode
833	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice issuer party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/countryCode
834	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice issuer party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/countryCode/@codeListVersion
835	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice issuer party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/countyCode
836	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Invoice issuer party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/crossStreet
837	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Invoice issuer party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/name

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
838	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Invoice issuer party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/pOBoxNumber
839	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice issuer party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/postalCode
840	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Invoice issuer party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/provinceCode
841	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Invoice issuer party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/state
842	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Invoice issuer party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/streetAddressOne
843	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Invoice issuer party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/streetAddressTwo
844	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Invoice issuer party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/streetAddressThree
845	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice issuer party	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/ Geographical coordinates information/ Latitude			geographicalCoordinates/latitude
846	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice issuer party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/address/ geographicalCoordinates/longitude
847	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/ contactTypeCode
848	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/ contactTypeCode/@codeListVersion
849	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/ personName
850	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/ departmentName
851	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/jobTitle

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
852	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/responsibility
853	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/responsibility/@languageCode
854	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/responsibility/@codeListVersion
855	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/communicationChannel/communicationChannelCode
856	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice issuer party information/Business contact	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/communicationChannel/communicationChannelCode/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication information/Communication channel code/Communication channel code content/Code list version			@codeListVersion
857	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/ communicationChannel/communicationValue
858	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/ communicationChannel/communicationChannelName
859	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/ afterHoursCommunicationChannel/ communicationChannelCode
860	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
	BDT00000032						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
861		.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/afterHoursCommunicationChannel/communicationValue
862	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Invoice issuer party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/contact/afterHoursCommunicationChannel/communicationChannelName
863	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
864	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
865	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice issuer party	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version			dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
866	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
867	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
868	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
869	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
	BDT000000369						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
870		.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
871	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/dutyFeeTaxRegistration/dutyFeeTaxDescription
872	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
873	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
874	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
875	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice issuer party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
876	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b>	1 .. 200	1 .. 1	<b>organisationName</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Organisation name			<i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/organisationName
877	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/issuedCapital
878	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/issuedCapital/@currencyCode
879	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/issuedCapital/@codeListVersion
880	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/legalStructure
881	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/legalStructure/@languageCode

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
882	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/legalStructure/@codeListVersion
883	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/city
884	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/cityCode
885	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/countryCode
886	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/countryCode/@codeListVersion
887	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/countyCode
888	BDT00000035	.. 200	0 .. 1	<b>Cross street</b>	1 .. 200	0 .. 1	<b>crossStreet</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Cross street			<i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/crossStreet
889	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/pOBoxNumber
890	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/postalCode
891	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/provinceCode
892	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/state
893	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/streetAddressOne
894	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/streetAddressTwo

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
895	BDT00000129	.. 200	0 .. 1	information/Official address/Street address two <b>Street address three</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/streetAddressThree
896	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/geographicalCoordinates/latitude
897	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/officialAddress/geographicalCoordinates/longitude
898	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/legalRegistration/legalRegistrationNumber
899	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/legalRegistration/legalRegistrationType

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
900	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
901	BDT000000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Invoice issuer party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
902	BDT000000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/financialInstitutionName
903	BDT000000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/financialInstitutionBranchName
904	BDT000000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/financialAccount/financialAccountNumber
905	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code</b>	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>content</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			<i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
906	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
907	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/financialAccount/financialAccountName
908	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
909	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Financial institution routing number information/	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial routing number type code/ Financial routing number type code content			
910	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
911	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Additional financial institution description/ Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ financialInstitutionInformation/ additionalFinancialInformation/description
912	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
913	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
	BDT00000020						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
914		.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/city
915	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/cityCode
916	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/countryCode
917	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/countryCode/@codeListVersion
918	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/countyCode
919	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
920	BDT00000106	.. 200	0 .. 1	financial account information/Address information/Cross street <b>Party name</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/name
921	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/pOBoxNumber
922	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/postalCode
923	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/provinceCode
924	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/state
925	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/streetAddressOne

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
926	BDT00000130	.. 200	0 .. 1	financial account information/Address information/Street address one <b>Street address two</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/streetAddressTwo
927	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/streetAddressThree
928	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/geographicalCoordinates/latitude
929	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice issuer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceIssuer/financialInstitutionInformation/address/geographicalCoordinates/longitude
930	BDT00000049	.. 6	1 .. 1	<b>Business document line item number</b> <i>Path:</i> Invoice/Invoice line/Business document line item number	1 .. 1		<b>lineItemNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/lineItemNumber
931	BDT00000417		1 .. 1	<b>Invoiced quantity content</b> <i>Path:</i> Invoice/Invoice line/Invoiced quantity/Invoiced quantity content	1 .. 1		<b>invoicedQuantity</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoicedQuantity

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
932	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced quantity/ Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoicedQuantity/@measurementUnitCode
933	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced quantity/ Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoicedQuantity/@codeListVersion
934	BDT00000596		1 .. 1	<b>Total line item gross monetary amount content</b> <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount/Total line item gross monetary amount content		0 .. 1	<b>amountExclusiveAllowancesCharges</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ amountExclusiveAllowancesCharges
935	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount/Currency code/ Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ amountExclusiveAllowancesCharges/@currencyCode
936	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ amountExclusiveAllowancesCharges/@codeListVersion
937	BDT00000598		1 .. 1	<b>Total line item net monetary amount content</b> <i>Path:</i> Invoice/Invoice line/Total line item net monetary amount/Total line item net monetary amount content		0 .. 1	<b>amountInclusiveAllowancesCharges</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ amountInclusiveAllowancesCharges
938	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Total line item net monetary amount/Currency code/	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ amountInclusiveAllowancesCharges/@currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
939	BDT000000028	.. 35	0 .. 1	<b>Currency code content</b> <b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Total line item net monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/amountInclusiveAllowancesCharges/@codeListVersion
940	BDT000000429		1 .. 1	<b>Delivered quantity value</b> <i>Path:</i> Invoice/Invoice line/Delivered quantity/Delivered quantity value		0 .. 1	<b>deliveredQuantity</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveredQuantity
941	BDT000000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Invoice line/Delivered quantity/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveredQuantity/@measurementUnitCode
942	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Delivered quantity/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveredQuantity/@codeListVersion
943	BDT000000483		0 .. 1	<b>Credit line indicator</b> <i>Path:</i> Invoice/Invoice line/Credit line indicator	1 .. 70	0 .. 1	<b>creditLineIndicator</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/creditLineIndicator
944	BDT000000741	.. 80	1 .. 1	<b>Crediting reason code content</b> <i>Path:</i> Invoice/Invoice line/Crediting reason code/Crediting reason code content	1 .. 80	0 .. 1	<b>creditReason</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/creditReason
945	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Crediting reason code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/creditReason/@codeListVersion
946	BDT000000464		0 .. 1	<b>Excluded from payment discount indicator</b> <i>Path:</i> Invoice/Invoice line/Excluded from payment discount indicator		0 .. 1	<b>excludedFromPaymentDiscountIndicator</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/excludedFromPaymentDiscountIndicator
947	BDT000000414		1 .. 1	<b>Trade item price base quantity content</b>		0 .. 1	<b>itemPriceBaseQuantity</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Trade item price base quantity/Trade item price base quantity content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/itemPriceBaseQuantity
948	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Invoice line/Trade item price base quantity/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/itemPriceBaseQuantity/@measurementUnitCode
949	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Trade item price base quantity/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/itemPriceBaseQuantity/@codeListVersion
950	BDT00000604		1 .. 1	<b>Trade item gross price content</b> <i>Path:</i> Invoice/Invoice line/Trade item gross price/Trade item gross price content		0 .. 1	<b>itemPriceExclusiveAllowancesCharges</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/itemPriceExclusiveAllowancesCharges
951	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Trade item gross price/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/itemPriceExclusiveAllowancesCharges/@currencyCode
952	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Trade item gross price/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/itemPriceExclusiveAllowancesCharges/@codeListVersion
953	BDT00000606		1 .. 1	<b>Trade item net price content</b> <i>Path:</i> Invoice/Invoice line/Trade item net price/Trade item net price content		0 .. 1	<b>itemPriceInclusiveAllowancesCharges</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/itemPriceInclusiveAllowancesCharges
954	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Trade item net price/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/itemPriceInclusiveAllowancesCharges/@currencyCode
955	BDT000000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
956	BDT00000718	.. 80	1 .. 1	<i>Path:</i> Invoice/Invoice line/Trade item net price/Currency code/Code list version <b>Margin scheme type code content</b> <i>Path:</i> Invoice/Invoice line/Margin scheme type code/Margin scheme type code content	1 .. 80	0 .. 1	<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/itemPriceInclusiveAllowancesCharges/@codeListVersion <b>marginSchemeInformation</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/marginSchemeInformation
957	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Margin scheme type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/marginSchemeInformation/@codeListVersion
958	BDT00000719	.. 70	1 .. 1	<b>Margin scheme type description content</b> <i>Path:</i> Invoice/Invoice line/Margin scheme type description/Margin scheme type description content	1 .. 200	0 .. 1	<b>marginSchemeDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/marginSchemeDescription
959	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Margin scheme type description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/marginSchemeDescription/@languageCode
960	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Margin scheme type description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/marginSchemeDescription/@codeListVersion
961	BDT00000466		0 .. 1	<b>Transfer of ownership date</b> <i>Path:</i> Invoice/Invoice line/Transfer of ownership date		0 .. 1	<b>transferOfOwnershipDate</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transferOfOwnershipDate
962	BDT00000675	.. 80	1 .. 1	<b>Order line instruction description content</b> <i>Path:</i> Invoice/Invoice line/Order line item instruction description/Order line instruction description content	1 .. 100	0 .. 1	<b>additionalOrderLineInstruction</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/additionalOrderLineInstruction
963	BDT00000524	.. 80	1 .. 1	<b>Language code content</b>	1 .. 80		<b>languageCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Order line item instruction description/Language code/Language code content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/additionalOrderLineInstruction/@languageCode
964	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Order line item instruction description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/additionalOrderLineInstruction/@codeListVersion
965	BDT00000105	.. 6	0 .. 1	<b>Parent line item number</b> <i>Path:</i> Invoice/Invoice line/Parent line item number		0 .. 1	<b>parentLineItemNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/parentLineItemNumber
966	BDT00000717	.. 80	1 .. 1	<b>Transfer of ownership condition code content</b> <i>Path:</i> Invoice/Invoice line/Transfer of ownership condition code/Transfer of ownership condition code content	1 .. 80	0 .. 1	<b>ownershipPriorToPayment</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ownershipPriorToPayment
967	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Transfer of ownership condition code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ownershipPriorToPayment/@codeListVersion
968	BDT00000754		1 .. 1	<b>Trade item current price content</b> <i>Path:</i> Invoice/Invoice line/Trade item current price/Trade item current price content		0 .. 1	<b>currentPrice</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/currentPrice
969	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Trade item current price/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/currentPrice/@currencyCode
970	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Trade item current price/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/currentPrice/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
971	BDT00000727		1 .. 1	<b>Trade item contract price temporarily discounted content</b> <i>Path:</i> Invoice/Invoice line/Trade item contract price temporarily discounted/Trade item contract price temporarily discounted content		0 .. 1	<b>contractPriceTemporarilyDiscounted</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contractPriceTemporarilyDiscounted
972	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Trade item contract price temporarily discounted/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contractPriceTemporarilyDiscounted/@currencyCode
973	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Trade item contract price temporarily discounted/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contractPriceTemporarilyDiscounted/@codeListVersion
974	BDT00000729		1 .. 1	<b>Trade item list price discounted content</b> <i>Path:</i> Invoice/Invoice line/Trade item list price discounted/Trade item list price discounted content		0 .. 1	<b>listPriceDiscounted</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/listPriceDiscounted
975	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Trade item list price discounted/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/listPriceDiscounted/@currencyCode
976	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Trade item list price discounted/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/listPriceDiscounted/@codeListVersion
977	BDT00000734		1 .. 1	<b>Trade item sales price to consumer content</b> <i>Path:</i> Invoice/Invoice line/Trade item sales price to consumer/Trade item sales		0 .. 1	<b>salesPriceToConsumer</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesPriceToConsumer

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
978	BDT00000589	.. 80	1 .. 1	price to consumer content <b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Trade item sales price to consumer/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesPriceToConsumer/@currencyCode
979	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Trade item sales price to consumer/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesPriceToConsumer/@codeListVersion
980	BDT00000735		1 .. 1	<b>Trade item list current price discounted content</b> <i>Path:</i> Invoice/Invoice line/Trade item list current price discounted/Trade item list current price discounted content		0 .. 1	<b>currentListPriceDiscounted</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/currentListPriceDiscounted
981	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Trade item list current price discounted/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/currentListPriceDiscounted/@currencyCode
982	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Trade item list current price discounted/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/currentListPriceDiscounted/@codeListVersion
983	BDT00000721		1 .. 1	<b>Trade item legally retail price content</b> <i>Path:</i> Invoice/Invoice line/Trade item legally retail price/Trade item legally retail price content		0 .. 1	<b>legallyFixedRetailPrice</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/legallyFixedRetailPrice
984	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Trade item legally retail price/Currency code/Currency	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/legallyFixedRetailPrice/@currencyCode

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
985	BDT000000028	.. 35	0 .. 1	code content <b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Trade item legally retail price/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/legallyFixedRetailPrice/@codeListVersion
986	BDT000000720		1 .. 1	<b>Trade item recommended retail price content</b> <i>Path:</i> Invoice/Invoice line/Trade item recommended retail price/Trade item recommended retail price content		0 .. 1	<b>recommendedRetailPrice</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/recommendedRetailPrice
987	BDT000000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Trade item recommended retail price/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/recommendedRetailPrice/@currencyCode
988	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Trade item recommended retail price/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/recommendedRetailPrice/@codeListVersion
989	BDT000000722		1 .. 1	<b>Trade item retail price excluding excise tax content</b> <i>Path:</i> Invoice/Invoice line/Trade item retail price excluding excise tax/Trade item retail price excluding excise tax content		0 .. 1	<b>retailPriceExcludingExcise</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/retailPriceExcludingExcise
990	BDT000000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Trade item retail price excluding excise tax/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/retailPriceExcludingExcise/@currencyCode
991	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Trade item retail	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				price excluding excise tax/Currency code/Code list version			retailPriceExcludingExcise/@codeListVersion
992	BDT00000566		1 .. 1	<b>Total requested quantity content</b> <i>Path:</i> Invoice/Invoice line/Total requested quantity/Total requested quantity content		0 .. 1	<b>totalOrderedQuantity</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/totalOrderedQuantity
993	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Invoice line/Total requested quantity/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/totalOrderedQuantity/@measurementUnitCode
994	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Total requested quantity/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/totalOrderedQuantity/@codeListVersion
995	BDT00000711		1 .. 1	<b>Free goods quantity content</b> <i>Path:</i> Invoice/Invoice line/Free goods quantity/Free goods quantity content		0 .. 1	<b>freeGoodsQuantity</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/freeGoodsQuantity
996	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Invoice line/Free goods quantity/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/freeGoodsQuantity/@measurementUnitCode
997	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Free goods quantity/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/freeGoodsQuantity/@codeListVersion
998	BDT00000670	.. 70	1 .. 1	<b>Notation content</b> <i>Path:</i> Invoice/Invoice line/Notation/Notation content	1 .. 500	0 .. 1	<b>note</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/note
999	BDT00000524	.. 80	1 .. 1	<b>Language code content</b>	1 .. 80		<b>languageCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Notation/Language code/Language code content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/note/@languageCode
100	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Notation/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/note/@codeListVersion
100	BDT00000493	4 .. 30	0 .. 1	<b>Global identification number for consignment, GINC</b> <i>Path:</i> Invoice/Invoice line/Consignment information/Consignment identification information/Global identification number for consignment, GINC		0 .. 1	<b>ginc</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignmentIdentification/ginc
100	BDT00000004	.. 80	1 .. 1	<b>Additional consignment identification content</b> <i>Path:</i> Invoice/Invoice line/Consignment information/Consignment identification information/Additional consignment identification information/Additional consignment identification content	1 .. 80	0 .. unbounded	<b>additionalConsignmentIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignmentIdentification/additionalConsignmentIdentification
100	BDT00000487	.. 80	1 .. 1	<b>Additional consignment identification type code content</b> <i>Path:</i> Invoice/Invoice line/Consignment information/Consignment identification information/Additional consignment identification information/Additional consignment identification type code/Additional consignment identification type code content	1 .. 80		<b>additionalConsignmentIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignmentIdentification/additionalConsignmentIdentification/@additionalConsignmentIdentificationTypeCode
100	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Consignment information/Consignment identification	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignmentIdentification/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional consignment identification information/Additional consignment identification type code/Code list version			additionalConsignmentIdentification/@codeListVersion
100	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Global location number, GLN	0 .. 1		<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignor/gln
100	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignor/additionalPartyIdentification
100	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignor/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
100	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Consignment information/Consignor party identification/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignor/additionalPartyIdentification/@codeListVersion
	BDT000000063						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
100		13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignee/gln
101	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignee/additionalPartyIdentification
101	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignee/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
101	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Consignment information/Consignee party identification/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consignmentReference/consignee/additionalPartyIdentification/@codeListVersion
101	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Invoice line/Referenced consumption report information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consumptionReport/entityIdentification

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
101	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Invoice line/Referenced consumption report information/Document content owner/Global location number GLN	0 .. 1		<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consumptionReport/contentOwner/gln
101	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Referenced consumption report information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consumptionReport/contentOwner/additionalPartyIdentification
101	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Referenced consumption report information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consumptionReport/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
101	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Referenced consumption report information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consumptionReport/contentOwner/additionalPartyIdentification/@codeListVersion
101	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Invoice line/Referenced consumption report information/	0 .. 1		<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consumptionReport/creationDateTime

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
101	BDT00000119		0 .. 1	Business document creation date time <b>Revision number</b> <i>Path:</i> Invoice/Invoice line/Referenced consumption report information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consumptionReport/revisionNumber
102	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Invoice line/Referenced consumption report information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consumptionReport/lineItemNumber
102	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Invoice line/Referenced consumption report information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/consumptionReport/referencedDocumentUrl
102	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Invoice line/Referenced contract information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contract/entityIdentification
102	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Invoice line/Referenced contract information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contract/contentOwner/gln
102	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Referenced contract information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contract/contentOwner/additionalPartyIdentification
102	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Referenced	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contract/contentOwner/additionalPartyIdentification/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				contract information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content			@additionalPartyIdentificationTypeCode
102	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Referenced contract information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contract/contentOwner/additionalPartyIdentification/@codeListVersion
102	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Invoice line/Referenced contract information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contract/creationDateTime
102	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Invoice line/Referenced contract information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contract/revisionNumber
102	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Invoice line/Referenced contract information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contract/lineItemNumber
103	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Invoice line/Referenced contract information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/contract/referencedDocumentUrl
103	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Invoice line/Referenced delivery note document information/Entity	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryNote/entityIdentification

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
103	BDT00000063	13 .. 13	0 .. 1	identification <b>Global location number GLN</b> <i>Path:</i> Invoice/Invoice line/Referenced delivery note document information/Document content owner/Global location number GLN	0 .. 1		<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryNote/contentOwner/gln
103	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryNote/contentOwner/additionalPartyIdentification
103	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryNote/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
103	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Referenced delivery note document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryNote/contentOwner/additionalPartyIdentification/@codeListVersion
103	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Invoice line/Referenced delivery note document information/Business	0 .. 1		<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryNote/creationDateTime

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
103	BDT00000119		0 .. 1	document creation date time <b>Revision number</b> <i>Path:</i> Invoice/Invoice line/Referenced delivery note document information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryNote/revisionNumber
103	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Invoice line/Referenced delivery note document information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryNote/lineItemNumber
103	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Invoice line/Referenced delivery note document information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryNote/referencedDocumentUrl
104	BDT000000649		1 .. 1	<b>Incoterms code content</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Incoterms code/Incoterms code content	1 .. 80	0 .. 1	<b>incotermsCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/incotermsCode
104	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Incoterms code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/incotermsCode/@codeListVersion
104	BDT00000022	.. 80	0 .. 1	<b>Code description</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Alternative delivery terms code/Code description	1 .. 80		<b>codeDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/alternateDeliveryTermsCode/@codeDescription
104	BDT00000023	.. 80	0 .. 1	<b>Code list agency code</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Alternative delivery terms code/Code list agency code	1 .. 80		<b>codeListAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
104	BDT00000024	.. 35	0 .. 1	<b>Code list agency code list version</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Alternative delivery terms code/Code list agency code list version	1 .. 35		<b>codeListAgencyCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyCodeListVersion
104	BDT00000025	.. 80	0 .. 1	<b>Code list agency name</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Alternative delivery terms code/Code list agency name	1 .. 80		<b>codeListAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyName
104	BDT00000026	.. 80	0 .. 1	<b>Code list name</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Alternative delivery terms code/Code list name	1 .. 80		<b>codeListName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/alternateDeliveryTermsCode/@codeListName
104	BDT00000027	.. 500	0 .. 1	<b>Code list URL</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Alternative delivery terms code/Code list URL			<b>codeListURI</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/alternateDeliveryTermsCode/@codeListURI
104	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Alternative delivery terms code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/alternateDeliveryTermsCode/@codeListVersion
104	BDT00000641	.. 70	1 .. 1	<b>Delivery instructions description content</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery instructions description/Delivery instructions description content	1 .. 500	0 .. 1	<b>deliveryInstructions</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryInstructions
105	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery instructions description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryInstructions/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
105	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery instructions description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryInstructions/@codeListVersion
105	BDT00000701	.. 80	1 .. 1	<b>Transport cost payment code content</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Transport cost payment code/Transport cost payment code content	1 .. 80	0 .. 1	<b>deliveryCostPayment</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryCostPayment
105	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Transport cost payment code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryCostPayment/@codeListVersion
105	BDT00000080		0 .. 1	<b>Signature required indicator</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Signature required indicator		0 .. 1	<b>isSignatureRequired</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/isSignatureRequired
105	BDT00000690	.. 80	1 .. 1	<b>United Nations location code, UN/LOCODE content</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/UN location code, UN/LOCODE/United Nations location code, UN/LOCODE content	1 .. 80	0 .. 1	<b>unLocationCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/unLocationCode
105	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/UN location code, UN/LOCODE/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/unLocationCode/@codeListVersion
105	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b>		0 .. 1	<b>gln</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Global location number GLN			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/gln
105	BDT00000627	.. 80	1 .. 1	<b>Physical location identification content</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Additional physical location identification/Physical location identification content	1 .. 80	0 .. unbounded	<b>additionalLocationIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification
105	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeAgencyCode
106	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeAgencyCodeCodeListVersion
106	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional physical location identification/Identification scheme information/Identification scheme agency name			@identificationSchemeAgencyName
106	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeName
106	BDT00000132	.. 80	0 .. 1	<b>Sub location identification</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Sub location identification	1 .. 80	0 .. 1	<b>sublocationIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/sublocationIdentification
106	BDT00000088	.. 80	0 .. 1	<b>Logistics location name</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Logistics location name	1 .. 80	0 .. 1	<b>locationName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/locationName
106	BDT00000744	.. 70	1 .. 1	<b>Specific instructions location description content</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Specific instructions location description/Specific instructions location description content	1 .. 200	0 .. 1	<b>locationSpecificInstructions</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/locationSpecificInstructions
106	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Specific instructions location description/Language code/	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/locationSpecificInstructions/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
106	BDT000000028	.. 35	0 .. 1	Language code content <b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Specific instructions location description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/locationSpecificInstructions/@codeListVersion
106	BDT000000137	.. 20	0 .. 1	<b>Universal Time Coordinated UTC offset</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Universal Time Coordinated UTC offset		0 .. 1	<b>utcOffset</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/utcOffset
106	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/city
107	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/cityCode
107	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/countryCode
107	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/address/countryCode/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/ Country code/Code list version			@codeListVersion
107	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/address/countyCode
107	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/address/crossStreet
107	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/address/name
107	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/address/pOBoxNumber
107	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/address/postalCode
107	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/address/provinceCode

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/ Province identity			
107	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/address/state
108	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/address/streetAddressOne
108	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/address/streetAddressTwo
108	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/address/streetAddressThree
108	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/address/geographicalCoordinates/ latitude
108	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/address/geographicalCoordinates/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/ Geographical coordinates information/ Longitude			longitude
108	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/contact/contactTypeCode
108	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/contact/contactTypeCode/ @codeListVersion
108	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/contact/personName
108	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/contact/departmentName
108	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/contact/jobTitle

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
109	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/responsibility
109	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/responsibility/@languageCode
109	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/responsibility/@codeListVersion
109	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
109	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/communicationChannel/communicationChannelCode/@codeListVersion
109	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/communicationChannel/communicationValue
109	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/communicationChannel/communicationChannelName
109	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/afterHoursCommunicationChannel/communicationChannelCode
109	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
109	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/afterHoursCommunicationChannel/communicationValue
110	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/contact/afterHoursCommunicationChannel/communicationChannelName
110	BDT00000745	.. 80	1 .. 1	<b>Day of the week code content</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Regular operating hours information/Day of the week code/Day of the week code content		1 .. 1	<b>dayOfTheWeekCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/regularOperatingHours/dayOfTheWeekCode
110	BDT00000078		0 .. 1	<b>Business operational indicator</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Regular operating hours		1 .. 1	<b>isOperational</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/regularOperatingHours/isOperational

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
110	BDT00000021		0 .. 1	information/Business operational indicator <b>Closing time</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Regular operating hours information/Closing time		0 .. 1	<b>closingTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/regularOperatingHours/closingTime
110	BDT00000098		0 .. 1	<b>Opening time</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Regular operating hours information/Opening time		0 .. 1	<b>openingTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/regularOperatingHours/openingTime
110	BDT00000078		0 .. 1	<b>Business operational indicator</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Special operating hours information/Business operational indicator		1 .. 1	<b>isOperational</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/specialOperatingHours/isOperational
110	BDT00000126		0 .. 1	<b>Special date</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Special operating hours information/Special date		1 .. 1	<b>specialDate</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/specialOperatingHours/specialDate
110	BDT00000021		0 .. 1	<b>Closing time</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Special operating hours information/Closing time		0 .. 1	<b>closingTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/deliveryTermsLocation/specialOperatingHours/closingTime
110	BDT00000098		0 .. 1	<b>Opening time</b> <i>Path:</i> Invoice/Invoice line/Delivery terms		0 .. 1	<b>openingTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Delivery terms for location information/Special operating hours information/Opening time			deliveryTermsLocation/specialOperatingHours/ openingTime
110	BDT00000669	.. 80	1 .. 1	<b>Name of special day content</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Special operating hours information/Name of special day/Name of special day content	1 .. 80	0 .. 1	<b>specialDateName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName
111	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Special operating hours information/Name of special day/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName/@languageCode
111	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Delivery terms information/Delivery terms for location information/Special operating hours information/Name of special day/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName/@codeListVersion
111	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Invoice line/Referenced despatch advice information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ despatchAdvice/entityIdentification
111	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Invoice line/Referenced despatch advice information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ despatchAdvice/contentOwner/gln

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
111	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchAdvice/contentOwner/additionalPartyIdentification
111	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchAdvice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
111	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Referenced despatch advice information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchAdvice/contentOwner/additionalPartyIdentification/@codeListVersion
111	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Invoice line/Referenced despatch advice information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchAdvice/creationDateTime
111	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Invoice line/Referenced despatch advice information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchAdvice/revisionNumber
111	BDT00000049	.. 6	0 .. 1	<b>Document line number</b>		0 .. 1	<b>lineItemNumber</b>

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Referenced despatch advice information/Document line number			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchAdvice/lineItemNumber
112	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Invoice line/Referenced despatch advice information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUri</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchAdvice/referencedDocumentUri
112	BDT00000455		0 .. 1	<b>Actual ship date time</b> <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Actual ship date time		0 .. 1	<b>actualShipDateTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/actualShipDateTime
112	BDT00000456		0 .. 1	<b>Despatch date time</b> <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Despatch date time		0 .. 1	<b>despatchDateTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/despatchDateTime
112	BDT00000457		0 .. 1	<b>Estimated delivery date time</b> <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Estimated delivery date time		0 .. 1	<b>estimatedDeliveryDateTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/estimatedDeliveryDateTime
112	BDT00000458		0 .. 1	<b>Estimated delivery date time at ultimate consignee</b> <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Estimated delivery date time at ultimate consignee		0 .. 1	<b>estimatedDeliveryDateTimeAtUltimateConsignee</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/estimatedDeliveryDateTimeAtUltimateConsignee
112	BDT00000459		0 .. 1	<b>Goods loading date time</b> <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Goods loading date time		0 .. 1	<b>loadingDateTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/loadingDateTime
112	BDT00000460		0 .. 1	<b>Goods pick up date time</b> <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Goods pick up date		0 .. 1	<b>pickUpDateTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/pickUpDateTime

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
112	BDT00000461		0 .. 1	time <b>Seller released goods date time</b> <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Seller released goods date time		0 .. 1	<b>releaseDateTimeOfSupplier</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/releaseDateTimeOfSupplier
112	BDT00000009		0 .. 1	<b>Begin period date</b> <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Estimated delivery period/Begin period date		0 .. 1	<b>beginDate</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/estimatedDeliveryPeriod/beginDate
112	BDT00000010		0 .. 1	<b>Begin time period</b> <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Estimated delivery period/Begin time period		0 .. 1	<b>beginTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/estimatedDeliveryPeriod/beginTime
113	BDT00000054		0 .. 1	<b>End date period</b> <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Estimated delivery period/End date period		0 .. 1	<b>endDate</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/estimatedDeliveryPeriod/endDate
113	BDT00000055		0 .. 1	<b>End time period</b> <i>Path:</i> Invoice/Invoice line/Goods delivery dates information/Estimated delivery period/End time period		0 .. 1	<b>endTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/despatchInformation/estimatedDeliveryPeriod/endTime
113	BDT00000065	.. 29	0 .. 1	<b>Global returnable asset identifier, GRAI</b> <i>Path:</i> Invoice/Invoice line/Returnable asset identification information/Global returnable asset identifier, GRAI		0 .. 1	<b>grai</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ecom_ReturnableAssetIdentification/grai
113	BDT00000743	.. 80	1 .. 1	<b>Additional returnable asset identification content</b> <i>Path:</i> Invoice/Invoice line/Returnable asset identification information/Additional	1 .. 80	0 .. unbounded	<b>additionalReturnableAssetIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ecom_ReturnableAssetIdentification/additionalReturnableAssetIdentification

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
113	BDT00000514	.. 80	1 .. 1	returnable asset identification information/Additional returnable asset identification content <b>Additional returnable asset identification type code content</b> <i>Path:</i> Invoice/Invoice line/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification type code/Additional returnable asset identification type code content	1 .. 80		<b>additionalReturnableAssetIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ecom_ReturnableAssetIdentification/additionalReturnableAssetIdentification/@additionalReturnableAssetIdentificationTypeCode
113	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Returnable asset identification information/Additional returnable asset identification information/Additional returnable asset identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ecom_ReturnableAssetIdentification/additionalReturnableAssetIdentification/@codeListVersion
113	BDT00000508		0 .. 1	<b>Price calculating factor</b> <i>Path:</i> Invoice/Invoice line/Energy product price calculation information/Price calculating factor		0 .. 1	<b>countedMeasureandFactor</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/energyQuantity/countedMeasureandFactor
113	BDT00000509		0 .. 1	<b>Standard condition conversion</b> <i>Path:</i> Invoice/Invoice line/Energy product price calculation information/Standard condition conversion		0 .. 1	<b>standardConditionConversion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/energyQuantity/standardConditionConversion
113	BDT00000510		0 .. 1	<b>Calorific value</b> <i>Path:</i> Invoice/Invoice line/Energy product price calculation information/Calorific		0 .. 1	<b>calorificValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/energyQuantity/calorificValue

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
113	BDT00000643	.. 80	1 .. 1	value <b>European Union unique identifier type code content</b> <i>Path:</i> Invoice/Invoice line/Sale of tobacco products information/EU unique identifier type code/European Union unique identifier type code content	1 .. 80	1 .. 1	<b>euUniqueIDTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/euUniqueID/euUniqueIDTypeCode
114	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Sale of tobacco products information/EU unique identifier type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/euUniqueID/euUniqueIDTypeCode/@codeListVersion
114	BDT00000136	.. 500	0 .. unbounded	<b>Unit pack unique identifier upUI</b> <i>Path:</i> Invoice/Invoice line/Sale of tobacco products information/Unit pack unique identifier upUI	1 .. 500	0 .. unbounded	<b>unitPacketLevelUniqueIdentifier</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/euUniqueID/unitPacketLevelUniqueIdentifier
114	BDT00000005	.. 500	0 .. unbounded	<b>Aggregated level of package unique identity</b> <i>Path:</i> Invoice/Invoice line/Sale of tobacco products information/Aggregated level of package unique identity	1 .. 500	0 .. unbounded	<b>aggregatedLevelUniqueIdentifier</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/euUniqueID/aggregatedLevelUniqueIdentifier
114	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/gln
114	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/additionalPartyIdentification
	BDT00000570						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
114		.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
114	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/additionalPartyIdentification/@codeListVersion
114	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/city
114	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/cityCode
114	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/countryCode
115	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/countryCode/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Country code/Code list version			@codeListVersion
115	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/countyCode
115	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/crossStreet
115	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/name
115	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/pOBoxNumber
115	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/postalCode
115	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/provinceCode
115	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/state

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
115	BDT00000128	.. 200	0 .. 1	information/State <b>Street address one</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/streetAddressOne
115	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/streetAddressTwo
116	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/streetAddressThree
116	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/geographicalCoordinates/latitude
116	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/address/geographicalCoordinates/longitude
116	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/contactTypeCode
116	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Contact type code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/contactTypeCode/@codeListVersion
116	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/personName
116	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/departmentName
116	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/jobTitle
116	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/responsibility
116	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/responsibility/@languageCode

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
117	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/responsibility/@codeListVersion
117	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/communicationChannel/communicationChannelCode
117	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/communicationChannel/communicationChannelCode/@codeListVersion
117	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/communicationChannel/communicationValue
117	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/Communication information/Communication channel	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/communicationChannel/communicationChannelName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
117	BDT00000525		1 .. 1	<b>name</b> <b>Communication channel code content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/afterHoursCommunicationChannel/communicationChannelCode
117	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
117	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/afterHoursCommunicationChannel/communicationValue
117	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/contact/afterHoursCommunicationChannel/communicationChannelName
117	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				storage location information/Tax registration information/Tax registration identification information/Tax registration identification content			inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
118	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
118	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
118	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
118	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
118	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
118	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
118	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
118	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription
118	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax description/Language code/Language	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
118	BDT00000028	.. 35	0 .. 1	code content <b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
119	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
119	BDT00000028	.. 35	0 .. 1	code content <b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
119	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/organisationName
119	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/issuedCapital
119	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				storage location information/ Organisation legal information/Issued capital/Currency code/Currency code content			inventoryLocationFrom/organisationDetails/ issuedCapital/@currencyCode
119	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ issuedCapital/@codeListVersion
119	BDT000000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/legalStructure
119	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ legalStructure/@languageCode
119	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ legalStructure/@codeListVersion
119	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/City name			officialAddress/city
120	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/officialAddress/cityCode
120	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/officialAddress/countryCode
120	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/officialAddress/countryCode/@codeListVersion
120	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/officialAddress/countyCode
120	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/organisationDetails/officialAddress/crossStreet
120	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				storage location information/ Organisation legal information/Official address/Post office box number			inventoryLocationFrom/organisationDetails/ officialAddress/pOBoxNumber
120	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ officialAddress/postalCode
120	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ officialAddress/provinceCode
120	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ officialAddress/state
120	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ officialAddress/streetAddressOne
121	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ officialAddress/streetAddressTwo
121	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				storage location information/ Organisation legal information/Official address/Street address three			inventoryLocationFrom/organisationDetails/ officialAddress/streetAddressThree
121	BDT000000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ officialAddress/geographicalCoordinates/latitude
121	BDT000000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ officialAddress/geographicalCoordinates/longitude
121	BDT000000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ legalRegistration/legalRegistrationNumber
121	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ legalRegistration/legalRegistrationType
121	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				storage location information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version			inventoryLocationFrom/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
121	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
121	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/financialInstitutionInformation/ financialInstitutionName
121	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/financialInstitutionInformation/ financialInstitutionBranchName
122	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/financialInstitutionInformation/ financialAccount/financialAccountNumber
122	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/financialInstitutionInformation/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				storage location information/Financial institution and financial account information/Financial account number type code/Financial account number type code content			financialAccount/financialAccountNumberTypeCode
122	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
122	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/financialAccount/financialAccountName
122	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
122	BDT00000064	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			
122	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
122	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/additionalFinancialInformation/description
122	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
122	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Additional financial	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution description/Language code/ Code list version			
123	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/financialInstitutionInformation/ address/city
123	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/financialInstitutionInformation/ address/cityCode
123	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/financialInstitutionInformation/ address/countryCode
123	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/ Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/financialInstitutionInformation/ address/countryCode/@codeListVersion
123	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/financialInstitutionInformation/ address/countyCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/County code			
123	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/crossStreet
123	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/name
123	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/pOBoxNumber
123	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/postalCode
123	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationFrom/financialInstitutionInformation/address/provinceCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/ Province identity			
124	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/financialInstitutionInformation/ address/state
124	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/financialInstitutionInformation/ address/streetAddressOne
124	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/financialInstitutionInformation/ address/streetAddressTwo
124	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/financialInstitutionInformation/ address/streetAddressThree
124	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/financialInstitutionInformation/ address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Geographical coordinates information/ Latitude			
124	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice line/Outgoing goods storage location information/Financial institution and financial account information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationFrom/financialInstitutionInformation/ address/geographicalCoordinates/longitude
124	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Invoice line/Incoming goods storage location information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/gln
124	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Incoming goods storage location information/Additional party identification information/ Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/additionalPartyIdentification
124	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Incoming goods storage location information/Additional party identification information/ Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
124	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Incoming goods storage location information/Additional party identification information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/additionalPartyIdentification/ @codeListVersion

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional party identification type code/Code list version			
125	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/city
125	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/cityCode
125	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/countryCode
125	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/countryCode/@codeListVersion
125	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/countyCode
125	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/crossStreet
125	BDT00000106	.. 200	0 .. 1	<b>Party name</b>	1 .. 200	0 .. 1	<b>name</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Party name			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/name
125	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/pOBoxNumber
125	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/postalCode
125	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/provinceCode
126	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/state
126	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/streetAddressOne
126	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/streetAddressTwo
126	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Invoice line/Incomming goods	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				storage location information/Address information/Street address three			inventoryLocationTo/address/streetAddressThree
126	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/geographicalCoordinates/latitude
126	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/address/geographicalCoordinates/longitude
126	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/contactTypeCode
126	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/contactTypeCode/@codeListVersion
126	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/personName
126	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/departmentName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
127	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/jobTitle
127	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/responsibility
127	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/responsibility/@languageCode
127	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/responsibility/@codeListVersion
127	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Communication information/Communication channel code/Communication channel code	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
127	BDT00000028	.. 35	0 .. 1	content <b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/communicationChannel/communicationChannelCode/@codeListVersion
127	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/communicationChannel/communicationValue
127	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/communicationChannel/communicationChannelName
127	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/afterHoursCommunicationChannel/communicationChannelCode
127	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version			afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
128	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/afterHoursCommunicationChannel/communicationValue
128	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/contact/afterHoursCommunicationChannel/communicationChannelName
128	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
128	BDT000000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
128	BDT00000028	.. 35	0 .. 1	<b>Identification scheme responsible agency code content</b> <b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
128	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
128	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
128	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
128	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax type code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
128	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
129	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
129	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
129	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
129	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax registration	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				type code/Tax registration type code content			
129	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
129	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/organisationName
129	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/issuedCapital
129	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/issuedCapital/@currencyCode
129	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/issuedCapital/@codeListVersion
129	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				storage location information/ Organisation legal information/Legal structure description/Legal structure description content			inventoryLocationTo/organisationDetails/legalStructure
130	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/legalStructure/ @languageCode
130	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/legalStructure/ @codeListVersion
130	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/officialAddress/ city
130	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/officialAddress/ cityCode
130	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/officialAddress/ countryCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address/Country code/Country code content			
130	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/officialAddress/countryCode/@codeListVersion
130	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/officialAddress/countyCode
130	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/officialAddress/crossStreet
130	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/officialAddress/pOBoxNumber
130	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/officialAddress/postalCode
131	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/officialAddress/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Province identity			provinceCode
131	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/officialAddress/state
131	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/officialAddress/streetAddressOne
131	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/officialAddress/streetAddressTwo
131	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/officialAddress/streetAddressThree
131	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/organisationDetails/officialAddress/geographicalCoordinates/latitude
131	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice line/Incomming goods	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				storage location information/ Organisation legal information/Official address/Geographical coordinates information/Longitude			inventoryLocationTo/organisationDetails/officialAddress/ geographicalCoordinates/longitude
131	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/ legalRegistration/legalRegistrationNumber
131	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/ legalRegistration/legalRegistrationType
131	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
132	BDT000000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ inventoryLocationTo/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
132	BDT000000061	.. 80	0 .. 1	<b>Financial institution name</b>	1 .. 80	0 .. 1	<b>financialInstitutionName</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Financial institution name			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/financialInstitutionName
132	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/financialInstitutionBranchName
132	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/financialAccount/financialAccountNumber
132	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
132	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
132	BDT00000058	.. 80	0 .. 1	type code/Code list version <b>Financial account name</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/financialAccount/financialAccountName
132	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
132	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
132	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
	BDT00000521						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
133		.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/additionalFinancialInformation/description
133	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
133	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
133	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/city
133	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice line/Incomming goods	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				storage location information/Financial institution and financial account information/Address information/City code			inventoryLocationTo/financialInstitutionInformation/address/cityCode
133	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/countryCode
133	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/countryCode/@codeListVersion
133	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/countyCode
133	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/crossStreet
133	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Invoice line/Incomming goods	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				storage location information/Financial institution and financial account information/Address information/Party name			inventoryLocationTo/financialInstitutionInformation/address/name
134	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/pOBoxNumber
134	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/postalCode
134	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/provinceCode
134	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/state
134	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Address information/Street address one			address/streetAddressOne
134	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/streetAddressTwo
134	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/streetAddressThree
134	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/geographicalCoordinates/latitude
134	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice line/Incomming goods storage location information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/inventoryLocationTo/financialInstitutionInformation/address/geographicalCoordinates/longitude
134	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b>	1 .. 80	1 .. 1	<b>entityIdentification</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Referenced invoice document information/Entity identification			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoice/entityIdentification
135	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Invoice line/Referenced invoice document information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoice/contentOwner/gln
135	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoice/contentOwner/additionalPartyIdentification
135	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
135	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Referenced invoice document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoice/contentOwner/additionalPartyIdentification/@codeListVersion
135	BDT000000047		0 .. 1	<b>Business document creation date time</b>		0 .. 1	<b>creationDateTime</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Referenced invoice document information/Business document creation date time			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoice/creationDateTime
135	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Invoice line/Referenced invoice document information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoice/revisionNumber
135	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Invoice line/Referenced invoice document information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoice/lineItemNumber
135	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Invoice line/Referenced invoice document information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoice/referencedDocumentUrl
135	BDT00000531	.. 80	1 .. 1	<b>Allowance type code content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance type code/Allowance type code content	1 .. 80	1 .. 1	<b>allowanceChargeType</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeType
135	BDT00000618	.. 80	1 .. 1	<b>Charge type code content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Charge type code/Charge type code content	1 .. 80	1 .. 1	<b>allowanceChargeType</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeType
136	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeType/@codeListVersion
136	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Charge information/Charge type code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeType/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			@codeListVersion
136	BDT00000532	.. 80	1 .. 1	<b>Settlement allowance code content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Settlement allowance code/Settlement allowance code content	1 .. 80	1 .. 1	<b>settlementType</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/settlementType
136	BDT00000617	.. 80	1 .. 1	<b>Settlement charge code content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Settlement charge code/Settlement charge code content	1 .. 80	1 .. 1	<b>settlementType</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/settlementType
136	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Settlement allowance code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/settlementType/@codeListVersion
136	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Charge information/Settlement charge code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/settlementType/@codeListVersion
136	BDT00000528		1 .. 1	<b>Allowance monetary amount content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance monetary amount/Allowance monetary amount content		0 .. 1	<b>allowanceChargeAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeAmount
136	BDT00000619		0 .. 1	<b>Charge monetary amount content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Charge monetary amount/Charge monetary amount content		0 .. 1	<b>allowanceChargeAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeAmount
136	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Allowance	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Allowance monetary amount/Currency code/Currency code content			invoiceAllowanceCharge/allowanceChargeAmount/@currencyCode
136	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Charge monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeAmount/@currencyCode
137	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeAmount/@codeListVersion
137	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Charge information/Charge monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargeAmount/@codeListVersion
137	BDT00000006		0 .. 1	<b>Allowance percentage</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance percentage		0 .. 1	<b>allowanceChargePercentage</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargePercentage
137	BDT00000018		0 .. 1	<b>Charge percentage</b> <i>Path:</i> Invoice/Invoice line/Charge information/Charge percentage		0 .. 1	<b>allowanceChargePercentage</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/allowanceChargePercentage
137	BDT00000529		1 .. 1	<b>Allowance monetary amount per unit content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance monetary amount per unit/Allowance monetary amount per unit content		0 .. 1	<b>amountPerUnit</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/amountPerUnit
137	BDT00000620		1 .. 1	<b>Charge monetary amount per unit content</b>		0 .. 1	<b>amountPerUnit</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Charge information/Charge monetary amount per unit/Charge monetary amount per unit content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/amountPerUnit
137	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance monetary amount per unit/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/amountPerUnit/@currencyCode
137	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Charge monetary amount per unit/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/amountPerUnit/@currencyCode
137	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance monetary amount per unit/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/amountPerUnit/@codeListVersion
137	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Charge information/Charge monetary amount per unit/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/amountPerUnit/@codeListVersion
138	BDT00000526		1 .. 1	<b>Allowance basis monetary amount content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance basis monetary amount/Allowance basis monetary amount content		0 .. 1	<b>baseAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/baseAmount
138	BDT00000614		1 .. 1	<b>Charge basis monetary amount content</b>		0 .. 1	<b>baseAmount</b>

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Charge information/Charge basis monetary amount/Charge basis monetary amount content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/baseAmount
138	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance basis monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/baseAmount/@currencyCode
138	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Charge basis monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/baseAmount/@currencyCode
138	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance basis monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/baseAmount/@codeListVersion
138	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Charge information/Charge basis monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/baseAmount/@codeListVersion
138	BDT00000533		1 .. 1	<b>Allowance quantity basis content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance quantity basis/Allowance quantity basis content		0 .. 1	<b>baseNumberOfUnits</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/baseNumberOfUnits
138	BDT00000753		1 .. 1	<b>Charge quantity basis content</b> <i>Path:</i> Invoice/Invoice line/Charge		0 .. 1	<b>baseNumberOfUnits</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Charge quantity basis/ Charge quantity basis content			invoiceAllowanceCharge/baseNumberOfUnits
138	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance quantity basis/ Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/baseNumberOfUnits/ @measurementUnitCode
138	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Charge quantity basis/ Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/baseNumberOfUnits/ @measurementUnitCode
139	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance quantity basis/ Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/baseNumberOfUnits/ @codeListVersion
139	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Charge information/Charge quantity basis/ Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/baseNumberOfUnits/ @codeListVersion
139	BDT00000012	.. 80	0 .. 1	<b>Bracket criteria</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Bracket criteria	1 .. 80	0 .. 1	<b>bracketIdentifier</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/bracketIdentifier
139	BDT00000012	.. 80	0 .. 1	<b>Bracket criteria</b> <i>Path:</i> Invoice/Invoice line/Charge information/Bracket criteria	1 .. 80	0 .. 1	<b>bracketIdentifier</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/bracketIdentifier
139	BDT00000530	.. 80	1 .. 1	<b>Allowance effective date type code content</b>	1 .. 80	0 .. 1	<b>effectiveDateType</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Allowance information/Allowance effective date type code/Allowance effective date type code content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/effectiveDateType
139	BDT000000615	.. 80	1 .. 1	<b>Charge effective date type code content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Charge effective date type code/Charge effective date type code content	1 .. 80	0 .. 1	<b>effectiveDateType</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/effectiveDateType
139	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance effective date type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/effectiveDateType/@codeListVersion
139	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Charge information/Charge effective date type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/effectiveDateType/@codeListVersion
139	BDT000000014		0 .. 1	<b>Calculation sequence number</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Calculation sequence number		0 .. 1	<b>sequenceNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/sequenceNumber
139	BDT000000014		0 .. 1	<b>Calculation sequence number</b> <i>Path:</i> Invoice/Invoice line/Charge information/Calculation sequence number		0 .. 1	<b>sequenceNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/sequenceNumber
140	BDT000000534	.. 80	1 .. 1	<b>Special service type code content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Special service type code/Special service type code content	1 .. 80	0 .. 1	<b>specialServiceType</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/specialServiceType
	BDT000000534						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
140		.. 80	1 .. 1	<b>Special service type code content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Special service type code/ Special service type code content	1 .. 80	0 .. 1	<b>specialServiceType</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/specialServiceType
140	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Special service type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/specialServiceType/ @codeListVersion
140	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Charge information/Special service type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/specialServiceType/ @codeListVersion
140	BDT000000527	.. 70	1 .. 1	<b>Allowance description content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance description/ Allowance description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/allowanceChargeDescription/ description
140	BDT000000573	.. 70	1 .. 1	<b>Charge description content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Charge description/Charge description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/allowanceChargeDescription/ description
140	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Allowance description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/allowanceChargeDescription/ description/@languageCode
140	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Charge description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/allowanceChargeDescription/ description/@languageCode
140	BDT000000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Allowance information/Allowance description/ Language code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/allowanceChargeDescription/ description/@codeListVersion
140	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Charge information/Charge description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/allowanceChargeDescription/ description/@codeListVersion
141	BDT000000538	.. 80	1 .. 1	<b>Tax accounting currency code content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/ Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	<b>dutyFeeTaxAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxAccountingCurrency
141	BDT000000538	.. 80	1 .. 1	<b>Tax accounting currency code content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/ Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	<b>dutyFeeTaxAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxAccountingCurrency
141	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/ Tax accounting currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxAccountingCurrency/@codeListVersion
141	BDT000000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/ Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxAgencyName
141	BDT000000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/ Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxAgencyName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
141	BDT00000562		1 .. 1	<b>Tax monetary amount content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax monetary amount/Tax monetary amount content		0 .. 1	<b>dutyFeeTaxAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount
141	BDT00000562		1 .. 1	<b>Tax monetary amount content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax monetary amount/Tax monetary amount content		0 .. 1	<b>dutyFeeTaxAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount
141	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount/@currencyCode
141	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount/@currencyCode
141	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount/@codeListVersion
142	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmount/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
142	BDT00000561		1 .. 1	<b>Tax monetary amount in accounting currency content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content		0 .. 1	<b>dutyFeeTaxAmountInAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency
142	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency/@currencyCode
142	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxAmountInAccountingCurrency/@codeListVersion
142	BDT00000559		1 .. 1	<b>Taxable monetary amount content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Taxable monetary amount/Taxable monetary amount content		0 .. 1	<b>dutyFeeTaxBasisAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmount
142	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Taxable monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmount/@currencyCode
142	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Taxable monetary amount/Currency code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmount/@codeListVersion
142	BDT00000560		1 .. 1	<b>Taxable monetary amount in accounting currency content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content		0 .. 1	<b>dutyFeeTaxBasisAmountInAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency
142	BDT00000561		1 .. 1	<b>Tax monetary amount in accounting currency content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content		0 .. 1	<b>dutyFeeTaxBasisAmountInAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency
142	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency/@currencyCode
143	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency/@currencyCode

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
143	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency/@codeListVersion
143	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxBasisAmountInAccountingCurrency/@codeListVersion
143	BDT00000537	.. 80	1 .. 1	<b>Tax category code content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax category code/Tax category code content	1 .. 80	0 .. 1	<b>dutyFeeTaxCategoryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxCategoryCode
143	BDT00000537	.. 80	1 .. 1	<b>Tax category code content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax category code/Tax category code content	1 .. 80	0 .. 1	<b>dutyFeeTaxCategoryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxCategoryCode
143	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax category code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxCategoryCode/@codeListVersion
143	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax category code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxCategoryCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
143	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxDescription
143	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxDescription
143	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxDescription/@languageCode
144	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxDescription/@languageCode
144	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxDescription/@codeListVersion
144	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxDescription/@codeListVersion
144	BDT00000574	.. 70	1 .. 1	<b>Tax exemption reason description content</b> <i>Path:</i> Invoice/Invoice line/Allowance	1 .. 80	0 .. 1	<b>dutyFeeTaxExemptionDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Applicable tax information/ Tax exemption reason description/Tax exemption reason description content			invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxExemptionDescription
144	BDT00000574	.. 70	1 .. 1	<b>Tax exemption reason description content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/ Tax exemption reason description/Tax exemption reason description content	1 .. 80	0 .. 1	<b>dutyFeeTaxExemptionDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxExemptionDescription
144	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/ Tax exemption reason description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxExemptionDescription/@languageCode
144	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/ Tax exemption reason description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxExemptionDescription/@languageCode
144	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/ Tax exemption reason description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxExemptionDescription/@codeListVersion
144	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/ Tax exemption reason description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxExemptionDescription/@codeListVersion
144	BDT00000575	.. 80	1 .. 1	<b>Tax exemption reason code content</b> <i>Path:</i> Invoice/Invoice line/Allowance	1 .. 80	0 .. 1	<b>dutyFeeTaxExemptionReason</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Applicable tax information/ Tax exemption reason code/Tax exemption reason code content			invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxExemptionReason
145	BDT00000575	.. 80	1 .. 1	<b>Tax exemption reason code content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/ Tax exemption reason code/Tax exemption reason code content	1 .. 80	0 .. 1	<b>dutyFeeTaxExemptionReason</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxExemptionReason
145	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/ Tax exemption reason code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxExemptionReason/@codeListVersion
145	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/ Tax exemption reason code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxExemptionReason/@codeListVersion
145	BDT00000371		0 .. 1	<b>Tax rate</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/ Tax rate		0 .. 1	<b>dutyFeeTaxPercentage</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxPercentage
145	BDT00000371		0 .. 1	<b>Tax rate</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/ Tax rate		0 .. 1	<b>dutyFeeTaxPercentage</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxPercentage
145	BDT00000377		0 .. 1	<b>Tax point date</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/ Tax point date		0 .. 1	<b>dutyFeeTaxPointDate</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceAllowanceCharge/leviedDutyFeeTax/ dutyFeeTaxPointDate

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
145	BDT00000377		0 .. 1	<b>Tax point date</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax point date		0 .. 1	<b>dutyFeeTaxPointDate</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxPointDate
145	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxTypeCode
145	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxTypeCode
145	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Allowance information/Applicable tax information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxTypeCode/@codeListVersion
146	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Charge information/Applicable tax information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceAllowanceCharge/leviedDutyFeeTax/dutyFeeTaxTypeCode/@codeListVersion
146	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/contactTypeCode
146	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/contactTypeCode/@codeListVersion
146	BDT00000112	.. 70	0 .. 1	<b>Person name</b>	1 .. 70	0 .. 1	<b>personName</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Person name			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/personName
146	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/departmentName
146	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/jobTitle
146	BDT000000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/responsibility
146	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/responsibility/@languageCode
146	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/responsibility/@codeListVersion
146	BDT000000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Communication information/Communication channel	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
147	BDT00000028	.. 35	0 .. 1	code/Communication channel code content <b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/communicationChannel/communicationChannelCode/@codeListVersion
147	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/communicationChannel/communicationValue
147	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/communicationChannel/communicationChannelName
147	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/afterHoursCommunicationChannel/communicationChannelCode
147	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/After hours communication information/Communication channel code/Communication channel code	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
147	BDT00000032	.. 200	1 .. 1	content/Code list version <b>Communication channel identification</b> <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/afterHoursCommunicationChannel/communicationValue
147	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Invoice line/Contact for invoiced trade item information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemContact/afterHoursCommunicationChannel/communicationChannelName
147	BDT000000599		1 .. 1	<b>Total line item net monetary amount including tax content</b> <i>Path:</i> Invoice/Invoice line/Total line item net monetary amount including tax/Total line item net monetary amount including tax content		0 .. 1	<b>amountExclusiveAllowancesCharges</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemInformationAfterTaxes/amountExclusiveAllowancesCharges
147	BDT000000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Total line item net monetary amount including tax/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemInformationAfterTaxes/amountExclusiveAllowancesCharges/@currencyCode
147	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Total line item net monetary amount including tax/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemInformationAfterTaxes/amountExclusiveAllowancesCharges/@codeListVersion
148	BDT000000597		1 .. 1	<b>Total line item gross monetary amount including tax content</b> <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount including tax/Total line item gross monetary amount		0 .. 1	<b>amountInclusiveAllowancesCharges</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineItemInformationAfterTaxes/amountInclusiveAllowancesCharges

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
148	BDT00000589	.. 80	1 .. 1	including tax content <b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount including tax/ Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceLineItemInformationAfterTaxes/ amountInclusiveAllowancesCharges/@currencyCode
148	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Total line item gross monetary amount including tax/ Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceLineItemInformationAfterTaxes/ amountInclusiveAllowancesCharges/@codeListVersion
148	BDT00000538	.. 80	1 .. 1	<b>Tax accounting currency code content</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	<b>dutyFeeTaxAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceLineTaxInformation/ dutyFeeTaxAccountingCurrency
148	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax accounting currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceLineTaxInformation/ dutyFeeTaxAccountingCurrency/@codeListVersion
148	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceLineTaxInformation/dutyFeeTaxAgencyName
148	BDT00000562		1 .. 1	<b>Tax monetary amount content</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax monetary amount/Tax monetary amount content		0 .. 1	<b>dutyFeeTaxAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceLineTaxInformation/dutyFeeTaxAmount
148	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax monetary amount/ Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ invoiceLineTaxInformation/dutyFeeTaxAmount/ @currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
148	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxAmount/@codeListVersion
148	BDT000000561		1 .. 1	<b>Tax monetary amount in accounting currency content</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content		0 .. 1	<b>dutyFeeTaxAmountInAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxAmountInAccountingCurrency
149	BDT000000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxAmountInAccountingCurrency/@currencyCode
149	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax monetary amount in accounting currency/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxAmountInAccountingCurrency/@codeListVersion
149	BDT000000559		1 .. 1	<b>Taxable monetary amount content</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Taxable monetary amount/Taxable monetary amount content		0 .. 1	<b>dutyFeeTaxBasisAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxBasisAmount
149	BDT000000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Taxable monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxBasisAmount/@currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
149	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Taxable monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxBasisAmount/@codeListVersion
149	BDT00000560		1 .. 1	<b>Taxable monetary amount in accounting currency content</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content		0 .. 1	<b>dutyFeeTaxBasisAmountInAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxBasisAmountInAccountingCurrency
149	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxBasisAmountInAccountingCurrency/@currencyCode
149	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxBasisAmountInAccountingCurrency/@codeListVersion
149	BDT00000537	.. 80	1 .. 1	<b>Tax category code content</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax category code/Tax category code content	1 .. 80	0 .. 1	<b>dutyFeeTaxCategoryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxCategoryCode
149	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax category code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxCategoryCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
150	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxDescription
150	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxDescription/@languageCode
150	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxDescription/@codeListVersion
150	BDT00000574	.. 70	1 .. 1	<b>Tax exemption reason description content</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax exemption reason description/Tax exemption reason description content	1 .. 80	0 .. 1	<b>dutyFeeTaxExemptionDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxExemptionDescription
150	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax exemption reason description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxExemptionDescription/@languageCode
150	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax exemption reason description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxExemptionDescription/@codeListVersion
150	BDT00000575	.. 80	1 .. 1	<b>Tax exemption reason code content</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax exemption reason	1 .. 80	0 .. 1	<b>dutyFeeTaxExemptionReason</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxExemptionReason

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Tax exemption reason code content			
150	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax exemption reason code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxExemptionReason/@codeListVersion
150	BDT00000371		0 .. 1	<b>Tax rate</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax rate		0 .. 1	<b>dutyFeeTaxPercentage</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxPercentage
150	BDT00000377		0 .. 1	<b>Tax point date</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax point date		0 .. 1	<b>dutyFeeTaxPointDate</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxPointDate
151	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxTypeCode
151	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Applicable tax information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/invoiceLineTaxInformation/dutyFeeTaxTypeCode/@codeListVersion
151	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/entityIdentification
151	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/contentOwner/gln

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
151	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/contentOwner/additionalPartyIdentification
151	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
151	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/contentOwner/additionalPartyIdentification/@codeListVersion
151	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/creationDateTime
151	BDT00000119		0 .. 1	<b>Revision number</b>		0 .. 1	<b>revisionNumber</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Revision number			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/revisionNumber
151	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/lineItemNumber
152	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/referencedDocumentUrl
152	BDT00000758	.. 80	0 .. 1	<b>Logistics service business document type code content</b> <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Logistics service business document type code/Logistics service business document type code content	1 .. 80	1 .. 1	<b>logisticServiceReferenceTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/logisticServiceReferenceTypeCode
152	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Referenced logistics service document information/Logistics service business document type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/logisticServiceReference/logisticServiceReferenceTypeCode/@codeListVersion
152	BDT00000691	.. 80	1 .. 1	<b>Payment method code content</b> <i>Path:</i> Invoice/Invoice line/Payment method information/Payment method code/Payment method code content	1 .. 80	1 .. 1	<b>paymentMethodCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/paymentMethod/paymentMethodCode
152	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Payment method	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Payment method code/ Code list version			paymentMethod/paymentMethodCode/@codeListVersion
152	BDT00000110	.. 35	0 .. 1	<b>Payment method identification</b> <i>Path:</i> Invoice/Invoice line/Payment method information/Payment method identification	1 .. 200	0 .. 1	<b>paymentMethodIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ paymentMethod/paymentMethodIdentification
152	BDT00000565		1 .. 1	<b>Automated clearing house payment format code content</b> <i>Path:</i> Invoice/Invoice line/Payment method information/Automated clearing house payment format code/Automated clearing house payment format code content	1 .. 80	0 .. 1	<b>automatedClearingHousePaymentFormat</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ paymentMethod/ automatedClearingHousePaymentFormat
152	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Payment method information/Automated clearing house payment format code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ paymentMethod/ automatedClearingHousePaymentFormat/ @codeListVersion
152	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Invoice line/Referenced promotional deal information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ promotionalDeal/entityIdentification
152	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Invoice line/Referenced promotional deal information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ promotionalDeal/contentOwner/gln
153	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Referenced promotional deal information/Document	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ promotionalDeal/contentOwner/

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content owner/Additional party identification information/Additional party identification content			additionalPartyIdentification
153	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/promotionalDeal/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
153	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/promotionalDeal/contentOwner/additionalPartyIdentification/@codeListVersion
153	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Invoice line/Referenced promotional deal information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/promotionalDeal/creationDateTime
153	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Invoice line/Referenced promotional deal information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/promotionalDeal/revisionNumber
153	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Invoice line/Referenced promotional deal information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/promotionalDeal/lineItemNumber

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
153	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Invoice line/Referenced promotional deal information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUri</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/promotionalDeal/referencedDocumentUri
153	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Invoice line/Referenced purchase conditions information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseConditions/entityIdentification
153	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Invoice line/Referenced purchase conditions information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseConditions/contentOwner/gln
153	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Referenced purchase conditions information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseConditions/contentOwner/additionalPartyIdentification
154	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Referenced purchase conditions information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseConditions/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
154	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Referenced	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				purchase conditions information/ Document content owner/Additional party identification information/ Additional party identification type code/Code list version			purchaseConditions/contentOwner/ additionalPartyIdentification/@codeListVersion
154	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Invoice line/Referenced purchase conditions information/ Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ purchaseConditions/creationDateTime
154	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Invoice line/Referenced purchase conditions information/ Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ purchaseConditions/revisionNumber
154	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Invoice line/Referenced purchase conditions information/ Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ purchaseConditions/lineItemNumber
154	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Invoice line/Referenced purchase conditions information/ Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ purchaseConditions/referencedDocumentUrl
154	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/ Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseOrder/ entityIdentification
154	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/ Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseOrder/ contentOwner/gln

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
154	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/ Document content owner/Additional party identification information/ Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseOrder/ contentOwner/additionalPartyIdentification
154	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/ Document content owner/Additional party identification information/ Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseOrder/ contentOwner/additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
155	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/ Document content owner/Additional party identification information/ Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseOrder/ contentOwner/additionalPartyIdentification/ @codeListVersion
155	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/ Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseOrder/ creationDateTime
155	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/ Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/purchaseOrder/ revisionNumber

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
155	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/Document line number	0 .. 1		<b>lineltemNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineltem/purchaseOrder/lineltemNumber
155	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Invoice line/Referenced purchase order document information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineltem/purchaseOrder/referencedDocumentUrl
155	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Invoice line/Referenced receiving advice information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineltem/receivingAdvice/entityIdentification
155	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Invoice line/Referenced receiving advice information/Document content owner/Global location number GLN	0 .. 1		<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineltem/receivingAdvice/contentOwner/gln
155	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineltem/receivingAdvice/contentOwner/additionalPartyIdentification
155	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineltem/receivingAdvice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
155	BDT00000028	.. 35	0 .. 1	party identification type code content <b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/receivingAdvice/contentOwner/additionalPartyIdentification/@codeListVersion
156	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Invoice line/Referenced receiving advice information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/receivingAdvice/creationDateTime
156	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Invoice line/Referenced receiving advice information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/receivingAdvice/revisionNumber
156	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Invoice line/Referenced receiving advice information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/receivingAdvice/lineItemNumber
156	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Invoice line/Referenced receiving advice information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/receivingAdvice/referencedDocumentUrl
156	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesOrder/entityIdentification
156	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b>		0 .. 1	<b>gln</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Document content owner/Global location number GLN			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesOrder/contentOwner/gln
156	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesOrder/contentOwner/additionalPartyIdentification
156	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
156	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesOrder/contentOwner/additionalPartyIdentification/@codeListVersion
156	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesOrder/creationDateTime
157	BDT00000119		0 .. 1	<b>Revision number</b>		0 .. 1	<b>revisionNumber</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Revision number			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesOrder/revisionNumber
157	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Document line number	0 .. 1		<b>lineItemNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesOrder/lineItemNumber
157	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Invoice line/Referenced sales order document information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/salesOrder/referencedDocumentUrl
157	BDT00000009		0 .. 1	<b>Begin period date</b> <i>Path:</i> Invoice/Invoice line/Invoiced service delivery period/Begin period date	0 .. 1		<b>beginDate</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/servicetimePeriodLineLevel/beginDate
157	BDT00000010		0 .. 1	<b>Begin time period</b> <i>Path:</i> Invoice/Invoice line/Invoiced service delivery period/Begin time period	0 .. 1		<b>beginTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/servicetimePeriodLineLevel/beginTime
157	BDT00000054		0 .. 1	<b>End date period</b> <i>Path:</i> Invoice/Invoice line/Invoiced service delivery period/End date period	0 .. 1		<b>endDate</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/servicetimePeriodLineLevel/endDate
157	BDT00000055		0 .. 1	<b>End time period</b> <i>Path:</i> Invoice/Invoice line/Invoiced service delivery period/End time period	0 .. 1		<b>endTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/servicetimePeriodLineLevel/endTime
157	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Global location number GLN	0 .. 1		<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/gln
157	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Ship from party	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional party identification information/Additional party identification content			additionalPartyIdentification
157	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
158	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/additionalPartyIdentification/@codeListVersion
158	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/city
158	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/cityCode
158	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/countryCode
158	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship from party	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/ Country code/Code list version			address/countryCode/@codeListVersion
158	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ address/countyCode
158	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ address/crossStreet
158	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ address/name
158	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ address/pOBoxNumber
158	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ address/postalCode
159	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/ Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ address/provinceCode
159	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ address/state

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
159	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/streetAddressOne
159	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/streetAddressTwo
159	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/streetAddressThree
159	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/geographicalCoordinates/latitude
159	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/address/geographicalCoordinates/longitude
159	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/contactTypeCode
159	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/contactTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Contact type code/Code list version			
159	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/personName
160	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/departmentName
160	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/jobTitle
160	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/responsibility
160	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/responsibility/@languageCode
160	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship from party	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Business contact responsibility description/Language code/Code list version			contact/responsibility/@codeListVersion
160	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ contact/communicationChannel/ communicationChannelCode
160	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ contact/communicationChannel/ communicationChannelCode/@codeListVersion
160	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ contact/communicationChannel/communicationValue
160	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ contact/communicationChannel/ communicationChannelName
	BDT00000525						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
160			1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/afterHoursCommunicationChannel/communicationChannelCode
161	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
161	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/afterHoursCommunicationChannel/communicationValue
161	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/contact/afterHoursCommunicationChannel/communicationChannelName
161	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax registration identification information/Tax	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
161	BDT00000583	.. 80	1 .. 1	registration identification content <b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
161	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
161	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
161	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax registration identification information/Identification	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme information/Identification scheme name			
161	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
161	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
162	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
162	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription
162	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
162	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax description/Language	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
162	BDT00000588	.. 80	1 .. 1	code/Code list version <b>Tax registration type code content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
162	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
162	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/organisationName
162	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/issuedCapital
162	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/issuedCapital/@currencyCode
162	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/issuedCapital/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
163	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/legalStructure
163	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/legalStructure/@languageCode
163	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/legalStructure/@codeListVersion
163	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/city
163	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/cityCode
163	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Country	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
163	BDT00000028	.. 35	0 .. 1	code/Country code content <b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/countryCode/@codeListVersion
163	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/countyCode
163	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/pOBBoxNumber
163	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/postalCode
164	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/provinceCode
164	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/state
	BDT00000128						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
164		.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/streetAddressOne
164	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/streetAddressTwo
164	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/streetAddressThree
164	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/geographicalCoordinates/latitude
164	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/officialAddress/geographicalCoordinates/longitude
164	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/legalRegistration/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Registered legal information/Legal registration number			legalRegistrationNumber
164	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/legalRegistration/legalRegistrationType
164	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
165	BDT000000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
165	BDT000000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/financialInstitutionName
165	BDT000000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Financial	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/financialInstitutionBranchName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
165	BDT000000059	.. 80	1 .. 1	institution division name <b>Financial account number</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumber
165	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
165	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
165	BDT000000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/financialAccount/financialAccountName
165	BDT000000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/financialRoutingNumber/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial institution routing number information/Financial routing number			financialRoutingNumber
165	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
165	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/financialRoutingNumberTypeCode/@codeListVersion
166	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/additionalFinancialInformation/description
166	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Additional	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/additionalFinancialInformation/description/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial institution description/ Language code/Language code content			@languageCode
166	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
166	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ financialInstitutionInformation/address/city
166	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ financialInstitutionInformation/address/cityCode
166	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ financialInstitutionInformation/address/countryCode
166	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/ financialInstitutionInformation/address/countryCode/ @codeListVersion

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
166	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/countyCode
166	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/crossStreet
166	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/name
167	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/pOBoxNumber
167	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/postalCode
167	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/provinceCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
167	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/state
167	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/streetAddressOne
167	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/streetAddressTwo
167	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/streetAddressThree
167	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/geographicalCoordinates/latitude
167	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice line/Ship from party information/Financial institution and financial account information/Address	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipFrom/financialInstitutionInformation/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Geographical coordinates information/Longitude			
167	BDT00000500	4 .. 30	0 .. 1	<b>Global shipment identification number, GSIN</b> <i>Path:</i> Invoice/Invoice line/Shipment information/Shipment identification/ Global shipment identification number, GSIN	0 .. 1		<b>gsin</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ shipmentReference/shipmentIdentification/gsin
168	BDT00000517	.. 80	1 .. 1	<b>Additional shipment identification content</b> <i>Path:</i> Invoice/Invoice line/Shipment information/Shipment identification/ Additional shipment identification information/Additional shipment identification content	1 .. 80	0 .. unbounded	<b>additionalShipmentIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ shipmentReference/shipmentIdentification/ additionalShipmentIdentification
168	BDT00000515	.. 80	1 .. 1	<b>Additional shipment identification type code content</b> <i>Path:</i> Invoice/Invoice line/Shipment information/Shipment identification/ Additional shipment identification information/Additional shipment identification type code/Additional shipment identification type code content	1 .. 80		<b>additionalShipmentIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ shipmentReference/shipmentIdentification/ additionalShipmentIdentification/ @additionalShipmentIdentificationTypeCode
168	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Shipment information/Shipment identification/ Additional shipment identification information/Additional shipment identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ shipmentReference/shipmentIdentification/ additionalShipmentIdentification/@codeListVersion
	BDT00000063						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
168		13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/shipper/gln
168	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/shipper/additionalPartyIdentification
168	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/shipper/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
168	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Shipment information/Shipper party identification/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/shipper/additionalPartyIdentification/@codeListVersion
168	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Invoice/Invoice line/Shipment information/Goods receiving party identification/Global location number,		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/receiver/gln

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				GLN			
168	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Shipment information/Goods receiving party identification/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/receiver/additionalPartyIdentification
168	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Shipment information/Goods receiving party identification/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/receiver/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
169	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Shipment information/Goods receiving party identification/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipmentReference/receiver/additionalPartyIdentification/@codeListVersion
169	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/gln
169	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Additional party identification information/Additional	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/additionalPartyIdentification

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
169	BDT00000570	.. 80	1 .. 1	party identification content <b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
169	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/additionalPartyIdentification/@codeListVersion
169	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/city
169	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/cityCode
169	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/countryCode
169	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/countryCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
169	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/countyCode
170	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/crossStreet
170	BDT000000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/name
170	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/pOBoxNumber
170	BDT000000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/postalCode
170	BDT000000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/provinceCode
170	BDT000000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/state
170	BDT000000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Invoice line/Ship to party	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Street address one			streetAddressOne
170	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/streetAddressTwo
170	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/streetAddressThree
170	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/geographicalCoordinates/latitude
171	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/address/geographicalCoordinates/longitude
171	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/contactTypeCode
171	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/contactTypeCode/@codeListVersion

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
171	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/personName
171	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/departmentName
171	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/jobTitle
171	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/responsibility
171	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/responsibility/@languageCode
171	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Business contact	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/responsibility/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
171	BDT00000525		1 .. 1	responsibility description/Language code/Code list version <b>Communication channel code content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/communicationChannel/communicationChannelCode
172	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/communicationChannel/communicationChannelCode/@codeListVersion
172	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/communicationChannel/communicationValue
172	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/communicationChannel/communicationChannelName
172	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Invoice line/Ship to party	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/After hours communication information/Communication channel code/Communication channel code content			afterHoursCommunicationChannel/ communicationChannelCode
172	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
172	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/ afterHoursCommunicationChannel/communicationValue
172	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/contact/ afterHoursCommunicationChannel/ communicationChannelName
172	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
	BDT000000583						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
172		.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
172	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
173	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
173	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
173	BDT00000576	.. 80	1 .. 1	scheme name <b>Tax type code content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
173	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
173	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
173	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxDescription
173	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
173	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
173	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
173	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
174	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/organisationName
174	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/issuedCapital
174	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/issuedCapital/@currencyCode
174	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/issuedCapital/@codeListVersion
174	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b>	1 .. 80	0 .. 1	<b>legalStructure</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Legal structure description/Legal structure description content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/legalStructure
174	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/legalStructure/@languageCode
174	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/legalStructure/@codeListVersion
174	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/city
174	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/cityCode
174	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
175	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/countryCode/@codeListVersion
175	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/countyCode
175	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/crossStreet
175	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/pOBoxNumber
175	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/postalCode
175	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/provinceCode
175	BDT00000127	.. 80	0 .. 1	<b>State</b>	1 .. 80	0 .. 1	<b>state</b>

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/State			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/state
175	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/streetAddressOne
175	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/streetAddressTwo
175	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/streetAddressThree
176	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/geographicalCoordinates/latitude
176	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/officialAddress/geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
176	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/legalRegistration/legalRegistrationNumber
176	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/legalRegistration/legalRegistrationType
176	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
176	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
176	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/financialInstitutionName
176	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b>	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Financial institution division name			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/financialInstitutionBranchName
176	BDT000000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumber
176	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
177	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
177	BDT000000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/financialAccount/financialAccountName
	BDT000000062						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
177		.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
177	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
177	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
177	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/additionalFinancialInformation/description
	BDT00000524						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
177		.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
177	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
177	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/city
177	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/cityCode
178	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/countryCode
178	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Ship to party	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Country code/Code list version			financialInstitutionInformation/address/countryCode/@codeListVersion
178	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/countryCode
178	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/crossStreet
178	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/name
178	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/pOBoxNumber
178	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/postalCode
178	BDT00000117	80 ..	0 .. 1	<b>Province identity</b>	1 .. 80	0 .. 1	<b>provinceCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Province identity			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/provinceCode
178	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/state
178	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/streetAddressOne
179	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/streetAddressTwo
179	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/streetAddressThree
179	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
179	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice line/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/shipTo/financialInstitutionInformation/address/geographicalCoordinates/longitude
179	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeAgreement/entityIdentification
179	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeAgreement/contentOwner/gln
179	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeAgreement/contentOwner/additionalPartyIdentification
179	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeAgreement/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
179	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeAgreement/contentOwner/additionalPartyIdentification/@codeListVersion
179	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeAgreement/creationDateTime
180	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeAgreement/revisionNumber
180	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeAgreement/lineItemNumber
180	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Invoice line/Referenced trade agreement information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeAgreement/referencedDocumentUrl
180	BDT00000488	.. 80	0 .. 1	<b>Classification system name</b> <i>Path:</i> Invoice/Invoice line/Trade item statistical classification information/Classification system name	1 .. 80	0 .. 1	<b>classificationSystemName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeItemStatisticalClassification/classificationSystemName
180	BDT00000489	.. 35	0 .. 1	<b>Classification system version</b> <i>Path:</i> Invoice/Invoice line/Trade item statistical classification information/Classification system version	1 .. 35	0 .. 1	<b>classificationSystemVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeItemStatisticalClassification/classificationSystemVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
180	BDT00000490	.. 80	1 .. 1	<b>Trade item class code</b> <i>Path:</i> Invoice/Invoice line/Trade item statistical classification information/Trade item class code	1 .. 80	1 .. 1	<b>classificationSystemCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/tradeItemStatisticalClassification/classificationSystemCode
180	BDT00000699	.. 80	1 .. 1	<b>Referenced document type code content</b> <i>Path:</i> Invoice/Invoice line/Referenced additional information/Referenced document type code/Referenced document type code content	1 .. 80	1 .. 1	<b>transactionalReferenceTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalGenericReference/transactionalReferenceTypeCode
180	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Referenced additional information/Referenced document type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalGenericReference/transactionalReferenceTypeCode/@codeListVersion
180	BDT00000135	.. 200	1 .. 1	<b>Business document reference identification</b> <i>Path:</i> Invoice/Invoice line/Referenced additional information/Business document reference identification	1 .. 200	1 .. 1	<b>transactionalReferenceValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalGenericReference/transactionalReferenceValue
180	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Invoice line/Referenced additional information/Business document creation date time		0 .. 1	<b>transactionalReferenceDateTime</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalGenericReference/transactionalReferenceDateTime
181	BDT00000066	14 .. 14	0 .. 1	<b>Global trade item number, GTIN</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Global trade item number, GTIN		0 .. 1	<b>gtin</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/gtin
181	BDT00000516	.. 80	1 .. 1	<b>Additional trade item identification content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional	1 .. 80	0 .. unbounded	<b>additionalTradeItemIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/additionalTradeItemIdentification

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
181	BDT00000518	.. 80	1 .. 1	trade item identification content <b>Additional trade item identification type code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional trade item identification type code/Additional trade item identification type code content	1 .. 80		<b>additionalTradelItemIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradelItem/additionalTradelItemIdentification/@additionalTradelItemIdentificationTypeCode
181	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Additional trade item identification information/Additional trade item identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradelItem/additionalTradelItemIdentification/@codeListVersion
181	BDT00000678		1 .. 1	<b>Trade item quantity content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item quantity/Trade item quantity content		0 .. 1	<b>tradelItemQuantity</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradelItem/tradelItemQuantity
181	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item quantity/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradelItem/tradelItemQuantity/@measurementUnitCode
181	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item quantity/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradelItem/tradelItemQuantity/@codeListVersion
181	BDT00000684	.. 70	1 .. 1	<b>Trade item description content</b>	1 .. 200	0 .. 1	<b>tradelItemDescription</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item description/Trade item description content			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemDescription
181	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemDescription/@languageCode
181	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemDescription/@codeListVersion
182	BDT00000115	.. 80	0 .. 1	<b>Product variant</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Product variant	1 .. 80	0 .. 1	<b>productVariantIdentifier</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/productVariantIdentifier
182	BDT00000656	.. 80	1 .. 1	<b>Item type code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Item type code/Item type code content	1 .. 80	0 .. 1	<b>itemTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/itemTypeCode
182	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Item type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/itemTypeCode/@codeListVersion
182	BDT00000700	.. 80	1 .. 1	<b>Trade item transactional data owner code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item transactional data owner code/Trade item transactional data owner code content	1 .. 80	0 .. 1	<b>tradeItemDataOwner</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemDataOwner
182	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item transactional data owner code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemDataOwner/@codeListVersion
182	BDT00000013	.. 35	0 .. 1	<b>Butter fat reference</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Butter fat reference	1 .. 35	0 .. 1	<b>butterFatReference</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/butterFatReference
182	BDT00000007		0 .. 1	<b>Available for sale date</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Available for sale date		0 .. 1	<b>availableForSaleDate</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/availableForSaleDate
182	BDT00000008	.. 80	0 .. 1	<b>Batch number</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Batch number	1 .. 80	0 .. 1	<b>batchNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/batchNumber
182	BDT00000011		0 .. 1	<b>Best before date</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Best before date		0 .. 1	<b>bestBeforeDate</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/bestBeforeDate
182	BDT000000572		1 .. 1	<b>Country of origin code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Country of origin/Country of origin code content	1 .. 80	0 .. 1	<b>countryOfOrigin</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/countryOfOrigin
183	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Country of origin/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/countryOfOrigin/@codeListVersion
183	BDT000000057		0 .. 1	<b>Expiration date</b>		0 .. 1	<b>itemExpirationDate</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Expiration date			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/itemExpirationDate
183	BDT00000090	.. 80	0 .. 1	<b>Lot number</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Lot number	1 .. 80	0 .. 1	<b>lotNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/lotNumber
183	BDT00000104		0 .. 1	<b>Packaging date</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Packaging date		0 .. 1	<b>packagingDate</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/packagingDate
183	BDT00000116		0 .. 1	<b>Production date</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Production date		0 .. 1	<b>productionDate</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/productionDate
183	BDT00000695		1 .. 1	<b>Product quality value content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Product quality value/Product quality value content		0 .. 1	<b>productQualityIndication</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/productQualityIndication
183	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Product quality value/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/productQualityIndication/@measurementUnitCode
183	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Product quality value/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/productQualityIndication/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Measurement unit code/Code list version			
183	BDT00000120		0 .. 1	<b>Sell by date</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Sell by date		0 .. 1	<b>sellByDate</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/sellByDate
183	BDT00000121	.. 20	0 .. unbounded	<b>Serial number</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Serial number	1 .. 20	0 .. unbounded	<b>serialNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/serialNumber
184	BDT00000122	.. 80	0 .. 1	<b>Shelf life</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Shelf life	1 .. 80	0 .. 1	<b>shelfLife</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/shelfLife
184	BDT00000678		1 .. 1	<b>Trade item quantity content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item quantity/Trade item quantity content		0 .. 1	<b>tradeItemQuantity</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/tradeItemQuantity
184	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item quantity/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/tradeItemQuantity/@measurementUnitCode
184	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item quantity/Measurement unit code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/tradeItemQuantity/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
184	BDT00000082		0 .. 1	version <b>Item in contact with food product indicator</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Item in contact with food product indicator		0 .. 1	<b>itemInContactWithFoodProduct</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/itemInContactWithFoodProduct
184	BDT00000666	.. 80	1 .. 1	<b>Measurement type code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Measurement type code/Measurement type code content	1 .. 80	1 .. 1	<b>measurementType</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementType
184	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Measurement type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementType/@codeListVersion
184	BDT00000728		1 .. 1	<b>Trade item weight content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content		1 .. 1	<b>measurementValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementValue
184	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementValue/@measurementUnitCode
184	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item weight information/Measurement unit code/ Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemWeight/measurementValue/@codeListVersion
185	BDT00000666	.. 80	1 .. 1	<b>Measurement type code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume information/Measurement type code/ Measurement type code content	1 .. 80	1 .. 1	<b>measurementType</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemVolume/measurementType
185	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume information/Measurement type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemVolume/measurementType/@codeListVersion
185	BDT00000752		1 .. 1	<b>Trade item volume content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume information/Trade item volume content		1 .. 1	<b>measurementValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemVolume/measurementValue
185	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item volume information/Measurement unit code/ Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemVolume/measurementValue/@measurementUnitCode
185	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Dynamic trade item information/Trade item volume information/Measurement unit code/ Code list version			transactionalTradeItem/transactionalItemData/ transactionalItemVolume/measurementValue/ @codeListVersion
185	BDT00000092		0 .. 1	<b>Maximum value</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Serial number range/ Maximum value		0 .. 1	<b>maximumValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ serialNumberRange/maximumValue
185	BDT00000094		0 .. 1	<b>Minimum value</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Serial number range/ Minimum value		0 .. 1	<b>minimumValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ serialNumberRange/minimumValue
185	BDT00000661		1 .. 1	<b>Depth measurement content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item measurements information/Depth measurement/Depth measurement content		1 .. 1	<b>depth</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/depth
185	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item measurements information/Depth measurement/ Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/depth/ @measurementUnitCode
185	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Trade item measurements information/Depth measurement/ Measurement unit code/Code list version			transactionalItemDimensions/depth/@codeListVersion
186	BDT00000650		1 .. 1	<b>Height measurement content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/Height measurement content		1 .. 1	<b>height</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/height
186	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/ Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/height/ @measurementUnitCode
186	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/ Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/height/@codeListVersion
186	BDT00000662		1 .. 1	<b>Width measurement content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Width measurement content		1 .. 1	<b>width</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/ transactionalTradeItem/transactionalItemData/ transactionalItemDimensions/width
	BDT00000607						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
186		.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/width/@measurementUnitCode
186	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/width/@codeListVersion
186	BDT000000095		0 .. 1	<b>Number of layers</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of layers		0 .. 1	<b>numberOfLayers</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/numberOfLayers
186	BDT000000096		0 .. 1	<b>Number of units per layer</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of units per layer		0 .. 1	<b>numberOfUnitsPerLayer</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/numberOfUnitsPerLayer
186	BDT000000097		0 .. 1	<b>Number of units per platform</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of units per		0 .. 1	<b>numberOfUnitsPerPallet</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/numberOfUnitsPerPallet

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
186	BDT00000663	.. 80	1 .. 1	platform <b>Packaging terms and conditions code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Packaging terms and conditions code/Packaging terms and conditions code content	1 .. 80	0 .. 1	<b>packagingTerms</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packagingTerms
187	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Packaging terms and conditions code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packagingTerms/@codeListVersion
187	BDT00000664	.. 80	1 .. 1	<b>Package type code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Package type code/Package type code content	1 .. 80	0 .. 1	<b>packageTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packageTypeCode
187	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Package type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/packageTypeCode/@codeListVersion
187	BDT00000091		1 .. 1	<b>Maximum stacking factor</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item		1 .. 1	<b>maximumStackingFactor</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Logistic unit packaging pattern information/Maximum stacking factor			transactionalItemLogisticUnitInformation/maximumStackingFactor
187	BDT00000665	.. 80	1 .. 1	<b>Returnable package return transport payment code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Returnable package return transport payment code/Returnable package return transport payment code content	1 .. 80	0 .. 1	<b>returnablePackageTransportCostPayment</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/returnablePackageTransportCostPayment
187	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Returnable package return transport payment code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/returnablePackageTransportCostPayment/@codeListVersion
187	BDT00000661		1 .. 1	<b>Depth measurement content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Depth measurement/Depth measurement content		1 .. 1	<b>depth</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/depth
187	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				pattern information/Logistic unit dimensions information/Depth measurement/Measurement unit code/Measurement unit code content			dimensionsOfLogisticUnit/depth/@measurementUnitCode
187	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Depth measurement/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/depth/@codeListVersion
187	BDT000000650		1 .. 1	<b>Height measurement content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Height measurement/Height measurement content		1 .. 1	<b>height</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/height
188	BDT000000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Height measurement/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/height/@measurementUnitCode
188	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Logistic unit packaging pattern information/Logistic unit dimensions information/Height measurement/Measurement unit code/Code list version			transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/height/@codeListVersion
188	BDT00000662		1 .. 1	<b>Width measurement content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Width measurement/Width measurement content		1 .. 1	<b>width</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/width
188	BDT00000607	.. 80	1 .. 1	<b>Measurement unit code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Width measurement/Measurement unit code/Measurement unit code content	1 .. 80		<b>measurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/width/@measurementUnitCode
188	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Logistic unit dimensions information/Width measurement/Measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/dimensionsOfLogisticUnit/width/@codeListVersion
188	BDT00000646	.. 80	1 .. 1	<b>GS1 global trade item number format code content</b>	1 .. 80	0 .. 1	<b>gs1TransactionalItemIdentificationKey</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/GS1 global trade item number format code/GS1 global trade item number format code content			transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/gs1TransactionalItemIdentificationKey
188	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/GS1 global trade item number format code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/gs1TransactionalItemIdentificationKey/@codeListVersion
188	BDT000000639	.. 80	1 .. 1	<b>Data carrier type code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/Data carrier type code/Data carrier type code content	1 .. 80	0 .. 1	<b>dataCarrier</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/dataCarrier
188	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Global trade item number format and type of carrier information/Data carrier type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/dataCarrier/@codeListVersion
188	BDT00000138		0 .. 1	<b>Waste identification</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item waste		0 .. 1	<b>wasteIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/wasteIdentification

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
189	BDT00000702	.. 80	1 .. 1	information/Waste identification <b>Waste type code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Waste type code content	1 .. 80	0 .. unbounded	<b>typeOfWaste</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste
189	BDT00000022	.. 80	0 .. 1	<b>Code description</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code description	1 .. 80		<b>codeDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeDescription
189	BDT00000023	.. 80	0 .. 1	<b>Code list agency code</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list agency code	1 .. 80		<b>codeListAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListAgencyCode
189	BDT00000024	.. 35	0 .. 1	<b>Code list agency code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list agency code list version	1 .. 35		<b>codeListAgencyCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListAgencyCodeListVersion
189	BDT00000025	.. 80	0 .. 1	<b>Code list agency name</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list	1 .. 80		<b>codeListAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListAgencyName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
189	BDT000000026	.. 80	0 .. 1	agency name <b>Code list name</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list name	1 .. 80		<b>codeListName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListName
189	BDT000000027	.. 500	0 .. 1	<b>Code list URL</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list URL			<b>codeListURI</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListURI
189	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item waste information/Waste type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/typeOfWaste/@codeListVersion
189	BDT000000081		1 .. 1	<b>Trade item organic indicator</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item organic information/Trade item organic indicator		1 .. 1	<b>isTradeItemOrganic</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemOrganicInformation/isTradeItemOrganic
189	BDT000000015	.. 200	0 .. 1	<b>Certification agency name</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item organic information/Organic certification information/Certification agency name	1 .. 200	0 .. 1	<b>itemCertificationAgency</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemOrganicInformation/organicCertification/itemCertificationAgency

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
190	BDT00000016	.. 200	0 .. 1	<b>Certification standard name</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item organic information/Organic certification information/Certification standard name	1 .. 200	0 .. 1	<b>itemCertificationStandard</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemOrganicInformation/organicCertification/itemCertificationStandard
190	BDT00000017	.. 200	0 .. 1	<b>Certification value</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Dynamic trade item information/Trade item organic information/Organic certification information/Certification value	1 .. 200	0 .. 1	<b>itemCertificationValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/transactionalItemData/transactionalItemOrganicInformation/organicCertification/itemCertificationValue
190	BDT00000736		1 .. 1	<b>Colour code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Colour information/Colour code/Colour code content	1 .. 80	0 .. 1	<b>colourCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/colour/colourCode
190	BDT00000029	.. 80	1 .. 1	<b>Colour code system code</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Colour information/Colour code/Colour code system code	1 .. 80		<b>colourCodeListCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/colour/colourCode/@colourCodeListCode
190	BDT00000030	.. 80	0 .. 1	<b>Colour code system description</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Colour information/Colour code/Colour code system description	1 .. 80		<b>colourCodeListDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/colour/colourCode/@colourCodeListDescription
190	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Colour information/Colour code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/colour/colourCode/@codeListVersion
190	BDT00000031	.. 35	0 .. 1	<b>Colour code system version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item	1 .. 35		<b>colourCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
190	BDT00000737	.. 70	1 .. 1	information/Colour information/Colour code/Colour code system version <b>Colour description content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Colour information/Colour description/Colour description content	1 .. 80	0 .. unbounded	transactionalTradeltem/colour/colourCode/@colourCodeListVersion <b>colourDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeltem/colour/colourDescription
190	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Colour information/Colour description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeltem/colour/colourDescription/@languageCode
190	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Colour information/Colour description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeltem/colour/colourDescription/@codeListVersion
191	BDT00000679	.. 70	1 .. 1	<b>Size description content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Size information/Size description/Size description content	1 .. 80	0 .. 1	<b>descriptiveSize</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeltem/size/descriptiveSize
191	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Size information/Size description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeltem/size/descriptiveSize/@languageCode
191	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Size information/Size description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeltem/size/descriptiveSize/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
191	BDT00000680	.. 80	1 .. 1	<b>Size code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Size information/Size code/Size code content	1 .. 80	0 .. 1	<b>sizeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/size/sizeCode
191	BDT00000681	.. 80	1 .. 1	<b>Size code list code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Size information/Size code/Size code list code/Size code list code content	1 .. 80		<b>sizeCodeListCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/size/sizeCode/@sizeCodeListCode
191	BDT00000124	.. 80	0 .. 1	<b>Size code list description</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Size information/Size code/Size code list description	1 .. 80		<b>sizeCodeListDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/size/sizeCode/@sizeCodeListDescription
191	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Size information/Size code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/size/sizeCode/@codeListVersion
191	BDT00000125	.. 35	0 .. 1	<b>Size code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Size information/Size code/Size code list version	1 .. 35		<b>sizeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/size/sizeCode/@sizeCodeListVersion
191	BDT00000070	.. 8	1 .. 1	<b>GS1 global product classification GPC brick code</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/GS1 global product classification GPC brick code		1 .. 1	<b>gpcCategoryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemClassification/gpcCategoryCode
191	BDT00000536	.. 80	1 .. 1	<b>Alternative trade item product classification code content</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item	1 .. 80	0 .. unbounded	<b>additionalTradeItemClassificationCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemClassification/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Trade item classification information/Alternative trade item product classification code/Alternative trade item product classification code content			additionalTradelItemClassificationCode
192	BDT00000002	.. 80	0 .. 1	<b>Additional trade item classification scheme code</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/Alternative trade item product classification code/Additional trade item classification scheme code	1 .. 80		<b>additionalTradelItemClassificationCodeListCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradelItem/tradelItemClassification/additionalTradelItemClassificationCode/@additionalTradelItemClassificationCodeListCode
192	BDT00000003	.. 35	0 .. 1	<b>Additional trade item classification scheme version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/Alternative trade item product classification code/Additional trade item classification scheme version	1 .. 35		<b>additionalTradelItemClassificationCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradelItem/tradelItemClassification/additionalTradelItemClassificationCode/@additionalTradelItemClassificationCodeListVersion
192	BDT00000022	.. 80	0 .. 1	<b>Code description</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/Alternative trade item product classification code/Code description	1 .. 80		<b>codeDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradelItem/tradelItemClassification/additionalTradelItemClassificationCode/@codeDescription
192	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/Alternative trade item product classification code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradelItem/tradelItemClassification/additionalTradelItemClassificationCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
192	BDT00000071	.. 200	0 .. 1	version <b>GS1 global product classification GPC brick name</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/GS1 global product classification GPC brick name	1 .. 105	0 .. 1	<b>gpcCategoryName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemClassification/gpcCategoryName
192	BDT00000067	.. 8	1 .. 1	<b>GS1 global product classification GPC attribute type code</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute type code	1 .. 1		<b>gpcAttributeTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeTypeCode
192	BDT00000068	.. 8	1 .. 1	<b>GS1 global product classification GPC attribute value code</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute value code	1 .. 1		<b>gpcAttributeValueCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeValueCode
192	BDT00000064	.. 200	0 .. 1	<b>Global product classification GPC attribute type name</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/Global Product Classification attributes/Global product classification GPC attribute type name	1 .. 105	0 .. 1	<b>gpcAttributeTypeName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeTypeName

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
192	BDT00000069	.. 200	0 .. 1	<b>GS1 global product classification GPC attribute value name</b> <i>Path:</i> Invoice/Invoice line/Invoiced trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute value name	1 .. 105	0 .. 1	<b>gpcAttributeValueName</b> <i>Path:</i> invoiceMessage/invoice/invoiceLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeValueName
192	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Invoice/Invoice processing party information/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/gln
193	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Invoice processing party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/additionalPartyIdentification
193	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Invoice processing party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
193	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice processing party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
193	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice processing party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/city
193	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice processing party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/cityCode
193	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice processing party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/countryCode
193	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice processing party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/countryCode/@codeListVersion
193	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice processing party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/countyCode
193	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Invoice processing party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/crossStreet
193	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Invoice processing party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/name
194	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b>	1 .. 80	0 .. 1	<b>pOBoxNumber</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice processing party information/Address information/Post office box number			<i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/pOBoxNumber
194	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice processing party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/postalCode
194	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Invoice processing party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/provinceCode
194	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Invoice processing party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/state
194	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Invoice processing party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/streetAddressOne
194	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Invoice processing party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/streetAddressTwo
194	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Invoice processing party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/streetAddressThree
194	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice processing party information/Address information/	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Geographical coordinates information/ Latitude			
194	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice processing party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ address/geographicalCoordinates/longitude
194	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/ contactTypeCode
195	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/ contactTypeCode/@codeListVersion
195	BDT000000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/ personName
195	BDT000000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/ departmentName
195	BDT000000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/ jobTitle
	BDT000000580			<b>Business contact responsibility</b>			

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
195		.. 70	1 .. 1	<b>description content</b> <i>Path:</i> Invoice/Invoice processing party information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/responsibility
195	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice processing party information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/responsibility/@languageCode
195	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice processing party information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/responsibility/@codeListVersion
195	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/communicationChannel/communicationChannelCode
195	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Communication information/Communication channel	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/communicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
195	BDT00000032	.. 200	1 .. 1	code/Communication channel code content/Code list version <b>Communication channel identification</b> <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/communicationChannel/communicationValue
196	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Invoice processing party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/communicationChannel/communicationChannelName
196	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Invoice processing party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/afterHoursCommunicationChannel/communicationChannelCode
196	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice processing party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
196	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Invoice processing party	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/After hours communication information/Communication channel identification			afterHoursCommunicationChannel/communicationValue
196	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Invoice processing party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/contact/ afterHoursCommunicationChannel/ communicationChannelName
196	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
196	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
196	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax registration identification information/Identification	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme information/Identification scheme responsible agency code/Code list version			
196	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
196	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
197	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
197	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
197	BDT000000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Invoice processing party information/Tax registration	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
197	BDT00000754	.. 70	1 .. 1	information/Tax authority name <b>Tax description content</b> <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ dutyFeeTaxRegistration/dutyFeeTaxDescription
197	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
197	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
197	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
197	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice processing party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
197	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ organisationDetails/organisationName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
197	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/issuedCapital
198	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/issuedCapital/@currencyCode
198	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/issuedCapital/@codeListVersion
198	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/legalStructure
198	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/legalStructure/@languageCode
198	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/legalStructure/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Legal structure description/Language code/Code list version			
198	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ organisationDetails/officialAddress/city
198	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ organisationDetails/officialAddress/cityCode
198	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ organisationDetails/officialAddress/countryCode
198	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ organisationDetails/officialAddress/countryCode/ @codeListVersion
198	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ organisationDetails/officialAddress/countyCode
199	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Cross	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ organisationDetails/officialAddress/crossStreet

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
199	BDT00000113	.. 80	0 .. 1	street <b>Post office box number</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/pOBoxNumber
199	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/postalCode
199	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/provinceCode
199	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/state
199	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/streetAddressOne
199	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/streetAddressTwo
	BDT00000129						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
199		.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/streetAddressThree
199	BDT000000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/geographicalCoordinates/latitude
199	BDT000000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/officialAddress/geographicalCoordinates/longitude
200	BDT000000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/legalRegistration/legalRegistrationNumber
200	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/legalRegistration/legalRegistrationType
200	BDT000000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version			<i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
200	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Invoice processing party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
200	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/financialInstitutionName
200	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/financialInstitutionBranchName
200	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/financialAccount/financialAccountNumber
200	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Invoice processing party	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			financialAccountNumberTypeCode
200	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
200	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/financialAccount/financialAccountName
201	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
201	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
201	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
201	BDT000000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Additional financial institution description/ Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ financialInstitutionInformation/ additionalFinancialInformation/description
201	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
201	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
201	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Invoice processing party	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/City name			financialInstitutionInformation/address/city
201	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/cityCode
201	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/countryCode
201	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/countryCode/@codeListVersion
202	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/countyCode
202	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
202	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/name
202	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/pOBoxNumber
202	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/postalCode
202	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/provinceCode
202	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/state
202	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/streetAddressOne

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
202	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/streetAddressTwo
202	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/streetAddressThree
203	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/geographicalCoordinates/latitude
203	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Invoice processing party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/invoiceProcessingParty/financialInstitutionInformation/address/geographicalCoordinates/longitude
203	BDT00000591		1 .. 1	<b>Total invoice monetary amount content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice monetary amount/Total invoice monetary amount content		1 .. 1	<b>totalInvoiceAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalInvoiceAmount
203	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice monetary	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalInvoiceAmount/@currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				amount/Currency code/Currency code content			
203	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalInvoiceAmount/@codeListVersion
203	BDT000000610		1 .. 1	<b>Invoice basis monetary amount content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoice basis monetary amount/Invoice basis monetary amount content		0 .. 1	<b>baseAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/baseAmount
203	BDT000000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoice basis monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/baseAmount/@currencyCode
203	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoice basis monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/baseAmount/@codeListVersion
203	BDT000000600		1 .. 1	<b>Total prepaid monetary amount content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total prepaid monetary amount/Total prepaid monetary amount content		0 .. 1	<b>prepaidAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/prepaidAmount
203	BDT000000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total prepaid monetary amount/Total prepaid monetary amount content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/prepaidAmount/@currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				amount/Currency code/Currency code content			
204	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total prepaid monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/prepaidAmount/@codeListVersion
204	BDT00000411		0 .. 1	<b>Prepayment date</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Prepayment date		0 .. 1	<b>prepaidAmountDate</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/prepaidAmountDate
204	BDT00000538	.. 80	1 .. 1	<b>Tax accounting currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	<b>taxAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxAccountingCurrency
204	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Tax accounting currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxAccountingCurrency/@codeListVersion
204	BDT00000633		1 .. 1	<b>Total invoice allowance charge monetary amount content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice allowance charge monetary amount/Total invoice allowance charge monetary amount content		0 .. 1	<b>totalAmountInvoiceAllowancesCharges</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalAmountInvoiceAllowancesCharges
204	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice allowance charge monetary amount/Currency	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalAmountInvoiceAllowancesCharges/@currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
204	BDT00000028	.. 35	0 .. 1	code/Currency code content <b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice allowance charge monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalAmountInvoiceAllowancesCharges/@codeListVersion
204	BDT00000593		1 .. 1	<b>Total invoice line allowance monetary amount content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line allowance monetary amount/Total invoice line allowance monetary amount content		0 .. 1	<b>totalAmountLineAllowancesCharges</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalAmountLineAllowancesCharges
204	BDT00000731		1 .. 1	<b>Total invoice line charge monetary amount content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line charge monetary amount/Total invoice line charge monetary amount content		0 .. 1	<b>totalAmountLineAllowancesCharges</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalAmountLineAllowancesCharges
204	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line allowance monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalAmountLineAllowancesCharges/@currencyCode
205	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line charge monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalAmountLineAllowancesCharges/@currencyCode
205	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Total invoice line allowance monetary amount/Currency code/Code list version			totalAmountLineAllowancesCharges/@codeListVersion
205	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line charge monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalAmountLineAllowancesCharges/@codeListVersion
205	BDT00000611		1 .. 1	<b>Invoice monetary amount payable content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoice monetary amount payable/Invoice monetary amount payable content		0 .. 1	<b>totalInvoiceAmountPayable</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalInvoiceAmountPayable
205	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoice monetary amount payable/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalInvoiceAmountPayable/@currencyCode
205	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoice monetary amount payable/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalInvoiceAmountPayable/@codeListVersion
205	BDT00000749		0 .. 1	<b>Rounding monetary amount content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Rounding monetary amount/Rounding monetary amount content		0 .. 1	<b>roundingAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/roundingAmount
205	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/roundingAmount/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Rounding monetary amount/Currency code/Currency code content			@currencyCode
205	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Rounding monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/roundingAmount/@codeListVersion
205	BDT00000594		1 .. 1	<b>Total invoice line monetary amount excluding allowances charges content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line monetary amount excluding allowances charges/Total invoice line monetary amount excluding allowances charges content		0 .. 1	<b>totalLineAmountExclusiveAllowancesCharges</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalLineAmountExclusiveAllowancesCharges
206	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line monetary amount excluding allowances charges/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalLineAmountExclusiveAllowancesCharges/@currencyCode
206	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line monetary amount excluding allowances charges/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalLineAmountExclusiveAllowancesCharges/@codeListVersion
206	BDT00000732		1 .. 1	<b>Total invoice line monetary amount including line level allowances charges</b>		0 .. 1	<b>totalLineAmountInclusiveAllowancesCharges</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line monetary amount including allowances charges/ Total invoice line monetary amount including line level allowances charges content			<b>totalLineAmountInclusiveAllowancesCharges</b>
206	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line monetary amount including allowances charges/ Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/ totalLineAmountInclusiveAllowancesCharges/ @currencyCode
206	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice line monetary amount including allowances charges/ Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/ totalLineAmountInclusiveAllowancesCharges/ @codeListVersion
206	BDT00000612		1 .. 1	<b>Invoice allowance basis monetary amount content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoice allowance basis monetary amount/Invoice allowance basis monetary amount content		0 .. 1	<b>totalPaymentDiscountBasisAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/ totalPaymentDiscountBasisAmount
206	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoice allowance basis monetary amount/Currency code/ Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/ totalPaymentDiscountBasisAmount/@currencyCode
206	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Invoice allowance basis monetary amount/Currency code/Code list version			totalPaymentDiscountBasisAmount/@codeListVersion
206	BDT00000601		1 .. 1	<b>Total tax monetary amount content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total tax monetary amount/Total tax monetary amount content		0 .. 1	<b>totalTaxAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalTaxAmount
206	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total tax monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalTaxAmount/@currencyCode
207	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total tax monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalTaxAmount/@codeListVersion
207	BDT00000602		1 .. 1	<b>Total taxable monetary amount content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total taxable monetary amount/Total taxable monetary amount content		0 .. 1	<b>totalTaxBasisAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalTaxBasisAmount
207	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total taxable monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalTaxBasisAmount/@currencyCode
207	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Total taxable monetary amount/Currency code/Code list version			totalTaxBasisAmount/@codeListVersion
207	BDT00000630		1 .. 1	<b>Total tax monetary amount applicable to the sales transaction content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total tax monetary amount applicable to the sales transaction/Total tax monetary amount applicable to the sales transaction content		0 .. 1	<b>totalVATAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalVATAmount
207	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total tax monetary amount applicable to the sales transaction/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalVATAmount/@currencyCode
207	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total tax monetary amount applicable to the sales transaction/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalVATAmount/@codeListVersion
207	BDT00000613		1 .. 1	<b>Total invoice economic monetary amount value content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice economic monetary amount value/Total invoice economic monetary amount value content		0 .. 1	<b>totalEconomicValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalEconomicValue
207	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice economic	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalEconomicValue/@currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				monetary amount value/Currency code/Currency code content			
207	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice economic monetary amount value/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalEconomicValue/@codeListVersion
208	BDT00000595		1 .. 1	<b>Total invoice goods monetary amount value content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice goods monetary amount value/Total invoice goods monetary amount value content		0 .. 1	<b>totalGoodsValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalGoodsValue
208	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice goods monetary amount value/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalGoodsValue/@currencyCode
208	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice goods monetary amount value/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalGoodsValue/@codeListVersion
208	BDT00000637		1 .. 1	<b>Total invoice retail monetary amount value content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice retail monetary amount value/Total invoice retail monetary amount value content		0 .. 1	<b>totalRetailValue</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalRetailValue
208	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b>	1 .. 80		<b>currencyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice retail monetary amount value/Currency code/Currency code content			<i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalRetailValue/@currencyCode
208	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Total invoice retail monetary amount value/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/totalRetailValue/@codeListVersion
208	BDT000000538	.. 80	1 .. 1	<b>Tax accounting currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	<b>dutyFeeTaxAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxAccountingCurrency
208	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax accounting currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxAccountingCurrency/@codeListVersion
208	BDT000000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxAgencyName
208	BDT000000562		1 .. 1	<b>Tax monetary amount content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax monetary amount/Tax monetary amount content		0 .. 1	<b>dutyFeeTaxAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxAmount
209	BDT000000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Invoiced tax information/Tax monetary amount/Currency code/Currency code content			dutyFeeTaxAmount/@currencyCode
209	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxAmount/@codeListVersion
209	BDT000000561		1 .. 1	<b>Tax monetary amount in accounting currency content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content		0 .. 1	<b>dutyFeeTaxAmountInAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxAmountInAccountingCurrency
209	BDT000000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxAmountInAccountingCurrency/@currencyCode
209	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax monetary amount in accounting currency/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxAmountInAccountingCurrency/@codeListVersion
209	BDT000000559		1 .. 1	<b>Taxable monetary amount content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/		0 .. 1	<b>dutyFeeTaxBasisAmount</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxBasisAmount

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Taxable monetary amount/Taxable monetary amount content			
209	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/ Taxable monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/ dutyFeeTaxBasisAmount/@currencyCode
209	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/ Taxable monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/ dutyFeeTaxBasisAmount/@codeListVersion
209	BDT00000560		1 .. 1	<b>Taxable monetary amount in accounting currency content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/ Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content		0 .. 1	<b>dutyFeeTaxBasisAmountInAccountingCurrency</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/ dutyFeeTaxBasisAmountInAccountingCurrency
209	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/ Taxable monetary amount in accounting currency/Currency code/ Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/ dutyFeeTaxBasisAmountInAccountingCurrency/ @currencyCode
210	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/ Taxable monetary amount in accounting currency/Currency code/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/ dutyFeeTaxBasisAmountInAccountingCurrency/ @codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
210	BDT00000537	.. 80	1 .. 1	Code list version <b>Tax category code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax category code/Tax category code content	1 .. 80	0 .. 1	<b>dutyFeeTaxCategoryCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxCategoryCode
210	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax category code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxCategoryCode/@codeListVersion
210	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxDescription
210	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxDescription/@languageCode
210	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxDescription/@codeListVersion
210	BDT00000574	.. 70	1 .. 1	<b>Tax exemption reason description content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax exemption reason description/Tax exemption reason description content	1 .. 80	0 .. 1	<b>dutyFeeTaxExemptionDescription</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxExemptionDescription
	BDT00000524						

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
210		.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax exemption reason description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/ dutyFeeTaxExemptionDescription/@languageCode
210	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax exemption reason description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/ dutyFeeTaxExemptionDescription/@codeListVersion
210	BDT000000575	.. 80	1 .. 1	<b>Tax exemption reason code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax exemption reason code/Tax exemption reason code content	1 .. 80	0 .. 1	<b>dutyFeeTaxExemptionReason</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/ dutyFeeTaxExemptionReason
211	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax exemption reason code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/ dutyFeeTaxExemptionReason/@codeListVersion
211	BDT000000371		0 .. 1	<b>Tax rate</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax rate		0 .. 1	<b>dutyFeeTaxPercentage</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/ dutyFeeTaxPercentage
211	BDT000000377		0 .. 1	<b>Tax point date</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax point date		0 .. 1	<b>dutyFeeTaxPointDate</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/ dutyFeeTaxPointDate
211	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Invoice total monetary amounts	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Invoiced tax information/Tax type code/Tax type code content			dutyFeeTaxTypeCode
211	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Invoice total monetary amounts information/Invoiced tax information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/invoiceTotals/taxSubtotal/dutyFeeTaxTypeCode/@codeListVersion
211	BDT00000009		0 .. 1	<b>Begin period date</b> <i>Path:</i> Invoice/Invoicing period/Begin period date		0 .. 1	<b>beginDate</b> <i>Path:</i> invoiceMessage/invoice/invoicingPeriod/beginDate
211	BDT00000010		0 .. 1	<b>Begin time period</b> <i>Path:</i> Invoice/Invoicing period/Begin time period		0 .. 1	<b>beginTime</b> <i>Path:</i> invoiceMessage/invoice/invoicingPeriod/beginTime
211	BDT00000054		0 .. 1	<b>End date period</b> <i>Path:</i> Invoice/Invoicing period/End date period		0 .. 1	<b>endDate</b> <i>Path:</i> invoiceMessage/invoice/invoicingPeriod/endDate
211	BDT00000055		0 .. 1	<b>End time period</b> <i>Path:</i> Invoice/Invoicing period/End time period		0 .. 1	<b>endTime</b> <i>Path:</i> invoiceMessage/invoice/invoicingPeriod/endTime
211	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Referenced cargo manifest specification information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/manifest/entityIdentification
212	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Referenced cargo manifest specification information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/manifest/contentOwner/gln
212	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Referenced cargo manifest	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/manifest/contentOwner/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				specification information/Document content owner/Additional party identification information/Additional party identification content			additionalPartyIdentification
212	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Referenced cargo manifest specification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/manifest/contentOwner/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
212	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Referenced cargo manifest specification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/manifest/contentOwner/ additionalPartyIdentification/@codeListVersion
212	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Referenced cargo manifest specification information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/manifest/creationDateTime
212	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Referenced cargo manifest specification information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/manifest/revisionNumber
212	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Referenced cargo manifest specification information/Document line		0 .. 1	<b>lineltemNumber</b> <i>Path:</i> invoiceMessage/invoice/manifest/lineltemNumber

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
212	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Referenced cargo manifest specification information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/manifest/referencedDocumentUrl
212	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Referenced order response document information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/orderResponse/entityIdentification
212	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Referenced order response document information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/orderResponse/contentOwner/gln
213	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Referenced order response document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/orderResponse/contentOwner/additionalPartyIdentification
213	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Referenced order response document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/orderResponse/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
213	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Referenced order response	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/orderResponse/contentOwner/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version			additionalPartyIdentification/@codeListVersion
213	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Referenced order response document information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/orderResponse/creationDateTime
213	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Referenced order response document information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/orderResponse/revisionNumber
213	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Referenced order response document information/Document line number		0 .. 1	<b>lineltemNumber</b> <i>Path:</i> invoiceMessage/invoice/orderResponse/lineltemNumber
213	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Referenced order response document information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/orderResponse/referencedDocumentUrl
213	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Invoice/Payee party information/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/payee/gln
213	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Payee party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/payee/additionalPartyIdentification
213	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code</b>	1 .. 80		<b>additionalPartyIdentificationTypeCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>content</b> <i>Path:</i> Invoice/Payee party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content			<i>Path:</i> invoiceMessage/invoice/payee/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
214	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payee party information/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payee/ additionalPartyIdentification/@codeListVersion
214	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Payee party information/ Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/payee/address/city
214	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Payee party information/ Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/payee/address/cityCode
214	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Payee party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/payee/address/countryCode
214	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payee party information/ Address information/Country code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payee/address/countryCode/ @codeListVersion
214	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Payee party information/ Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/payee/address/countyCode
	BDT000000035						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
214		.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Payee party information/ Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/payee/address/crossStreet
214	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Payee party information/ Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/payee/address/name
214	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Payee party information/ Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/payee/address/pOBoxNumber
214	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Payee party information/ Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/payee/address/postalCode
215	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Payee party information/ Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/payee/address/provinceCode
215	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Payee party information/ Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/payee/address/state
215	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Payee party information/ Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/payee/address/streetAddressOne
215	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Payee party information/ Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/payee/address/streetAddressTwo
215	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Payee party information/ Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/payee/address/ streetAddressThree

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
215	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Payee party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/payee/address/ geographicalCoordinates/latitude
215	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Payee party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/payee/address/ geographicalCoordinates/longitude
215	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Payee party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/payee/contact/contactTypeCode
215	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payee party information/ Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payee/contact/ contactTypeCode/@codeListVersion
215	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Payee party information/ Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/payee/contact/personName
216	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Payee party information/ Business contact information/ Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/payee/contact/departmentName
216	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Payee party information/ Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/payee/contact/jobTitle
216	BDT000000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b>	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/payee/contact/responsibility

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payee party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content			
216	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Payee party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/payee/contact/responsibility/ @languageCode
216	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payee party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payee/contact/responsibility/ @codeListVersion
216	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Payee party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/payee/contact/ communicationChannel/communicationChannelCode
216	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payee party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payee/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
216	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Payee party information/	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/payee/contact/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact information/ Communication information/ Communication channel identification			communicationChannel/communicationValue
216	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Payee party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/payee/contact/ communicationChannel/communicationChannelName
216	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Payee party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/payee/contact/ afterHoursCommunicationChannel/ communicationChannelCode
217	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payee party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payee/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
217	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Payee party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/payee/contact/ afterHoursCommunicationChannel/communicationValue
217	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Payee party information/ Business contact information/After hours communication information/	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/payee/contact/ afterHoursCommunicationChannel/ communicationChannelName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
217	BDT00000584	.. 200	1 .. 1	Communication channel name <b>Tax registration identification content</b> <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
217	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
217	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
217	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
217	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Payee party information/Tax	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration information/Tax registration identification information/Identification scheme information/Identification scheme name			dutyFeeTaxRegistrationID/@identificationSchemeName
217	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
217	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
218	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
218	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxDescription
218	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
218	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
218	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
218	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payee party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
218	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Payee party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/organisationName
218	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Payee party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/issuedCapital
218	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Payee party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/issuedCapital/@currencyCode
218	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payee party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/issuedCapital/@codeListVersion
219	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Payee party information/Organisation legal information/Legal structure description/Legal structure	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/legalStructure

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
219	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ legalStructure/@languageCode
219	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ legalStructure/@codeListVersion
219	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/city
219	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/cityCode
219	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/countryCode
219	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/countryCode/@codeListVersion
219	BDT00000034	.. 80	0 .. 1	<b>County code</b>	1 .. 80	0 .. 1	<b>countyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/County code			<i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/countyCode
219	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/crossStreet
219	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/pOBoxNumber
220	BDT000000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/postalCode
220	BDT000000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/provinceCode
220	BDT000000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/state
220	BDT000000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/streetAddressOne
220	BDT000000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Payee party information/	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Street address two			officialAddress/streetAddressTwo
220	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/streetAddressThree
220	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/geographicalCoordinates/latitude
220	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ officialAddress/geographicalCoordinates/longitude
220	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ legalRegistration/legalRegistrationNumber
220	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ legalRegistration/legalRegistrationType
221	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
221	BDT00000086	.. 200	0 .. 1	Registered legal information/Legal registration type code/Code list version <b>Legal registration additional information</b> <i>Path:</i> Invoice/Payee party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/payee/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
221	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/payee/financialInstitutionInformation/financialInstitutionName
221	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/payee/financialInstitutionInformation/financialInstitutionBranchName
221	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/payee/financialInstitutionInformation/financialAccount/financialAccountNumber
221	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/payee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
221	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
221	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/financialAccount/ financialAccountName
221	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
221	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
222	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Financial institution routing number information/Financial	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				routing number type code/Code list version			
222	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/ additionalFinancialInformation/description
222	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
222	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
222	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/city
222	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/cityCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
222	BDT00000774		1 .. 1	information/City code <b>Country code content</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/countryCode
222	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/countryCode/ @codeListVersion
222	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/countyCode
222	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/crossStreet
223	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Payee party information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/payee/ financialInstitutionInformation/address/name
223	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Payee party information/	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/payee/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Address information/Post office box number			financialInstitutionInformation/address/pOBoxNumber
223	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Payee party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/payee/financialInstitutionInformation/address/postalCode
223	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Payee party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/payee/financialInstitutionInformation/address/provinceCode
223	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Payee party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/payee/financialInstitutionInformation/address/state
223	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Payee party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/payee/financialInstitutionInformation/address/streetAddressOne
223	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Payee party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/payee/financialInstitutionInformation/address/streetAddressTwo
223	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Payee party information/	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/payee/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Address information/Street address three			financialInstitutionInformation/address/streetAddressThree
223	BDT000000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Payee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/payee/financialInstitutionInformation/address/geographicalCoordinates/latitude
223	BDT000000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Payee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/payee/financialInstitutionInformation/address/geographicalCoordinates/longitude
224	BDT000000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Invoice/Payer party information/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/payer/gln
224	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Payer party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/payer/additionalPartyIdentification
224	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Payer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/payer/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
224	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payer party information/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payer/ additionalPartyIdentification/@codeListVersion
224	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Payer party information/ Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/payer/address/city
224	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Payer party information/ Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/payer/address/cityCode
224	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Payer party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/payer/address/countryCode
224	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payer party information/ Address information/Country code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payer/address/countryCode/ @codeListVersion
224	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Payer party information/ Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/payer/address/countyCode
224	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Payer party information/ Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/payer/address/crossStreet
225	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Payer party information/ Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/payer/address/name

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
225	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Payer party information/ Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/payer/address/pOBoxNumber
225	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Payer party information/ Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/payer/address/postalCode
225	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Payer party information/ Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/payer/address/provinceCode
225	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Payer party information/ Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/payer/address/state
225	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Payer party information/ Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/payer/address/streetAddressOne
225	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Payer party information/ Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/payer/address/streetAddressTwo
225	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Payer party information/ Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/payer/address/ streetAddressThree
225	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Payer party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/payer/address/ geographicalCoordinates/latitude
225	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Payer party information/	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/payer/address/

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/Geographical coordinates information/Longitude			geographicalCoordinates/longitude
226	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Payer party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/payer/contact/contactTypeCode
226	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payer party information/ Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payer/contact/ contactTypeCode/@codeListVersion
226	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Payer party information/ Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/payer/contact/personName
226	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Payer party information/ Business contact information/ Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/payer/contact/departmentName
226	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Payer party information/ Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/payer/contact/jobTitle
226	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Payer party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/payer/contact/responsibility
226	BDT00000524	.. 80	1 .. 1	<b>Language code content</b>	1 .. 80		<b>languageCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payer party information/ Business contact information/Business contact responsibility description/ Language code/Language code content			<i>Path:</i> invoiceMessage/invoice/payer/contact/responsibility/ @languageCode
226	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payer party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payer/contact/responsibility/ @codeListVersion
226	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Payer party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/payer/contact/ communicationChannel/communicationChannelCode
226	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payer party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payer/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
227	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Payer party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/payer/contact/ communicationChannel/communicationValue
227	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Payer party information/ Business contact information/	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/payer/contact/ communicationChannel/communicationChannelName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Communication information/ Communication channel name			
227	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Payer party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/payer/contact/ afterHoursCommunicationChannel/ communicationChannelCode
227	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payer party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payer/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
227	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Payer party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/payer/contact/ afterHoursCommunicationChannel/communicationValue
227	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Payer party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/payer/contact/ afterHoursCommunicationChannel/ communicationChannelName
227	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax registration identification information/Identification	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			
227	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
227	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
227	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/@identificationSchemeName
228	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode
228	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax type code/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Code list version			
228	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
228	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/dutyFeeTaxDescription
228	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
228	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
228	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
228	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payer party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
228	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b>	1 .. 200	1 .. 1	<b>organisationName</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payer party information/ Organisation legal information/ Organisation name			<i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ organisationName
228	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ issuedCapital
229	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ issuedCapital/@currencyCode
229	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ issuedCapital/@codeListVersion
229	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ legalStructure
229	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ legalStructure/@languageCode
229	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Legal structure description/Language code/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ legalStructure/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Code list version			
229	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/city
229	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/cityCode
229	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/countryCode
229	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/countryCode/@codeListVersion
229	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/countyCode
230	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/crossStreet
230	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/pOBoxNumber

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
230	BDT00000114	.. 80	0 .. 1	address/Post office box number <b>Postal code</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/postalCode
230	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/provinceCode
230	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/state
230	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/streetAddressOne
230	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/streetAddressTwo
230	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/streetAddressThree
230	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Geographical coordinates	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/geographicalCoordinates/latitude

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
230	BDT000000089	.. 80	1 .. 1	information/Latitude <b>Longitude</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ officialAddress/geographicalCoordinates/longitude
231	BDT000000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ legalRegistration/legalRegistrationNumber
231	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ legalRegistration/legalRegistrationType
231	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
231	BDT000000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Payer party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/payer/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
231	BDT000000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Payer party information/ Financial institution and financial	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/financialInstitutionName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial institution name			
231	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/ financialInstitutionBranchName
231	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/financialAccount/ financialAccountNumber
231	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
231	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
231	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Financial account	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/financialAccount/ financialAccountName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
232	BDT00000062	.. 80	1 .. 1	information/Financial account name <b>Financial routing number</b> <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
232	BDT000000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
232	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
232	BDT000000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/ additionalFinancialInformation/description
232	BDT000000524	.. 80	1 .. 1	<b>Language code content</b>	1 .. 80		<b>languageCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Language code content			<i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
232	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
232	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/city
232	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/cityCode
232	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/countryCode
232	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payer party information/ Financial institution and financial	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/countryCode/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Address information/Country code/Code list version			@codeListVersion
233	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Payer party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/payer/financialInstitutionInformation/address/countyCode
233	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Payer party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/payer/financialInstitutionInformation/address/crossStreet
233	BDT000000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Payer party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/payer/financialInstitutionInformation/address/name
233	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Payer party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/payer/financialInstitutionInformation/address/pOBoxNumber
233	BDT000000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Payer party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/payer/financialInstitutionInformation/address/postalCode
233	BDT000000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Payer party information/	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/payer/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Address information/Province identity			financialInstitutionInformation/address/provinceCode
233	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Payer party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/payer/financialInstitutionInformation/address/state
233	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Payer party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/payer/financialInstitutionInformation/address/streetAddressOne
233	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Payer party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/payer/financialInstitutionInformation/address/streetAddressTwo
233	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Payer party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/payer/financialInstitutionInformation/address/streetAddressThree
234	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Payer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/payer/financialInstitutionInformation/address/geographicalCoordinates/latitude
234	BDT00000089	.. 80	1 .. 1	<b>Longitude</b>	1 .. 80	1 .. 1	<b>longitude</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payer party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude			<i>Path:</i> invoiceMessage/invoice/payer/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
234	BDT00000693		1 .. 1	<b>Payment terms event code content</b> <i>Path:</i> Invoice/Payment terms information/ Payment terms event code/Payment terms event code content	1 .. 80	1 .. 1	<b>paymentTermsEventCode</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsEventCode
234	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payment terms information/ Payment terms event code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsEventCode/@codeListVersion
234	BDT00000694	.. 80	1 .. 1	<b>Payment terms type code content</b> <i>Path:</i> Invoice/Payment terms information/ Payment terms type code/Payment terms type code content	1 .. 80	1 .. 1	<b>paymentTermsTypeCode</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsTypeCode
234	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payment terms information/ Payment terms type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsTypeCode/@codeListVersion
234	BDT00000039		0 .. 1	<b>Cut off day</b> <i>Path:</i> Invoice/Payment terms information/Cut off day		0 .. 1	<b>proximoCutOffDay</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/ proximoCutOffDay
234	BDT00000109		0 .. 1	<b>Payment due date</b> <i>Path:</i> Invoice/Payment terms information/ Payment due information/Payment due date		0 .. 1	<b>dateDue</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/ netPaymentDue/dateDue
234	BDT00000041		0 .. 1	<b>Day of month payment due</b>		0 .. 1	<b>dayOfMonthDue</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payment terms information/ Payment due information/Day of month payment due			<i>Path:</i> invoiceMessage/invoice/paymentTerms/ netPaymentDue/dayOfMonthDue
234	BDT00000651	.. 80	1 .. 1	<b>Time period due code content</b> <i>Path:</i> Invoice/Payment terms information/ Payment due information/Time period due code/Time period due code content		0 .. 1	<b>timePeriodDue</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/netPaymentDue/ timePeriodDue
235	BDT00000134		0 .. 1	<b>Time period measurement unit code content</b> <i>Path:</i> Invoice/Payment terms information/ Payment due information/Time period due code/Time period measurement unit code/Time period measurement unit code content	1 .. 80		<b>timeMeasurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/netPaymentDue/ timePeriodDue/@timeMeasurementUnitCode
235	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payment terms information/ Payment due information/Time period due code/Time period measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/netPaymentDue/ timePeriodDue/@codeListVersion
235	BDT00000111		1 .. 1	<b>Percent of payment due</b> <i>Path:</i> Invoice/Payment terms information/ Installment due information/Percent of payment due		1 .. 1	<b>percentOfPaymentDue</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/installmentDue/ percentOfPaymentDue
235	BDT00000109		0 .. 1	<b>Payment due date</b> <i>Path:</i> Invoice/Payment terms information/ Installment due information/Payment time period/Payment due date		0 .. 1	<b>dateDue</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/installmentDue/ paymentTimePeriod/dateDue
235	BDT00000041		0 .. 1	<b>Day of month payment due</b> <i>Path:</i> Invoice/Payment terms information/ Installment due information/Payment		0 .. 1	<b>dayOfMonthDue</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/installmentDue/ paymentTimePeriod/dayOfMonthDue

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
235	BDT00000651	.. 80	1 .. 1	time period/Day of month payment due <b>Time period due code content</b> <i>Path:</i> Invoice/Payment terms information/ Installment due information/Payment time period/Time period due code/Time period due code content		0 .. 1	<b>timePeriodDue</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/installmentDue/ paymentTimePeriod/timePeriodDue
235	BDT00000134		0 .. 1	<b>Time period measurement unit code content</b> <i>Path:</i> Invoice/Payment terms information/ Installment due information/Payment time period/Time period due code/Time period measurement unit code/Time period measurement unit code content	1 .. 80		<b>timeMeasurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/installmentDue/ paymentTimePeriod/timePeriodDue/ @timeMeasurementUnitCode
235	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payment terms information/ Installment due information/Payment time period/Time period due code/Time period measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/installmentDue/ paymentTimePeriod/timePeriodDue/@codeListVersion
235	BDT00000107	.. 80	0 .. 1	<b>Payment discount description</b> <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Payment discount description	1 .. 80	1 .. 1	<b>discountType</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/discountType
235	BDT00000692		1 .. 1	<b>Discount monetary amount content</b> <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Discount monetary amount/Discount monetary amount content		0 .. 1	<b>discountAmount</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/discountAmount
236	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Payment terms information/	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Payment terms discount information/ Discount monetary amount/Currency code/Currency code content			paymentTermsDiscount/discountAmount/@currencyCode
236	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Discount monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/discountAmount/ @codeListVersion
236	BDT000000108		0 .. 1	<b>Payment discount percentage</b> <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Payment discount percentage		0 .. 1	<b>discountPercent</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/discountPercent
236	BDT000000109		0 .. 1	<b>Payment due date</b> <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Payment time period/Payment due date		0 .. 1	<b>dateDue</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/dateDue
236	BDT000000041		0 .. 1	<b>Day of month payment due</b> <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Payment time period/Day of month payment due		0 .. 1	<b>dayOfMonthDue</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/ dayOfMonthDue
236	BDT000000651	.. 80	1 .. 1	<b>Time period due code content</b> <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Payment time period/Time period due code/Time period due code content		0 .. 1	<b>timePeriodDue</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/ timePeriodDue
236	BDT000000134		0 .. 1	<b>Time period measurement unit code content</b> <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/	1 .. 80		<b>timeMeasurementUnitCode</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/ timePeriodDue/@timeMeasurementUnitCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Payment time period/Time period due code/Time period measurement unit code/Time period measurement unit code content			
236	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Payment time period/Time period due code/Time period measurement unit code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/paymentTimePeriod/ timePeriodDue/@codeListVersion
236	BDT00000640	.. 70	1 .. 1	<b>Discount description content</b> <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Discount description/Discount description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/discountDescription/description
236	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Discount description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/discountDescription/ description/@languageCode
237	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payment terms information/ Payment terms discount information/ Discount description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/ paymentTermsDiscount/discountDescription/ description/@codeListVersion
237	BDT00000691	.. 80	1 .. 1	<b>Payment method code content</b> <i>Path:</i> Invoice/Payment terms information/ Payment method information/Payment method code/Payment method code content	1 .. 80	1 .. 1	<b>paymentMethodCode</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/paymentMethod/ paymentMethodCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
237	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payment terms information/ Payment method information/Payment method code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/paymentMethod/ paymentMethodCode/@codeListVersion
237	BDT00000110	.. 35	0 .. 1	<b>Payment method identification</b> <i>Path:</i> Invoice/Payment terms information/ Payment method information/Payment method identification	1 .. 200	0 .. 1	<b>paymentMethodIdentification</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/paymentMethod/ paymentMethodIdentification
237	BDT00000565		1 .. 1	<b>Automated clearing house payment format code content</b> <i>Path:</i> Invoice/Payment terms information/ Payment method information/ Automated clearing house payment format code/Automated clearing house payment format code content	1 .. 80	0 .. 1	<b>automatedClearingHousePaymentFormat</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/paymentMethod/ automatedClearingHousePaymentFormat
237	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payment terms information/ Payment method information/ Automated clearing house payment format code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/paymentMethod/ automatedClearingHousePaymentFormat/ @codeListVersion
237	BDT00000699	.. 80	1 .. 1	<b>Referenced document type code content</b> <i>Path:</i> Invoice/Payment terms information/ SEPA information/Transactional reference type code/Referenced document type code content	1 .. 80	1 .. 1	<b>transactionalReferenceTypeCode</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/sEPAResponse/ transactionalReferenceTypeCode
237	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Payment terms information/ SEPA information/Transactional reference type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/sEPAResponse/ transactionalReferenceTypeCode/@codeListVersion
237	BDT00000135	.. 200	1 .. 1	<b>Transactional reference identification</b>	1 .. 200	1 .. 1	<b>transactionalReferenceValue</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Payment terms information/SEPA information/Transactional reference identification			<i>Path:</i> invoiceMessage/invoice/paymentTerms/sEPAResponse/transactionalReferenceValue
237	BDT00000364		0 .. 1	<b>Referenced document date time</b> <i>Path:</i> Invoice/Payment terms information/SEPA information/Referenced document date time		0 .. 1	<b>transactionalReferenceDateTime</b> <i>Path:</i> invoiceMessage/invoice/paymentTerms/sEPAResponse/transactionalReferenceDateTime
238	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Pick up from party information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/gln
238	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Pick up from party information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/additionalPartyIdentification
238	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Pick up from party information/Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
238	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Pick up from party information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/additionalPartyIdentification/@codeListVersion
238	BDT00000020	.. 200	0 .. 1	<b>City name</b>	1 .. 200	0 .. 1	<b>city</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Pick up from party information/Address information/City name			<i>Path:</i> invoiceMessage/invoice/pickupFrom/address/city
238	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Pick up from party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/cityCode
238	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Pick up from party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/countryCode
238	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Pick up from party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/countryCode/@codeListVersion
238	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Pick up from party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/countyCode
238	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Pick up from party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/crossStreet
239	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Pick up from party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/name
239	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Pick up from party	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Post office box number			pOBoxNumber
239	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Pick up from party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/postalCode
239	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Pick up from party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/provinceCode
239	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Pick up from party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/state
239	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Pick up from party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/streetAddressOne
239	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Pick up from party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/streetAddressTwo
239	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Pick up from party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/streetAddressThree
239	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Pick up from party information/Address information/Geographical coordinates information/	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
239	BDT000000089	.. 80	1 .. 1	<b>Latitude</b> <b>Longitude</b> <i>Path:</i> Invoice/Pick up from party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/address/geographicalCoordinates/longitude
240	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Pick up from party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/contactTypeCode
240	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Pick up from party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/contactTypeCode/@codeListVersion
240	BDT000000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Pick up from party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/personName
240	BDT000000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Pick up from party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/departmentName
240	BDT000000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Pick up from party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/jobTitle
240	BDT000000580	.. 70	1 .. 1	<b>Business contact responsibility</b>	1 .. 70	0 .. unbounded	<b>responsibility</b>

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>description content</b> <i>Path:</i> Invoice/Pick up from party information/Business contact information/Business contact responsibility description/Business contact responsibility description content			<i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/responsibility
240	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Pick up from party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/ responsibility/@languageCode
240	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Pick up from party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/ responsibility/@codeListVersion
240	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Pick up from party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/ communicationChannel/communicationChannelCode
240	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Pick up from party information/Business contact information/Communication information/Communication channel	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/ communicationChannel/communicationChannelCode/ @codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
241	BDT00000032	.. 200	1 .. 1	code/Communication channel code content/Code list version <b>Communication channel identification</b> <i>Path:</i> Invoice/Pick up from party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/communicationChannel/communicationValue
241	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Pick up from party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/communicationChannel/communicationChannelName
241	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Pick up from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/afterHoursCommunicationChannel/communicationChannelCode
241	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Pick up from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
241	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Pick up from party	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/After hours communication information/Communication channel identification			afterHoursCommunicationChannel/communicationValue
241	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Pick up from party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/contact/ afterHoursCommunicationChannel/ communicationChannelName
241	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax registration identification information/ Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
241	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
241	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
241	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
242	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax registration identification information/ Identification scheme information/ Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
242	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
242	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
242	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
242	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Pick up from party information/ Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription
242	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Pick up from party information/	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Tax registration information/Tax description/Language code/Language code content			dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
242	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Pick up from party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
242	BDT000000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Pick up from party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
242	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Pick up from party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
242	BDT000000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/organisationName
243	BDT000000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/issuedCapital
243	BDT000000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Issued capital/Currency	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/issuedCapital/@currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
243	BDT000000028	.. 35	0 .. 1	code/Currency code content <b>Code list version</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/issuedCapital/@codeListVersion
243	BDT000000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/legalStructure
243	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/legalStructure/@languageCode
243	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/legalStructure/@codeListVersion
243	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/officialAddress/city
243	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Pick up from party	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/City code			officialAddress/cityCode
243	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/ officialAddress/countryCode
243	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/ officialAddress/countryCode/@codeListVersion
244	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/ officialAddress/countyCode
244	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/ officialAddress/crossStreet
244	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/ officialAddress/pOBoxNumber
244	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/ officialAddress/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
244	BDT00000117	80 ..	0 .. 1	information/Official address/Postal code <b>Province identity</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/ officialAddress/provinceCode
244	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/ officialAddress/state
244	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/ officialAddress/streetAddressOne
244	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/ officialAddress/streetAddressTwo
244	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/ officialAddress/streetAddressThree
244	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/ Geographical coordinates information/	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/ officialAddress/geographicalCoordinates/latitude

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
245	BDT000000089	.. 80	1 .. 1	Latitude <b>Longitude</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/officialAddress/geographicalCoordinates/longitude
245	BDT000000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/legalRegistration/legalRegistrationNumber
245	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/legalRegistration/legalRegistrationType
245	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
245	BDT000000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Pick up from party information/Organisation legal information/Registered legal information/Legal registration additional	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
245	BDT00000061	.. 80	0 .. 1	information <b>Financial institution name</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/financialInstitutionName
245	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/ financialInstitutionBranchName
245	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumber
245	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
245	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
246	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/financialAccount/ financialAccountName
246	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
246	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
246	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
246	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/ additionalFinancialInformation/description

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Additional financial institution description/Additional financial institution description content			
246	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Pick up from party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
246	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Pick up from party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
246	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Pick up from party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/financialInstitutionInformation/address/city
246	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Pick up from party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/financialInstitutionInformation/address/cityCode
246	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Pick up from party information/Financial institution and financial account information/Address information/Country code/Country code	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
247	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/countryCode/ @codeListVersion
247	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/countyCode
247	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/crossStreet
247	BDT000000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/name
247	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/pOBoxNumber
247	BDT000000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Address information/Postal code			
247	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/provinceCode
247	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/state
247	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/streetAddressOne
247	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/streetAddressTwo
248	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/ streetAddressThree
248	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Address information/Geographical coordinates information/Latitude			geographicalCoordinates/latitude
248	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Pick up from party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/pickupFrom/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
248	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Referenced price list information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/priceList/entityIdentification
248	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Referenced price list information/Document content owner/ Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/priceList/contentOwner/gln
248	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Referenced price list information/Document content owner/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/priceList/contentOwner/ additionalPartyIdentification
248	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Referenced price list information/Document content owner/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/priceList/contentOwner/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
248	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Referenced price list information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/priceList/contentOwner/additionalPartyIdentification/@codeListVersion
248	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Referenced price list information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/priceList/creationDateTime
248	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Referenced price list information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/priceList/revisionNumber
249	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Referenced price list information/Document line number		0 .. 1	<b>lineltemNumber</b> <i>Path:</i> invoiceMessage/invoice/priceList/lineltemNumber
249	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Referenced price list information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/priceList/referencedDocumentUrl
249	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Referenced promotional deal information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/promotionalDeal/entityIdentification
249	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Referenced promotional deal information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/promotionalDeal/contentOwner/gln
249	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b>	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b>

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification content			<i>Path:</i> invoiceMessage/invoice/promotionalDeal/contentOwner/additionalPartyIdentification
249	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/promotionalDeal/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
249	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Referenced promotional deal information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/promotionalDeal/contentOwner/additionalPartyIdentification/@codeListVersion
249	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Referenced promotional deal information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/promotionalDeal/creationDateTime
249	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Referenced promotional deal information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/promotionalDeal/revisionNumber
249	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Referenced promotional deal information/Document line number		0 .. 1	<b>lineltemNumber</b> <i>Path:</i> invoiceMessage/invoice/promotionalDeal/lineltemNumber

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
250	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Referenced promotional deal information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUri</b> <i>Path:</i> invoiceMessage/invoice/promotionalDeal/referencedDocumentUri
250	BDT00000018		0 .. 1	<b>Sales commission percentage</b> <i>Path:</i> Invoice/Sales commission information/Sales commission percentage		0 .. 1	<b>salesCommissionPercentage</b> <i>Path:</i> invoiceMessage/invoice/salesCommission/salesCommissionPercentage
250	BDT00000725		1 .. 1	<b>Sales commission basis monetary amount content</b> <i>Path:</i> Invoice/Sales commission information/Sales commission basis monetary amount/Sales commission basis monetary amount content		0 .. 1	<b>salesCommissionBasisAmount</b> <i>Path:</i> invoiceMessage/invoice/salesCommission/salesCommissionBasisAmount
250	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Sales commission information/Sales commission basis monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/salesCommission/salesCommissionBasisAmount/@currencyCode
250	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Sales commission information/Sales commission basis monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/salesCommission/salesCommissionBasisAmount/@codeListVersion
250	BDT00000723		1 .. 1	<b>Sales commission monetary amount content</b> <i>Path:</i> Invoice/Sales commission information/Sales commission monetary amount/Sales commission monetary amount content		0 .. 1	<b>salesCommissionAmountin</b> <i>Path:</i> invoiceMessage/invoice/salesCommission/salesCommissionAmountin

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
250	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Sales commission information/Sales commission monetary amount/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/salesCommission/salesCommissionAmountin/@currencyCode
250	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Sales commission information/Sales commission monetary amount/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/salesCommission/salesCommissionAmountin/@codeListVersion
250	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Referenced purchase order document information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/purchaseOrder/entityIdentification
250	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Referenced purchase order document information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/purchaseOrder/contentOwner/gln
251	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Referenced purchase order document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/purchaseOrder/contentOwner/additionalPartyIdentification
251	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Referenced purchase order document information/Document content owner/Additional party	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/purchaseOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification type code/Additional party identification type code content			
251	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Referenced purchase order document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/purchaseOrder/contentOwner/additionalPartyIdentification/@codeListVersion
251	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Referenced purchase order document information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/purchaseOrder/creationDateTime
251	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Referenced purchase order document information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/purchaseOrder/revisionNumber
251	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Referenced purchase order document information/Document line number		0 .. 1	<b>lineltemNumber</b> <i>Path:</i> invoiceMessage/invoice/purchaseOrder/lineltemNumber
251	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Referenced purchase order document information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/purchaseOrder/referencedDocumentUrl
251	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Referenced receiving advice information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/receivingAdvice/entityIdentification
251	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b>		0 .. 1	<b>gln</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/Global location number GLN			<i>Path:</i> invoiceMessage/invoice/receivingAdvice/contentOwner/gln
251	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/receivingAdvice/contentOwner/additionalPartyIdentification
252	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/receivingAdvice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
252	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Referenced receiving advice information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/receivingAdvice/contentOwner/additionalPartyIdentification/@codeListVersion
252	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Referenced receiving advice information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/receivingAdvice/creationDateTime
252	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Referenced receiving advice		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/receivingAdvice/revisionNumber

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Revision number			
252	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Referenced receiving advice information/Document line number	0 .. 1		<b>lineltemNumber</b> <i>Path:</i> invoiceMessage/invoice/receivingAdvice/lineltemNumber
252	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Referenced receiving advice information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/receivingAdvice/referencedDocumentUrl
252	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Remit to party information/Global location number GLN	0 .. 1		<b>gln</b> <i>Path:</i> invoiceMessage/invoice/remitTo/gln
252	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Remit to party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/remitTo/additionalPartyIdentification
252	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Remit to party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
252	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Remit to party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/remitTo/additionalPartyIdentification/@codeListVersion
	BDT00000020						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
253		.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Remit to party information/ Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/remitTo/address/city
253	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Remit to party information/ Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/address/cityCode
253	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Remit to party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/address/countryCode
253	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Remit to party information/ Address information/Country code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/remitTo/address/countryCode/ @codeListVersion
253	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Remit to party information/ Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/address/countyCode
253	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Remit to party information/ Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/remitTo/address/crossStreet
253	BDT000000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Remit to party information/ Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/remitTo/address/name
253	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Remit to party information/ Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/remitTo/address/pOBoxNumber
253	BDT000000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Remit to party information/	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/address/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/Postal code			
253	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Remit to party information/ Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/address/provinceCode
254	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Remit to party information/ Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/remitTo/address/state
254	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Remit to party information/ Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/remitTo/address/ streetAddressOne
254	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Remit to party information/ Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/remitTo/address/ streetAddressTwo
254	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Remit to party information/ Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/remitTo/address/ streetAddressThree
254	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Remit to party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/remitTo/address/ geographicalCoordinates/latitude
254	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Remit to party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/remitTo/address/ geographicalCoordinates/longitude
254	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Remit to party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ contactTypeCode

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
254	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Remit to party information/ Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ contactTypeCode/@codeListVersion
254	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Remit to party information/ Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/remitTo/contact/personName
254	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Remit to party information/ Business contact information/ Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/remitTo/contact/departmentName
255	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Remit to party information/ Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/remitTo/contact/jobTitle
255	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Remit to party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/remitTo/contact/responsibility
255	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Remit to party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/contact/responsibility/ @languageCode
255	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Remit to party information/ Business contact information/Business	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/remitTo/contact/responsibility/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				contact responsibility description/ Language code/Code list version			@codeListVersion
255	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Remit to party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ communicationChannel/communicationChannelCode
255	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Remit to party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
255	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Remit to party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ communicationChannel/communicationValue
255	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Remit to party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ communicationChannel/communicationChannelName
255	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Remit to party information/ Business contact information/After hours communication information/ Communication channel code/	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
255	BDT000000028	.. 35	0 .. 1	Communication channel code content <b>Code list version</b> <i>Path:</i> Invoice/Remit to party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
256	BDT000000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Remit to party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ afterHoursCommunicationChannel/communicationValue
256	BDT000000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Remit to party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/remitTo/contact/ afterHoursCommunicationChannel/ communicationChannelName
256	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
256	BDT000000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Identification scheme responsible agency code content			
256	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
256	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
256	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
256	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
256	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
256	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b>	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax authority name			<i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
257	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
257	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
257	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
257	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
257	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Remit to party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/remitTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
257	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Remit to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/organisationName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
257	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ issuedCapital
257	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ issuedCapital/@currencyCode
257	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ issuedCapital/@codeListVersion
257	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ legalStructure
258	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ legalStructure/@languageCode
258	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ legalStructure/@codeListVersion
258	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Remit to party information/	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/City name			officialAddress/city
258	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/cityCode
258	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/countryCode
258	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/countryCode/@codeListVersion
258	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/countyCode
258	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/crossStreet
258	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/pOBoxNumber
258	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Remit to party information/	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Postal code			officialAddress/postalCode
259	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/provinceCode
259	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/state
259	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/streetAddressOne
259	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/streetAddressTwo
259	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/streetAddressThree
259	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/ officialAddress/geographicalCoordinates/latitude
259	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Remit to party information/	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Geographical coordinates information/Longitude			officialAddress/geographicalCoordinates/longitude
259	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/legalRegistration/legalRegistrationNumber
259	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/legalRegistration/legalRegistrationType
259	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
260	BDT000000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Remit to party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/remitTo/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
260	BDT000000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/remitTo/financialInstitutionInformation/financialInstitutionName
260	BDT000000060	.. 80	0 .. 1	<b>Financial institution division name</b>	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Financial institution division name			<i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/ financialInstitutionBranchName
260	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/financialAccount/ financialAccountNumber
260	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
260	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
260	BDT000000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/financialAccount/ financialAccountName
260	BDT000000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Remit to party information/	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/remitTo/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Financial institution routing number information/Financial routing number			financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
260	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Remit to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
260	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Remit to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/remitTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
261	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Remit to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/remitTo/financialInstitutionInformation/additionalFinancialInformation/description
261	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Remit to party information/Financial institution and financial account information/Additional financial institution description/Language code/	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
261	BDT000000028	.. 35	0 .. 1	Language code content <b>Code list version</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
261	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/city
261	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/cityCode
261	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/countryCode
261	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/countryCode/ @codeListVersion
261	BDT000000034	.. 80	0 .. 1	<b>County code</b>	1 .. 80	0 .. 1	<b>countyCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/County code			<i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/countyCode
261	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/crossStreet
261	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/name
262	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/pOBoxNumber
262	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/postalCode
262	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/provinceCode
262	BDT00000127	.. 80	0 .. 1	<b>State</b>	1 .. 80	0 .. 1	<b>state</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/State			<i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/state
262	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/streetAddressOne
262	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/streetAddressTwo
262	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/ streetAddressThree
262	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
262	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Remit to party information/ Financial institution and financial account information/Address information/Geographical coordinates	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/remitTo/ financialInstitutionInformation/address/ geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
262	BDT00000056	.. 80	1 .. 1	information/Longitude <b>Entity identification</b> <i>Path:</i> Invoice/Referenced returns notice document information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/returnsNotice/entityIdentification
263	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Referenced returns notice document information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/returnsNotice/contentOwner/gln
263	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Referenced returns notice document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/returnsNotice/contentOwner/additionalPartyIdentification
263	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Referenced returns notice document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/returnsNotice/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
263	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Referenced returns notice document information/Document content owner/Additional party identification information/Additional party identification type code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/returnsNotice/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
263	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Referenced returns notice document information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/returnsNotice/creationDateTime
263	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Referenced returns notice document information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/returnsNotice/revisionNumber
263	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Referenced returns notice document information/Document line number		0 .. 1	<b>lineltemNumber</b> <i>Path:</i> invoiceMessage/invoice/returnsNotice/lineltemNumber
263	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Referenced returns notice document information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/returnsNotice/referencedDocumentUrl
263	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Referenced sales order document information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/salesOrder/entityIdentification
263	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Referenced sales order document information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/salesOrder/contentOwner/gln
264	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Referenced sales order document information/Document content owner/Additional party	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/salesOrder/contentOwner/additionalPartyIdentification

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification content			
264	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Referenced sales order document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/salesOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
264	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Referenced sales order document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/salesOrder/contentOwner/additionalPartyIdentification/@codeListVersion
264	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Referenced sales order document information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/salesOrder/creationDateTime
264	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Referenced sales order document information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/salesOrder/revisionNumber
264	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Referenced sales order document information/Document line number		0 .. 1	<b>lineItemNumber</b> <i>Path:</i> invoiceMessage/invoice/salesOrder/lineItemNumber
264	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Referenced sales order	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/salesOrder/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				document information/Referenced document external location			referencedDocumentUrl
264	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Referenced sales report document information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/salesReport/entityIdentification
264	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/salesReport/contentOwner/gln
264	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/salesReport/contentOwner/additionalPartyIdentification
265	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/salesReport/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
265	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Referenced sales report document information/Document content owner/Additional party identification information/Additional	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/salesReport/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification type code/Code list version			
265	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Referenced sales report document information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/salesReport/creationDateTime
265	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Referenced sales report document information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/salesReport/revisionNumber
265	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Referenced sales report document information/Document line number		0 .. 1	<b>lineltemNumber</b> <i>Path:</i> invoiceMessage/invoice/salesReport/lineltemNumber
265	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Referenced sales report document information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/salesReport/referencedDocumentUrl
265	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Invoice/Seller party information/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/seller/gln
265	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Seller party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/seller/additionalPartyIdentification
265	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Seller party information/Additional party identification	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/seller/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional party identification type code/Additional party identification type code content			
265	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/seller/additionalPartyIdentification/@codeListVersion
266	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Seller party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/seller/address/city
266	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Seller party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/seller/address/cityCode
266	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Seller party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/seller/address/countryCode
266	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/seller/address/countryCode/@codeListVersion
266	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Seller party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/seller/address/countyCode
266	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Seller party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/seller/address/crossStreet

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
266	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Seller party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/seller/address/name
266	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Seller party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/seller/address/pOBoxNumber
266	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Seller party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/seller/address/postalCode
266	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Seller party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/seller/address/provinceCode
267	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Seller party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/seller/address/state
267	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Seller party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/seller/address/streetAddressOne
267	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Seller party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/seller/address/streetAddressTwo
267	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Seller party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/seller/address/streetAddressThree
267	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Seller party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/seller/address/geographicalCoordinates/latitude
	BDT00000089						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
267		.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Seller party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/seller/address/geographicalCoordinates/longitude
267	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Seller party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/seller/contact/personName
267	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Seller party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/seller/contact/departmentName
267	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Seller party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/seller/contact/jobTitle
267	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Seller party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/seller/contact/responsibility
268	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Seller party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/seller/contact/responsibility/@languageCode
268	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party information/Business contact information/Business	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/seller/contact/responsibility/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				contact responsibility description/ Language code/Code list version			@codeListVersion
268	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/seller/contact/ communicationChannel/communicationChannelCode
268	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/seller/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
268	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/seller/contact/ communicationChannel/communicationValue
268	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Seller party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/seller/contact/ communicationChannel/communicationChannelName
268	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Seller party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/seller/contact/ afterHoursCommunicationChannel/communicationValue

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
268	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Seller party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/seller/contact/ afterHoursCommunicationChannel/ communicationChannelName
268	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
268	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
269	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
269	BDT00000074						

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
		.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/@identificationSchemeName
269	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode
269	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxTypeCode/@codeListVersion
269	BDT00000370	.. 80	0 .. 1	<b>Customs authority name</b> <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxAgencyName
269	BDT00000563	.. 70	1 .. 1	<b>Customs duty description content</b> <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs duty description/Customs duty description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxDescription
269	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs duty description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxDescription/@languageCode
269	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Customs duty registration information/ Customs duty description/Language code/Code list version			dutyFeeTaxDescription/@codeListVersion
269	BDT00000624	.. 80	1 .. 1	<b>Customs registration type code content</b> <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs registration type code/ Customs registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType
269	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party information/ Customs duty registration information/ Customs registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/seller/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationType/@codeListVersion
270	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ organisationName
270	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ issuedCapital
270	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ issuedCapital/@currencyCode
270	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ issuedCapital/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
270	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ legalStructure
270	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ legalStructure/@languageCode
270	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ legalStructure/@codeListVersion
270	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/city
270	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/cityCode
270	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/countryCode
271	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Country code/Code list version			officialAddress/countryCode/@codeListVersion
271	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/countyCode
271	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/crossStreet
271	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/pOBoxNumber
271	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/postalCode
271	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/provinceCode
271	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/state
271	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/streetAddressOne

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
271	BDT00000130	.. 200	0 .. 1	address/Street address one <b>Street address two</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/streetAddressTwo
271	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/streetAddressThree
272	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/geographicalCoordinates/latitude
272	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ officialAddress/geographicalCoordinates/longitude
272	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ legalRegistration/legalRegistrationNumber
272	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ legalRegistration/legalRegistrationType

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
272	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
272	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Seller party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/seller/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
272	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/financialInstitutionName
272	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/ financialInstitutionBranchName
272	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/financialAccount/ financialAccountNumber
272	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Financial account	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
273	BDT00000028	.. 35	0 .. 1	information/Financial account number type code/Financial account number type code content <b>Code list version</b> <i>Path:</i> Invoice/Seller party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/seller/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
273	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Seller party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/seller/financialInstitutionInformation/financialAccount/financialAccountName
273	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Seller party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
273	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Seller party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
273	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/seller/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version			financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
273	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Seller party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/seller/financialInstitutionInformation/additionalFinancialInformation/description
273	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Seller party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/seller/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
273	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/seller/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
273	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Seller party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/seller/financialInstitutionInformation/address/city
273	BDT00000019	.. 80	0 .. 1	<b>City code</b>	1 .. 80	0 .. 1	<b>cityCode</b>

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/City code			<i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/cityCode
274	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/countryCode
274	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/countryCode/ @codeListVersion
274	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/countryCode
274	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/crossStreet
274	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/name

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
274	BDT00000113	.. 80	0 .. 1	information/Party name <b>Post office box number</b> <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/pOBoxNumber
274	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/postalCode
274	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/provinceCode
274	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/state
274	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/streetAddressOne
275	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
275	BDT00000129	.. 200	0 .. 1	information/Street address two <b>Street address three</b> <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/ streetAddressThree
275	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
275	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Seller party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/seller/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
275	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Ship from party information/ Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/gln
275	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Ship from party information/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ additionalPartyIdentification
275	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Ship from party information/ Additional party identification	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional party identification type code/Additional party identification type code content			
275	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship from party information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/additionalPartyIdentification/@codeListVersion
275	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Ship from party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/address/city
275	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Ship from party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/address/cityCode
276	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Ship from party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/address/countryCode
276	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship from party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/address/countryCode/@codeListVersion
276	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Ship from party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/address/countyCode
276	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Ship from party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/address/crossStreet

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
276	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Ship from party information/ Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/address/name
276	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Ship from party information/ Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/address/pOBoxNumber
276	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Ship from party information/ Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/address/postalCode
276	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Ship from party information/ Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/address/provinceCode
276	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Ship from party information/ Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/address/state
276	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Ship from party information/ Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/address/ streetAddressOne
277	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Ship from party information/ Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/address/ streetAddressTwo
277	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Ship from party information/ Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/address/ streetAddressThree
277	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Ship from party information/ Address information/Geographical	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/address/ geographicalCoordinates/latitude

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
277	BDT00000089	.. 80	1 .. 1	coordinates information/Latitude <b>Longitude</b> <i>Path:</i> Invoice/Ship from party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/address/ geographicalCoordinates/longitude
277	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Ship from party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ contactTypeCode
277	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship from party information/ Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ contactTypeCode/@codeListVersion
277	BDT000000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Ship from party information/ Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/personName
277	BDT000000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Ship from party information/ Business contact information/ Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ departmentName
277	BDT000000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Ship from party information/ Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/jobTitle
277	BDT000000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Ship from party information/ Business contact information/Business contact responsibility description/	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/responsibility

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Business contact responsibility description content			
278	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Ship from party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ responsibility/@languageCode
278	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship from party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ responsibility/@codeListVersion
278	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Ship from party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ communicationChannel/communicationChannelCode
278	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship from party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
278	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Ship from party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ communicationChannel/communicationValue

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
278	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Ship from party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ communicationChannel/communicationChannelName
278	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Ship from party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ afterHoursCommunicationChannel/ communicationChannelCode
278	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship from party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
278	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Ship from party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ afterHoursCommunicationChannel/communicationValue
278	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Ship from party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/contact/ afterHoursCommunicationChannel/ communicationChannelName
279	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Ship from party information/Tax	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				registration information/Tax registration identification information/Tax registration identification content			dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
279	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
279	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
279	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
279	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
279	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
279	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
279	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
279	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription
279	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
280	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
280	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax registration type code/Tax registration type code	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
280	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship from party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
280	BDT000000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Ship from party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/organisationName
280	BDT000000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Ship from party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/issuedCapital
280	BDT000000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Ship from party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/issuedCapital/@currencyCode
280	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship from party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/issuedCapital/@codeListVersion
280	BDT000000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Ship from party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/legalStructure
280	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Ship from party information/	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Legal structure description/Language code/Language code content			legalStructure/@languageCode
280	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ legalStructure/@codeListVersion
281	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/city
281	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/cityCode
281	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/countryCode
281	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/countryCode/@codeListVersion
281	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/countyCode
	BDT000000035						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
281		.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/crossStreet
281	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/pOBoxNumber
281	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/postalCode
281	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/provinceCode
281	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/state
282	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/streetAddressOne
282	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/streetAddressTwo
282	BDT00000129	.. 200	0 .. 1	<b>Street address three</b>	1 .. 200	0 .. 1	<b>streetAddressThree</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Street address three			<i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/streetAddressThree
282	BDT000000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/geographicalCoordinates/latitude
282	BDT000000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ officialAddress/geographicalCoordinates/longitude
282	BDT000000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ legalRegistration/legalRegistrationNumber
282	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ legalRegistration/legalRegistrationType
282	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship from party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion
282	BDT000000086	.. 200	0 .. 1	<b>Legal registration additional information</b>	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ship from party information/ Organisation legal information/ Registered legal information/Legal registration additional information			<i>Path:</i> invoiceMessage/invoice/shipFrom/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
282	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/financialInstitutionName
283	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/ financialInstitutionBranchName
283	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumber
283	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
283	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial account information/Financial account number type code/Code list version			financialAccountNumberTypeCode/@codeListVersion
283	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Ship from party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/financialAccount/financialAccountName
283	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
283	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
283	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
283	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description</b>	1 .. 70	1 .. unbounded	<b>description</b>

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>content</b> <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			<i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/ additionalFinancialInformation/description
283	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
284	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
284	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/city
284	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/cityCode
284	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Ship from party information/	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Address information/Country code/Country code content			financialInstitutionInformation/address/countryCode
284	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship from party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/address/countryCode/@codeListVersion
284	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Ship from party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/address/countyCode
284	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Ship from party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/address/crossStreet
284	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Ship from party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/address/name
284	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Ship from party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/financialInstitutionInformation/address/pOBoxNumber

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
284	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/postalCode
285	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/provinceCode
285	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/state
285	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/streetAddressOne
285	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/streetAddressTwo
285	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/ streetAddressThree

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
285	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
285	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Ship from party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/shipFrom/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
285	BDT00000647	.. 80	1 .. 1	<b>Handling instruction code content</b> <i>Path:</i> Invoice/Shipment transportation information/Handling instruction code/ Handling instruction code content	1 .. 80	0 .. unbounded	<b>handlingInstructionCode</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/ handlingInstructionCode
285	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Handling instruction code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/ handlingInstructionCode/@codeListVersion
285	BDT00000687	.. 80	1 .. 1	<b>Transport means type code content</b> <i>Path:</i> Invoice/Shipment transportation information/Transport means type code/Transport means type code content	1 .. 80	0 .. 1	<b>transportMeansType</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/transportMeansType
286	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Transport means type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/ transportMeansType/@codeListVersion
286	BDT00000625	.. 80	0 .. 1	<b>Transport means identification content</b>	1 .. 80	0 .. 1	<b>transportMeansID</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Shipment transportation information/Transport means identification/Transport means identification content			<i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/transportMeansID
286	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/transportMeansID/@identificationSchemeAgencyCode
286	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/transportMeansID/@identificationSchemeAgencyCodeCodeListVersion
286	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/transportMeansID/@identificationSchemeAgencyName
286	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/transportMeansID/@identificationSchemeName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
286	BDT00000688	.. 80	1 .. 1	<b>Transport mode code content</b> <i>Path:</i> Invoice/Shipment transportation information/Transport mode code/Transport mode code content	1 .. 80	0 .. 1	<b>transportServiceCategoryType</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/transportServiceCategoryType
286	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Transport mode code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/transportServiceCategoryType/@codeListVersion
286	BDT00000689	.. 80	1 .. 1	<b>Transport service level code content</b> <i>Path:</i> Invoice/Shipment transportation information/Transport service level code/Transport service level code content	1 .. 80	0 .. 1	<b>transportServiceLevelCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/transportServiceLevelCode
286	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Transport service level code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/transportServiceLevelCode/@codeListVersion
287	BDT00000626	.. 80	1 .. 1	<b>Transport route identification content</b> <i>Path:</i> Invoice/Shipment transportation information/Transport route identification/Transport route identification content	1 .. 80	0 .. 1	<b>routeID</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/routeID
287	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/routeID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
287	BDT00000028	.. 35	0 .. 1	<b>content</b> <b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/routeID/@identificationSchemeAgencyCodeCodeListVersion
287	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/routeID/@identificationSchemeAgencyName
287	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/routeID/@identificationSchemeName
287	BDT00000648	.. 70	1 .. 1	<b>Handling instruction description content</b> <i>Path:</i> Invoice/Shipment transportation information/Handling instruction description/Handling instruction description content	1 .. 100	0 .. unbounded	<b>additionalHandlingInstruction</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/additionalHandlingInstruction
287	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Shipment transportation information/Handling instruction description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/additionalHandlingInstruction/@languageCode
287	BDT00000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Shipment transportation information/Handling instruction description/Language code/Code list version			<i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/additionalHandlingInstruction/@codeListVersion
287	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/gln
287	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/additionalPartyIdentification
288	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
288	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/additionalPartyIdentification/@codeListVersion
288	BDT000000020	.. 200	0 .. 1	<b>City name</b>	1 .. 200	0 .. 1	<b>city</b>

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/City name			<i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/city
288	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/cityCode
288	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/countryCode
288	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/countryCode/@codeListVersion
288	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/countyCode
288	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/crossStreet
288	BDT000000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/name
	BDT000000113						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
288		.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/pOBoxNumber
289	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/postalCode
289	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/provinceCode
289	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/state
289	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/streetAddressOne
289	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/streetAddressTwo
289	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/streetAddressThree

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
289	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/geographicalCoordinates/latitude
289	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/address/geographicalCoordinates/longitude
289	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/contactTypeCode
289	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/contactTypeCode/@codeListVersion
290	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/personName
290	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/departmentName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
290	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/jobTitle
290	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/responsibility
290	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/responsibility/@languageCode
290	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/responsibility/@codeListVersion
290	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Communication information/Communication channel code/	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/communicationChannel/communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
290	BDT000000028	.. 35	0 .. 1	Communication channel code content <b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/communicationChannel/communicationChannelCode/@codeListVersion
290	BDT000000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/communicationChannel/communicationValue
290	BDT000000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/communicationChannel/communicationChannelName
291	BDT000000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/contact/afterHoursCommunicationChannel/communicationChannelCode
291	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Carrier party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version			shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
291	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/communicationValue
291	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/ communicationChannelName
291	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Tax registration information/Tax registration identification information/ Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
291	BDT000000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Tax registration information/Tax registration identification information/ Identification scheme information/	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Identification scheme responsible agency code/Identification scheme responsible agency code content			
291	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
291	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
291	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
291	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
	BDT00000028						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
292		.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
292	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
292	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription
292	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
292	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
292	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Tax registration information/Tax registration type code/Tax registration type code content			dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
292	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
292	BDT000000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/organisationName
292	BDT000000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/issuedCapital
292	BDT000000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/issuedCapital/@currencyCode
293	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/issuedCapital/@codeListVersion
293	BDT000000659	.. 70	1 .. 1	<b>Legal structure description content</b>	1 .. 80	0 .. 1	<b>legalStructure</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Legal structure description/Legal structure description content			<i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/legalStructure
293	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/legalStructure/@languageCode
293	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/legalStructure/@codeListVersion
293	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/city
293	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/cityCode
293	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Country code/Country code content			organisationDetails/officialAddress/countryCode
293	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countryCode/@codeListVersion
293	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countyCode
293	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/crossStreet
294	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/pOBoxNumber
294	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/postalCode
294	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Shipment transportation	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Carrier party information/ Organisation legal information/Official address/Province identity			shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/provinceCode
294	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/state
294	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressOne
294	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressTwo
294	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressThree
294	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
294	BDT00000089	.. 80	1 .. 1	<b>Longitude</b>	1 .. 80	1 .. 1	<b>longitude</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Geographical coordinates information/Longitude			<i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/geographicalCoordinates/longitude
294	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationNumber
295	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType
295	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
295	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
	BDT00000061						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
295		.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialInstitutionName
295	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialInstitutionBranchName
295	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountNumber
295	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
295	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Financial institution and financial account information/Financial account information/Financial account number type code/Code list version			financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
295	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountName
295	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
296	BDT00000064	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
296	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				routing number information/Financial routing number type code/Code list version			
296	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description
296	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
296	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
296	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/city

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
296	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/cityCode
296	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countryCode
296	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countryCode/@codeListVersion
296	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countyCode
297	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
297	BDT00000106	.. 200	0 .. 1	information/Cross street <b>Party name</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/name
297	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/pOBoxNumber
297	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/postalCode
297	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/provinceCode
297	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/state

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
297	BDT00000128	.. 200	0 .. 1	information/State <b>Street address one</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressOne
297	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressTwo
297	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressThree
297	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/geographicalCoordinates/latitude
298	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Shipment transportation information/Carrier party information/Financial institution and financial	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Address information/Geographical coordinates information/Longitude			geographicalCoordinates/longitude
298	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/gln
298	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification
298	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
298	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/additionalPartyIdentification/@codeListVersion
298	BDT00000020	.. 200	0 .. 1	<b>City name</b>	1 .. 200	0 .. 1	<b>city</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/City name			<i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/city
298	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/cityCode
298	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/countryCode
298	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/countryCode/@codeListVersion
298	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/countyCode
299	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/crossStreet
299	BDT000000106	.. 200	0 .. 1	<b>Party name</b>	1 .. 200	0 .. 1	<b>name</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Party name			<i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/name
299	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/pOBoxNumber
299	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/postalCode
299	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/provinceCode
299	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/state
299	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/streetAddressOne
299	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Shipment transportation	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Freight forwarder party information/Address information/Street address two			shipmentTransportationInformation/freightForwarder/address/streetAddressTwo
299	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/streetAddressThree
299	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/geographicalCoordinates/latitude
300	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/address/geographicalCoordinates/longitude
300	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/contactTypeCode
300	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/contactTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
300	BDT00000112	.. 70	0 .. 1	information/Contact type code/Code list version <b>Person name</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/personName
300	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/departmentName
300	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/jobTitle
300	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/responsibility
300	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/responsibility/@languageCode

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
300	BDT00000028	.. 35	0 .. 1	information/Business contact responsibility description/Language code/Language code content <b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/responsibility/@codeListVersion
300	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelCode
301	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelCode/@codeListVersion
301	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Communication	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationValue

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
301	BDT00000033	.. 200	0 .. 1	information/Communication channel identification <b>Communication channel name</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/communicationChannel/communicationChannelName
301	BDT000000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationChannelCode
301	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
301	BDT000000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationValue

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
301	BDT000000033	.. 200	0 .. 1	<b>identification</b> <b>Communication channel name</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/contact/afterHoursCommunicationChannel/communicationChannelName
301	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
301	BDT000000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
301	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Identification scheme information/Identification scheme responsible agency code/Code list version			
302	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
302	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
302	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
302	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax type code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
302	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
302	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription
302	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
302	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
302	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
302	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
303	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/organisationName
303	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/issuedCapital
303	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/issuedCapital/@currencyCode
303	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/issuedCapital/@codeListVersion
303	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b>	1 .. 80	0 .. 1	<b>legalStructure</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Legal structure description/Legal structure description content			<i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/legalStructure
303	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/legalStructure/@languageCode
303	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/legalStructure/@codeListVersion
303	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/city
303	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/cityCode
	BDT00000774						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
303			1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/countryCode
304	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/countryCode/@codeListVersion
304	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/countyCode
304	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/crossStreet
304	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/pOBoxNumber

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
304	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/postalCode
304	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/provinceCode
304	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/state
304	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/streetAddressOne
304	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/streetAddressTwo
304	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Shipment transportation	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Freight forwarder party information/Organisation legal information/Official address/Street address three			shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressThree
305	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
305	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
305	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalRegistration/ legalRegistrationNumber
305	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalRegistration/ legalRegistrationType

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
305	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
305	BDT000000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
305	BDT000000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialInstitutionName
305	BDT000000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialInstitutionBranchName
305	BDT000000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial account information/Financial account number			financialInstitutionInformation/financialAccount/financialAccountNumber
305	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
306	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
306	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountName
306	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial institution routing number information/Financial routing number			financialRoutingNumber
306	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
306	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
306	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description
306	BDT00000524	.. 80	1 .. 1	<b>Language code content</b>	1 .. 80		<b>languageCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content			<i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
306	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
306	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/city
306	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/cityCode
307	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Country code/Country code	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
307	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/countryCode/@codeListVersion
307	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/countyCode
307	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/crossStreet
307	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/name
307	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/pOBoxNumber

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
307	BDT00000114	.. 80	0 .. 1	financial account information/Address information/Post office box number <b>Postal code</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/postalCode
307	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/provinceCode
307	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/state
307	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressOne
308	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
308	BDT00000129	.. 200	0 .. 1	financial account information/Address information/Street address two <b>Street address three</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressThree
308	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/geographicalCoordinates/latitude
308	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/geographicalCoordinates/longitude
308	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Ship to party information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/shipTo/gln
308	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Ship to party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/shipTo/additionalPartyIdentification

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
308	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Ship to party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
308	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship to party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipTo/additionalPartyIdentification/@codeListVersion
308	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Ship to party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/shipTo/address/city
308	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Ship to party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/address/cityCode
309	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Ship to party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/address/countryCode
309	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship to party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipTo/address/countryCode/@codeListVersion
309	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Ship to party information/	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/address/countyCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Address information/County code			
309	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Ship to party information/ Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/shipTo/address/crossStreet
309	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Ship to party information/ Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/shipTo/address/name
309	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Ship to party information/ Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/shipTo/address/pOBoxNumber
309	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Ship to party information/ Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/address/postalCode
309	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Ship to party information/ Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/address/provinceCode
309	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Ship to party information/ Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/shipTo/address/state
309	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Ship to party information/ Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/shipTo/address/ streetAddressOne
310	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Ship to party information/ Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/shipTo/address/ streetAddressTwo
310	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Ship to party information/ Address information/Street address	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/shipTo/address/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				three			streetAddressThree
310	BDT000000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Ship to party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/shipTo/address/ geographicalCoordinates/latitude
310	BDT000000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Ship to party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/shipTo/address/ geographicalCoordinates/longitude
310	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Ship to party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/contact/contactTypeCode
310	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship to party information/ Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipTo/contact/ contactTypeCode/@codeListVersion
310	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Ship to party information/ Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/shipTo/contact/personName
310	BDT000000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Ship to party information/ Business contact information/ Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/shipTo/contact/departmentName
310	BDT000000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Ship to party information/ Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/shipTo/contact/jobTitle
310	BDT000000580	.. 70	1 .. 1	<b>Business contact responsibility</b>	1 .. 70	0 .. unbounded	<b>responsibility</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>description content</b> <i>Path:</i> Invoice/Ship to party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content			<i>Path:</i> invoiceMessage/invoice/shipTo/contact/responsibility
311	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Ship to party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/contact/responsibility/ @languageCode
311	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship to party information/ Business contact information/Business contact responsibility description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipTo/contact/responsibility/ @codeListVersion
311	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Ship to party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/contact/ communicationChannel/communicationChannelCode
311	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship to party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipTo/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
311	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b>	1 .. 200	1 .. 1	<b>communicationValue</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ship to party information/ Business contact information/ Communication information/ Communication channel identification			<i>Path:</i> invoiceMessage/invoice/shipTo/contact/ communicationChannel/communicationValue
311	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Ship to party information/ Business contact information/ Communication information/ Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/shipTo/contact/ communicationChannel/communicationChannelName
311	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Ship to party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode
311	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship to party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
311	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Ship to party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/shipTo/contact/ afterHoursCommunicationChannel/communicationValue
311	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Ship to party information/ Business contact information/After	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/shipTo/contact/ afterHoursCommunicationChannel/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				hours communication information/ Communication channel name			communicationChannelName
312	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID
312	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
312	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
312	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/ dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
312	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b>	1 .. 80		<b>identificationSchemeName</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			<i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
312	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
312	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
312	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
312	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
312	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
313	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax description/Language code/Code list	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
313	BDT00000588	.. 80	1 .. 1	version <b>Tax registration type code content</b> <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
313	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship to party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
313	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Ship to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/organisationName
313	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Ship to party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/issuedCapital
313	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Ship to party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/issuedCapital/@currencyCode
313	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship to party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/issuedCapital/@codeListVersion
313	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Ship to party information/	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Legal structure description/Legal structure description content			legalStructure
313	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ legalStructure/@languageCode
313	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ legalStructure/@codeListVersion
314	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/city
314	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/cityCode
314	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/countryCode
314	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/countryCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
314	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/countyCode
314	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/crossStreet
314	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/pOBoxNumber
314	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/postalCode
314	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/provinceCode
314	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/state
315	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/streetAddressOne
315	BDT00000130	.. 200	0 .. 1	<b>Street address two</b>	1 .. 200	0 .. 1	<b>streetAddressTwo</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Street address two			<i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/streetAddressTwo
315	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/streetAddressThree
315	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/geographicalCoordinates/latitude
315	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ officialAddress/geographicalCoordinates/longitude
315	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ legalRegistration/legalRegistrationNumber
315	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ legalRegistration/legalRegistrationType
315	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship to party information/	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/ Registered legal information/Legal registration type code/Code list version			legalRegistration/legalRegistrationType/@codeListVersion
315	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Ship to party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/shipTo/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
315	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/financialInstitutionName
316	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/ financialInstitutionBranchName
316	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountNumber
316	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
316	BDT00000028	.. 35	0 .. 1	type code content <b>Code list version</b> <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
316	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountName
316	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
316	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
316	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Financial institution	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				routing number information/Financial routing number type code/Code list version			
316	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Ship to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/shipTo/financialInstitutionInformation/additionalFinancialInformation/description
316	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Ship to party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
317	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship to party information/Financial institution and financial account information/Additional financial institution description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipTo/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
317	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Ship to party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/shipTo/financialInstitutionInformation/address/city
317	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Ship to party information/Financial institution and financial	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/financialInstitutionInformation/address/cityCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
317	BDT00000774		1 .. 1	account information/Address information/City code <b>Country code content</b> <i>Path:</i> Invoice/Ship to party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/financialInstitutionInformation/address/countryCode
317	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ship to party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/shipTo/financialInstitutionInformation/address/countryCode/@codeListVersion
317	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Ship to party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/financialInstitutionInformation/address/countyCode
317	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Ship to party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/shipTo/financialInstitutionInformation/address/crossStreet
317	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Ship to party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/shipTo/financialInstitutionInformation/address/name
317	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b>	1 .. 80	0 .. 1	<b>pOBoxNumber</b>

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/Post office box number			<i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/pOBoxNumber
317	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/postalCode
318	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/provinceCode
318	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/state
318	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/streetAddressOne
318	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/streetAddressTwo
318	BDT00000129	.. 200	0 .. 1	<b>Street address three</b>	1 .. 200	0 .. 1	<b>streetAddressThree</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/Street address three			<i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/ streetAddressThree
318	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
318	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Ship to party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/shipTo/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
318	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Invoice/Seller representative party information/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/gln
318	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Seller representative party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ additionalPartyIdentification
318	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Seller representative party information/Additional party identification information/Additional	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification type code/Additional party identification type code content			
319	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller representative party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/additionalPartyIdentification/@codeListVersion
319	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Seller representative party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/city
319	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Seller representative party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/cityCode
319	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Seller representative party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/countryCode
319	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller representative party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/countryCode/@codeListVersion
319	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Seller representative party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/countyCode
319	BDT00000035	.. 200	0 .. 1	<b>Cross street</b>	1 .. 200	0 .. 1	<b>crossStreet</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller representative party information/Address information/Cross street			<i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/crossStreet
319	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Seller representative party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/name
319	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Seller representative party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/pOBoxNumber
319	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Seller representative party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/postalCode
320	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Seller representative party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/provinceCode
320	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Seller representative party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/state
320	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Seller representative party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/streetAddressOne
320	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Seller representative party information/Address information/Street	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/streetAddressTwo

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
320	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Seller representative party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/streetAddressThree
320	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Seller representative party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/geographicalCoordinates/latitude
320	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Seller representative party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/address/geographicalCoordinates/longitude
320	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Seller representative party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/contactTypeCode
320	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller representative party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/contactTypeCode/@codeListVersion
320	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Seller representative party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/personName
	BDT000000044						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
321		.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Seller representative party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/departmentName
321	BDT000000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Seller representative party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/jobTitle
321	BDT000000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Seller representative party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/responsibility
321	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Seller representative party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/responsibility/@languageCode
321	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller representative party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/responsibility/@codeListVersion
321	BDT000000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Seller representative party	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel code/Communication channel code content			contact/communicationChannel/ communicationChannelCode
321	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller representative party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ contact/communicationChannel/ communicationChannelCode/@codeListVersion
321	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Seller representative party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ contact/communicationChannel/communicationValue
321	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Seller representative party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ contact/communicationChannel/ communicationChannelName
321	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Seller representative party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ contact/afterHoursCommunicationChannel/ communicationChannelCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
322	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller representative party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
322	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Seller representative party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/afterHoursCommunicationChannel/communicationValue
322	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Seller representative party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/contact/afterHoursCommunicationChannel/communicationChannelName
322	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
322	BDT000000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax registration	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			
322	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
322	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
322	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
322	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax type code/Tax type	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
322	BDT000000028	.. 35	0 .. 1	code content <b>Code list version</b> <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
323	BDT000000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
323	BDT000000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxDescription
323	BDT000000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
323	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
323	BDT000000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
323	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller representative party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
323	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/organisationName
323	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/issuedCapital
323	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/issuedCapital/@currencyCode
323	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/issuedCapital/@codeListVersion
324	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/legalStructure

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
324	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/legalStructure/@languageCode
324	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/legalStructure/@codeListVersion
324	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/officialAddress/city
324	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/officialAddress/cityCode
324	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/officialAddress/countryCode
324	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/officialAddress/countryCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
324	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/officialAddress/countyCode
324	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/officialAddress/crossStreet
324	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/officialAddress/pOBoxNumber
325	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/officialAddress/postalCode
325	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/officialAddress/provinceCode
325	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/officialAddress/state
325	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Seller representative party	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Street address one			organisationDetails/officialAddress/streetAddressOne
325	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ organisationDetails/officialAddress/streetAddressTwo
325	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ organisationDetails/officialAddress/streetAddressThree
325	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
325	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
325	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ organisationDetails/legalRegistration/ legalRegistrationNumber

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
325	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/legalRegistration/legalRegistrationType
326	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
326	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Seller representative party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
326	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/financialInstitutionName
326	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/financialInstitutionBranchName
326	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b>	1 .. 80	1 .. 1	<b>financialAccountNumber</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Financial account information/Financial account number			<i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/financialAccount/financialAccountNumber
326	BDT00000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
326	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
326	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/financialAccount/financialAccountName
326	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
326	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
327	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
327	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/additionalFinancialInformation/description
327	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
	BDT00000028						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
327		.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
327	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ financialInstitutionInformation/address/city
327	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ financialInstitutionInformation/address/cityCode
327	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ financialInstitutionInformation/address/countryCode
327	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/ financialInstitutionInformation/address/countryCode/ @codeListVersion
327	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Seller representative party	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/County code			financialInstitutionInformation/address/countyCode
327	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/crossStreet
328	BDT000000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/name
328	BDT000000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/pOBoxNumber
328	BDT000000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/postalCode
328	BDT000000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/provinceCode
328	BDT000000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Seller representative party	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/State			financialInstitutionInformation/address/state
328	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/streetAddressOne
328	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/streetAddressTwo
328	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/streetAddressThree
328	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/geographicalCoordinates/latitude
328	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Seller representative party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/supplierAgentRepresentative/financialInstitutionInformation/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
329	BDT00000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Invoice/Seller party corporate office information/Global location number, GLN	0 .. 1		<b>gln</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/gln
329	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Seller party corporate office information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/additionalPartyIdentification
329	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Seller party corporate office information/Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
329	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party corporate office information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/additionalPartyIdentification/@codeListVersion
329	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Seller party corporate office information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/city
329	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Seller party corporate office information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/cityCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
329	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Seller party corporate office information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/countryCode
329	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party corporate office information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/countryCode/@codeListVersion
329	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Seller party corporate office information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/countyCode
329	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Seller party corporate office information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/crossStreet
330	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Seller party corporate office information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/name
330	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Seller party corporate office information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/pOBoxNumber
330	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Seller party corporate office information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/postalCode
330	BDT00000117	80 ..	0 .. 1	<b>Province identity</b>	1 .. 80	0 .. 1	<b>provinceCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party corporate office information/Address information/Province identity			<i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/provinceCode
330	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Seller party corporate office information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/state
330	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Seller party corporate office information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/streetAddressOne
330	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Seller party corporate office information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/streetAddressTwo
330	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Seller party corporate office information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/streetAddressThree
330	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Seller party corporate office information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/geographicalCoordinates/latitude
330	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Seller party corporate office information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/address/geographicalCoordinates/longitude
331	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b>	1 .. 80	0 .. 1	<b>contactTypeCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Contact type code/Contact type code content			<i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/contactTypeCode
331	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/contactTypeCode/@codeListVersion
331	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/personName
331	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/departmentName
331	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/jobTitle
331	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/responsibility
331	BDT00000524	.. 80	1 .. 1	<b>Language code content</b>	1 .. 80		<b>languageCode</b>

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Business contact responsibility description/Language code/Language code content			<i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/responsibility/@languageCode
331	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/responsibility/@codeListVersion
331	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/communicationChannel/communicationChannelCode
331	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/communicationChannel/communicationChannelCode/@codeListVersion
332	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/communicationChannel/communicationValue

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
332	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/communicationChannel/communicationChannelName
332	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/afterHoursCommunicationChannel/communicationChannelCode
332	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
332	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/afterHoursCommunicationChannel/communicationValue
332	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Seller party corporate office information/Business contact information/After hours communication information/Communication channel	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/contact/afterHoursCommunicationChannel/communicationChannelName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
332	BDT00000584	.. 200	1 .. 1	<b>name</b> <b>Tax registration identification content</b> <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
332	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
332	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
332	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
333	BDT00000074	.. 80	0 .. 1	scheme agency name <b>Identification scheme name</b> <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
333	BDT00000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
333	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
333	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
333	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ dutyFeeTaxRegistration/dutyFeeTaxDescription
333	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Seller party corporate office information/Tax registration	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ dutyFeeTaxRegistration/dutyFeeTaxDescription/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax description/Language code/Language code content			@languageCode
333	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
333	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
333	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party corporate office information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
333	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/organisationName
334	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/issuedCapital
334	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Issued capital/Currency	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/issuedCapital/@currencyCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
334	BDT00000028	.. 35	0 .. 1	code/Currency code content <b>Code list version</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/issuedCapital/@codeListVersion
334	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/legalStructure
334	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/legalStructure/@languageCode
334	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/legalStructure/@codeListVersion
334	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/organisationDetails/officialAddress/city
334	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Seller party corporate office	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/City code			organisationDetails/officialAddress/cityCode
334	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ organisationDetails/officialAddress/countryCode
334	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ organisationDetails/officialAddress/countryCode/ @codeListVersion
335	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ organisationDetails/officialAddress/countyCode
335	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ organisationDetails/officialAddress/crossStreet
335	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ organisationDetails/officialAddress/pOBoxNumber
335	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ organisationDetails/officialAddress/postalCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
335	BDT00000117	80 ..	0 .. 1	information/Official address/Postal code <b>Province identity</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ organisationDetails/officialAddress/provinceCode
335	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ organisationDetails/officialAddress/state
335	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ organisationDetails/officialAddress/streetAddressOne
335	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ organisationDetails/officialAddress/streetAddressTwo
335	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ organisationDetails/officialAddress/streetAddressThree
335	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/ Geographical coordinates information/	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ organisationDetails/officialAddress/ geographicalCoordinates/latitude

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
336	BDT000000089	.. 80	1 .. 1	Latitude <b>Longitude</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
336	BDT000000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ organisationDetails/legalRegistration/ legalRegistrationNumber
336	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ organisationDetails/legalRegistration/ legalRegistrationType
336	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
336	BDT000000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Seller party corporate office information/Organisation legal information/Registered legal information/Legal registration additional	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/ organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
336	BDT000000061	.. 80	0 .. 1	information <b>Financial institution name</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/financialInstitutionName
336	BDT000000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/financialInstitutionBranchName
336	BDT000000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/financialAccount/financialAccountNumber
336	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
336	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Financial account information/Financial account	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
337	BDT00000058	.. 80	0 .. 1	number type code/Code list version <b>Financial account name</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/financialAccount/financialAccountName
337	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
337	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
337	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
337	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description</b>	1 .. 70	1 .. unbounded	<b>description</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<b>content</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			<i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/additionalFinancialInformation/description
337	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
337	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
337	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/city
337	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/cityCode
337	BDT00000774		1 .. 1	<b>Country code content</b>	1 .. 80	0 .. 1	<b>countryCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Country code/Country code content			<i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/countryCode
338	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/countryCode/@codeListVersion
338	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/countyCode
338	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/crossStreet
338	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/name
338	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/pOBoxNumber

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
338	BDT00000114	.. 80	0 .. 1	information/Post office box number <b>Postal code</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/postalCode
338	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/provinceCode
338	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/state
338	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/streetAddressOne
338	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/streetAddressTwo
339	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/streetAddressThree

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
339	BDT000000085	.. 80	1 .. 1	information/Street address three <b>Latitude</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/geographicalCoordinates/latitude
339	BDT000000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Seller party corporate office information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/supplierCorporateOffice/financialInstitutionInformation/address/geographicalCoordinates/longitude
339	BDT000000708	.. 80	1 .. 1	<b>Currency conversion from code content</b> <i>Path:</i> Invoice/Tax currency conversion information/Currency conversion from code/Currency conversion from code content	1 .. 80	1 .. 1	<b>currencyConversionFromCode</b> <i>Path:</i> invoiceMessage/invoice/taxCurrencyInformation/currencyConversionFromCode
339	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax currency conversion information/Currency conversion from code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxCurrencyInformation/currencyConversionFromCode/@codeListVersion
339	BDT000000709	.. 80	1 .. 1	<b>Currency conversion to code content</b> <i>Path:</i> Invoice/Tax currency conversion information/Currency conversion to code/Currency conversion to code content	1 .. 80	1 .. 1	<b>currencyConversionToCode</b> <i>Path:</i> invoiceMessage/invoice/taxCurrencyInformation/currencyConversionToCode
339	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax currency conversion information/Currency conversion to code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxCurrencyInformation/currencyConversionToCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
339	BDT000000037		0 .. 1	code/Code list version <b>Currency exchange rate</b> <i>Path:</i> Invoice/Tax currency conversion information/Currency exchange rate		0 .. 1	<b>exchangeRate</b> <i>Path:</i> invoiceMessage/invoice/taxCurrencyInformation/exchangeRate
339	BDT000000038		0 .. 1	<b>Currency exchange rate date</b> <i>Path:</i> Invoice/Tax currency conversion information/Currency exchange rate date		0 .. 1	<b>exchangeRateDateTime</b> <i>Path:</i> invoiceMessage/invoice/taxCurrencyInformation/exchangeRateDateTime
339	BDT000000063	13 .. 13	0 .. 1	<b>Global location number, GLN</b> <i>Path:</i> Invoice/Tax representative party information/Global location number, GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/gln
340	BDT000000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Tax representative party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/additionalPartyIdentification
340	BDT000000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Tax representative party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
340	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax representative party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
340	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Tax representative party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/city
340	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Tax representative party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/cityCode
340	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Tax representative party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/countryCode
340	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax representative party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/countryCode/@codeListVersion
340	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Tax representative party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/countyCode
340	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Tax representative party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/crossStreet
340	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Tax representative party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/name
341	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b>	1 .. 80	0 .. 1	<b>pOBoxNumber</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Tax representative party information/Address information/Post office box number			<i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/pOBoxNumber
341	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Tax representative party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/postalCode
341	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Tax representative party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/provinceCode
341	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Tax representative party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/state
341	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Tax representative party information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/streetAddressOne
341	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Tax representative party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/streetAddressTwo
341	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Tax representative party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/streetAddressThree
341	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Tax representative party information/Address information/	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Geographical coordinates information/ Latitude			
341	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Tax representative party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/address/ geographicalCoordinates/longitude
341	BDT000000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Tax representative party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/ contactTypeCode
342	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax representative party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/ contactTypeCode/@codeListVersion
342	BDT000000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Tax representative party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/ personName
342	BDT000000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Tax representative party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/ departmentName
342	BDT000000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Tax representative party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/ jobTitle
	BDT000000580			<b>Business contact responsibility</b>			

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
342		.. 70	1 .. 1	<b>description content</b> <i>Path:</i> Invoice/Tax representative party information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/responsibility
342	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Tax representative party information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/responsibility/@languageCode
342	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax representative party information/Business contact responsibility description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/responsibility/@codeListVersion
342	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Tax representative party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/communicationChannel/communicationChannelCode
342	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax representative party information/Business contact information/Communication information/Communication channel	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/communicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
342	BDT00000032	.. 200	1 .. 1	code/Communication channel code content/Code list version <b>Communication channel identification</b> <i>Path:</i> Invoice/Tax representative party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/communicationChannel/communicationValue
343	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Tax representative party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/communicationChannel/communicationChannelName
343	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Tax representative party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/afterHoursCommunicationChannel/communicationChannelCode
343	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax representative party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
343	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Tax representative party	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/After hours communication information/Communication channel identification			afterHoursCommunicationChannel/communicationValue
343	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Tax representative party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/contact/ afterHoursCommunicationChannel/ communicationChannelName
343	BDT00000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
343	BDT00000583	.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
343	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax registration identification information/Identification	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme information/Identification scheme responsible agency code/Code list version			
343	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
343	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
344	BDT000000576	.. 80	1 .. 1	<b>Tax type code content</b> <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
344	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
344	BDT000000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Tax representative party information/Tax registration	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
344	BDT00000754	.. 70	1 .. 1	information/Tax authority name <b>Tax description content</b> <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxDescription
344	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
344	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
344	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
344	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax representative party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
344	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ organisationDetails/organisationName

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
344	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/issuedCapital
345	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/issuedCapital/@currencyCode
345	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/issuedCapital/@codeListVersion
345	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	<b>legalStructure</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/legalStructure
345	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/legalStructure/@languageCode
345	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/legalStructure/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Legal structure description/Language code/Code list version			
345	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ organisationDetails/officialAddress/city
345	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ organisationDetails/officialAddress/cityCode
345	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ organisationDetails/officialAddress/countryCode
345	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ organisationDetails/officialAddress/countryCode/ @codeListVersion
345	BDT000000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ organisationDetails/officialAddress/countyCode
346	BDT000000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Cross	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ organisationDetails/officialAddress/crossStreet

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
346	BDT00000113	.. 80	0 .. 1	street <b>Post office box number</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/officialAddress/pOBoxNumber
346	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/officialAddress/postalCode
346	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/officialAddress/provinceCode
346	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/officialAddress/state
346	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/officialAddress/streetAddressOne
346	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/officialAddress/streetAddressTwo
	BDT00000129						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
346		.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/officialAddress/streetAddressThree
346	BDT000000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/officialAddress/geographicalCoordinates/latitude
346	BDT000000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/officialAddress/geographicalCoordinates/longitude
347	BDT000000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/legalRegistration/legalRegistrationNumber
347	BDT000000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/legalRegistration/legalRegistrationType
347	BDT000000028	.. 35	0 .. 1	<b>Code list version</b>	1 .. 35		<b>codeListVersion</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version			<i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
347	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Tax representative party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
347	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/financialInstitutionName
347	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/financialInstitutionBranchName
347	BDT00000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/financialAccount/financialAccountNumber
347	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Tax representative party	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content			financialAccountNumberTypeCode
347	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
347	BDT00000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/financialAccount/financialAccountName
348	BDT00000062	.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
348	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
348	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number type code/ Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
348	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Additional financial institution description/ Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ financialInstitutionInformation/ additionalFinancialInformation/description
348	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
348	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
348	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Tax representative party	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/City name			financialInstitutionInformation/address/city
348	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/cityCode
348	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/countryCode
348	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/countryCode/@codeListVersion
349	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/countyCode
349	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
349	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/name
349	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/pOBoxNumber
349	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/postalCode
349	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/provinceCode
349	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/state
349	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/streetAddressOne

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
349	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/streetAddressTwo
349	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/streetAddressThree
350	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/geographicalCoordinates/latitude
350	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Tax representative party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/taxRepresentative/financialInstitutionInformation/address/geographicalCoordinates/longitude
350	BDT00000056	.. 80	1 .. 1	<b>Entity identification</b> <i>Path:</i> Invoice/Referenced trade agreement information/Entity identification	1 .. 80	1 .. 1	<b>entityIdentification</b> <i>Path:</i> invoiceMessage/invoice/tradeAgreement/entityIdentification
350	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Referenced trade agreement information/Document content owner/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/tradeAgreement/contentOwner/gln
350	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b>	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification content			<i>Path:</i> invoiceMessage/invoice/tradeAgreement/contentOwner/additionalPartyIdentification
350	BDT00000570	.. 80	1 .. 1	<b>Additional party identification type code content</b> <i>Path:</i> Invoice/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/tradeAgreement/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
350	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Referenced trade agreement information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/tradeAgreement/contentOwner/additionalPartyIdentification/@codeListVersion
350	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Referenced trade agreement information/Business document creation date time		0 .. 1	<b>creationDateTime</b> <i>Path:</i> invoiceMessage/invoice/tradeAgreement/creationDateTime
350	BDT00000119		0 .. 1	<b>Revision number</b> <i>Path:</i> Invoice/Referenced trade agreement information/Revision number		0 .. 1	<b>revisionNumber</b> <i>Path:</i> invoiceMessage/invoice/tradeAgreement/revisionNumber
350	BDT00000049	.. 6	0 .. 1	<b>Document line number</b> <i>Path:</i> Invoice/Referenced trade agreement information/Document line number		0 .. 1	<b>lineltemNumber</b> <i>Path:</i> invoiceMessage/invoice/tradeAgreement/lineltemNumber

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
351	BDT00000118	.. 200	0 .. 1	<b>Referenced document external location</b> <i>Path:</i> Invoice/Referenced trade agreement information/Referenced document external location	1 .. 200	0 .. 1	<b>referencedDocumentUrl</b> <i>Path:</i> invoiceMessage/invoice/tradeAgreement/referencedDocumentUrl
351	BDT00000699	.. 80	1 .. 1	<b>Referenced document type code content</b> <i>Path:</i> Invoice/Referenced additional information/Referenced document type code/Referenced document type code content	1 .. 80	1 .. 1	<b>transactionalReferenceTypeCode</b> <i>Path:</i> invoiceMessage/invoice/transactionalGenericReference/transactionalReferenceTypeCode
351	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Referenced additional information/Referenced document type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/transactionalGenericReference/transactionalReferenceTypeCode/@codeListVersion
351	BDT00000135	.. 200	1 .. 1	<b>Business document reference identification</b> <i>Path:</i> Invoice/Referenced additional information/Business document reference identification	1 .. 200	1 .. 1	<b>transactionalReferenceValue</b> <i>Path:</i> invoiceMessage/invoice/transactionalGenericReference/transactionalReferenceValue
351	BDT00000047		0 .. 1	<b>Business document creation date time</b> <i>Path:</i> Invoice/Referenced additional information/Business document creation date time		0 .. 1	<b>transactionalReferenceDateTime</b> <i>Path:</i> invoiceMessage/invoice/transactionalGenericReference/transactionalReferenceDateTime
351	BDT00000063	13 .. 13	0 .. 1	<b>Global location number GLN</b> <i>Path:</i> Invoice/Ultimate consignee party information/Global location number GLN		0 .. 1	<b>gln</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/gln
351	BDT00000578	.. 80	1 .. 1	<b>Additional party identification content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Additional party identification information/Additional	1 .. 80	0 .. unbounded	<b>additionalPartyIdentification</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/additionalPartyIdentification

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
351	BDT00000570	.. 80	1 .. 1	party identification content <b>Additional party identification type code content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		<b>additionalPartyIdentificationTypeCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
351	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/additionalPartyIdentification/@codeListVersion
351	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Ultimate consignee party information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/city
352	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Ultimate consignee party information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/cityCode
352	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/countryCode
352	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/countryCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
352	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Ultimate consignee party information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/countyCode
352	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/crossStreet
352	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/name
352	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/pOBoxNumber
352	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/postalCode
352	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/provinceCode
352	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Ultimate consignee party information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/state
353	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Ultimate consignee party	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Street address one			streetAddressOne
353	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/streetAddressTwo
353	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/streetAddressThree
353	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/geographicalCoordinates/latitude
353	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Ultimate consignee party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/address/geographicalCoordinates/longitude
353	BDT00000571	.. 80	1 .. 1	<b>Contact type code content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	<b>contactTypeCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/contactTypeCode
353	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Contact type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/contactTypeCode/@codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
353	BDT00000112	.. 70	0 .. 1	<b>Person name</b> <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Person name	1 .. 70	0 .. 1	<b>personName</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/personName
353	BDT00000044	.. 70	0 .. 1	<b>Department name</b> <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Department name	1 .. 70	0 .. 1	<b>departmentName</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/departmentName
353	BDT00000083	.. 70	0 .. 1	<b>Job title</b> <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Job title	1 .. 70	0 .. 1	<b>jobTitle</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/jobTitle
354	BDT00000580	.. 70	1 .. 1	<b>Business contact responsibility description content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	<b>responsibility</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/responsibility
354	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/responsibility/@languageCode
354	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Business contact	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/responsibility/@codeListVersion

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				responsibility description/Language code/Code list version			
354	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/communicationChannel/communicationChannelCode
354	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/communicationChannel/communicationChannelCode/@codeListVersion
354	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/communicationChannel/communicationValue
354	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/communicationChannel/communicationChannelName
354	BDT00000525		1 .. 1	<b>Communication channel code content</b> <i>Path:</i> Invoice/Ultimate consignee party	1 .. 80	1 .. 1	<b>communicationChannelCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/After hours communication information/Communication channel code/Communication channel code content			afterHoursCommunicationChannel/ communicationChannelCode
354	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
354	BDT00000032	.. 200	1 .. 1	<b>Communication channel identification</b> <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	<b>communicationValue</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/ afterHoursCommunicationChannel/communicationValue
355	BDT00000033	.. 200	0 .. 1	<b>Communication channel name</b> <i>Path:</i> Invoice/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	<b>communicationChannelName</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/contact/ afterHoursCommunicationChannel/ communicationChannelName
355	BDT000000584	.. 200	1 .. 1	<b>Tax registration identification content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	<b>dutyFeeTaxRegistrationID</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
	BDT000000583						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
355		.. 80	1 .. 1	<b>Identification scheme responsible agency code content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		<b>identificationSchemeAgencyCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
355	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		<b>identificationSchemeAgencyCodeCodeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
355	BDT00000073	.. 80	0 .. 1	<b>Identification scheme agency name</b> <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		<b>identificationSchemeAgencyName</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
355	BDT00000074	.. 80	0 .. 1	<b>Identification scheme name</b> <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification	1 .. 80		<b>identificationSchemeName</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
355	BDT00000576	.. 80	1 .. 1	scheme name <b>Tax type code content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxTypeCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
355	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
355	BDT00000369	.. 80	0 .. 1	<b>Tax authority name</b> <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	<b>dutyFeeTaxAgencyName</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
355	BDT00000754	.. 70	1 .. 1	<b>Tax description content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	<b>dutyFeeTaxDescription</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxDescription
356	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
356	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
356	BDT00000588	.. 80	1 .. 1	<b>Tax registration type code content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	<b>dutyFeeTaxRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
356	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate consignee party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
356	BDT00000102	.. 200	1 .. 1	<b>Organisation name</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	<b>organisationName</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/organisationName
356	BDT00000655		1 .. 1	<b>Issued capital content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	<b>issuedCapital</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/issuedCapital
356	BDT00000589	.. 80	1 .. 1	<b>Currency code content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		<b>currencyCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/issuedCapital/@currencyCode
356	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/issuedCapital/@codeListVersion
356	BDT00000659	.. 70	1 .. 1	<b>Legal structure description content</b>	1 .. 80	0 .. 1	<b>legalStructure</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Legal structure description/Legal structure description content			<i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/legalStructure
356	BDT00000524	.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/legalStructure/@languageCode
357	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/legalStructure/@codeListVersion
357	BDT00000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/city
357	BDT00000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/cityCode
357	BDT00000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/countryCode

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
357	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/countryCode/@codeListVersion
357	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/countyCode
357	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/crossStreet
357	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/pOBoxNumber
357	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/postalCode
357	BDT00000117	80 ..	0 .. 1	<b>Province identity</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	<b>provinceCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/provinceCode
358	BDT00000127	.. 80	0 .. 1	<b>State</b>	1 .. 80	0 .. 1	<b>state</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/State			<i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/state
358	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/streetAddressOne
358	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/streetAddressTwo
358	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/streetAddressThree
358	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/geographicalCoordinates/latitude
358	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/officialAddress/geographicalCoordinates/longitude

Legend: No = Consecutive Number





## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
358	BDT00000087	.. 80	1 .. 1	<b>Legal registration number</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	<b>legalRegistrationNumber</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationNumber
358	BDT00000658	.. 80	1 .. 1	<b>Legal registration type code content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	<b>legalRegistrationType</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationType
358	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
358	BDT00000086	.. 200	0 .. 1	<b>Legal registration additional information</b> <i>Path:</i> Invoice/Ultimate consignee party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	<b>legalRegistrationAdditionalInformation</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
359	BDT00000061	.. 80	0 .. 1	<b>Financial institution name</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	<b>financialInstitutionName</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/financialInstitutionName
359	BDT00000060	.. 80	0 .. 1	<b>Financial institution division name</b>	1 .. 80	0 .. 1	<b>financialInstitutionBranchName</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Financial institution division name			<i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/financialInstitutionBranchName
359	BDT000000059	.. 80	1 .. 1	<b>Financial account number</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	<b>financialAccountNumber</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumber
359	BDT000000645	.. 80	1 .. 1	<b>Financial account number type code content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	<b>financialAccountNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
359	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
359	BDT000000058	.. 80	0 .. 1	<b>Financial account name</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	<b>financialAccountName</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/financialAccount/financialAccountName
	BDT000000062						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
359		.. 80	1 .. 1	<b>Financial routing number</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	<b>financialRoutingNumber</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
359	BDT00000644	.. 80	1 .. 1	<b>Financial routing number type code content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	<b>financialRoutingNumberTypeCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
359	BDT00000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
359	BDT00000521	.. 70	1 .. 1	<b>Additional financial institution description content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	<b>description</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description
	BDT00000524						

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
360		.. 80	1 .. 1	<b>Language code content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		<b>languageCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
360	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
360	BDT000000020	.. 200	0 .. 1	<b>City name</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	<b>city</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/city
360	BDT000000019	.. 80	0 .. 1	<b>City code</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	<b>cityCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/cityCode
360	BDT000000774		1 .. 1	<b>Country code content</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	<b>countryCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/countryCode
360	BDT000000028	.. 35	0 .. 1	<b>Code list version</b> <i>Path:</i> Invoice/Ultimate consignee party	1 .. 35		<b>codeListVersion</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/Country code/Code list version			financialInstitutionInformation/address/countryCode/@codeListVersion
360	BDT00000034	.. 80	0 .. 1	<b>County code</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	<b>countyCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/countyCode
360	BDT00000035	.. 200	0 .. 1	<b>Cross street</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	<b>crossStreet</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/crossStreet
360	BDT00000106	.. 200	0 .. 1	<b>Party name</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	<b>name</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/name
360	BDT00000113	.. 80	0 .. 1	<b>Post office box number</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	<b>pOBoxNumber</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/pOBoxNumber
361	BDT00000114	.. 80	0 .. 1	<b>Postal code</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	<b>postalCode</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/postalCode
361	BDT00000117	80 ..	0 .. 1	<b>Province identity</b>	1 .. 80	0 .. 1	<b>provinceCode</b>

Legend: No = Consecutive Number



## Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Province identity			<i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/provinceCode
361	BDT00000127	.. 80	0 .. 1	<b>State</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	<b>state</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/state
361	BDT00000128	.. 200	0 .. 1	<b>Street address one</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	<b>streetAddressOne</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/streetAddressOne
361	BDT00000130	.. 200	0 .. 1	<b>Street address two</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	<b>streetAddressTwo</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/streetAddressTwo
361	BDT00000129	.. 200	0 .. 1	<b>Street address three</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	<b>streetAddressThree</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/streetAddressThree
361	BDT00000085	.. 80	1 .. 1	<b>Latitude</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	<b>latitude</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Invoice; 0.1; Draft  
Root Element: **Invoice**

Schema: Invoice Guide; GS1 3.5  
Root Element: **invoiceMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
361	BDT00000089	.. 80	1 .. 1	<b>Longitude</b> <i>Path:</i> Invoice/Ultimate consignee party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	<b>longitude</b> <i>Path:</i> invoiceMessage/invoice/ultimateConsignee/financialInstitutionInformation/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number