



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
001	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order response/Business document creation date time		1 .. 1	creationDateTime <i>Path:</i> orderResponseMessage/orderResponse/creationDateTime
002	BDT00000050		0 .. 1	Business document status code <i>Path:</i> Order response/Business document status code		1 .. 1	documentStatusCode <i>Path:</i> orderResponseMessage/orderResponse/documentStatusCode
003	BDT00000045		0 .. 1	Business document action code <i>Path:</i> Order response/Business document action code		0 .. 1	documentActionCode <i>Path:</i> orderResponseMessage/orderResponse/documentActionCode
004	BDT00000046		0 .. 1	Business document standard version <i>Path:</i> Order response/Business document standard version	1 .. 80	0 .. 1	documentStructureVersion <i>Path:</i> orderResponseMessage/orderResponse/documentStructureVersion
005	BDT00000048		0 .. 1	Business document last update date time <i>Path:</i> Order response/Business document last update date time		0 .. 1	lastUpdateDateTime <i>Path:</i> orderResponseMessage/orderResponse/lastUpdateDateTime
006	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order response/Revision number		0 .. 1	revisionNumber <i>Path:</i> orderResponseMessage/orderResponse/revisionNumber
007	BDT00000056	.. 80	0 .. 1	Entity identification <i>Path:</i> Order response/Business document identification information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderResponseMessage/orderResponse/orderResponseIdentification/entityIdentification
008	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order response/Business document identification information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> orderResponseMessage/orderResponse/orderResponseIdentification/contentOwner/gln
009	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order response/Business document identification information/Document	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderResponseMessage/orderResponse/orderResponseIdentification/contentOwner/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content owner/Additional party identification information/Additional party identification content			additionalPartyIdentification
010	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order response/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseIdentification/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
011	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Business document identification information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseIdentification/contentOwner/additionalPartyIdentification/@codeListVersion
012	BDT00000698	.. 80	1 .. 1	Received order document status code content <i>Path:</i> Order response/Received order document status code/Received order document status code content	1 .. 80	1 .. 1	responseStatusCode <i>Path:</i> orderResponseMessage/orderResponse/responseStatusCode
013	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Received order document status code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/responseStatusCode/@codeListVersion
014	BDT00000696	.. 80	1 .. 1	Reason for status of business document code content <i>Path:</i> Order response/Reason for status of business document code/Reason for	1 .. 80	0 .. unbounded	orderResponseReasonCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseReasonCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				status of business document code content			
015	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Reason for status of business document code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseReasonCode/@codeListVersion
016	BDT00000705		1 .. 1	Total monetary net amount content <i>Path:</i> Order response/Total monetary net amount/Total monetary net amount content		0 .. 1	totalMonetaryAmountExcludingTaxes <i>Path:</i> orderResponseMessage/orderResponse/totalMonetaryAmountExcludingTaxes
017	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Total monetary net amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/totalMonetaryAmountExcludingTaxes/@currencyCode
018	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Total monetary net amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/totalMonetaryAmountExcludingTaxes/@codeListVersion
019	BDT00000704		1 .. 1	Total monetary amount content <i>Path:</i> Order response/Total monetary amount/Total monetary amount content		0 .. 1	totalMonetaryAmountIncludingTaxes <i>Path:</i> orderResponseMessage/orderResponse/totalMonetaryAmountIncludingTaxes
020	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Total monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/totalMonetaryAmountIncludingTaxes/@currencyCode
021	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Total monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/totalMonetaryAmountIncludingTaxes/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
022	BDT00000601		1 .. 1	Total tax monetary amount content <i>Path:</i> Order response/Total tax monetary amount/Total tax monetary amount content		0 .. 1	totalTaxAmount <i>Path:</i> orderResponseMessage/orderResponse/totalTaxAmount
023	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Total tax monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/totalTaxAmount/@currencyCode
024	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Total tax monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/totalTaxAmount/@codeListVersion
025	BDT00000670	.. 70	1 .. 1	Notation content <i>Path:</i> Order response/Notation/Notation content	1 .. 500	0 .. 1	note <i>Path:</i> orderResponseMessage/orderResponse/note
026	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Notation/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/note/@languageCode
027	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Notation/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/note/@codeListVersion
028	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order response/Buyer party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> orderResponseMessage/orderResponse/buyer/gln
029	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order response/Buyer party information/Additional party identification information/Additional	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderResponseMessage/orderResponse/buyer/additionalPartyIdentification

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				party identification content			
030	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order response/Buyer party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
031	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/additionalPartyIdentification/@codeListVersion
032	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Buyer party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/city
033	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Buyer party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/cityCode
034	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Buyer party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/countyCode
035	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Buyer party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
036	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Buyer party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/name
037	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Buyer party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/pOBoxNumber
038	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Buyer party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/postalCode
039	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Buyer party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/provinceCode
040	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Buyer party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/state
041	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Buyer party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/streetAddressOne
042	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Buyer party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/streetAddressTwo
043	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Buyer party	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Street address three			streetAddressThree
044	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Buyer party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/countryCode
045	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/countryCode/@codeListVersion
046	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Buyer party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/geographicalCoordinates/latitude
047	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Buyer party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/geographicalCoordinates/longitude
048	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Buyer party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/personName
049	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order response/Buyer party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/departmentName
050	BDT00000083	.. 70	0 .. 1	Job title	1 .. 70	0 .. 1	jobTitle

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Buyer party information/Business contact information/Job title			<i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/jobTitle
051	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Buyer party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/contactTypeCode
052	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/contactTypeCode/@codeListVersion
053	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order response/Buyer party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/responsibility
054	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Buyer party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/responsibility/@languageCode
055	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party information/Business contact	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/responsibility/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
056	BDT00000525		1 .. 1	information/Business contact responsibility description/Language code/Code list version Communication channel code content <i>Path:</i> Order response/Buyer party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/communicationChannel/communicationChannelCode
057	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/communicationChannel/communicationChannelCode/@codeListVersion
058	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Buyer party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/communicationChannel/communicationValue
059	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Buyer party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/communicationChannel/communicationChannelName
060	BDT00000525		1 .. 1	Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Buyer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content			<i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/afterHoursCommunicationChannel/communicationChannelCode
061	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
062	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Buyer party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/afterHoursCommunicationChannel/communicationValue
063	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Buyer party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/buyer/contact/afterHoursCommunicationChannel/communicationChannelName
064	BDT000000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderResponseMessage/orderResponse/buyer/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
065	BDT000000584	.. 200	1 .. 1	Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration identification information/Tax registration identification content			<i>Path:</i> orderResponseMessage/orderResponse/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
066	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
067	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderResponseMessage/orderResponse/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
068	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
069	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version			dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
070	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
071	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
072	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderResponseMessage/orderResponse/buyer/ dutyFeeTaxRegistration/dutyFeeTaxDescription
073	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
074	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax description/Language	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Code list version			
075	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/buyer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
076	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
077	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order response/Buyer party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderResponseMessage/orderResponse/buyer/ organisationDetails/organisationName
078	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Buyer party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/ languageOfThePartyCode
079	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/ languageOfThePartyCode/@codeListVersion
080	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order response/Buyer party information/Organisation legal information/Currency of party code/ Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/ currencyOfPartyCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
081	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/address/currencyOfPartyCode/@codeListVersion
082	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/countyCode
083	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/city
084	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/cityCode
085	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/crossStreet
086	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/pOBoxNumber
087	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Buyer party	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Postal code			organisationDetails/officialAddress/postalCode
088	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/ organisationDetails/officialAddress/provinceCode
089	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/buyer/ organisationDetails/officialAddress/state
090	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/buyer/ organisationDetails/officialAddress/streetAddressOne
091	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/buyer/ organisationDetails/officialAddress/streetAddressTwo
092	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/buyer/ organisationDetails/officialAddress/streetAddressThree
093	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Country	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/ organisationDetails/officialAddress/countryCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
094	BDT00000028	.. 35	0 .. 1	code/Country code content Code list version <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/countryCode/@codeListVersion
095	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/geographicalCoordinates/latitude
096	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Buyer party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/officialAddress/geographicalCoordinates/longitude
097	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order response/Buyer party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/issuedCapital
098	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Buyer party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/issuedCapital/@currencyCode
099	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Issued capital/Currency code/Code list version			organisationDetails/issuedCapital/@codeListVersion
100	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order response/Buyer party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/legalStructure
101	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Buyer party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/legalStructure/@languageCode
102	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/legalStructure/@codeListVersion
103	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order response/Buyer party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/legalRegistration/legalRegistrationNumber
104	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order response/Buyer party information/Organisation legal information/Registered legal	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
105	BDT00000658	.. 80	1 .. 1	information/Legal registration additional information Legal registration type code content <i>Path:</i> Order response/Buyer party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/legalRegistration/legalRegistrationType
106	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
107	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/financialInstitutionName
108	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/financialInstitutionBranchName
109	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial account information/Financial account	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/financialAccount/financialAccountName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
110	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/financialAccount/financialAccountNumber
111	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
112	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
113	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
114	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order response/Buyer party	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/financialRoutingNumber/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content			financialRoutingNumberTypeCode
115	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/financialRoutingNumberTypeCode/@codeListVersion
116	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/additionalFinancialInformation/description
117	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
118	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Additional	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/additionalFinancialInformation/description/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial institution description/ Language code/Code list version			@codeListVersion
119	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/buyer/ financialInstitutionInformation/address/city
120	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/ financialInstitutionInformation/address/cityCode
121	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/ financialInstitutionInformation/address/countyCode
122	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/buyer/ financialInstitutionInformation/address/crossStreet
123	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/buyer/ financialInstitutionInformation/address/name
124	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Buyer party information/Financial institution and	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/buyer/ financialInstitutionInformation/address/pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Post office box number			
125	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/postalCode
126	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/provinceCode
127	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/state
128	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/streetAddressOne
129	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/streetAddressTwo
130	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Buyer party information/Financial institution and	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Street address three			streetAddressThree
131	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/countryCode
132	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/countryCode/@codeListVersion
133	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/geographicalCoordinates/latitude
134	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/buyer/financialInstitutionInformation/address/geographicalCoordinates/longitude
135	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order response/Seller party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> orderResponseMessage/orderResponse/seller/gln

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
136	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order response/Seller party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderResponseMessage/orderResponse/seller/additionalPartyIdentification
137	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order response/Seller party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/seller/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
138	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Seller party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/additionalPartyIdentification/@codeListVersion
139	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Seller party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/seller/address/city
140	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Seller party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/seller/address/cityCode
141	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Seller party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/seller/address/countyCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
142	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Seller party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/seller/address/crossStreet
143	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Seller party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/seller/address/name
144	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Seller party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/seller/address/pOBoxNumber
145	BDT000000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Seller party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/seller/address/postalCode
146	BDT000000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Seller party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/seller/address/provinceCode
147	BDT000000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Seller party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/seller/address/state
148	BDT000000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Seller party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/seller/address/streetAddressOne
149	BDT000000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Seller party	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/seller/address/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Street address two			streetAddressTwo
150	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Seller party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/seller/address/streetAddressThree
151	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Seller party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/seller/address/countryCode
152	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Seller party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/address/countryCode/@codeListVersion
153	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Seller party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/seller/address/geographicalCoordinates/latitude
154	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Seller party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/seller/address/geographicalCoordinates/longitude
155	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Seller party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/personName
156	BDT00000044	.. 70	0 .. 1	Department name	1 .. 70	0 .. 1	departmentName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Seller party information/Business contact information/Department name			<i>Path:</i> orderResponseMessage/orderResponse/seller/contact/departmentName
157	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order response/Seller party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/jobTitle
158	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Seller party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/contactTypeCode
159	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Seller party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/contactTypeCode/@codeListVersion
160	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order response/Seller party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/responsibility
161	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Seller party information/Business contact information/Business contact responsibility description/Language	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/responsibility/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
162	BDT000000028	.. 35	0 .. 1	code/Language code content Code list version <i>Path:</i> Order response/Seller party information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/responsibility/@codeListVersion
163	BDT000000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Seller party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/communicationChannel/communicationChannelCode
164	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Seller party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/communicationChannel/communicationChannelCode/@codeListVersion
165	BDT000000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Seller party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/communicationChannel/communicationValue
166	BDT000000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Seller party information/Business contact	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/communicationChannel/communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
167	BDT00000525		1 .. 1	information/Communication information/Communication channel name Communication channel code content <i>Path:</i> Order response/Seller party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/ afterHoursCommunicationChannel/ communicationChannelCode
168	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Seller party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
169	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Seller party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/ afterHoursCommunicationChannel/communicationValue
170	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Seller party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/seller/contact/ afterHoursCommunicationChannel/ communicationChannelName
171	BDT00000369	.. 80	0 .. 1	Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Seller party information/Tax registration information/Tax authority name			<i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
172	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
173	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
174	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
175	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
176	BDT00000028	.. 35	0 .. 1	Identification scheme responsible agency code content Code list version <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
177	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Seller party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
178	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Seller party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
179	BDT000000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Seller party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription
180	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Seller party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
181	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Seller party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
182	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
183	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
184	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order response/Seller party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/organisationName
185	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Seller party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderResponseMessage/orderResponse/seller/address/languageOfThePartyCode
186	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Seller party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/address/languageOfThePartyCode/@codeListVersion
187	BDT00000710	.. 80	1 .. 1	Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Seller party information/Organisation legal information/Currency of party code/Currency of party code content			<i>Path:</i> orderResponseMessage/orderResponse/seller/address/currencyOfPartyCode
188	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Seller party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/address/currencyOfPartyCode/@codeListVersion
189	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/countyCode
190	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/city
191	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/cityCode
192	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/crossStreet
193	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Seller party information/Organisation legal	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/Post office box number			
194	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/postalCode
195	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/provinceCode
196	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/state
197	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/streetAddressOne
198	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/streetAddressTwo
199	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
200	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/countryCode
201	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/countryCode/@codeListVersion
202	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/geographicalCoordinates/latitude
203	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Seller party information/Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/officialAddress/geographicalCoordinates/longitude
204	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order response/Seller party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/issuedCapital
205	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Seller party information/Organisation legal	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/issuedCapital/@currencyCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Issued capital/Currency code/Currency code content			
206	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Seller party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/issuedCapital/@codeListVersion
207	BDT000000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order response/Seller party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/legalStructure
208	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Seller party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/legalStructure/@languageCode
209	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Seller party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/legalStructure/@codeListVersion
210	BDT000000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order response/Seller party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/legalRegistration/legalRegistrationNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
211	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order response/Seller party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
212	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order response/Seller party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/legalRegistration/legalRegistrationType
213	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Seller party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
214	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/financialInstitutionName
215	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/financialInstitutionBranchName
216	BDT00000058	.. 80	0 .. 1	Financial account name	1 .. 80	0 .. 1	financialAccountName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial account information/Financial account name			<i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/financialAccount/financialAccountName
217	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/financialAccount/financialAccountNumber
218	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
219	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
220	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
221	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
222	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
223	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/additionalFinancialInformation/description
224	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Additional financial institution description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
225		.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
226	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/seller/ financialInstitutionInformation/address/city
227	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/seller/ financialInstitutionInformation/address/cityCode
228	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/seller/ financialInstitutionInformation/address/countyCode
229	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/seller/ financialInstitutionInformation/address/crossStreet
230	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/seller/ financialInstitutionInformation/address/name

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
231	BDT00000113	.. 80	0 .. 1	information/Party name Post office box number <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/pOBoxNumber
232	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/postalCode
233	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/provinceCode
234	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/state
235	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/streetAddressOne
236	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
237	BDT00000129	.. 200	0 .. 1	information/Street address two Street address three <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/streetAddressThree
238	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/countryCode
239	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/countryCode/@codeListVersion
240	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/geographicalCoordinates/latitude
241	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/seller/financialInstitutionInformation/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
242	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order response/Bill to party information/Global location number GLN	0 .. 1		gln <i>Path:</i> orderResponseMessage/orderResponse/billTo/gln
243	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order response/Bill to party information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderResponseMessage/orderResponse/billTo/additionalPartyIdentification
244	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order response/Bill to party information/Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
245	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/additionalPartyIdentification/@codeListVersion
246	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Bill to party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/city
247	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Bill to party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/cityCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
248	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Bill to party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/countyCode
249	BDT000000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Bill to party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/crossStreet
250	BDT000000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Bill to party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/name
251	BDT000000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Bill to party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/pOBoxNumber
252	BDT000000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Bill to party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/postalCode
253	BDT000000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Bill to party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/provinceCode
254	BDT000000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Bill to party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/state
255	BDT000000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Bill to party	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/Street address one			streetAddressOne
256	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Bill to party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/streetAddressTwo
257	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Bill to party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/streetAddressThree
258	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Bill to party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/countryCode
259	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/countryCode/@codeListVersion
260	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Bill to party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/geographicalCoordinates/latitude
261	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Bill to party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/geographicalCoordinates/longitude
262	BDT00000112	.. 70	0 .. 1	Person name	1 .. 70	0 .. 1	personName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Bill to party information/Business contact information/Person name			<i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/personName
263	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order response/Bill to party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/departmentName
264	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order response/Bill to party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/jobTitle
265	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Bill to party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/contactTypeCode
266	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/contactTypeCode/@codeListVersion
267	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order response/Bill to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/responsibility
268	BDT00000524	.. 80	1 .. 1	Language code content	1 .. 80		languageCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Bill to party information/Business contact responsibility description/Language code/Language code content			<i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/responsibility/@languageCode
269	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/responsibility/@codeListVersion
270	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Bill to party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/communicationChannel/communicationChannelCode
271	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/communicationChannel/communicationChannelCode/@codeListVersion
272	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Bill to party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/communicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
273	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Bill to party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/ communicationChannel/communicationChannelName
274	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Bill to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode
275	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
276	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Bill to party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/ afterHoursCommunicationChannel/communicationValue
277	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Bill to party information/Business contact information/After hours communication information/Communication channel	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/billTo/contact/ afterHoursCommunicationChannel/ communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
278	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
279	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
280	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
281	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
282	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			
283	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
284	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
285	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
286	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderResponseMessage/orderResponse/billTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
287	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Bill to party	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax description/Language code/Language code content			dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
288	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
289	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/billTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
290	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
291	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order response/Bill to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderResponseMessage/orderResponse/billTo/ organisationDetails/organisationName
292	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Bill to party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/ languageOfThePartyCode
293	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Organisation legal	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/ languageOfThePartyCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Language of the party code/Code list version			
294	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order response/Bill to party information/Organisation legal information/Currency of party code/ Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/ currencyOfPartyCode
295	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Organisation legal information/Currency of party code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/address/ currencyOfPartyCode/ @codeListVersion
296	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/ organisationDetails/officialAddress/countyCode
297	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/billTo/ organisationDetails/officialAddress/city
298	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/ organisationDetails/officialAddress/cityCode
299	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/billTo/ organisationDetails/officialAddress/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
300	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/pOBoxNumber
301	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/postalCode
302	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/provinceCode
303	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/state
304	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/streetAddressOne
305	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/officialAddress/streetAddressTwo
306	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Bill to party	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/billTo/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Street address three			organisationDetails/officialAddress/streetAddressThree
307	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/ organisationDetails/officialAddress/countryCode
308	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/ organisationDetails/officialAddress/countryCode/ @codeListVersion
309	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/billTo/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
310	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Bill to party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/billTo/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
311	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order response/Bill to party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderResponseMessage/orderResponse/billTo/ organisationDetails/issuedCapital

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
312	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Bill to party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/issuedCapital/@currencyCode
313	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/issuedCapital/@codeListVersion
314	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order response/Bill to party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/legalStructure
315	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Bill to party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/legalStructure/@languageCode
316	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/legalStructure/@codeListVersion
317	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order response/Bill to party	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderResponseMessage/orderResponse/billTo/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Registered legal information/Legal registration number			organisationDetails/legalRegistration/legalRegistrationNumber
318	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order response/Bill to party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
319	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order response/Bill to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/legalRegistration/legalRegistrationType
320	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
321	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/financialInstitutionName
322	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order response/Bill to party information/Financial institution and	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial institution division name			financialInstitutionBranchName
323	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/financialAccount/financialAccountName
324	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/financialAccount/financialAccountNumber
325	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
326	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
327	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order response/Bill to party	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderResponseMessage/orderResponse/billTo/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial institution routing number information/Financial routing number			financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
328	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
329	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
330	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/additionalFinancialInformation/description
331	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Bill to party information/Financial institution and	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Additional financial institution description/ Language code/ Language code content			additionalFinancialInformation/description/ @languageCode
332	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
333	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/billTo/ financialInstitutionInformation/address/city
334	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/ financialInstitutionInformation/address/cityCode
335	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/ financialInstitutionInformation/address/countyCode
336	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/billTo/ financialInstitutionInformation/address/crossStreet
337	BDT00000106	.. 200	0 .. 1	Party name	1 .. 200	0 .. 1	name

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Party name			<i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/name
338	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/pOBoxNumber
339	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/postalCode
340	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/provinceCode
341	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/state
342	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/streetAddressOne
343	BDT00000130	.. 200	0 .. 1	Street address two	1 .. 200	0 .. 1	streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Street address two			<i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/streetAddressTwo
344	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/streetAddressThree
345	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/countryCode
346	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/countryCode/@codeListVersion
347	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/geographicalCoordinates/latitude
348	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Bill to party information/Financial institution and	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/billTo/financialInstitutionInformation/address/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Geographical coordinates information/Longitude			geographicalCoordinates/longitude
349	BDT000000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order response/Pick up from party information/Global location number GLN		0 .. 1	gln <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/gln
350	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order response/Pick up from party information/Additional party identification/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/additionalPartyIdentification
351	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order response/Pick up from party information/Additional party identification/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
352	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Additional party identification/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/additionalPartyIdentification/@codeListVersion
353	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Pick up from party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/city
354	BDT000000019	.. 80	0 .. 1	City code	1 .. 80	0 .. 1	cityCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Pick up from party information/Address information/City code			<i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/cityCode
355	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Pick up from party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/countyCode
356	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Pick up from party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/crossStreet
357	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Pick up from party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/name
358	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Pick up from party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/pOBoxNumber
359	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Pick up from party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/postalCode
360	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Pick up from party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/provinceCode
361	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Pick up from party	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/State			address/state
362	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Pick up from party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/streetAddressOne
363	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Pick up from party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/streetAddressTwo
364	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Pick up from party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/streetAddressThree
365	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Pick up from party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/countryCode
366	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/countryCode/@codeListVersion
367	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Pick up from party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/geographicalCoordinates/latitude
368	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Pick up from party information/Address information/	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Geographical coordinates information/ Longitude			
369	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Pick up from party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ contact/personName
370	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order response/Pick up from party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ contact/departmentName
371	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order response/Pick up from party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ contact/jobTitle
372	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Pick up from party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ contact/contactTypeCode
373	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ contact/contactTypeCode/@codeListVersion
374	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order response/Pick up from party information/Business contact information/Business contact responsibility description/Business	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ contact/responsibility

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				contact responsibility description content			
375	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Pick up from party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/responsibility/@languageCode
376	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/responsibility/@codeListVersion
377	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Pick up from party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/communicationChannel/communicationChannelCode
378	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/communicationChannel/communicationChannelCode/@codeListVersion
379	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Pick up from party	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel identification			contact/communicationChannel/communicationValue
380	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Pick up from party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ contact/communicationChannel/ communicationChannelName
381	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Pick up from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ contact/afterHoursCommunicationChannel/ communicationChannelCode
382	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
383	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Pick up from party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ contact/afterHoursCommunicationChannel/ communicationValue
	BDT00000033						

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
384		.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Pick up from party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/contact/afterHoursCommunicationChannel/communicationChannelName
385	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxAgencyName
386	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
387	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
388	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
389	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode
390	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCodeCodeListVersion
391	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
392	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
393	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Pick up from party	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax description/Tax description content			dutyFeeTaxRegistration/dutyFeeTaxDescription
394	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
395	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
396	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
397	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
398	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ organisationDetails/organisationName
399	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Pick up from party information/Organisation legal	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ address/languageOfThePartyCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Language of the party code/Language code content			
400	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/languageOfThePartyCode/@codeListVersion
401	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/currencyOfPartyCode
402	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/address/currencyOfPartyCode/@codeListVersion
403	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/countyCode
404	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/city
405	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/cityCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
406	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/crossStreet
407	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/pOBoxNumber
408	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/postalCode
409	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/provinceCode
410	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/state
411	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/officialAddress/streetAddressOne
412	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Pick up from party	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Street address two			organisationDetails/officialAddress/streetAddressTwo
413	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ organisationDetails/officialAddress/streetAddressThree
414	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ organisationDetails/officialAddress/countryCode
415	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ organisationDetails/officialAddress/countryCode/ @codeListVersion
416	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
417	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ organisationDetails/officialAddress/ geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
418	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/issuedCapital
419	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/issuedCapital/@currencyCode
420	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/issuedCapital/@codeListVersion
421	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/legalStructure
422	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/legalStructure/@languageCode
423	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Organisation legal	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/legalStructure/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Legal structure description/Language code/Code list version			
424	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/legalRegistration/legalRegistrationNumber
425	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
426	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/legalRegistration/legalRegistrationType
427	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
428	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order response/Pick up from party information/Financial institution and	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/financialInstitutionName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial institution name			
429	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/financialInstitutionBranchName
430	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/financialAccount/financialAccountName
431	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/financialAccount/financialAccountNumber
432	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
433	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Financial institution and	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Financial account information/Financial account number type code/Code list version			financialAccountNumberTypeCode/@codeListVersion
434	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
435	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
436	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
437	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Additional financial institution description/	1 .. 70	1 .. unbounded	description <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/additionalFinancialInformation/description

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional financial institution description content			
438	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
439	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
440	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/city
441	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/cityCode
442	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/countyCode
443	BDT00000035	.. 200	0 .. 1	Cross street	1 .. 200	0 .. 1	crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Cross street			<i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/crossStreet
444	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/name
445	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/pOBoxNumber
446	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/postalCode
447	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/provinceCode
448	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/state
449	BDT00000128	.. 200	0 .. 1	Street address one	1 .. 200	0 .. 1	streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Street address one			<i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/streetAddressOne
450	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/streetAddressTwo
451	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/streetAddressThree
452	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/countryCode
453	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/countryCode/@codeListVersion
454	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/financialInstitutionInformation/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
455	BDT00000089	.. 80	1 .. 1	information/Geographical coordinates information/Latitude Longitude <i>Path:</i> Order response/Pick up from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/pickupFrom/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
456	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order response/Ship to party information/Global location number GLN		0 .. 1	gln <i>Path:</i> orderResponseMessage/orderResponse/shipTo/gln
457	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order response/Ship to party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ additionalPartyIdentification
458	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order response/Ship to party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
459	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
460	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Ship to party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/city
461	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Ship to party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/cityCode
462	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Ship to party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/countyCode
463	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Ship to party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/crossStreet
464	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Ship to party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/name
465	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Ship to party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/pOBoxNumber
466	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Ship to party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/postalCode
467	BDT00000117	80 ..	0 .. 1	Province identity	1 .. 80	0 .. 1	provinceCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Ship to party information/Address information/Province identity			<i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/provinceCode
468	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Ship to party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/state
469	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Ship to party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/streetAddressOne
470	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Ship to party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/streetAddressTwo
471	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Ship to party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/streetAddressThree
472	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Ship to party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/countryCode
473	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/countryCode/@codeListVersion
474	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Ship to party information/Address information/	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Geographical coordinates information/ Latitude			
475	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Ship to party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ address/geographicalCoordinates/longitude
476	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Ship to party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/ personName
477	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order response/Ship to party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/ departmentName
478	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order response/Ship to party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/ jobTitle
479	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Ship to party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/ contactTypeCode
480	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/ contactTypeCode/@codeListVersion
	BDT00000580			Business contact responsibility			

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
481		.. 70	1 .. 1	description content <i>Path:</i> Order response/Ship to party information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/responsibility
482	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Ship to party information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/responsibility/@languageCode
483	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/responsibility/@codeListVersion
484	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Ship to party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/communicationChannel/communicationChannelCode
485	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Business contact information/Communication information/Communication channel	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/communicationChannel/communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
486	BDT00000032	.. 200	1 .. 1	code/Communication channel code content/Code list version Communication channel identification <i>Path:</i> Order response/Ship to party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/communicationChannel/communicationValue
487	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Ship to party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/communicationChannel/communicationChannelName
488	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/afterHoursCommunicationChannel/communicationChannelCode
489	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
490	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Ship to party	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/After hours communication information/Communication channel identification			afterHoursCommunicationChannel/communicationValue
491	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Ship to party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/shipTo/contact/ afterHoursCommunicationChannel/ communicationChannelName
492	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
493	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
494	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
495	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order response/Ship to party information/Tax registration	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration identification information/Identification scheme information/Identification scheme agency name			@identificationSchemeAgencyName
496	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
497	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
498	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
499	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax type code/Code list	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
500	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderResponseMessage/orderResponse/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription
501	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
502	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
503	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
504	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
505	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order response/Ship to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/organisationName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
506	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Ship to party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/languageOfThePartyCode
507	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/languageOfThePartyCode/@codeListVersion
508	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order response/Ship to party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/currencyOfPartyCode
509	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/address/currencyOfPartyCode/@codeListVersion
510	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/countyCode
511	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/city
512	BDT00000019	.. 80	0 .. 1	City code	1 .. 80	0 .. 1	cityCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/City code			<i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/cityCode
513	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/crossStreet
514	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/pOBoxNumber
515	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/postalCode
516	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/provinceCode
517	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/state
518	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Street	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/officialAddress/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
519	BDT00000130	.. 200	0 .. 1	address one Street address two <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ organisationDetails/officialAddress/streetAddressTwo
520	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ organisationDetails/officialAddress/streetAddressThree
521	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ organisationDetails/officialAddress/countryCode
522	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ organisationDetails/officialAddress/countryCode/ @codeListVersion
523	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Ship to party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
524	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Ship to party information/Organisation legal	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ organisationDetails/officialAddress/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Official address/ Geographical coordinates information/ Longitude			geographicalCoordinates/longitude
525	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order response/Ship to party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ organisationDetails/issuedCapital
526	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Ship to party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ organisationDetails/issuedCapital/@currencyCode
527	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ organisationDetails/issuedCapital/@codeListVersion
528	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order response/Ship to party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ organisationDetails/legalStructure
529	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Ship to party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ organisationDetails/legalStructure/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
530	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/legalStructure/@codeListVersion
531	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order response/Ship to party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/legalRegistration/legalRegistrationNumber
532	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order response/Ship to party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
533	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order response/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/legalRegistration/legalRegistrationType
534	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
535	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/financialInstitutionName
536	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/financialInstitutionBranchName
537	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/financialAccount/financialAccountName
538	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumber
539	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
540	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
541	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
542	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
543	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
544	BDT00000521	.. 70	1 .. 1	Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderResponseMessage/orderResponse/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			financialInstitutionInformation/ additionalFinancialInformation/description
545	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
546	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
547	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ financialInstitutionInformation/address/city
548	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/ financialInstitutionInformation/address/cityCode
549	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Ship to party	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/County code			financialInstitutionInformation/address/countyCode
550	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/crossStreet
551	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/name
552	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/pOBoxNumber
553	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/postalCode
554	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/provinceCode
555	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Ship to party	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/State			financialInstitutionInformation/address/state
556	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/streetAddressOne
557	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/streetAddressTwo
558	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/streetAddressThree
559	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/countryCode
560	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
561	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/geographicalCoordinates/latitude
562	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/shipTo/financialInstitutionInformation/address/geographicalCoordinates/longitude
563	BDT00000010		0 .. 1	Begin time period <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery time period/Begin time period		0 .. 1	beginTime <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedDeliveryDateRange/beginTime
564	BDT00000009		0 .. 1	Begin period date <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery time period/Begin period date		0 .. 1	beginDate <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedDeliveryDateRange/beginDate
565	BDT00000054		0 .. 1	End date period <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery time period/End date period		0 .. 1	endDate <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedDeliveryDateRange/endDate
566	BDT00000055		0 .. 1	End time period <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery time period/End time period		0 .. 1	endTime <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedDeliveryDateRange/endTime
567	BDT00000010		0 .. 1	Begin time period <i>Path:</i> Order response/Requested modification		0 .. 1	beginTime <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				of delivery date information/Requested ship date time period/Begin time period			amendedDateTimeValue/requestedShipDateRange/ beginTime
568	BDT00000009		0 .. 1	Begin period date <i>Path:</i> Order response/Requested modification of delivery date information/Requested ship date time period/Begin period date		0 .. 1	beginDate <i>Path:</i> orderResponseMessage/orderResponse/ amendedDateTimeValue/requestedShipDateRange/ beginDate
569	BDT00000054		0 .. 1	End date period <i>Path:</i> Order response/Requested modification of delivery date information/Requested ship date time period/End date period		0 .. 1	endDate <i>Path:</i> orderResponseMessage/orderResponse/ amendedDateTimeValue/requestedShipDateRange/ endDate
570	BDT00000055		0 .. 1	End time period <i>Path:</i> Order response/Requested modification of delivery date information/Requested ship date time period/End time period		0 .. 1	endTime <i>Path:</i> orderResponseMessage/orderResponse/ amendedDateTimeValue/requestedShipDateRange/ endTime
571	BDT00000010		0 .. 1	Begin time period <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery date time period at ultimate consignee/Begin time period		0 .. 1	beginTime <i>Path:</i> orderResponseMessage/orderResponse/ amendedDateTimeValue/ requestedDeliveryDateRangeAtUltimateConsignee/ beginTime
572	BDT00000009		0 .. 1	Begin period date <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery date time period at ultimate consignee/Begin period date		0 .. 1	beginDate <i>Path:</i> orderResponseMessage/orderResponse/ amendedDateTimeValue/ requestedDeliveryDateRangeAtUltimateConsignee/ beginDate
573	BDT00000054		0 .. 1	End date period <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery date time period at ultimate consignee/End date period		0 .. 1	endDate <i>Path:</i> orderResponseMessage/orderResponse/ amendedDateTimeValue/ requestedDeliveryDateRangeAtUltimateConsignee/ endDate
	BDT00000055						

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
574			0 .. 1	End time period <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery date time period at ultimate consignee/End time period		0 .. 1	endTime <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedDeliveryDateRangeAtUltimateConsignee/endTime
575	BDT00000040		0 .. 1	Date <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery date time/Date		1 .. 1	date <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedDeliveryDateTime/date
576	BDT00000133		0 .. 1	Time <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery date time/Time		0 .. 1	time <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedDeliveryDateTime/time
577	BDT00000040		0 .. 1	Date <i>Path:</i> Order response/Requested modification of delivery date information/Requested ship date time/Date		1 .. 1	date <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedShipDateTime/date
578	BDT00000133		0 .. 1	Time <i>Path:</i> Order response/Requested modification of delivery date information/Requested ship date time/Time		0 .. 1	time <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedShipDateTime/time
579	BDT00000040		0 .. 1	Date <i>Path:</i> Order response/Requested modification of delivery date information/Requested date time for pick up/Date		1 .. 1	date <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedPickUpDateTime/date
580	BDT00000133		0 .. 1	Time <i>Path:</i> Order response/Requested modification of delivery date information/Requested date time for pick up/Time		0 .. 1	time <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedPickUpDateTime/time

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
581	BDT00000040		0 .. 1	Date <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery date time at ultimate consignee/Date		1 .. 1	date <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedDeliveryDateTimeAtUltimateConsignee/date
582	BDT00000133		0 .. 1	Time <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery date time at ultimate consignee/Time		0 .. 1	time <i>Path:</i> orderResponseMessage/orderResponse/amendedDateTimeValue/requestedDeliveryDateTimeAtUltimateConsignee/time
583	BDT00000018		0 .. 1	Charge percentage <i>Path:</i> Order response/Charge information/Charge percentage		0 .. 1	allowanceChargePercentage <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargePercentage
584	BDT00000012	.. 80	0 .. 1	Bracket criteria <i>Path:</i> Order response/Charge information/Bracket criteria	1 .. 80	0 .. 1	bracketIdentifier <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/bracketIdentifier
585	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Order response/Charge information/Calculation sequence number		0 .. 1	sequenceNumber <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/sequenceNumber
586	BDT00000620		1 .. 1	Charge monetary amount per unit content <i>Path:</i> Order response/Charge information/Charge monetary amount per unit/Charge monetary amount per unit content		0 .. 1	amountPerUnit <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/amountPerUnit
587	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Charge information/Charge monetary amount per unit/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/amountPerUnit/@currencyCode
588	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Charge information/ Charge monetary amount per unit/ Currency code/Code list version			<i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/amountPerUnit/@codeListVersion
589	BDT00000618	.. 80	1 .. 1	Charge type code content <i>Path:</i> Order response/Charge information/ Charge type code/Charge type code content	1 .. 80	1 .. 1	allowanceChargeType <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/allowanceChargeType
590	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Charge information/ Charge type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/allowanceChargeType/ @codeListVersion
591	BDT00000617	.. 80	1 .. 1	Settlement charge code content <i>Path:</i> Order response/Charge information/ Settlement charge code/Settlement charge code content	1 .. 80	1 .. 1	settlementType <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/settlementType
592	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Charge information/ Settlement charge code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/settlementType/@codeListVersion
593	BDT00000619		0 .. 1	Charge monetary amount content <i>Path:</i> Order response/Charge information/ Charge monetary amount/Charge monetary amount content		0 .. 1	allowanceChargeAmount <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/allowanceChargeAmount
594	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Charge information/ Charge monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ allowanceCharge/allowanceChargeAmount/ @currencyCode
595	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Charge information/	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
596	BDT00000614		1 .. 1	Charge monetary amount/Currency code/Code list version Charge basis monetary amount content <i>Path:</i> Order response/Charge information/Charge basis monetary amount/Charge basis monetary amount content		0 .. 1	allowanceCharge/allowanceChargeAmount/@codeListVersion baseAmount <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/baseAmount
597	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Charge information/Charge basis monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/baseAmount/@currencyCode
598	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Charge information/Charge basis monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/baseAmount/@codeListVersion
599	BDT00000753		1 .. 1	Charge quantity basis content <i>Path:</i> Order response/Charge information/Charge quantity basis/Charge quantity basis content		0 .. 1	baseNumberOfUnits <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/baseNumberOfUnits
600	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Charge information/Charge quantity basis/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/baseNumberOfUnits/@measurementUnitCode
601	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Charge information/Charge quantity basis/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/baseNumberOfUnits/@codeListVersion
602	BDT00000615	.. 80	1 .. 1	Charge effective date type code content <i>Path:</i> Order response/Charge information/	1 .. 80	0 .. 1	effectiveDateType <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Charge effective date type code/Charge effective date type code content			allowanceCharge/effectiveDateType
603	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Charge information/Charge effective date type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/effectiveDateType/@codeListVersion
604	BDT00000534	.. 80	1 .. 1	Special service type code content <i>Path:</i> Order response/Charge information/Special service type code/Special service type code content	1 .. 80	0 .. 1	specialServiceType <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/specialServiceType
605	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Charge information/Special service type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/specialServiceType/@codeListVersion
606	BDT00000573	.. 70	1 .. 1	Charge description content <i>Path:</i> Order response/Charge information/Charge description/Charge description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeDescription/description
607	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Charge information/Charge description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeDescription/description/@languageCode
608	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Charge information/Charge description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeDescription/description/@codeListVersion
609	BDT00000006		0 .. 1	Allowance percentage <i>Path:</i> Order response/Allowance information/Allowance percentage		0 .. 1	allowanceChargePercentage <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargePercentage

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
610	BDT00000012	.. 80	0 .. 1	Bracket criteria <i>Path:</i> Order response/Allowance information/Bracket criteria	1 .. 80	0 .. 1	bracketIdentifier <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/bracketIdentifier
611	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Order response/Allowance information/Calculation sequence number		0 .. 1	sequenceNumber <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/sequenceNumber
612	BDT00000531	.. 80	1 .. 1	Allowance type code content <i>Path:</i> Order response/Allowance information/Allowance type code/Allowance type code content	1 .. 80	1 .. 1	allowanceChargeType <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeType
613	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Allowance information/Allowance type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeType/@codeListVersion
614	BDT00000532	.. 80	1 .. 1	Settlement allowance code content <i>Path:</i> Order response/Allowance information/Settlement allowance code/Settlement allowance code content	1 .. 80	1 .. 1	settlementType <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/settlementType
615	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Allowance information/Settlement allowance code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/settlementType/@codeListVersion
616	BDT00000528		1 .. 1	Allowance monetary amount content <i>Path:</i> Order response/Allowance information/Allowance monetary amount/Allowance monetary amount content		0 .. 1	allowanceChargeAmount <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeAmount

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
617	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Allowance information/Allowance monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeAmount/@currencyCode
618	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Allowance information/Allowance monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeAmount/@codeListVersion
619	BDT00000529		1 .. 1	Allowance monetary amount per unit content <i>Path:</i> Order response/Allowance information/Allowance monetary amount per unit/Allowance monetary amount per unit content		0 .. 1	amountPerUnit <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/amountPerUnit
620	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Allowance information/Allowance monetary amount per unit/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/amountPerUnit/@currencyCode
621	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Allowance information/Allowance monetary amount per unit/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/amountPerUnit/@codeListVersion
622	BDT00000526		1 .. 1	Allowance basis monetary amount content <i>Path:</i> Order response/Allowance information/Allowance basis monetary amount/Allowance basis monetary		0 .. 1	baseAmount <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/baseAmount

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
623	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Allowance information/Allowance basis monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/baseAmount/@currencyCode
624	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Allowance information/Allowance basis monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/baseAmount/@codeListVersion
625	BDT00000533		1 .. 1	Allowance quantity basis content <i>Path:</i> Order response/Allowance information/Allowance quantity basis/Allowance quantity basis content		0 .. 1	baseNumberOfUnits <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/baseNumberOfUnits
626	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Allowance information/Allowance quantity basis/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/baseNumberOfUnits/@measurementUnitCode
627	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Allowance information/Allowance quantity basis/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/baseNumberOfUnits/@codeListVersion
628	BDT00000530	.. 80	1 .. 1	Allowance effective date type code content <i>Path:</i> Order response/Allowance information/Allowance effective date type code/Allowance effective date type code content	1 .. 80	0 .. 1	effectiveDateType <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/effectiveDateType

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
629	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Allowance information/Allowance effective date type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/effectiveDateType/@codeListVersion
630	BDT00000534	.. 80	1 .. 1	Special service type code content <i>Path:</i> Order response/Allowance information/Special service type code/ Special service type code content	1 .. 80	0 .. 1	specialServiceType <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/specialServiceType
631	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Allowance information/Special service type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/specialServiceType/@codeListVersion
632	BDT00000527	.. 70	1 .. 1	Allowance description content <i>Path:</i> Order response/Allowance information/Allowance description/ Allowance description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeDescription/description
633	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Allowance information/Allowance description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeDescription/ description/@languageCode
634	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Allowance information/Allowance description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/allowanceCharge/allowanceChargeDescription/ description/@codeListVersion
635	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order response/Referenced order document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderResponseMessage/orderResponse/originalOrder/ entityIdentification
636	BDT00000047		0 .. 1	Business document creation date time		0 .. 1	creationDateTime

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Referenced order document information/Business document creation date time			<i>Path:</i> orderResponseMessage/orderResponse/originalOrder/creationDateTime
637	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order response/Referenced order document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> orderResponseMessage/orderResponse/originalOrder/revisionNumber
638	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Order response/Referenced order document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUri <i>Path:</i> orderResponseMessage/orderResponse/originalOrder/referencedDocumentUri
639	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order response/Referenced order document information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> orderResponseMessage/orderResponse/originalOrder/lineItemNumber
640	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order response/Referenced order document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> orderResponseMessage/orderResponse/originalOrder/contentOwner/gln
641	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order response/Referenced order document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderResponseMessage/orderResponse/originalOrder/contentOwner/additionalPartyIdentification
642	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order response/Referenced order document information/Document content owner/Additional party	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/originalOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Additional party identification type code/Additional party identification type code content			
643	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Referenced order document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/originalOrder/contentOwner/additionalPartyIdentification/@codeListVersion
644	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order response/Referenced sales order document information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderResponseMessage/orderResponse/salesOrder/entityIdentification
645	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order response/Referenced sales order document information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> orderResponseMessage/orderResponse/salesOrder/creationDateTime
646	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order response/Referenced sales order document information/Revision number		0 .. 1	revisionNumber <i>Path:</i> orderResponseMessage/orderResponse/salesOrder/revisionNumber
647	BDT00000118	.. 200	0 .. 1	Referenced document external location <i>Path:</i> Order response/Referenced sales order document information/Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl <i>Path:</i> orderResponseMessage/orderResponse/salesOrder/referencedDocumentUrl
648	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order response/Referenced sales order document information/Document line number		0 .. 1	lineltemNumber <i>Path:</i> orderResponseMessage/orderResponse/salesOrder/lineltemNumber
	BDT00000063						

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
649		13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order response/Referenced sales order document information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> orderResponseMessage/orderResponse/salesOrder/contentOwner/gln
650	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order response/Referenced sales order document information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderResponseMessage/orderResponse/salesOrder/contentOwner/additionalPartyIdentification
651	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order response/Referenced sales order document information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/salesOrder/contentOwner/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
652	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Referenced sales order document information/Document content owner/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/salesOrder/contentOwner/additionalPartyIdentification/@codeListVersion
653	BDT00000080		0 .. 1	Signature required indicator <i>Path:</i> Order response/Delivery terms information/Signature required indicator		0 .. 1	isSignatureRequired <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/isSignatureRequired
654	BDT000000649		1 .. 1	Incoterms code content	1 .. 80	0 .. 1	incotermsCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Delivery terms information/Incoterms code/Incoterms code content			<i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/incotermsCode
655	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Delivery terms information/Incoterms code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/incotermsCode/@codeListVersion
656	BDT00000535	.. 80	1 .. 1	Alternative delivery terms code content <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms code/Alternative delivery terms code content	1 .. 80	0 .. 1	alternateDeliveryTermsCode <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/alternateDeliveryTermsCode
657	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms code/Code description	1 .. 80		codeDescription <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/alternateDeliveryTermsCode/@codeDescription
658	BDT00000023	.. 80	0 .. 1	Code list agency code <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms code/Code list agency code	1 .. 80		codeListAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyCode
659	BDT00000024	.. 35	0 .. 1	Code list agency code list version <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms code/Code list agency code list version	1 .. 35		codeListAgencyCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyCodeListVersion
660	BDT00000025	.. 80	0 .. 1	Code list agency name <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms code/Code list agency name	1 .. 80		codeListAgencyName <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/alternateDeliveryTermsCode/@codeListAgencyName
661	BDT00000026	.. 80	0 .. 1	Code list name	1 .. 80		codeListName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Delivery terms information/Alternative delivery terms code/Code list name			<i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/alternateDeliveryTermsCode/@codeListName
662	BDT00000027	.. 500	0 .. 1	Code list URL <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms code/Code list URL			codeListURI <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/alternateDeliveryTermsCode/@codeListURI
663	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/alternateDeliveryTermsCode/@codeListVersion
664	BDT00000641	.. 70	1 .. 1	Delivery instructions description content <i>Path:</i> Order response/Delivery terms information/Delivery instructions description/Delivery instructions description content	1 .. 500	0 .. 1	deliveryInstructions <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryInstructions
665	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Delivery terms information/Delivery instructions description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryInstructions/@languageCode
666	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Delivery terms information/Delivery instructions description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryInstructions/@codeListVersion
667	BDT00000701	.. 80	1 .. 1	Transport cost payment code content <i>Path:</i> Order response/Delivery terms information/Transport cost payment code/Transport cost payment code	1 .. 80	0 .. 1	deliveryCostPayment <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryCostPayment

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
668	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Delivery terms information/Transport cost payment code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryCostPayment/@codeListVersion
669	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Global location number GLN		0 .. 1	gln <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/gln
670	BDT00000132	.. 80	0 .. 1	Sub location identification <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Sub location identification	1 .. 80	0 .. 1	sublocationIdentification <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/sublocationIdentification
671	BDT00000088	.. 80	0 .. 1	Logistics location name <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Logistics location name	1 .. 80	0 .. 1	locationName <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/locationName
672	BDT00000137	.. 20	0 .. 1	Universal Time Coordinated UTC offset <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Universal Time Coordinated UTC offset		0 .. 1	utcOffset <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/utcOffset
673	BDT00000690	.. 80	1 .. 1	United Nations location code, UN/LOCODE content <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/UN location code, UN/LOCODE/United Nations location code, UN/LOCODE content	1 .. 80	0 .. 1	unLocationCode <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/unLocationCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
674	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/UN location code, UN/LOCODE/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/unLocationCode/@codeListVersion
675	BDT00000627	.. 80	1 .. 1	Physical location identification content <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Additional physical location identification/Physical location identification content	1 .. 80	0 .. unbounded	additionalLocationIdentification <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification
676	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeName
677	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeAgencyName
678	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Identification scheme responsible agency code/Identification scheme responsible agency code content			
679	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Additional physical location identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/additionalLocationIdentification/@identificationSchemeAgencyCodeCodeListVersion
680	BDT00000744	.. 70	1 .. 1	Specific instructions location description content <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Specific instructions location description/Specific instructions location description content	1 .. 200	0 .. 1	locationSpecificInstructions <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/locationSpecificInstructions
681	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Specific instructions location description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/locationSpecificInstructions/@languageCode
682	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Specific instructions location description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/locationSpecificInstructions/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
683	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/city
684	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/cityCode
685	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/countyCode
686	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/crossStreet
687	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/name
688	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
689	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/postalCode
690	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/provinceCode
691	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/state
692	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/streetAddressOne
693	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/streetAddressTwo
694	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/streetAddressThree
695	BDT00000774		1 .. 1	Country code content	1 .. 80	0 .. 1	countryCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Country code/Country code content			<i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/countryCode
696	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/countryCode/@codeListVersion
697	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/geographicalCoordinates/latitude
698	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/address/geographicalCoordinates/longitude
699	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/contact/personName
700	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/contact/departmentName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
701	BDT00000083	.. 70	0 .. 1	information/Department name Job title <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/contact/jobTitle
702	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/contact/contactTypeCode
703	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/contact/contactTypeCode/@codeListVersion
704	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/contact/responsibility
705	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Delivery terms information/Delivery terms for location	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/contact/responsibility/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Business contact responsibility description/Language code/Language code content			@languageCode
706	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/ deliveryTermsLocation/contact/responsibility/ @codeListVersion
707	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationChannelCode
708	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationChannelCode/@codeListVersion
709	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationValue

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
710	BDT00000033	.. 200	0 .. 1	information/Communication information/Communication channel identification Communication channel name <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/ deliveryTermsLocation/contact/communicationChannel/ communicationChannelName
711	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode
712	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
713	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/ deliveryTermsLocation/contact/ afterHoursCommunicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Communication channel identification			
714	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/contact/afterHoursCommunicationChannel/communicationChannelName
715	BDTG00000042		0 .. 1	Day of the week code <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Regular operating hours information/Day of the week code		1 .. 1	dayOfTheWeekCode <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/regularOperatingHours/dayOfTheWeekCode
716	BDT00000078		0 .. 1	Business operational indicator <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Regular operating hours information/Business operational indicator		1 .. 1	isOperational <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/regularOperatingHours/isOperational
717	BDT00000021		0 .. 1	Closing time <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Regular operating hours information/Closing time		0 .. 1	closingTime <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/regularOperatingHours/closingTime
718	BDT00000098		0 .. 1	Opening time <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Regular operating hours information/Opening time		0 .. 1	openingTime <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/regularOperatingHours/openingTime

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
719	BDT00000078		0 .. 1	Business operational indicator <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Special operating hours information/Business operational indicator		1 .. 1	isOperational <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/specialOperatingHours/isOperational
720	BDT00000126		0 .. 1	Special date <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Special operating hours information/Special date		1 .. 1	specialDate <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/specialOperatingHours/specialDate
721	BDT00000021		0 .. 1	Closing time <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Special operating hours information/Closing time		0 .. 1	closingTime <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/specialOperatingHours/closingTime
722	BDT00000098		0 .. 1	Opening time <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Special operating hours information/Opening time		0 .. 1	openingTime <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/specialOperatingHours/openingTime
723	BDT00000669	.. 80	1 .. 1	Name of special day content <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Special operating hours information/Name of special day/Name of special day content	1 .. 80	0 .. 1	specialDateName <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/specialOperatingHours/specialDateName
724	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Delivery terms information/Delivery terms for location	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/deliveryTermsLocation/specialOperatingHours/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Special operating hours information/Name of special day/ Language code/Language code content			specialDateName/@languageCode
725	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Delivery terms information/Delivery terms for location information/Special operating hours information/Name of special day/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/deliveryTerms/ deliveryTermsLocation/specialOperatingHours/ specialDateName/@codeListVersion
726			1 .. 1	Document line number <i>Path:</i> Order response/Order response line/ Document line number		1 .. 1	lineltemNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineltem/lineltemNumber
727	BDT00000387		0 .. 1	Referenced business document line <i>Path:</i> Order response/Order response line/ Referenced business document line		0 .. 1	originalOrderLineltemNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineltem/originalOrderLineltemNumber
728	BDT00000105	.. 6	0 .. 1	Parent line item number <i>Path:</i> Order response/Order response line/ Parent line item number		0 .. 1	parentLineltemNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineltem/parentLineltemNumber
729	BDT00000388		0 .. 1	Confirmed trade item delivery date time <i>Path:</i> Order response/Order response line/ Confirmed trade item delivery date time		0 .. 1	deliveryDateTime <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineltem/deliveryDateTime
730	BDT00000683		1 .. 1	Confirmed quantity content <i>Path:</i> Order response/Order response line/ Confirmed quantity/Confirmed quantity content		1 .. 1	confirmedQuantity <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineltem/confirmedQuantity
731	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Confirmed quantity/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineltem/confirmedQuantity/ @measurementUnitCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
732	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Confirmed quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/confirmedQuantity/ @codeListVersion
733	BDT00000040		0 .. 1	Date <i>Path:</i> Order response/Order response line/ First delivery date and time/Date		0 .. 1	firstDeliveryDateTime <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/firstDeliveryDateTime
734	BDT00000133		0 .. 1	Time <i>Path:</i> Order response/Order response line/ First delivery date and time/Time		0 .. 1	firstDeliveryDateTime <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/firstDeliveryDateTime
735	BDT00000581	.. 80	1 .. 1	Business document line action code content <i>Path:</i> Order response/Order response line/ Business document line action code/ Business document line action code content	1 .. 80	0 .. 1	lineItemActionCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/lineItemActionCode
736	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Business document line action code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/lineItemActionCode/ @codeListVersion
737	BDT00000706	.. 80	0 .. 1	Business document line response code content <i>Path:</i> Order response/Order response line/ Business document line response code/Business document line response code content	1 .. 80	0 .. 1	lineItemChangeIndicator <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/lineItemChangeIndicator
738	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Business document line response	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/lineItemChangeIndicator/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Code list version			@codeListVersion
739	BDT00000696	.. 80	1 .. 1	Reason for status of business document code content <i>Path:</i> Order response/Order response line/ Reason for status of business document code/Reason for status of business document code content	1 .. 80	0 .. unbounded	orderResponseReasonCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseReasonCode
740	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Reason for status of business document code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseReasonCode/ @codeListVersion
741			0 .. 1	Order line instruction description <i>Path:</i> Order response/Order response line/ Order line instruction description	1 .. 200	0 .. 1	additionalOrderLineInstruction <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/additionalOrderLineInstruction
742	BDT00000606		1 .. 1	Trade item net price content <i>Path:</i> Order response/Order response line/ Trade item net price/Trade item net price content		0 .. 1	netPrice <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/netPrice
743	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Trade item net price/Currency code/ Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/netPrice/@currencyCode
744	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Trade item net price/Currency code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/netPrice/@codeListVersion
745	BDT00000660		1 .. 1	Line item net monetary amount content <i>Path:</i> Order response/Order response line/ Line item net monetary amount/Line		0 .. 1	netAmount <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/netAmount

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
746	BDT00000589	.. 80	1 .. 1	item net monetary amount content Currency code content <i>Path:</i> Order response/Order response line/ Line item net monetary amount/ Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/netAmount/@currencyCode
747	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Line item net monetary amount/ Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/netAmount/@codeListVersion
748	BDT00000667		1 .. 1	Monetary amount excluding all taxes content <i>Path:</i> Order response/Order response line/ Monetary amount excluding all taxes/ Monetary amount excluding all taxes content		0 .. 1	monetaryAmountExcludingTaxes <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/monetaryAmountExcludingTaxes
749	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Monetary amount excluding all taxes/ Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ monetaryAmountExcludingTaxes/@currencyCode
750	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Monetary amount excluding all taxes/ Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ monetaryAmountExcludingTaxes/@codeListVersion
751	BDT00000668		1 .. 1	Monetary amount including all taxes content <i>Path:</i> Order response/Order response line/ Monetary amount including all taxes/ Monetary amount including all taxes content		0 .. 1	monetaryAmountIncludingTaxes <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/monetaryAmountIncludingTaxes
	BDT00000589						

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
752		.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Monetary amount including all taxes/ Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ monetaryAmountIncludingTaxes/@currencyCode
753	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Monetary amount including all taxes/ Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ monetaryAmountIncludingTaxes/@codeListVersion
754	BDT000000670	.. 70	1 .. 1	Notation content <i>Path:</i> Order response/Order response line/ Notation/Notation content	1 .. 500	0 .. 1	note <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/note
755	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Notation/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/note/@languageCode
756	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Notation/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/note/@codeListVersion
757	BDT000000066	14 .. 14	0 .. 1	Global trade item number, GTIN <i>Path:</i> Order response/Order response line/ Responded trade item information/ Global trade item number, GTIN		0 .. 1	gtin <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/gtin
758	BDT000000115	.. 80	0 .. 1	Product variant identifier <i>Path:</i> Order response/Order response line/ Responded trade item information/ Product variant identifier	1 .. 80	0 .. 1	productVariantIdentifier <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ productVariantIdentifier
759	BDT000000013	.. 35	0 .. 1	Butter fat reference <i>Path:</i> Order response/Order response line/	1 .. 35	0 .. 1	butterFatReference <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Responded trade item information/ Butter fat reference			orderResponseLineItem/transactionalTradeItem/ butterFatReference
760	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Additional trade item identification/ Additional trade item identification content	1 .. 80	0 .. unbounded	additionalTradeItemIdentification <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ additionalTradeItemIdentification
761	BDT00000518	.. 80	1 .. 1	Additional trade item identification type code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Additional trade item identification/ Additional trade item identification type code/Additional trade item identification type code content	1 .. 80		additionalTradeItemIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ additionalTradeItemIdentification/ @additionalTradeItemIdentificationTypeCode
762	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Additional trade item identification/ Additional trade item identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ additionalTradeItemIdentification/@codeListVersion
763	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item quantity/Trade item quantity content		0 .. 1	tradeItemQuantity <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ tradeItemQuantity
764	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Responded trade item information/	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Trade item quantity/Measurement unit code/Measurement unit code content			tradelItemQuantity/@measurementUnitCode
765	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item quantity/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradelItem/ tradelItemQuantity/@codeListVersion
766	BDT00000684	.. 70	1 .. 1	Trade item description content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item description/Trade item description content	1 .. 200	0 .. 1	tradelItemDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradelItem/ tradelItemDescription
767	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradelItem/ tradelItemDescription/@languageCode
768	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradelItem/ tradelItemDescription/@codeListVersion
769	BDT00000656	.. 80	1 .. 1	Item type code content <i>Path:</i> Order response/Order response line/ Responded trade item information/Item type code/Item type code content	1 .. 80	0 .. 1	itemTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradelItem/ itemTypeCode
770	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/Item type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradelItem/ itemTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
771	BDT00000700	.. 80	1 .. 1	Trade item transactional data owner code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item transactional data owner code/Trade item transactional data owner code content	1 .. 80	0 .. 1	tradelItemDataOwner <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradelItem/ tradelItemDataOwner
772	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item transactional data owner code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradelItem/ tradelItemDataOwner/@codeListVersion
773	BDT00000007		0 .. 1	Available for sale date <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/ Available for sale date		0 .. 1	availableForSaleDate <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradelItem/ transactionalItemData/availableForSaleDate
774	BDT00000008	.. 80	0 .. 1	Batch number <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Batch number	1 .. 80	0 .. 1	batchNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradelItem/ transactionalItemData/batchNumber
775	BDT00000011		0 .. 1	Best before date <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Best before date		0 .. 1	bestBeforeDate <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradelItem/ transactionalItemData/bestBeforeDate
776	BDT00000572		1 .. 1	Country of origin code content <i>Path:</i> Order response/Order response line/ Responded trade item information/	1 .. 80	0 .. 1	countryOfOrigin <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradelItem/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dynamic trade item information/Country of origin/Country of origin code content			transactionalItemData/countryOfOrigin
777	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Country of origin/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/countryOfOrigin/@codeListVersion
778	BDT00000057		0 .. 1	Expiration date <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/ Expiration date		0 .. 1	itemExpirationDate <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/itemExpirationDate
779	BDT00000090	.. 80	0 .. 1	Lot number <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Lot number	1 .. 80	0 .. 1	lotNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/lotNumber
780	BDT00000104		0 .. 1	Packaging date <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/ Packaging date		0 .. 1	packagingDate <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/packagingDate
781	BDT00000116		0 .. 1	Production date <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/ Production date		0 .. 1	productionDate <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/productionDate
782	BDT00000120		0 .. 1	Sell by date <i>Path:</i> Order response/Order response line/ Responded trade item information/		0 .. 1	sellByDate <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dynamic trade item information/Sell by date			transactionalItemData/sellByDate
783	BDT00000121	.. 20	0 .. unbounded	Serial number <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Serial number	1 .. 20	0 .. unbounded	serialNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/serialNumber
784	BDT00000122	.. 80	0 .. 1	Shelf life <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Shelf life	1 .. 80	0 .. 1	shelfLife <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/shelfLife
785	BDT00000082		0 .. 1	Item in contact with food product indicator <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Item in contact with food product indicator		0 .. 1	itemInContactWithFoodProduct <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/itemInContactWithFoodProduct
786	BDT00000095		0 .. 1	Number of layers <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of layers		0 .. 1	numberOfLayers <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/numberOfLayers
787	BDT00000096		0 .. 1	Number of units per layer <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Number of units per layer		0 .. 1	numberOfUnitsPerLayer <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/transactionalItemLogisticUnitInformation/numberOfUnitsPerLayer
788	BDT00000097		0 .. 1	Number of units per platform		0 .. 1	numberOfUnitsPerPallet

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Number of units per platform			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ numberOfUnitsPerPallet
789	BDT00000091		1 .. 1	Maximum stacking factor <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Maximum stacking factor		1 .. 1	maximumStackingFactor <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ maximumStackingFactor
790	BDT00000663	.. 80	1 .. 1	Packaging terms and conditions code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Packaging terms and conditions code/ Packaging terms and conditions code content	1 .. 80	0 .. 1	packagingTerms <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/packagingTerms
791	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Packaging terms and conditions code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ packagingTerms/@codeListVersion
792	BDT00000664	.. 80	1 .. 1	Package type code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic	1 .. 80	0 .. 1	packageTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				unit packaging pattern information/ Package type code/Package type code content			transactionalItemLogisticUnitInformation/ packageTypeCode
793	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Package type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ packageTypeCode/@codeListVersion
794	BDT000000665	.. 80	1 .. 1	Returnable package return transport payment code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Returnable package return transport payment code/Returnable package return transport payment code content	1 .. 80	0 .. 1	returnablePackageTransportCostPayment <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ returnablePackageTransportCostPayment
795	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Returnable package return transport payment code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ returnablePackageTransportCostPayment/ @codeListVersion
796	BDT000000661		1 .. 1	Depth measurement content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/		1 .. 1	depth <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
797	BDT00000607	.. 80	1 .. 1	Depth measurement/Depth measurement content Measurement unit code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Depth measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth/@measurementUnitCode
798	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Depth measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth/@codeListVersion
799	BDT00000650		1 .. 1	Height measurement content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Height measurement/Height measurement content		1 .. 1	height <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/height
800	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Logistic unit dimensions information/ Height measurement/Measurement unit code/Measurement unit code content			dimensionsOfLogisticUnit/height/ @measurementUnitCode
801	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Height measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/height/@codeListVersion
802	BDT00000662		1 .. 1	Width measurement content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Width measurement/Width measurement content		1 .. 1	width <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width
803	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Width measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width/@measurementUnitCode
804	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Logistic	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				unit packaging pattern information/ Logistic unit dimensions information/ Width measurement/Measurement unit code/Code list version			transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width/@codeListVersion
805	BDT00000695		1 .. 1	Product quality value content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Product quality value/Product quality value content		0 .. 1	productQualityIndication <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/productQualityIndication
806	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Product quality value/Measurement unit code/ Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/productQualityIndication/ @measurementUnitCode
807	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Product quality value/Measurement unit code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/productQualityIndication/ @codeListVersion
808	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item quantity/Trade item quantity content		0 .. 1	tradeItemQuantity <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemQuantity
809	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Responded trade item information/ Dynamic trade item information/Trade item quantity/Measurement unit code/ Measurement unit code content			orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemQuantity/ @measurementUnitCode
810	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item quantity/Measurement unit code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemQuantity/ @codeListVersion
811	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item weight information/Trade item weight content		1 .. 1	measurementValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemWeight/ measurementValue
812	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item weight information/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemWeight/ measurementValue/@measurementUnitCode
813	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item weight information/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemWeight/ measurementValue/@codeListVersion
814	BDT00000666	.. 80	1 .. 1	Measurement type code content	1 .. 80	1 .. 1	measurementType

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item weight information/Measurement type code/Measurement type code content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemWeight/ measurementType
815	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item weight information/Measurement type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemWeight/ measurementType/@codeListVersion
816	BDT000000752		1 .. 1	Trade item volume content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item volume information/Trade item volume content		1 .. 1	measurementValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemVolume/ measurementValue
817	BDT000000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item volume information/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemVolume/ measurementValue/@measurementUnitCode
818	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item volume information/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemVolume/ measurementValue/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
819	BDT00000666	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item volume information/Measurement type code/Measurement type code content	1 .. 80	1 .. 1	measurementType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemVolume/ measurementType
820	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item volume information/Measurement type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemVolume/ measurementType/@codeListVersion
821	BDT00000092		0 .. 1	Maximum value <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Serial number range/Maximum value		0 .. 1	maximumValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/serialNumberRange/ maximumValue
822	BDT00000094		0 .. 1	Minimum value <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Serial number range/Minimum value		0 .. 1	minimumValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/serialNumberRange/ minimumValue
823	BDT00000661		1 .. 1	Depth measurement content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Depth measurement/Depth measurement content		1 .. 1	depth <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemDimensions/depth

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
824	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Depth measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemDimensions/ depth/@measurementUnitCode
825	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Depth measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemDimensions/ depth/@codeListVersion
826	BDT00000650		1 .. 1	Height measurement content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Height measurement/Height measurement content		1 .. 1	height <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemDimensions/ height
827	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/transactionalItemDimensions/ height/@measurementUnitCode
828	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Code list version			transactionalItemData/transactionalItemDimensions/height/@codeListVersion
829	BDT00000662		1 .. 1	Width measurement content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Width measurement content		1 .. 1	width <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/width
830	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/width/@measurementUnitCode
831	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDimensions/width/@codeListVersion
832	BDT00000646	.. 80	1 .. 1	GS1 global trade item number format code content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Global trade item number format and type of	1 .. 80	0 .. 1	gs1TransactionalItemIdentificationKey <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/gs1TransactionalItemIdentificationKey

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				carrier information/GS1 global trade item number format code/GS1 global trade item number format code content			
833	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Global trade item number format and type of carrier information/GS1 global trade item number format code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/gs1TransactionalItemIdentificationKey/@codeListVersion
834	BDT00000639	.. 80	1 .. 1	Data carrier type code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Global trade item number format and type of carrier information/Data carrier type code/Data carrier type code content	1 .. 80	0 .. 1	dataCarrier <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/dataCarrier
835	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Global trade item number format and type of carrier information/Data carrier type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/transactionalItemDataCarrierAndIdentification/dataCarrier/@codeListVersion
836	BDT00000138		0 .. 1	Waste identification <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item waste information/Waste identification		0 .. 1	wasteIdentification <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/transactionalItemData/tradeItemWaste/wasteIdentification

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
837	BDT00000702	.. 80	1 .. 1	Waste type code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Waste type code content	1 .. 80	0 .. unbounded	typeOfWaste <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemWaste/typeOfWaste
838	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code description	1 .. 80		codeDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeDescription
839	BDT00000023	.. 80	0 .. 1	Code list agency code <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list agency code	1 .. 80		codeListAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListAgencyCode
840	BDT00000024	.. 35	0 .. 1	Code list agency code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list agency code list version	1 .. 35		codeListAgencyCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListAgencyCodeListVersion
841	BDT00000025	.. 80	0 .. 1	Code list agency name <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list agency name	1 .. 80		codeListAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListAgencyName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
842	BDT00000026	.. 80	0 .. 1	Code list name <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list name	1 .. 80		codeListName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListName
843	BDT00000027	.. 500	0 .. 1	Code list URL <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list URL			codeListURI <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListURI
844	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListVersion
845	BDT00000081		1 .. 1	Trade item organic indicator <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item organic information/Trade item organic indicator		1 .. 1	isTradeItemOrganic <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemOrganicInformation/isTradeItemOrganic
846	BDT00000017	.. 200	0 .. 1	Certification value <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item organic information/Organic certification information/Certification	1 .. 200	0 .. 1	itemCertificationValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemOrganicInformation/organicCertification/ itemCertificationValue

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				value			
847	BDT00000015	.. 200	0 .. 1	Certification agency name <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item organic information/Organic certification information/Certification agency name	1 .. 200	0 .. 1	itemCertificationAgency <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemOrganicInformation/organicCertification/ itemCertificationAgency
848	BDT00000016	.. 200	0 .. 1	Certification standard name <i>Path:</i> Order response/Order response line/ Responded trade item information/ Dynamic trade item information/Trade item organic information/Organic certification information/Certification standard name	1 .. 200	0 .. 1	itemCertificationStandard <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ transactionalItemData/ transactionalItemOrganicInformation/organicCertification/ itemCertificationStandard
849	BDT000000736		1 .. 1	Colour code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour code/Colour code content	1 .. 80	0 .. 1	colourCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/colour/ colourCode
850	BDT00000029	.. 80	1 .. 1	Colour code system code <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour code/Colour code system code	1 .. 80		colourCodeListCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/colour/ colourCode/@colourCodeListCode
851	BDT00000030	.. 80	0 .. 1	Colour code system description <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour code/Colour code system description	1 .. 80		colourCodeListDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/colour/ colourCode/@colourCodeListDescription

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
852	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/colour/ colourCode/@codeListVersion
853	BDT00000031	.. 35	0 .. 1	Colour code system version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour code/Colour code system version	1 .. 35		colourCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/colour/ colourCode/@colourCodeListVersion
854	BDT00000737	.. 70	1 .. 1	Colour description content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour description/ Colour description content	1 .. 80	0 .. unbounded	colourDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/colour/ colourDescription
855	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/colour/ colourDescription/@languageCode
856	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Colour information/Colour description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/colour/ colourDescription/@codeListVersion
857	BDT00000679	.. 70	1 .. 1	Size description content <i>Path:</i> Order response/Order response line/ Responded trade item information/Size information/Size description/Size description content	1 .. 80	0 .. 1	descriptiveSize <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/size/ descriptiveSize

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
858	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Responded trade item information/Size information/Size description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/size/ descriptiveSize/@languageCode
859	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/Size information/Size description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/size/ descriptiveSize/@codeListVersion
860	BDT00000680	.. 80	1 .. 1	Size code content <i>Path:</i> Order response/Order response line/ Responded trade item information/Size information/Size code/Size code content	1 .. 80	0 .. 1	sizeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/size/ sizeCode
861	BDT00000681	.. 80	1 .. 1	Size code list code content <i>Path:</i> Order response/Order response line/ Responded trade item information/Size information/Size code/Size code list code/Size code list code content	1 .. 80		sizeCodeListCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/size/ sizeCode/@sizeCodeListCode
862	BDT00000124	.. 80	0 .. 1	Size code list description <i>Path:</i> Order response/Order response line/ Responded trade item information/Size information/Size code/Size code list description	1 .. 80		sizeCodeListDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/size/ sizeCode/@sizeCodeListDescription
863	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/Size information/Size code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/size/ sizeCode/@codeListVersion
864	BDT00000125	.. 35	0 .. 1	Size code list version	1 .. 35		sizeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Responded trade item information/Size information/Size code/Size code list version			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/size/ sizeCode/@sizeCodeListVersion
865	BDT00000070	.. 8	1 .. 1	GS1 global product classification GPC brick code <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item classification information/ GS1 global product classification GPC brick code	1 .. 1		gpcCategoryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ tradeItemClassification/gpcCategoryCode
866	BDT00000071	.. 200	0 .. 1	GS1 global product classification GPC brick name <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item classification information/ GS1 global product classification GPC brick name	1 .. 105	0 .. 1	gpcCategoryName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ tradeItemClassification/gpcCategoryName
867	BDT00000536	.. 80	1 .. 1	Alternative trade item product classification code content <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item classification information/ Alternative trade item product classification code/Alternative trade item product classification code content	1 .. 80	0 .. unbounded	additionalTradeItemClassificationCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ tradeItemClassification/ additionalTradeItemClassificationCode
868	BDT00000002	.. 80	0 .. 1	Additional trade item classification scheme code <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item classification information/	1 .. 80		additionalTradeItemClassificationCodeListCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradeItem/ tradeItemClassification/ additionalTradeItemClassificationCode/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Alternative trade item product classification code/Additional trade item classification scheme code			@additionalTradelItemClassificationCodeListCode
869	BDT00000003	.. 35	0 .. 1	Additional trade item classification scheme version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item classification information/ Alternative trade item product classification code/Additional trade item classification scheme version	1 .. 35		additionalTradelItemClassificationCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradelItem/ tradelItemClassification/ additionalTradelItemClassificationCode/ @additionalTradelItemClassificationCodeListVersion
870	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item classification information/ Alternative trade item product classification code/Code description	1 .. 80		codeDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradelItem/ tradelItemClassification/ additionalTradelItemClassificationCode/ @codeDescription
871	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item classification information/ Alternative trade item product classification code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradelItem/ tradelItemClassification/ additionalTradelItemClassificationCode/ @codeListVersion
872	BDT00000067	.. 8	1 .. 1	GS1 global product classification GPC attribute type code <i>Path:</i> Order response/Order response line/ Responded trade item information/ Trade item classification information/ Global Product Classification attributes/GS1 global product classification GPC attribute type code		1 .. 1	gpcAttributeTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/transactionalTradelItem/ tradelItemClassification/gpcAttribute/ gpcAttributeTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
873	BDT00000068	.. 8	1 .. 1	GS1 global product classification GPC attribute value code <i>Path:</i> Order response/Order response line/Responded trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute value code	1 .. 1	1 .. 1	gpcAttributeValueCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeValueCode
874	BDT00000064	.. 200	0 .. 1	Global product classification GPC attribute type name <i>Path:</i> Order response/Order response line/Responded trade item information/Trade item classification information/Global Product Classification attributes/Global product classification GPC attribute type name	1 .. 105	0 .. 1	gpcAttributeTypeName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeTypeName
875	BDT00000069	.. 200	0 .. 1	GS1 global product classification GPC attribute value name <i>Path:</i> Order response/Order response line/Responded trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute value name	1 .. 105	0 .. 1	gpcAttributeValueName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/transactionalTradeItem/tradeItemClassification/gpcAttribute/gpcAttributeValueName
876	BDT00000066	14 .. 14	0 .. 1	Global trade item number, GTIN <i>Path:</i> Order response/Order response line/Replaced trade item information/Global trade item number, GTIN		0 .. 1	gtin <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/substituteItemInformation/gtin
877	BDT00000115	.. 80	0 .. 1	Product variant identifier <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	productVariantIdentifier <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Replaced trade item information/ Product variant identifier			orderResponseLineItem/substituteItemInformation/ productVariantIdentifier
878	BDT00000013	.. 35	0 .. 1	Butter fat reference <i>Path:</i> Order response/Order response line/ Replaced trade item information/Butter fat reference	1 .. 35	0 .. 1	butterFatReference <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ butterFatReference
879	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Additional trade item identification/ Additional trade item identification content	1 .. 80	0 .. unbounded	additionalTradeItemIdentification <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ additionalTradeItemIdentification
880	BDT00000518	.. 80	1 .. 1	Additional trade item identification type code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Additional trade item identification/ Additional trade item identification type code/Additional trade item identification type code content	1 .. 80		additionalTradeItemIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ additionalTradeItemIdentification/ @additionalTradeItemIdentificationTypeCode
881	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Additional trade item identification/ Additional trade item identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ additionalTradeItemIdentification/@codeListVersion
882	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item quantity/Trade item quantity		0 .. 1	tradeItemQuantity <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ tradeItemQuantity

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content			
883	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item quantity/Measurement unit code/ Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/ tradeltemQuantity/@measurementUnitCode
884	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item quantity/Measurement unit code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/ tradeltemQuantity/@codeListVersion
885	BDT00000684	.. 70	1 .. 1	Trade item description content <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item description/Trade item description content	1 .. 200	0 .. 1	tradeltemDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/ tradeltemDescription
886	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/ tradeltemDescription/@languageCode
887	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/ tradeltemDescription/@codeListVersion
888	BDT00000656	.. 80	1 .. 1	Item type code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/Item type code/Item type code content	1 .. 80	0 .. 1	itemTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/ itemTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
889	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/Item type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ itemTypeCode/@codeListVersion
890	BDT00000700	.. 80	1 .. 1	Trade item transactional data owner code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item transactional data owner code/ Trade item transactional data owner code content	1 .. 80	0 .. 1	tradeItemDataOwner <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ tradeItemDataOwner
891	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item transactional data owner code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ tradeItemDataOwner/@codeListVersion
892	BDT00000007		0 .. 1	Available for sale date <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/ Available for sale date		0 .. 1	availableForSaleDate <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/availableForSaleDate
893	BDT00000008	.. 80	0 .. 1	Batch number <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Batch number	1 .. 80	0 .. 1	batchNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/batchNumber
894	BDT00000011		0 .. 1	Best before date <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Best		0 .. 1	bestBeforeDate <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/bestBeforeDate

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				before date			
895	BDT00000572		1 .. 1	Country of origin code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Country of origin/Country of origin code content	1 .. 80	0 .. 1	countryOfOrigin <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/countryOfOrigin
896	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Country of origin/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/countryOfOrigin/@codeListVersion
897	BDT00000057		0 .. 1	Expiration date <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/ Expiration date		0 .. 1	itemExpirationDate <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/itemExpirationDate
898	BDT00000090	.. 80	0 .. 1	Lot number <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Lot number	1 .. 80	0 .. 1	lotNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/lotNumber
899	BDT00000104		0 .. 1	Packaging date <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/ Packaging date		0 .. 1	packagingDate <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/packagingDate
900	BDT00000116		0 .. 1	Production date <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/		0 .. 1	productionDate <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/productionDate

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
901	BDT00000120		0 .. 1	Production date Sell by date <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Sell by date		0 .. 1	sellByDate <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/sellByDate
902	BDT00000121	.. 20	0 .. unbounded	Serial number <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Serial number	1 .. 20	0 .. unbounded	serialNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/serialNumber
903	BDT00000122	.. 80	0 .. 1	Shelf life <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Shelf life	1 .. 80	0 .. 1	shelfLife <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/shelfLife
904	BDT00000082		0 .. 1	Item in contact with food product indicator <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Item in contact with food product indicator		0 .. 1	itemInContactWithFoodProduct <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/itemInContactWithFoodProduct
905	BDT00000095		0 .. 1	Number of layers <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Number of layers		0 .. 1	numberOfLayers <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/numberOfLayers
906	BDT00000096		0 .. 1	Number of units per layer <i>Path:</i> Order response/Order response line/ Replaced trade item information/		0 .. 1	numberOfUnitsPerLayer <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
907	BDT00000097		0 .. 1	Dynamic trade item information/Logistic unit packaging pattern information/ Number of units per platform Number of units per platform <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Number of units per platform		0 .. 1	transactionalItemData/ transactionalItemLogisticUnitInformation/ numberOfUnitsPerLayer numberOfUnitsPerPallet <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ numberOfUnitsPerPallet
908	BDT00000091		1 .. 1	Maximum stacking factor <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Maximum stacking factor		1 .. 1	maximumStackingFactor <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ maximumStackingFactor
909	BDT00000663	.. 80	1 .. 1	Packaging terms and conditions code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Packaging terms and conditions code/ Packaging terms and conditions code content	1 .. 80	0 .. 1	packagingTerms <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/packagingTerms
910	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Packaging terms and conditions code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ packagingTerms/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
911	BDT00000664	.. 80	1 .. 1	Package type code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Package type code/Package type code content	1 .. 80	0 .. 1	packageTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ packageTypeCode
912	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Package type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ packageTypeCode/@codeListVersion
913	BDT00000665	.. 80	1 .. 1	Returnable package return transport payment code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Returnable package return transport payment code/Returnable package return transport payment code content	1 .. 80	0 .. 1	returnablePackageTransportCostPayment <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ returnablePackageTransportCostPayment
914	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Returnable package return transport payment code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ returnablePackageTransportCostPayment/ @codeListVersion
915	BDT00000661		1 .. 1	Depth measurement content		1 .. 1	depth

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Depth measurement/Depth measurement content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth
916	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Depth measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth/@measurementUnitCode
917	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Depth measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/depth/@codeListVersion
918	BDT00000650		1 .. 1	Height measurement content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Height measurement/Height measurement content		1 .. 1	height <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/height

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
919	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Height measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/height/ @measurementUnitCode
920	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Height measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/height/@codeListVersion
921	BDT00000662		1 .. 1	Width measurement content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Width measurement/Width measurement content		1 .. 1	width <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width
922	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Width measurement/Measurement unit	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width/@measurementUnitCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
923	BDT000000028	.. 35	0 .. 1	code/Measurement unit code content Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Logistic unit packaging pattern information/ Logistic unit dimensions information/ Width measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemLogisticUnitInformation/ dimensionsOfLogisticUnit/width/@codeListVersion
924	BDT000000695		1 .. 1	Product quality value content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Product quality value/Product quality value content		0 .. 1	productQualityIndication <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/productQualityIndication
925	BDT000000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Product quality value/Measurement unit code/ Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/productQualityIndication/ @measurementUnitCode
926	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Product quality value/Measurement unit code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/productQualityIndication/ @codeListVersion
927	BDT000000678		1 .. 1	Trade item quantity content <i>Path:</i> Order response/Order response line/ Replaced trade item information/		0 .. 1	tradeItemQuantity <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Dynamic trade item information/Trade item quantity/Trade item quantity content			transactionalItemData/tradeItemQuantity
928	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item quantity/Measurement unit code/ Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemQuantity/ @measurementUnitCode
929	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item quantity/Measurement unit code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemQuantity/ @codeListVersion
930	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item weight information/Trade item weight content		1 .. 1	measurementValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemWeight/ measurementValue
931	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item weight information/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemWeight/ measurementValue/@measurementUnitCode
932	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Replaced trade item information/ Dynamic trade item information/Trade item weight information/Measurement unit code/Code list version			orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemWeight/ measurementValue/@codeListVersion
933	BDT00000666	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item weight information/Measurement type code/Measurement type code content	1 .. 80	1 .. 1	measurementType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemWeight/ measurementType
934	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item weight information/Measurement type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemWeight/ measurementType/@codeListVersion
935	BDT00000752		1 .. 1	Trade item volume content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item volume information/Trade item volume content		1 .. 1	measurementValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemVolume/ measurementValue
936	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item volume information/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemVolume/ measurementValue/@measurementUnitCode
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
937		.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item volume information/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemVolume/ measurementValue/@codeListVersion
938	BDT00000666	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item volume information/Measurement type code/Measurement type code content	1 .. 80	1 .. 1	measurementType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemVolume/ measurementType
939	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item volume information/Measurement type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemVolume/ measurementType/@codeListVersion
940	BDT00000092		0 .. 1	Maximum value <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Serial number range/Maximum value		0 .. 1	maximumValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/serialNumberRange/ maximumValue
941	BDT00000094		0 .. 1	Minimum value <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Serial number range/Minimum value		0 .. 1	minimumValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/serialNumberRange/ minimumValue
942	BDT00000661		1 .. 1	Depth measurement content		1 .. 1	depth

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item measurements information/Depth measurement/Depth measurement content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemDimensions/depth
943	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item measurements information/Depth measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemDimensions/ depth/@measurementUnitCode
944	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item measurements information/Depth measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemDimensions/ depth/@codeListVersion
945	BDT00000650		1 .. 1	Height measurement content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item measurements information/Height measurement/Height measurement content		1 .. 1	height <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemDimensions/ height
946	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemDimensions/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				item measurements information/Height measurement/Measurement unit code/Measurement unit code content			height/@measurementUnitCode
947	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemDimensions/ height/@codeListVersion
948	BDT00000662		1 .. 1	Width measurement content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item measurements information/Width measurement/Width measurement content		1 .. 1	width <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemDimensions/width
949	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemDimensions/ width/@measurementUnitCode
950	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/transactionalItemDimensions/ width/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
951	BDT00000646	.. 80	1 .. 1	GS1 global trade item number format code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Global trade item number format and type of carrier information/GS1 global trade item number format code/GS1 global trade item number format code content	1 .. 80	0 .. 1	gs1TransactionalItemIdentificationKey <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemDataCarrierAndIdentification/ gs1TransactionalItemIdentificationKey
952	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Global trade item number format and type of carrier information/GS1 global trade item number format code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemDataCarrierAndIdentification/ gs1TransactionalItemIdentificationKey/@codeListVersion
953	BDT00000639	.. 80	1 .. 1	Data carrier type code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Global trade item number format and type of carrier information/Data carrier type code/Data carrier type code content	1 .. 80	0 .. 1	dataCarrier <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemDataCarrierAndIdentification/dataCarrier
954	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Global trade item number format and type of carrier information/Data carrier type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemDataCarrierAndIdentification/ dataCarrier/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
955	BDT00000138		0 .. 1	Waste identification <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item waste information/Waste identification		0 .. 1	wasteIdentification <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemWaste/wasteIdentification
956	BDT00000702	.. 80	1 .. 1	Waste type code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Waste type code content	1 .. 80	0 .. unbounded	typeOfWaste <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemWaste/typeOfWaste
957	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code description	1 .. 80		codeDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeDescription
958	BDT00000023	.. 80	0 .. 1	Code list agency code <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list agency code	1 .. 80		codeListAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListAgencyCode
959	BDT00000024	.. 35	0 .. 1	Code list agency code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list agency code list version	1 .. 35		codeListAgencyCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListAgencyCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
960	BDT00000025	.. 80	0 .. 1	Code list agency name <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list agency name	1 .. 80		codeListAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListAgencyName
961	BDT00000026	.. 80	0 .. 1	Code list name <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list name	1 .. 80		codeListName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListName
962	BDT00000027	.. 500	0 .. 1	Code list URL <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list URL			codeListURI <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListURI
963	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item waste information/Waste type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/tradeItemWaste/typeOfWaste/ @codeListVersion
964	BDT00000081		1 .. 1	Trade item organic indicator <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item organic information/Trade item organic indicator		1 .. 1	isTradeItemOrganic <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemOrganicInformation/isTradeItemOrganic

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
965	BDT00000017	.. 200	0 .. 1	Certification value <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item organic information/Organic certification information/Certification value	1 .. 200	0 .. 1	itemCertificationValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemOrganicInformation/organicCertification/ itemCertificationValue
966	BDT00000015	.. 200	0 .. 1	Certification agency name <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item organic information/Organic certification information/Certification agency name	1 .. 200	0 .. 1	itemCertificationAgency <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemOrganicInformation/organicCertification/ itemCertificationAgency
967	BDT00000016	.. 200	0 .. 1	Certification standard name <i>Path:</i> Order response/Order response line/ Replaced trade item information/ Dynamic trade item information/Trade item organic information/Organic certification information/Certification standard name	1 .. 200	0 .. 1	itemCertificationStandard <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ transactionalItemData/ transactionalItemOrganicInformation/organicCertification/ itemCertificationStandard
968	BDT00000736		1 .. 1	Colour code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/Colour information/Colour code/Colour code content	1 .. 80	0 .. 1	colourCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ colour/colourCode
969	BDT00000029	.. 80	1 .. 1	Colour code system code <i>Path:</i> Order response/Order response line/ Replaced trade item information/Colour information/Colour code/Colour code	1 .. 80		colourCodeListCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ colour/colourCode/@colourCodeListCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				system code			
970	BDT00000030	.. 80	0 .. 1	Colour code system description <i>Path:</i> Order response/Order response line/ Replaced trade item information/Colour information/Colour code/Colour code system description	1 .. 80		colourCodeListDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ colour/colourCode/@colourCodeListDescription
971	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/Colour information/Colour code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ colour/colourCode/@codeListVersion
972	BDT00000031	.. 35	0 .. 1	Colour code system version <i>Path:</i> Order response/Order response line/ Replaced trade item information/Colour information/Colour code/Colour code system version	1 .. 35		colourCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ colour/colourCode/@colourCodeListVersion
973	BDT00000737	.. 70	1 .. 1	Colour description content <i>Path:</i> Order response/Order response line/ Replaced trade item information/Colour information/Colour description/Colour description content	1 .. 80	0 .. unbounded	colourDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ colour/colourDescription
974	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/Colour information/Colour description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ colour/colourDescription/@languageCode
975	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/Colour information/Colour description/	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteItemInformation/ colour/colourDescription/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Language code/Code list version			
976	BDT00000679	.. 70	1 .. 1	Size description content <i>Path:</i> Order response/Order response line/ Replaced trade item information/Size information/Size description/Size description content	1 .. 80	0 .. 1	descriptiveSize <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/size/ descriptiveSize
977	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/Size information/Size description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/size/ descriptiveSize/@languageCode
978	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/Size information/Size description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/size/ descriptiveSize/@codeListVersion
979	BDT00000680	.. 80	1 .. 1	Size code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/Size information/Size code/Size code content	1 .. 80	0 .. 1	sizeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/size/ sizeCode
980	BDT00000681	.. 80	1 .. 1	Size code list code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/Size information/Size code/Size code list code/Size code list code content	1 .. 80		sizeCodeListCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/size/ sizeCode/@sizeCodeListCode
981	BDT00000124	.. 80	0 .. 1	Size code list description <i>Path:</i> Order response/Order response line/ Replaced trade item information/Size information/Size code/Size code list	1 .. 80		sizeCodeListDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/size/ sizeCode/@sizeCodeListDescription

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description			
982	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/Size information/Size code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/size/ sizeCode/@codeListVersion
983	BDT00000125	.. 35	0 .. 1	Size code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/Size information/Size code/Size code list version	1 .. 35		sizeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/size/ sizeCode/@sizeCodeListVersion
984	BDT00000070	.. 8	1 .. 1	GS1 global product classification GPC brick code <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/GS1 global product classification GPC brick code	1 .. 1		gpcCategoryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/ tradeltemClassification/gpcCategoryCode
985	BDT00000071	.. 200	0 .. 1	GS1 global product classification GPC brick name <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/GS1 global product classification GPC brick name	1 .. 105	0 .. 1	gpcCategoryName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/ tradeltemClassification/gpcCategoryName
986	BDT00000536	.. 80	1 .. 1	Alternative trade item product classification code content <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/ Alternative trade item product	1 .. 80	0 .. unbounded	additionalTradeltemClassificationCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/substituteltemInformation/ tradeltemClassification/ additionalTradeltemClassificationCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
987	BDT00000002	.. 80	0 .. 1	classification code/Alternative trade item product classification code content Additional trade item classification scheme code <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/ Alternative trade item product classification code/Additional trade item classification scheme code	1 .. 80		additionalTradelItemClassificationCodeListCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/substitutelItemInformation/tradelItemClassification/additionalTradelItemClassificationCode/@additionalTradelItemClassificationCodeListCode
988	BDT00000003	.. 35	0 .. 1	Additional trade item classification scheme version <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/ Alternative trade item product classification code/Additional trade item classification scheme version	1 .. 35		additionalTradelItemClassificationCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/substitutelItemInformation/tradelItemClassification/additionalTradelItemClassificationCode/@additionalTradelItemClassificationCodeListVersion
989	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/ Alternative trade item product classification code/Code description	1 .. 80		codeDescription <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/substitutelItemInformation/tradelItemClassification/additionalTradelItemClassificationCode/@codeDescription
990	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/ Alternative trade item product classification code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/substitutelItemInformation/tradelItemClassification/additionalTradelItemClassificationCode/@codeListVersion
	BDT00000067						

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
991		.. 8	1 .. 1	GS1 global product classification GPC attribute type code <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute type code	1 .. 1		gpcAttributeTypeCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/substituteItemInformation/tradeItemClassification/gpcAttribute/gpcAttributeTypeCode
992	BDT00000068	.. 8	1 .. 1	GS1 global product classification GPC attribute value code <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute value code	1 .. 1		gpcAttributeValueCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/substituteItemInformation/tradeItemClassification/gpcAttribute/gpcAttributeValueCode
993	BDT00000064	.. 200	0 .. 1	Global product classification GPC attribute type name <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/Global Product Classification attributes/Global product classification GPC attribute type name	1 .. 105	0 .. 1	gpcAttributeTypeName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/substituteItemInformation/tradeItemClassification/gpcAttribute/gpcAttributeTypeName
994	BDT00000069	.. 200	0 .. 1	GS1 global product classification GPC attribute value name <i>Path:</i> Order response/Order response line/ Replaced trade item information/Trade item classification information/Global Product Classification attributes/GS1 global product classification GPC attribute value name	1 .. 105	0 .. 1	gpcAttributeValueName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/substituteItemInformation/tradeItemClassification/gpcAttribute/gpcAttributeValueName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				attribute value name			
995	BDT000000006		0 .. 1	Allowance percentage <i>Path:</i> Order response/Order response line/ Allowance information/Allowance percentage		0 .. 1	allowanceChargePercentage <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargePercentage
996	BDT000000012	.. 80	0 .. 1	Bracket criteria <i>Path:</i> Order response/Order response line/ Allowance information/Bracket criteria	1 .. 80	0 .. 1	bracketIdentifier <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ bracketIdentifier
997	BDT000000014		0 .. 1	Calculation sequence number <i>Path:</i> Order response/Order response line/ Allowance information/Calculation sequence number		0 .. 1	sequenceNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ sequenceNumber
998	BDT000000531	.. 80	1 .. 1	Allowance type code content <i>Path:</i> Order response/Order response line/ Allowance information/Allowance type code/Allowance type code content	1 .. 80	1 .. 1	allowanceChargeType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeType
999	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Allowance information/Allowance type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeType/@codeListVersion
100	BDT000000532	.. 80	1 .. 1	Settlement allowance code content <i>Path:</i> Order response/Order response line/ Allowance information/Settlement allowance code/Settlement allowance code content	1 .. 80	1 .. 1	settlementType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/settlementType
100	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Allowance information/Settlement	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
100	BDT00000528		1 .. 1	allowance code/Code list version Allowance monetary amount content <i>Path:</i> Order response/Order response line/ Allowance information/Allowance monetary amount/Allowance monetary amount content		0 .. 1	settlementType/@codeListVersion allowanceChargeAmount <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeAmount
100	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Allowance information/Allowance monetary amount/Currency code/ Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeAmount/@currencyCode
100	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Allowance information/Allowance monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeAmount/@codeListVersion
100	BDT00000529		1 .. 1	Allowance monetary amount per unit content <i>Path:</i> Order response/Order response line/ Allowance information/Allowance monetary amount per unit/Allowance monetary amount per unit content		0 .. 1	amountPerUnit <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/amountPerUnit
100	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Allowance information/Allowance monetary amount per unit/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ amountPerUnit/@currencyCode
100	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Allowance information/Allowance	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				monetary amount per unit/Currency code/Code list version			amountPerUnit/@codeListVersion
100	BDT00000526		1 .. 1	Allowance basis monetary amount content <i>Path:</i> Order response/Order response line/Allowance information/Allowance basis monetary amount/Allowance basis monetary amount content		0 .. 1	baseAmount <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/allowanceCharge/baseAmount
100	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/Allowance information/Allowance basis monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/allowanceCharge/baseAmount/@currencyCode
101	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Allowance information/Allowance basis monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/allowanceCharge/baseAmount/@codeListVersion
101	BDT00000533		1 .. 1	Allowance quantity basis content <i>Path:</i> Order response/Order response line/Allowance information/Allowance quantity basis/Allowance quantity basis content		0 .. 1	baseNumberOfUnits <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/allowanceCharge/baseNumberOfUnits
101	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/Allowance information/Allowance quantity basis/Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/allowanceCharge/baseNumberOfUnits/@measurementUnitCode
101	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Allowance information/Allowance	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/allowanceCharge/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				quantity basis/Measurement unit code/Code list version			baseNumberOfUnits/@codeListVersion
101	BDT00000530	.. 80	1 .. 1	Allowance effective date type code content <i>Path:</i> Order response/Order response line/Allowance information/Allowance effective date type code/Allowance effective date type code content	1 .. 80	0 .. 1	effectiveDateType <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/allowanceCharge/effectiveDateType
101	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Allowance information/Allowance effective date type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/allowanceCharge/effectiveDateType/@codeListVersion
101	BDT00000534	.. 80	1 .. 1	Special service type code content <i>Path:</i> Order response/Order response line/Allowance information/Special service type code/Special service type code content	1 .. 80	0 .. 1	specialServiceType <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/allowanceCharge/specialServiceType
101	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Allowance information/Special service type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/allowanceCharge/specialServiceType/@codeListVersion
101	BDT00000527	.. 70	1 .. 1	Allowance description content <i>Path:</i> Order response/Order response line/Allowance information/Allowance description/Allowance description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/allowanceCharge/allowanceChargeDescription/description
101	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/Allowance information/Allowance description/Language code/Language	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/allowanceCharge/allowanceChargeDescription/description/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code content			
102	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Allowance information/Allowance description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeDescription/description/ @codeListVersion
102	BDT00000018		0 .. 1	Charge percentage <i>Path:</i> Order response/Order response line/ Charge information/Charge percentage		0 .. 1	allowanceChargePercentage <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargePercentage
102	BDT00000012	.. 80	0 .. 1	Bracket criteria <i>Path:</i> Order response/Order response line/ Charge information/Bracket criteria	1 .. 80	0 .. 1	bracketIdentifier <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ bracketIdentifier
102	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Order response/Order response line/ Charge information/Calculation sequence number		0 .. 1	sequenceNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ sequenceNumber
102	BDT00000620		1 .. 1	Charge monetary amount per unit content <i>Path:</i> Order response/Order response line/ Charge information/Charge monetary amount per unit/Charge monetary amount per unit content		0 .. 1	amountPerUnit <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/amountPerUnit
102	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Charge information/Charge monetary amount per unit/Currency code/ Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ amountPerUnit/@currencyCode
102	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Charge information/Charge monetary amount per unit/Currency code/Code list version			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ amountPerUnit/@codeListVersion
102	BDT00000618	.. 80	1 .. 1	Charge type code content <i>Path:</i> Order response/Order response line/ Charge information/Charge type code/ Charge type code content	1 .. 80	1 .. 1	allowanceChargeType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeType
102	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Charge information/Charge type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeType/@codeListVersion
102	BDT00000617	.. 80	1 .. 1	Settlement charge code content <i>Path:</i> Order response/Order response line/ Charge information/Settlement charge code/Settlement charge code content	1 .. 80	1 .. 1	settlementType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/settlementType
103	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Charge information/Settlement charge code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ settlementType/@codeListVersion
103	BDT00000619		0 .. 1	Charge monetary amount content <i>Path:</i> Order response/Order response line/ Charge information/Charge monetary amount/Charge monetary amount content		0 .. 1	allowanceChargeAmount <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeAmount
103	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Charge information/Charge monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeAmount/@currencyCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
103	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Charge information/Charge monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeAmount/@codeListVersion
103	BDT000000614		1 .. 1	Charge basis monetary amount content <i>Path:</i> Order response/Order response line/ Charge information/Charge basis monetary amount/Charge basis monetary amount content		0 .. 1	baseAmount <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/baseAmount
103	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Charge information/Charge basis monetary amount/Currency code/ Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ baseAmount/@currencyCode
103	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Charge information/Charge basis monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ baseAmount/@codeListVersion
103	BDT000000753		1 .. 1	Charge quantity basis content <i>Path:</i> Order response/Order response line/ Charge information/Charge quantity basis/Charge quantity basis content		0 .. 1	baseNumberOfUnits <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ baseNumberOfUnits
103	BDT000000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Charge information/Charge quantity basis/Measurement unit code/ Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ baseNumberOfUnits/@measurementUnitCode
103	BDT000000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Charge information/Charge quantity basis/Measurement unit code/Code list version			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ baseNumberOfUnits/@codeListVersion
104	BDT00000615	.. 80	1 .. 1	Charge effective date type code content <i>Path:</i> Order response/Order response line/ Charge information/Charge effective date type code/Charge effective date type code content	1 .. 80	0 .. 1	effectiveDateType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ effectiveDateType
104	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Charge information/Charge effective date type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ effectiveDateType/@codeListVersion
104	BDT00000534	.. 80	1 .. 1	Special service type code content <i>Path:</i> Order response/Order response line/ Charge information/Special service type code/Special service type code content	1 .. 80	0 .. 1	specialServiceType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ specialServiceType
104	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Charge information/Special service type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ specialServiceType/@codeListVersion
104	BDT00000573	.. 70	1 .. 1	Charge description content <i>Path:</i> Order response/Order response line/ Charge information/Charge description/Charge description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeDescription/description
104	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Charge information/Charge description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeDescription/description/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
104	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Charge information/Charge description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/allowanceCharge/ allowanceChargeDescription/description/ @codeListVersion
104	BDT00000647	.. 80	1 .. 1	Handling instruction code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Handling instruction code/Handling instruction code content	1 .. 80	0 .. unbounded	handlingInstructionCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/ handlingInstructionCode
104	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Handling instruction code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/ handlingInstructionCode/@codeListVersion
104	BDT00000687	.. 80	1 .. 1	Transport means type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport means type code/Transport means type code content	1 .. 80	0 .. 1	transportMeansType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/transportMeansType
105	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport means type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/ transportMeansType/@codeListVersion
105	BDT00000625	.. 80	0 .. 1	Transport means identification content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport means identification/ Transport means identification content	1 .. 80	0 .. 1	transportMeansID <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/transportMeansID

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
105	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport means identification/ Identification scheme information/ Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeName
105	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport means identification/ Identification scheme information/ Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyName
105	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport means identification/ Identification scheme information/ Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyCode
105	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport means identification/ Identification scheme information/ Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyCodeCodeListVersion
105	BDT00000688	.. 80	1 .. 1	Transport mode code content <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	transportServiceCategoryType <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Transport mode code/Transport mode code content			orderResponseLineItem/ shipmentTransportationInformation/ transportServiceCategoryType
105	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport mode code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/ transportServiceCategoryType/@codeListVersion
105	BDT00000689	.. 80	1 .. 1	Transport service level code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport service level code/Transport service level code content	1 .. 80	0 .. 1	transportServiceLevelCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/ transportServiceLevelCode
105	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport service level code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/ transportServiceLevelCode/@codeListVersion
106	BDT00000626	.. 80	1 .. 1	Transport route identification content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport route identification/Transport route identification content	1 .. 80	0 .. 1	routeID <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/routeID
106	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport route identification/ Identification scheme information/ Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/routeID/ @identificationSchemeName
106	BDT00000073	.. 80	0 .. 1	Identification scheme agency name	1 .. 80		identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport route identification/ Identification scheme information/ Identification scheme agency name			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/routeID/ @identificationSchemeAgencyName
106	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport route identification/ Identification scheme information/ Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/routeID/ @identificationSchemeAgencyCode
106	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Transport route identification/ Identification scheme information/ Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/routeID/ @identificationSchemeAgencyCodeCodeListVersion
106	BDT00000648	.. 70	1 .. 1	Handling instruction description content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Handling instruction description/ Handling instruction description content	1 .. 100	0 .. unbounded	additionalHandlingInstruction <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/ additionalHandlingInstruction
106	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Handling instruction description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/ additionalHandlingInstruction/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
106	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Handling instruction description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/ additionalHandlingInstruction/@codeListVersion
106	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/gln
106	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Additional party identification information/ Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ additionalPartyIdentification
107	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Additional party identification information/ Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
107	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Additional party identification information/	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Additional party identification type code/Code list version			
107	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/address/city
107	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/address/cityCode
107	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/address/countyCode
107	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/address/crossStreet
107	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/address/name
107	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Carrier party information/Address information/Post office box number			shipmentTransportationInformation/carrier/address/pOBoxNumber
107	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/address/postalCode
107	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/address/provinceCode
108	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/address/state
108	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/address/streetAddressOne
108	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/address/streetAddressTwo
108	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
108	BDT00000774		1 .. 1	Carrier party information/Address information/Street address three Country code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	shipmentTransportationInformation/carrier/address/ streetAddressThree countryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ countryCode
108	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ countryCode/@codeListVersion
108	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ geographicalCoordinates/latitude
108	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ geographicalCoordinates/longitude
108	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business	1 .. 70	0 .. 1	personName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				contact information/Person name			personName
108	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ departmentName
109	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/jobTitle
109	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ contactTypeCode
109	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ contactTypeCode/@codeListVersion
109	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Business contact responsibility description/Business	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ responsibility

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				contact responsibility description content			
109	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ responsibility/ @languageCode
109	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ responsibility/ @codeListVersion
109	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelCode
109	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Communication channel code/Communication channel code content	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content/Code list version			
109	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationValue
109	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelName
110	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/ communicationChannelCode
110	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/After hours communication information/ Communication channel code/ Communication channel code	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content/Code list version			
110	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/communicationValue
110	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/ communicationChannelName
110	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
110	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
110	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order response/Order response line/	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
110	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
110	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
110	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration identification information/Identification	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme information/Identification scheme responsible agency code/Code list version			
111	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
111	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
111	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription
111	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
111	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Carrier party information/Tax registration information/Tax description/Language code/Code list version			orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
111	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
111	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
111	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/organisationName
111	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ languageOfThePartyCode
111	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Language of the party code/Code list version			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ languageOfThePartyCode/@codeListVersion
112	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ currencyOfPartyCode
112	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/address/ currencyOfPartyCode/@codeListVersion
112	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/countyCode
112	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/city
112	BDT00000019	.. 80	0 .. 1	City code	1 .. 80	0 .. 1	cityCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/City code			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/cityCode
112	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/crossStreet
112	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/pOBoxNumber
112	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/postalCode
112	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/provinceCode
112	BDT00000127	.. 80	0 .. 1	State	1 .. 80	0 .. 1	state

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/State			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/state
113	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressOne
113	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressTwo
113	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressThree
113	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/countryCode
113	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ Country code/Code list version			orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/countryCode/ @codeListVersion
113	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
113	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
113	BDT000000655		1 .. 1	Issued capital content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/issuedCapital
113	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Issued capital/ Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/issuedCapital/ @currencyCode
	BDT000000028						

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
113		.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Issued capital/ Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/issuedCapital/@codeListVersion
114	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/legalStructure
114	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/legalStructure/@languageCode
114	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ organisationDetails/legalStructure/@codeListVersion
114	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
114	BDT00000086	.. 200	0 .. 1	legal information/Registered legal information/Legal registration number Legal registration additional information <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	organisationDetails/legalRegistration/legalRegistrationNumber legalRegistrationAdditionalInformation <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
114	BDT00000068	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType
114	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
114	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialInstitutionName
	BDT00000060						

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
114		.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/ financialInstitutionBranchName
114	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountName
115	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountNumber
115	BDT000000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
115	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
115	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
115	BDT00000064	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
115	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialRoutingNumber/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution routing number information/Financial routing number type code/Code list version			financialRoutingNumberTypeCode/@codeListVersion
115	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description
115	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
115	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
115	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Carrier party information/Financial institution and financial account information/Address information/City name			shipmentTransportationInformation/carrier/financialInstitutionInformation/address/city
116	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/cityCode
116	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countyCode
116	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/crossStreet
116	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Party	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/name

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
116	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/pOBoxNumber
116	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/postalCode
116	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/ Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/provinceCode
116	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/state
116	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Street address one			orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/streetAddressOne
116	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/streetAddressTwo
117	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/ streetAddressThree
117	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/countryCode
117	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/countryCode/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Address information/ Country code/Code list version			@codeListVersion
117	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
117	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Carrier party information/Financial institution and financial account information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
117	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Global location number GLN		0 .. 1	gln <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/gln
117	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ additionalPartyIdentification
	BDT00000570						

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
117		.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
117	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ additionalPartyIdentification/ @codeListVersion
117	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/city
118	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/cityCode
118	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Freight forwarder party information/ Address information/County code			shipmentTransportationInformation/freightForwarder/ address/countyCode
118	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/crossStreet
118	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/name
118	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/pOBoxNumber
118	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/postalCode
118	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/provinceCode
118	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Freight forwarder party information/ Address information/State			orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/state
118	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/streetAddressOne
118	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/streetAddressTwo
119	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/streetAddressThree
119	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Country code/ Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/countryCode
119	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Country code/	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Code list version			
119	BDT000000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/geographicalCoordinates/latitude
119	BDT000000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/geographicalCoordinates/longitude
119	BDT000000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/personName
119	BDT000000044	.. 70	0 .. 1	Department name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/departmentName
119	BDT000000083	.. 70	0 .. 1	Job title <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/jobTitle

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
119	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/contactTypeCode
119	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/contactTypeCode/@codeListVersion
120	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Business contact responsibility description/ Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/responsibility
120	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/Business contact responsibility description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/responsibility/@languageCode
120	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Freight forwarder party information/ Business contact information/Business contact responsibility description/ Language code/Code list version			orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/responsibility/@codeListVersion
120	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/communicationChannel/ communicationChannelCode
120	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/communicationChannel/ communicationChannelCode/@codeListVersion
120	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/communicationChannel/communicationValue
120	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Order response line/	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Freight forwarder party information/ Business contact information/ Communication information/ Communication channel name			orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/communicationChannel/ communicationChannelName
120	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationChannelCode
120	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
120	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationValue
121	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Order response line/	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Freight forwarder party information/ Business contact information/After hours communication information/ Communication channel name			orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationChannelName
121	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
121	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
121	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
121	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification information/Identification scheme information/Identification scheme agency name			@identificationSchemeAgencyName
121	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
121	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
121	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
121	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax type code/ Code list version			orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
121	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxDescription
122	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
122	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
122	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
122	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
122	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/organisationName
122	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/languageOfThePartyCode
122	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/languageOfThePartyCode/@codeListVersion
122	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Currency	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				of party code/Currency of party code content			address/currencyOfPartyCode
122	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ address/currencyOfPartyCode/ @codeListVersion
122	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/countyCode
123	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/city
123	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/cityCode
123	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Cross street			organisationDetails/officialAddress/crossStreet
123	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/pOBoxNumber
123	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/postalCode
123	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/provinceCode
123	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/state
123	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Official address/Street address one			organisationDetails/officialAddress/streetAddressOne
123	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/streetAddressTwo
123	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/streetAddressThree
124	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/countryCode
124	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/shipmentTransportationInformation/freightForwarder/organisationDetails/officialAddress/countryCode/@codeListVersion
124	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Freight forwarder party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude			shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
124	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
124	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/issuedCapital
124	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/issuedCapital/ @currencyCode
124	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/issuedCapital/ @codeListVersion
	BDT00000659						

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
124		.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure
124	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure/@languageCode
124	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure/@codeListVersion
125	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalRegistration/ legalRegistrationNumber
125	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration additional information			shipmentTransportationInformation/freightForwarder/ organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation
125	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalRegistration/ legalRegistrationType
125	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
125	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialInstitutionName
125	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial institution division name			financialInstitutionBranchName
125	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/ financialAccountName
125	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/ financialAccountNumber
125	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
125	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				account information/Financial account information/Financial account number type code/Code list version			financialAccountNumberTypeCode/@codeListVersion
126	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
126	BDT00000064	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
126	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialRoutingNumberTypeCode/@codeListVersion
126	BDT000000521	.. 70	1 .. 1	Additional financial institution description	1 .. 70	1 .. unbounded	description

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ additionalFinancialInformation/description
126	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
126	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
126	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/city

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
126	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/cityCode
126	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/countyCode
126	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/crossStreet
127	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/name
127	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/ Shipment transportation information/	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Freight forwarder party information/ Financial institution and financial account information/Address information/Post office box number			shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/pOBoxNumber
127	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/postalCode
127	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/provinceCode
127	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/state
127	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/streetAddressOne

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
127	BDT00000130	.. 200	0 .. 1	information/Street address one Street address two <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/streetAddressTwo
127	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/ streetAddressThree
127	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/countryCode
127	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/countryCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
128	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
128	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Shipment transportation information/ Freight forwarder party information/ Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
128	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAgencyName
128	BDT00000537	.. 80	1 .. 1	Tax category code content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax category code/Tax category code content	1 .. 80	0 .. 1	dutyFeeTaxCategoryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxCategoryCode
128	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax category code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxCategoryCode/@codeListVersion
128	BDT00000371		0 .. 1	Tax rate <i>Path:</i> Order response/Order response line/		0 .. 1	dutyFeeTaxPercentage <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Applicable tax information/Tax rate			orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxPercentage
128	BDT00000377		0 .. 1	Tax point date <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax point date		0 .. 1	dutyFeeTaxPointDate <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxPointDate
128	BDT00000538	.. 80	1 .. 1	Tax accounting currency code content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	dutyFeeTaxAccountingCurrency <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAccountingCurrency
128	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax accounting currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAccountingCurrency/@codeListVersion
128	BDT00000559		1 .. 1	Taxable monetary amount content <i>Path:</i> Order response/Order response line/ Applicable tax information/Taxable monetary amount/Taxable monetary amount content		0 .. 1	dutyFeeTaxBasisAmount <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmount
129	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Applicable tax information/Taxable monetary amount/Currency code/ Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmount/@currencyCode
129	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Applicable tax information/Taxable monetary amount/Currency code/Code	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmount/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				list version			
129	BDT00000562		1 .. 1	Tax monetary amount content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax monetary amount/Tax monetary amount content		0 .. 1	dutyFeeTaxAmount <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmount
129	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax monetary amount/Currency code/ Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmount/@currencyCode
129	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmount/@codeListVersion
129	BDT00000561		1 .. 1	Tax monetary amount in accounting currency content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content		0 .. 1	dutyFeeTaxAmountInAccountingCurrency <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmountInAccountingCurrency
129	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmountInAccountingCurrency/ @currencyCode
129	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Applicable tax information/Tax monetary amount in accounting currency/Currency code/Code list version			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmountInAccountingCurrency/ @codeListVersion
129	BDT00000560		1 .. 1	Taxable monetary amount in accounting currency content <i>Path:</i> Order response/Order response line/ Applicable tax information/Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content		0 .. 1	dutyFeeTaxBasisAmountInAccountingCurrency <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency
129	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency/ @currencyCode
130	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Applicable tax information/Taxable monetary amount in accounting currency/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency/ @codeListVersion
130	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxDescription
130	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Applicable tax information/Tax description/Language code/Language code content			orderResponseLineItem/leviedDutyFeeTax/dutyFeeTaxDescription/@languageCode
130	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/leviedDutyFeeTax/dutyFeeTaxDescription/@codeListVersion
130	BDT000000574	.. 70	1 .. 1	Tax exemption reason description content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax exemption reason description/Tax exemption reason description content	1 .. 80	0 .. 1	dutyFeeTaxExemptionDescription <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/leviedDutyFeeTax/dutyFeeTaxExemptionDescription
130	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax exemption reason description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/leviedDutyFeeTax/dutyFeeTaxExemptionDescription/@languageCode
130	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax exemption reason description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/leviedDutyFeeTax/dutyFeeTaxExemptionDescription/@codeListVersion
130	BDT000000575	.. 80	1 .. 1	Tax exemption reason code content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax exemption reason code/Tax exemption reason code content	1 .. 80	0 .. 1	dutyFeeTaxExemptionReason <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/leviedDutyFeeTax/dutyFeeTaxExemptionReason
130	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Applicable tax information/Tax exemption reason code/Code list version			orderResponseLineItem/leviedDutyFeeTax/dutyFeeTaxExemptionReason/@codeListVersion
130	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/leviedDutyFeeTax/dutyFeeTaxTypeCode
131	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Applicable tax information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/leviedDutyFeeTax/dutyFeeTaxTypeCode/@codeListVersion
131	BDT00000370	.. 80	0 .. 1	Customs authority name <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Customs authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/leviedDutyFeeTax/dutyFeeTaxAgencyName
131	BDT00000537	.. 80	1 .. 1	Tax category code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax category code/Tax category code content	1 .. 80	0 .. 1	dutyFeeTaxCategoryCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/leviedDutyFeeTax/dutyFeeTaxCategoryCode
131	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax category code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/leviedDutyFeeTax/dutyFeeTaxCategoryCode/@codeListVersion
131	BDT00000374		0 .. 1	Customs duty rate <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Customs duty rate		0 .. 1	dutyFeeTaxPercentage <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/leviedDutyFeeTax/dutyFeeTaxPercentage
131	BDT00000377		0 .. 1	Tax point date		0 .. 1	dutyFeeTaxPointDate

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax point date			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxPointDate
131	BDT00000538	.. 80	1 .. 1	Tax accounting currency code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax accounting currency code/Tax accounting currency code content	1 .. 80	0 .. 1	dutyFeeTaxAccountingCurrency <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAccountingCurrency
131	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax accounting currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAccountingCurrency/@codeListVersion
131	BDT00000559		1 .. 1	Taxable monetary amount content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Taxable monetary amount/Taxable monetary amount content		0 .. 1	dutyFeeTaxBasisAmount <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmount
131	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Taxable monetary amount/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmount/@currencyCode
132	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Taxable monetary amount/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmount/@codeListVersion
132	BDT00000561		1 .. 1	Tax monetary amount in accounting currency content		0 .. 1	dutyFeeTaxAmountInAccountingCurrency <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax monetary amount in accounting currency/Tax monetary amount in accounting currency content			orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmountInAccountingCurrency
132	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax monetary amount in accounting currency/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmountInAccountingCurrency/ @currencyCode
132	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax monetary amount in accounting currency/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmountInAccountingCurrency/ @codeListVersion
132	BDT00000560		1 .. 1	Taxable monetary amount in accounting currency content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Taxable monetary amount in accounting currency/Taxable monetary amount in accounting currency content		0 .. 1	dutyFeeTaxBasisAmountInAccountingCurrency <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency
132	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Taxable monetary amount in accounting currency/Currency code/ Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency/ @currencyCode
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
132		.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Taxable monetary amount in accounting currency/Currency code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxBasisAmountInAccountingCurrency/ @codeListVersion
132	BDT00000562		1 .. 1	Tax monetary amount content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax monetary amount/Tax monetary amount content		0 .. 1	dutyFeeTaxAmount <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmount
132	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax monetary amount/Currency code/ Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmount/@currencyCode
132	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax monetary amount/Currency code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxAmount/@codeListVersion
133	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxDescription
133	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxDescription/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
133	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxDescription/@codeListVersion
133	BDT000000574	.. 70	1 .. 1	Tax exemption reason description content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax exemption reason description/Tax exemption reason description content	1 .. 80	0 .. 1	dutyFeeTaxExemptionDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxExemptionDescription
133	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax exemption reason description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxExemptionDescription/@languageCode
133	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax exemption reason description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxExemptionDescription/@codeListVersion
133	BDT000000575	.. 80	1 .. 1	Tax exemption reason code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax exemption reason code/Tax exemption reason code content	1 .. 80	0 .. 1	dutyFeeTaxExemptionReason <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxExemptionReason
133	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax exemption reason code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxExemptionReason/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
133	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxTypeCode
133	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Applicable customs duty information/ Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/leviedDutyFeeTax/ dutyFeeTaxTypeCode/ @codeListVersion
134	BDT00000683		1 .. 1	Confirmed quantity content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Confirmed quantity/ Confirmed quantity content		1 .. 1	confirmedQuantity <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ confirmedQuantity
134	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Confirmed quantity/ Measurement unit code/Measurement unit code content	1 .. 80		measurementUnitCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ confirmedQuantity/ @measurementUnitCode
134	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Confirmed quantity/ Measurement unit code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ confirmedQuantity/ @codeListVersion
134	BDT00000788		0 .. 1	Logistic label customer information <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistic label		0 .. 1	logisticLabelCustomerText <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/logisticLabelCustomerText

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				customer information			
134	BDT00000567	.. 80	1 .. 1	Shipment split method code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment split method code/Shipment split method code content	1 .. 80	0 .. 1	shipmentSplitMethodCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipmentSplitMethodCode
134	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment split method code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipmentSplitMethodCode/ @codeListVersion
134	BDT00000568	.. 80	1 .. 1	Transport cargo type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Transport cargo type code/Transport cargo type code content	1 .. 80	0 .. 1	commodityTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/commodityTypeCode
134	BDT00000022	.. 80	0 .. 1	Code description <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Transport cargo type code/Code description	1 .. 80		codeDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/commodityTypeCode/ @codeDescription
134	BDT00000023	.. 80	0 .. 1	Code list agency code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 80		codeListAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Transport cargo type code/Code list agency code			orderLogisticalInformation/commodityTypeCode/ @codeListAgencyCode
134	BDT00000024	.. 35	0 .. 1	Code list agency code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Transport cargo type code/Code list agency code list version	1 .. 35		codeListAgencyCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/commodityTypeCode/ @codeListAgencyCodeListVersion
135	BDT00000025	.. 80	0 .. 1	Code list agency name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Transport cargo type code/Code list agency name	1 .. 80		codeListAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/commodityTypeCode/ @codeListAgencyName
135	BDT00000026	.. 80	0 .. 1	Code list name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Transport cargo type code/Code list name	1 .. 80		codeListName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/commodityTypeCode/ @codeListName
135	BDT00000027	.. 500	0 .. 1	Code list URL <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Transport cargo type code/Code list URL			codeListURI <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/commodityTypeCode/ @codeListURI
135	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Transport cargo type code/Code list version			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/commodityTypeCode/@codeListVersion
135	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Global location number GLN		0 .. 1	gln <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/gln
135	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/additionalPartyIdentification
135	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
135	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Additional party identification information/Additional party identification type code/Code list version			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/additionalPartyIdentification/@codeListVersion
135	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/address/city
135	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/address/cityCode
136	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/address/countyCode
136	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/Order response line item shipping detail	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ship from party information/Address information/Cross street			orderLogisticalInformation/shipFrom/address/crossStreet
136	BDT000001106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/name
136	BDT000001113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ pOBoxNumber
136	BDT000001114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/postalCode
136	BDT000001117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ provinceCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Province identity			
136	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/state
136	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ streetAddressOne
136	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ streetAddressTwo
136	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ streetAddressThree
137	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/ Country code/Country code content			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/address/countryCode
137	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/ Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ countryCode/@codeListVersion
137	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ geographicalCoordinates/latitude
137	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ geographicalCoordinates/longitude
137	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 70	0 .. 1	personName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ship from party information/Business contact information/Person name			orderLogisticalInformation/shipFrom/contact/personName
137	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ departmentName
137	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/jobTitle
137	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ contactTypeCode
137	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ contactTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
137	BDT00000580	.. 70	1 .. 1	information/Business contact information/Contact type code/Code list version Business contact responsibility description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/responsibility
138	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ responsibility/@languageCode
138	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Business contact responsibility description/Language	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ responsibility/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
138	BDT00000525		1 .. 1	code/Code list version Communication channel code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ communicationChannel/communicationChannelCode
138	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
138	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ communicationChannel/communicationValue
138	BDT00000033	.. 200	0 .. 1	Communication channel name	1 .. 200	0 .. 1	communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/Communication information/Communication channel name			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ communicationChannel/communicationChannelName
138	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ afterHoursCommunicationChannel/ communicationChannelCode
138	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
138	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel identification			orderLogisticalInformation/shipFrom/contact/ afterHoursCommunicationChannel/communicationValue
138	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/contact/ afterHoursCommunicationChannel/ communicationChannelName
139	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
139	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
139	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
139	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
139	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
139	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
139	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
139	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
139	BDT000000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax description/Tax description content			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription
139	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
140	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
140	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
140	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Tax registration information/Tax registration type code/ Code list version			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
140	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ organisationName
140	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ languageOfThePartyCode
140	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ languageOfThePartyCode/@codeListVersion
140	BDT00000710	.. 80	1 .. 1	Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Currency of party code/ Currency of party code content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ currencyOfPartyCode
140	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Currency of party code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/address/ currencyOfPartyCode/@codeListVersion
140	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ officialAddress/countyCode
140	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ officialAddress/city
141	BDT00000019	.. 80	0 .. 1	City code	1 .. 80	0 .. 1	cityCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/City code			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ officialAddress/cityCode
141	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ officialAddress/crossStreet
141	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ officialAddress/pOBoxNumber
141	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ officialAddress/postalCode
141	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Province identity			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/provinceCode
141	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/state
141	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/streetAddressOne
141	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/streetAddressTwo
141	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Street address three			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/streetAddressThree
141	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/countryCode
142	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/countryCode/@codeListVersion
142	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/officialAddress/geographicalCoordinates/latitude

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
142	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ officialAddress/geographicalCoordinates/longitude
142	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ issuedCapital
142	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ issuedCapital/@currencyCode
142	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/organisationDetails/ issuedCapital/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
142	BDT00000659	.. 70	1 .. 1	information/Issued capital/Currency code/Code list version Legal structure description content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalStructure
142	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalStructure/@languageCode
142	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalStructure/@codeListVersion
142	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order response/Order response line/	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration number			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalRegistration/legalRegistrationNumber
143	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
143	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalRegistration/legalRegistrationType
143	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Organisation legal	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
143	BDT00000061	.. 80	0 .. 1	information/Registered legal information/Legal registration type code/Code list version Financial institution name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialInstitutionName
143	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialInstitutionBranchName
143	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialAccount/financialAccountName
143	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order response/Order response line/Order response line item shipping detail	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number			orderLogisticalInformation/shipFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumber
143	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
143	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
143	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/financialRoutingNumber/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Financial institution routing number information/Financial routing number			financialRoutingNumber
144	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
144	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
144	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item	1 .. 70	1 .. unbounded	description <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ship from party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			additionalFinancialInformation/description
144	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
144	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
144	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/city

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
144	BDT00000019	.. 80	0 .. 1	information/City name City code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/address/cityCode
144	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/address/countyCode
144	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/address/crossStreet
144	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipFrom/ financialInstitutionInformation/address/name

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				financial account information/Address information/Party name			
145	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/pOBoxNumber
145	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/postalCode
145	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/provinceCode
145	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/state

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Financial institution and financial account information/Address information/State			
145	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/streetAddressOne
145	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/streetAddressTwo
145	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/streetAddressThree
145	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ship from party information/Financial institution and financial account information/Address information/Country code/Country code content			financialInstitutionInformation/address/countryCode
145	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/countryCode/@codeListVersion
145	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/geographicalCoordinates/latitude
146	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship from party information/Financial institution and financial account information/Address information/Geographical coordinates	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipFrom/financialInstitutionInformation/address/geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
146	BDT00000063	13 .. 13	0 .. 1	information/Longitude Global location number GLN <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Global location number GLN	0 .. 1		gln <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/gln
146	BDT000000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ additionalPartyIdentification
146	BDT000000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
146	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Additional party identification information/Additional party identification type code/Code list version			
146	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/address/city
146	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/address/cityCode
146	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/address/countyCode
146	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/Cross	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
146	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/name
147	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/pOBoxNumber
147	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/postalCode
147	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/ Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/provinceCode
147	BDT00000127	.. 80	0 .. 1	State	1 .. 80	0 .. 1	state

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/State			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/state
147	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/ streetAddressOne
147	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/ streetAddressTwo
147	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/ streetAddressThree
147	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
147	BDT00000028	.. 35	0 .. 1	information/Address information/ Country code/Country code content Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/ Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/ countryCode/@codeListVersion
147	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/ geographicalCoordinates/latitude
148	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/address/ geographicalCoordinates/longitude
148	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact	1 .. 70	0 .. 1	personName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/personName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
148	BDT00000044	.. 70	0 .. 1	information/Person name Department name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/ departmentName
148	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/jobTitle
148	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/ contactTypeCode
148	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/ contactTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
148	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/contact/responsibility
148	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/contact/responsibility/@languageCode
148	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/contact/responsibility/@codeListVersion
148	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Order response line/	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Communication information/Communication channel code/Communication channel code content			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/contact/communicationChannel/communicationChannelCode
149	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/contact/communicationChannel/communicationChannelCode/@codeListVersion
149	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/contact/communicationChannel/communicationValue
149	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/contact/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ship to party information/Business contact information/Communication information/Communication channel name			communicationChannel/communicationChannelName
149	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode
149	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
149	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/ afterHoursCommunicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
149	BDT00000033	.. 200	0 .. 1	information/After hours communication information/Communication channel identification Communication channel name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/contact/ afterHoursCommunicationChannel/ communicationChannelName
149	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
149	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
149	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
150	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
150	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
150	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
150	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
150	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
150	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxDescription

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
150	BDT00000524	.. 80	1 .. 1	information/Tax registration information/Tax description/Tax description content Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
150	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
150	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
150	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ship to party information/Tax registration information/Tax registration type code/Code list version			dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
151	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/organisationName
151	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/address/languageOfThePartyCode
151	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/address/languageOfThePartyCode/@codeListVersion
151	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/address/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ship to party information/Organisation legal information/Currency of party code/Currency of party code content			currencyOfPartyCode
151	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/address/currencyOfPartyCode/@codeListVersion
151	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/countyCode
151	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/city
151	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ship to party information/Organisation legal information/Official address/City code			officialAddress/cityCode
151	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/crossStreet
151	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/pOBoxNumber
152	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/postalCode
152	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/organisationDetails/officialAddress/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/Province identity			
152	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/state
152	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/streetAddressOne
152	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/streetAddressTwo
152	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
152	BDT00000774		1 .. 1	information/Organisation legal information/Official address/Street address three Country code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/countryCode
152	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/countryCode/@codeListVersion
152	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/geographicalCoordinates/latitude
152	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ship to party information/Official address/ Geographical coordinates information/ Longitude			orderLogisticalInformation/shipTo/organisationDetails/ officialAddress/geographicalCoordinates/longitude
153	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ issuedCapital
153	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ issuedCapital/@currencyCode
153	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ issuedCapital/@codeListVersion
153	BDT00000659	.. 70	1 .. 1	Legal structure description content	1 .. 80	0 .. 1	legalStructure

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Legal structure description/Legal structure description content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ legalStructure
153	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ legalStructure/@languageCode
153	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ legalStructure/@codeListVersion
153	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ legalRegistration/legalRegistrationNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
153	BDT00000086	.. 200	0 .. 1	information/Organisation legal information/Registered legal information/Legal registration number Legal registration additional information <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ legalRegistration/legalRegistrationAdditionalInformation
153	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ legalRegistration/legalRegistrationType
153	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/organisationDetails/ legalRegistration/legalRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
154	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialInstitutionName
154	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/ financialInstitutionBranchName
154	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountName
154	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialAccount/ financialAccountNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
154	BDT00000645	.. 80	1 .. 1	financial account information/Financial account information/Financial account number Financial account number type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
154	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
154	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution routing number information/	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
154	BDT00000644	.. 80	1 .. 1	Financial routing number Financial routing number type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number type code/ Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
154	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
154	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Additional	1 .. 70	1 .. unbounded	description <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/ additionalFinancialInformation/description

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
155	BDT00000524	.. 80	1 .. 1	financial institution description/ Additional financial institution description content Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
155	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
155	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/city
155	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/City code			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/cityCode
155	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/countyCode
155	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/crossStreet
155	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/name
155	BDT00000113	.. 80	0 .. 1	Post office box number	1 .. 80	0 .. 1	pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Post office box number			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/pOBoxNumber
155	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/postalCode
155	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/provinceCode
156	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/state

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
156	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/streetAddressOne
156	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/streetAddressTwo
156	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/ streetAddressThree
156	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/shipTo/ financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Country code/Country code content			
156	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/countryCode/@codeListVersion
156	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/geographicalCoordinates/latitude
156	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ship to party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipTo/financialInstitutionInformation/address/geographicalCoordinates/longitude
156	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order response/Order response line/		0 .. 1	gln <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Global location number GLN			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/gln
156	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/additionalPartyIdentification
157	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
157	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Additional party identification information/Additional party identification type code/Code list	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				version			
157	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/city
157	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ cityCode
157	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ countyCode
157	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ crossStreet
157	BDT00000106	.. 200	0 .. 1	Party name	1 .. 200	0 .. 1	name

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/Party name			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ name
157	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ pOBoxNumber
157	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ postalCode
157	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/ Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ provinceCode
158	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Storage location information/Address information/State			state
158	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/address/streetAddressOne
158	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/address/streetAddressTwo
158	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/address/streetAddressThree
158	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/address/countryCode
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
158		.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/ Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ countryCode/@codeListVersion
158	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ geographicalCoordinates/latitude
158	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ geographicalCoordinates/longitude
158	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ personName
158	BDT00000044	.. 70	0 .. 1	Department name	1 .. 70	0 .. 1	departmentName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Department name			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ departmentName
159	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ jobTitle
159	BDT000000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ contactTypeCode
159	BDT000000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ contactTypeCode/@codeListVersion
159	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Business contact responsibility description/Business contact responsibility description content			orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ responsibility
159	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ responsibility/@languageCode
159	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ responsibility/@codeListVersion
159	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Storage location information/Business contact information/Communication channel code/Communication channel code content			communicationChannel/communicationChannelCode
159	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationChannelCode/@codeListVersion
159	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationValue
159	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/contact/communicationChannel/communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
160	BDT00000525		1 .. 1	information/Communication information/Communication channel name Communication channel code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode
160	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
160	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ afterHoursCommunicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identification			
160	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/contact/ afterHoursCommunicationChannel/ communicationChannelName
160	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
160	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
160	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			@identificationSchemeName
160	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
160	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
160	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version			orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
161	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax type code/Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
161	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
161	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax description/Tax	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxDescription

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
161	BDT00000524	.. 80	1 .. 1	description content Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
161	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
161	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
161	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Tax registration	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
161	BDT00000102	.. 200	1 .. 1	information/Tax registration type code/ Code list version Organisation name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/organisationName
161	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ languageOfThePartyCode
161	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ languageOfThePartyCode/@codeListVersion
162	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ currencyOfPartyCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
162	BDT00000028	.. 35	0 .. 1	information/Currency of party code/ Currency of party code content Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Currency of party code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/address/ currencyOfPartyCode/@codeListVersion
162	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/countyCode
162	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/city
162	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/cityCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
162	BDT00000035	.. 200	0 .. 1	information/Official address/City code Cross street <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/crossStreet
162	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/pOBoxNumber
162	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/postalCode
162	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Province	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				identity			
162	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/state
163	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/streetAddressOne
163	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/streetAddressTwo
163	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Street	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
163	BDT00000774		1 .. 1	address three Country code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/countryCode
163	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/countryCode/ @codeListVersion
163	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
163	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/officialAddress/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude			geographicalCoordinates/longitude
163	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/issuedCapital
163	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Issued capital/Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/issuedCapital/ @currencyCode
163	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/issuedCapital/ @codeListVersion
164	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Storage location information/Organisation legal information/Legal structure description/Legal structure description content			orderLogisticalInformation/inventoryLocation/ organisationDetails/legalStructure
164	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/legalStructure/@languageCode
164	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/legalStructure/@codeListVersion
164	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/legalRegistration/ legalRegistrationNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
164	BDT00000086	.. 200	0 .. 1	information/Legal registration number Legal registration additional information <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation
164	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/legalRegistration/ legalRegistrationType
164	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
164	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution name			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialInstitutionName
164	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialInstitutionBranchName
164	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountName
165	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				number			
165	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
165	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
165	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber
165	BDT00000644	.. 80	1 .. 1	Financial routing number type code	1 .. 80	1 .. 1	financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number type code/ Financial routing number type code content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
165	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
165	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Additional financial institution description/ Additional financial institution	1 .. 70	1 .. unbounded	description <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/ additionalFinancialInformation/description

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
165	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
165	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
165	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/city
166	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Storage location information/Financial institution and financial account information/Address information/City code			financialInstitutionInformation/address/cityCode
166	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/countyCode
166	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/crossStreet
166	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/name
166	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/Order response line item shipping detail	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Post office box number			orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/pOBoxNumber
166	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/postalCode
166	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/provinceCode
166	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/state
166	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Street address one			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/streetAddressOne
166	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/streetAddressTwo
167	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/streetAddressThree
167	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/inventoryLocation/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
167	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/countryCode/ @codeListVersion
167	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
167	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Storage location information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/inventoryLocation/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
167	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item		0 .. 1	gln <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/gln

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ultimate consignee party information/Global location number GLN			
167	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/additionalPartyIdentification
167	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/additionalPartyIdentification/@additionalPartyIdentificationTypeCode
167	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
167	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/city
168	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ cityCode
168	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ countyCode
168	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ crossStreet
168	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Party name			orderLogisticalInformation/ultimateConsignee/address/ name
168	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ pOBoxNumber
168	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ postalCode
168	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ provinceCode
168	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ state

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
168	BDT00000128	.. 200	0 .. 1	information/State Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ streetAddressOne
168	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ streetAddressTwo
169	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ streetAddressThree
169	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ countryCode
	BDT00000028						

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
169		.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ countryCode/@codeListVersion
169	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ geographicalCoordinates/latitude
169	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ geographicalCoordinates/longitude
169	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ personName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
169	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ departmentName
169	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ jobTitle
169	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ contactTypeCode
169	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ contactTypeCode/@codeListVersion
170	BDT00000580	.. 70	1 .. 1	Business contact responsibility	1 .. 70	0 .. unbounded	responsibility

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Schema: Order Response; GS1 3.5 Guide

Root Element: **Order response**Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Business contact responsibility description/Business contact responsibility description content			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ responsibility
170	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ responsibility/@languageCode
170	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ responsibility/@codeListVersion
170	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content			orderLogisticalInformation/ultimateConsignee/contact/ communicationChannel/communicationChannelCode
170	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
170	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ communicationChannel/communicationValue
170	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ communicationChannel/communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				consignee party information/Business contact information/Communication information/Communication channel name			
170	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelCode
170	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationChannelCode/@codeListVersion
170	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/contact/afterHoursCommunicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
171	BDT00000033	.. 200	0 .. 1	contact information/After hours communication information/ Communication channel identification Communication channel name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/contact/ afterHoursCommunicationChannel/ communicationChannelName
171	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
171	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
171	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order response/Order response line/	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeName
171	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyName
171	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/@identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
171	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
171	BDT000000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
171	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
171	BDT000000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ultimate consignee party information/Tax registration information/Tax description/Tax description content			dutyFeeTaxRegistration/dutyFeeTaxDescription
172	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
172	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
172	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
172	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
172	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/ Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/organisationName
172	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/ Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ languageOfThePartyCode
172	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ languageOfThePartyCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/ Language of the party code/Code list version			
172	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ currencyOfPartyCode
172	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/address/ currencyOfPartyCode/@codeListVersion
172	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/countyCode
173	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/City name			orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/city
173	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/cityCode
173	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/crossStreet
173	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/pOBBoxNumber
173	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Postal code			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/postalCode
173	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/provinceCode
173	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/state
173	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/organisationDetails/officialAddress/streetAddressOne
173	BDT00000130	.. 200	0 .. 1	Street address two	1 .. 200	0 .. 1	streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Street address two			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/streetAddressTwo
173	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/streetAddressThree
174	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/countryCode
174	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/countryCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				address/Country code/Code list version			
174	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
174	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
174	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/issuedCapital
174	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ultimate consignee party information/ Organisation legal information/Issued capital/Currency code/Currency code content			organisationDetails/issuedCapital/@currencyCode
174	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/issuedCapital/@codeListVersion
174	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/legalStructure
174	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Legal structure description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/legalStructure/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
174	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/legalStructure/@codeListVersion
175	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/legalRegistration/ legalRegistrationNumber
175	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/ Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/legalRegistration/ legalRegistrationAdditionalInformation
175	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Ultimate consignee party information/ Organisation legal information/ Registered legal information/Legal registration type code/Legal registration type code content			organisationDetails/legalRegistration/ legalRegistrationType
175	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/ Organisation legal information/ Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ organisationDetails/legalRegistration/ legalRegistrationType/@codeListVersion
175	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution name	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/financialInstitutionName
175	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution division	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/ financialInstitutionBranchName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				name			
175	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/financialAccount/ financialAccountName
175	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/financialAccount/ financialAccountNumber
175	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
175	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
176	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber
176	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
176	BDT00000028	.. 35	0 .. 1	number type code content Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
176	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content	1 .. 70	1 .. unbounded	description <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/ additionalFinancialInformation/description
176	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Language code/	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
176	BDT00000028	.. 35	0 .. 1	Language code content Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
176	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/city
176	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/cityCode
176	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/County code			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/countyCode
176	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/crossStreet
177	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/name
177	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/pOBoxNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
177	BDT00000114	.. 80	0 .. 1	institution and financial account information/Address information/Post office box number Postal code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/postalCode
177	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/provinceCode
177	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/state
177	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address one			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/streetAddressOne
177	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/streetAddressTwo
177	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/streetAddressThree
177	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/ultimateConsignee/financialInstitutionInformation/address/countryCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
177	BDT00000028	.. 35	0 .. 1	institution and financial account information/Address information/ Country code/Country code content Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/ Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/countryCode/ @codeListVersion
178	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
178	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Financial institution and financial account information/Address information/ Geographical coordinates information/	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ultimateConsignee/ financialInstitutionInformation/address/ geographicalCoordinates/longitude

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
178	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Global location number, GLN	0 .. 1		gln <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/gln
178	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Additional party identification information/ Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ additionalPartyIdentification
178	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Additional party identification information/ Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
178	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Logistics services provider party information/Additional party identification information/Additional party identification type code/Code list version			additionalPartyIdentification/@codeListVersion
178	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/city
178	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/cityCode
178	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/countyCode
178	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				provider party information/Address information/Cross street			
179	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/name
179	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/pOBoxNumber
179	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/postalCode
179	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/address/provinceCode
	BDT00000127						

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
179		.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/state
179	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/streetAddressOne
179	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/streetAddressTwo
179	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/streetAddressThree
179	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Logistics services provider party information/Address information/Country code/Country code content			orderLogisticalInformation/intermediateDeliveryParty/ address/countryCode
179	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/countryCode/@codeListVersion
180	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/geographicalCoordinates/latitude
180	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/geographicalCoordinates/longitude
180	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Order response line/	1 .. 70	0 .. 1	personName <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Person name			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/personName
180	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/departmentName
180	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/jobTitle
180	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/contactTypeCode
180	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Logistics services provider party information/Business contact information/Contact type code/Code list version			contact/contactTypeCode/@codeListVersion
180	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/responsibility
180	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/responsibility/@languageCode
180	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Business contact	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/responsibility/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
 Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
 Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
181	BDT00000525		1 .. 1	responsibility description/Language code/Code list version Communication channel code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/communicationChannel/communicationChannelCode
181	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/communicationChannel/communicationChannelCode/@codeListVersion
181	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/contact/communicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
181	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ contact/communicationChannel/ communicationChannelName
181	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication information/ Communication channel code/ Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ contact/afterHoursCommunicationChannel/ communicationChannelCode
181	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
181	BDT00000032	.. 200	1 .. 1	Communication channel identification	1 .. 200	1 .. 1	communicationValue

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication information/ Communication channel identification			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ contact/afterHoursCommunicationChannel/ communicationValue
181	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Business contact information/After hours communication information/ Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ contact/afterHoursCommunicationChannel/ communicationChannelName
181	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
181	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
182	BDT00000074	.. 80	0 .. 1	registration information/Tax registration identification information/Tax registration identification content Identification scheme name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
182	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
182	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration identification information/Identification	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				scheme information/Identification scheme responsible agency code/Code list version			
182	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
182	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion
182	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ dutyFeeTaxRegistration/dutyFeeTaxDescription
182	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Logistics services provider party information/Tax registration information/Tax description/Language code/Language code content			dutyFeeTaxRegistration/dutyFeeTaxDescription/@languageCode
182	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxDescription/@codeListVersion
182	BDT00000058	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration type code/Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
182	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
183	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/organisationName
183	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/languageOfThePartyCode
183	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/languageOfThePartyCode/@codeListVersion
183	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/currencyOfPartyCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
183	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Currency of party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ address/currencyOfPartyCode/@codeListVersion
183	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/ County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/countyCode
183	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/city
183	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/City	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/cityCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
183	BDT00000035	.. 200	0 .. 1	code Cross street <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/crossStreet
183	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/pOBoxNumber
184	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/postalCode
184	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/provinceCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
184	BDT00000127	.. 80	0 .. 1	legal information/Official address/ Province identity State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/state
184	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/streetAddressOne
184	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/streetAddressTwo
184	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
184	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/ Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/countryCode
184	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/ Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/countryCode/ @codeListVersion
184	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
184	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Logistics services provider party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude			organisationDetails/officialAddress/ geographicalCoordinates/longitude
185	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/issuedCapital
185	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Issued capital/ Currency code/Currency code content	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/issuedCapital/@currencyCode
185	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Issued capital/ Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ organisationDetails/issuedCapital/@codeListVersion
185	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Legal structure description/Legal structure description content			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalStructure
185	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Legal structure description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalStructure/@languageCode
185	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalStructure/@codeListVersion
185	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalRegistration/legalRegistrationNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
185	BDT00000086	.. 200	0 .. 1	legal information/Registered legal information/Legal registration number Legal registration additional information <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration additional information	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation
185	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalRegistration/legalRegistrationType
185	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
186	BDT00000061	.. 80	0 .. 1	Financial institution name	1 .. 80	0 .. 1	financialInstitutionName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution name			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/financialInstitutionName
186	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/ financialInstitutionBranchName
186	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/financialAccount/ financialAccountName
186	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/financialAccount/ financialAccountNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
186	BDT00000645	.. 80	1 .. 1	institution and financial account information/Financial account information/Financial account number Financial account number type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode
186	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/financialAccount/ financialAccountNumberTypeCode/@codeListVersion
186	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Financial institution routing number information/Financial routing number			
186	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
186	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
186	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item	1 .. 70	1 .. unbounded	description <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Logistics services provider party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			additionalFinancialInformation/description
187	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
187	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion
187	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/city

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				provider party information/Financial institution and financial account information/Address information/City name			
187	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/cityCode
187	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/countyCode
187	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
187	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/address/name
187	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/address/pOBoxNumber
187	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/address/postalCode
187	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Province identity			financialInstitutionInformation/address/provinceCode
188	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/state
188	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/streetAddressOne
188	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
188	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/address/ streetAddressThree
188	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/ Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/address/countryCode
188	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/ Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/ financialInstitutionInformation/address/countryCode/ @codeListVersion
188	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/intermediateDeliveryParty/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude			financialInstitutionInformation/address/geographicalCoordinates/latitude
188	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Logistics services provider party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/intermediateDeliveryParty/financialInstitutionInformation/address/geographicalCoordinates/longitude
188	BDT00000010		0 .. 1	Begin time period <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery time period/Begin time period		0 .. 1	beginTime <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRange/beginTime
188	BDT00000009		0 .. 1	Begin period date <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery time period/Begin		0 .. 1	beginDate <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRange/beginDate

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
189	BDT00000054		0 .. 1	period date End date period <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested delivery time period/End date period		0 .. 1	endDate <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateRange/endDate
189	BDT00000055		0 .. 1	End time period <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested delivery time period/End time period		0 .. 1	endTime <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateRange/endTime
189	BDT00000010		0 .. 1	Begin time period <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested ship date time period/Begin time period		0 .. 1	beginTime <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedShipDateRange/beginTime
189	BDT00000009		0 .. 1	Begin period date <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/		0 .. 1	beginDate <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedShipDateRange/beginDate

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
189	BDT00000054		0 .. 1	Requested ship date time period/Begin period date End date period <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time period/End date period		0 .. 1	endDate <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedShipDateRange/endDate
189	BDT00000055		0 .. 1	End time period <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time period/End time period		0 .. 1	endTime <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedShipDateRange/endTime
189	BDT00000010		0 .. 1	Begin time period <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time period at ultimate consignee/Begin time period		0 .. 1	beginTime <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/orderLogisticalDateInformation/requestedDeliveryDateRangeAtUltimateConsignee/beginTime
189	BDT00000009		0 .. 1	Begin period date <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Requested		0 .. 1	beginDate <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				delivery date time information/ Requested delivery date time period at ultimate consignee/Begin period date			requestedDeliveryDateRangeAtUltimateConsignee/ beginDate
189	BDT00000054		0 .. 1	End date period <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested delivery date time period at ultimate consignee/End date period		0 .. 1	endDate <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateRangeAtUltimateConsignee/ endDate
189	BDT00000055		0 .. 1	End time period <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested delivery date time period at ultimate consignee/End time period		0 .. 1	endTime <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateRangeAtUltimateConsignee/ endTime
190	BDT00000040		0 .. 1	Date <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested delivery date time/Date		1 .. 1	date <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDate/Time/date
190	BDT00000133		0 .. 1	Time <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested		0 .. 1	time <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				delivery date time information/ Requested delivery date time/Time			requestedDeliveryDateTime/time
190	BDT00000040		0 .. 1	Date <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested ship date time/Date		1 .. 1	date <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/requestedShipDateTime/ date
190	BDT00000133		0 .. 1	Time <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested ship date time/Time		0 .. 1	time <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/requestedShipDateTime/ time
190	BDT00000040		0 .. 1	Date <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested date time for pick up/Date		1 .. 1	date <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedPickUpDateTime/date
190	BDT00000133		0 .. 1	Time <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested date time for pick up/Time		0 .. 1	time <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedPickUpDateTime/time
	BDT00000040						

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
190			0 .. 1	Date <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested delivery date time at ultimate consignee/Date		1 .. 1	date <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateTimeAtUltimateConsignee/date
190	BDT00000133		0 .. 1	Time <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/ Requested delivery date time at ultimate consignee/Time		0 .. 1	time <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ orderLogisticalDateInformation/ requestedDeliveryDateTimeAtUltimateConsignee/time
190	BDT00000647	.. 80	1 .. 1	Handling instruction code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Handling instruction code/Handling instruction code content	1 .. 80	0 .. unbounded	handlingInstructionCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ handlingInstructionCode
190	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Handling instruction code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ handlingInstructionCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
191	BDT00000687	.. 80	1 .. 1	Transport means type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport means type code/Transport means type code content	1 .. 80	0 .. 1	transportMeansType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/transportMeansType
191	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport means type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ transportMeansType/@codeListVersion
191	BDT00000625	.. 80	0 .. 1	Transport means identification content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Transport means identification content	1 .. 80	0 .. 1	transportMeansID <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/transportMeansID
191	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
191	BDT00000073	.. 80	0 .. 1	scheme name Identification scheme agency name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyName
191	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyCode
191	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport means identification/Identification scheme information/Identification scheme responsible agency code/Code	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/transportMeansID/ @identificationSchemeAgencyCodeCodeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				list version			
191	BDT00000688	.. 80	1 .. 1	Transport mode code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport mode code/Transport mode code content	1 .. 80	0 .. 1	transportServiceCategoryType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ transportServiceCategoryType
191	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport mode code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ transportServiceCategoryType/@codeListVersion
191	BDT00000689	.. 80	1 .. 1	Transport service level code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport service level code/Transport service level code content	1 .. 80	0 .. 1	transportServiceLevelCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ transportServiceLevelCode
192	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport service level code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ transportServiceLevelCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
192	BDT00000626	.. 80	1 .. 1	Transport route identification content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Transport route identification content	1 .. 80	0 .. 1	routeID <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/routeID
192	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/routeID/ @identificationSchemeName
192	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/routeID/ @identificationSchemeAgencyName
192	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/routeID/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content			@identificationSchemeAgencyCode
192	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/routeID/ @identificationSchemeAgencyCodeCodeListVersion
192	BDT00000648	.. 70	1 .. 1	Handling instruction description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Handling instruction description/Handling instruction description content	1 .. 100	0 .. unbounded	additionalHandlingInstruction <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ additionalHandlingInstruction
192	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Handling	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ additionalHandlingInstruction/@languageCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
192	BDT00000028	.. 35	0 .. 1	instruction description/Language code/ Language code content Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Handling instruction description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/ additionalHandlingInstruction/@codeListVersion
192	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Global location number, GLN		0 .. 1	gln <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/gln
193	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ additionalPartyIdentification
193	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification type code/Additional party identification type code content			shipmentTransportationInformation/carrier/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
193	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Additional party identification information/Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ additionalPartyIdentification/@codeListVersion
193	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/city
193	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ cityCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
193	BDT00000034	.. 80	0 .. 1	information/Address information/City code County code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/countyCode
193	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/crossStreet
193	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/name
193	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Carrier party information/Address information/Post office box number			pOBoxNumber
193	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/postalCode
194	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/provinceCode
194	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/state
194	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Carrier party information/Address information/Street address one			streetAddressOne
194	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/streetAddressTwo
194	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/streetAddressThree
194	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/address/countryCode
194	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Shipment transportation information/Carrier party information/Address information/ Country code/Code list version			shipmentTransportationInformation/carrier/address/ countryCode/@codeListVersion
194	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ geographicalCoordinates/latitude
194	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Address information/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ geographicalCoordinates/longitude
194	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ personName
195	BDT00000044	.. 70	0 .. 1	Department name	1 .. 70	0 .. 1	departmentName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Department name			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ departmentName
195	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/jobTitle
195	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Contact type code/Contact type code content	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ contactTypeCode
195	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ contactTypeCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Contact type code/Code list version			
195	BDT00000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ responsibility
195	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Business contact responsibility description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ responsibility/@languageCode
195	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ responsibility/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
195	BDT00000525		1 .. 1	information/Business contact responsibility description/Language code/Code list version Communication channel code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelCode
195	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelCode/ @codeListVersion
195	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationValue

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/Communication information/Communication channel identification			
196	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ communicationChannel/communicationChannelName
196	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/ communicationChannelCode
196	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Business contact information/After hours communication information/Communication channel code/Communication channel code content/Code list version			communicationChannelCode/@codeListVersion
196	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/communicationValue
196	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Business contact information/After hours communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/contact/ afterHoursCommunicationChannel/ communicationChannelName
196	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
196	BDT00000584	.. 200	1 .. 1	information/Tax registration information/Tax authority name Tax registration identification content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
196	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
196	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
196	BDT00000583	.. 80	1 .. 1	identification information/Identification scheme information/Identification scheme agency name Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible agency code content	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode
197	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
197	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax type code/Tax type code content			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxTypeCode
197	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxTypeCode/@codeListVersion
197	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription
197	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/dutyFeeTaxRegistration/dutyFeeTaxDescription/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Tax registration information/Tax description/Language code/Language code content			@languageCode
197	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
197	BDT000000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration type code/ Tax registration type code content	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
197	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Tax registration information/Tax registration type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/ @codeListVersion
197	BDT00000102	.. 200	1 .. 1	Organisation name	1 .. 200	1 .. 1	organisationName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Organisation name			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/organisationName
197	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Language of the party code/Language code content	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ languageOfThePartyCode
198	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ languageOfThePartyCode/@codeListVersion
198	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ currencyOfPartyCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
198	BDT000000028	.. 35	0 .. 1	information/Organisation legal information/Currency of party code/ Currency of party code content Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Currency of party code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/address/ currencyOfPartyCode/@codeListVersion
198	BDT000000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/countyCode
198	BDT000000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/city
198	BDT000000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/City code			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/cityCode
198	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/crossStreet
198	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/pOBoxNumber
198	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/postalCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
198	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/provinceCode
199	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/state
199	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/streetAddressOne
199	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Street address two			shipmentTransportationInformation/carrier/organisationDetails/officialAddress/streetAddressTwo
199	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/streetAddressThree
199	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countryCode
199	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/Country	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/officialAddress/countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				code/Code list version			
199	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/ Geographical coordinates information/ Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
199	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Official address/ Geographical coordinates information/ Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
199	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ organisationDetails/issuedCapital
199	BDT00000589	.. 80	1 .. 1	Currency code content	1 .. 80		currencyCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Currency code/Currency code content			<i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/issuedCapital/@currencyCode
200	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/issuedCapital/@codeListVersion
200	BDT00000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalStructure
200	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Legal structure description/Language code/Language code content			shipmentTransportationInformation/carrier/organisationDetails/legalStructure/@languageCode
200	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Legal structure description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalStructure/@codeListVersion
200	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationNumber
200	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Organisation legal information/Registered legal information/Legal registration additional information			legalRegistrationAdditionalInformation
200	BDT00000658	.. 80	1 .. 1	Legal registration type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType
200	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
200	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialInstitutionName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
200	BDT000000060	.. 80	0 .. 1	information/Financial institution and financial account information/Financial institution name Financial institution division name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialInstitutionBranchName
201	BDT000000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountName
201	BDT000000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				number			
201	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
201	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
201	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
201	BDT00000644	.. 80	1 .. 1	institution routing number information/ Financial routing number Financial routing number type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number type code/ Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode
201	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Financial institution routing number information/ Financial routing number type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/financialRoutingNumber/ financialRoutingNumberTypeCode/@codeListVersion
201	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 70	1 .. unbounded	description <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/ Additional financial institution description content			financialInstitutionInformation/ additionalFinancialInformation/description
201	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/ Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/ additionalFinancialInformation/description/ @languageCode
201	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Additional financial institution description/ Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/ additionalFinancialInformation/description/ @codeListVersion
202	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/City name			shipmentTransportationInformation/carrier/financialInstitutionInformation/address/city
202	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/cityCode
202	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countyCode
202	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
202	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/name
202	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/pOBoxNumber
202	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/postalCode
202	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Province identity			orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/provinceCode
202	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/state
202	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/streetAddressOne
203	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
203	BDT00000129	.. 200	0 .. 1	financial account information/Address information/Street address two Street address three <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/streetAddressThree
203	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countryCode
203	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/carrier/financialInstitutionInformation/address/countryCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
203	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/ geographicalCoordinates/latitude
203	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/carrier/ financialInstitutionInformation/address/ geographicalCoordinates/longitude
203	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Global location number GLN		0 .. 1	gln <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/gln
203	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Additional party identification information/ Additional party identification content			orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ additionalPartyIdentification
203	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Additional party identification information/ Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
203	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Additional party identification information/ Additional party identification type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ additionalPartyIdentification/@codeListVersion
204	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/City name			orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/city
204	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/cityCode
204	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/countyCode
204	BDT00000035	.. 200	0 .. 1	Cross street <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Cross street	1 .. 200	0 .. 1	crossStreet <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/crossStreet
204	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Party name			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/name
204	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/pOBoxNumber
204	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/postalCode
204	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/address/provinceCode
204	BDT00000127	.. 80	0 .. 1	State	1 .. 80	0 .. 1	state

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/State			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/state
204	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/streetAddressOne
205	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/streetAddressTwo
205	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/streetAddressThree

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
205	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/countryCode
205	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/countryCode/@codeListVersion
205	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/geographicalCoordinates/latitude
205	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Shipment transportation information/Freight forwarder party information/Address information/Geographical coordinates information/Longitude			shipmentTransportationInformation/freightForwarder/address/geographicalCoordinates/longitude
205	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Person name	1 .. 70	0 .. 1	personName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/personName
205	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Department name	1 .. 70	0 .. 1	departmentName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/departmentName
205	BDT00000083	.. 70	0 .. 1	Job title <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Job title	1 .. 70	0 .. 1	jobTitle <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/jobTitle
205	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	contactTypeCode <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Contact type code/Contact type code content			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/contactTypeCode
206	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Contact type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/contactTypeCode/@codeListVersion
206	BDT000000580	.. 70	1 .. 1	Business contact responsibility description content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Business contact responsibility description content	1 .. 70	0 .. unbounded	responsibility <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/contact/responsibility
206	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Language code content			orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/responsibility/@languageCode
206	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Business contact responsibility description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/responsibility/@codeListVersion
206	BDT00000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel code/Communication channel code content	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/communicationChannel/ communicationChannelCode
206	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel code/Communication channel code content/Code list version			orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/communicationChannel/ communicationChannelCode/@codeListVersion
206	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/communicationChannel/communicationValue
206	BDT00000033	.. 200	0 .. 1	Communication channel name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/Communication information/Communication channel name	1 .. 200	0 .. 1	communicationChannelName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/communicationChannel/ communicationChannelName
206	BDT000000525		1 .. 1	Communication channel code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 80	1 .. 1	communicationChannelCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/ Communication channel code/ Communication channel code content			orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationChannelCode
206	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/ Communication channel code/ Communication channel code content/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationChannelCode/@codeListVersion
207	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/ Communication channel identification	1 .. 200	1 .. 1	communicationValue <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationValue
207	BDT00000033	.. 200	0 .. 1	Communication channel name	1 .. 200	0 .. 1	communicationChannelName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Business contact information/After hours communication information/ Communication channel name			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ contact/afterHoursCommunicationChannel/ communicationChannelName
207	BDT00000369	.. 80	0 .. 1	Tax authority name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax authority name	1 .. 80	0 .. 1	dutyFeeTaxAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxAgencyName
207	BDT00000584	.. 200	1 .. 1	Tax registration identification content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Tax registration identification content	1 .. 80	1 .. 1	dutyFeeTaxRegistrationID <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID
207	BDT00000074	.. 80	0 .. 1	Identification scheme name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 80		identificationSchemeName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme name			orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeName
207	BDT00000073	.. 80	0 .. 1	Identification scheme agency name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme agency name	1 .. 80		identificationSchemeAgencyName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyName
207	BDT00000583	.. 80	1 .. 1	Identification scheme responsible agency code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/ Identification scheme responsible	1 .. 80		identificationSchemeAgencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
207	BDT00000028	.. 35	0 .. 1	agency code content Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration identification information/Identification scheme information/Identification scheme responsible agency code/Code list version	1 .. 35		identificationSchemeAgencyCodeCodeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxRegistrationID/ @identificationSchemeAgencyCodeCodeListVersion
207	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax type code/ Tax type code content	1 .. 80	0 .. 1	dutyFeeTaxTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode
207	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax type code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxTypeCode/ @codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
208	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Tax description content	1 .. 80	0 .. 1	dutyFeeTaxDescription <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxDescription
208	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Language code/Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @languageCode
208	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax description/Language code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ dutyFeeTaxRegistration/dutyFeeTaxDescription/ @codeListVersion
208	BDT00000588	.. 80	1 .. 1	Tax registration type code content <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	dutyFeeTaxRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration type code/Tax registration type code content			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType
208	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Tax registration information/Tax registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/dutyFeeTaxRegistration/dutyFeeTaxRegistrationType/@codeListVersion
208	BDT00000102	.. 200	1 .. 1	Organisation name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Organisation name	1 .. 200	1 .. 1	organisationName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/organisationName
208	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment	1 .. 80	0 .. 1	languageOfThePartyCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/ Organisation legal information/ Language of the party code/Language code content			address/languageOfThePartyCode
208	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/ Language of the party code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/languageOfThePartyCode/@codeListVersion
208	BDT00000710	.. 80	1 .. 1	Currency of party code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Currency of party code/Currency of party code content	1 .. 80	0 .. 1	currencyOfPartyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/currencyOfPartyCode
208	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ address/currencyOfPartyCode/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				forwarder party information/ Organisation legal information/Currency of party code/Code list version			
209	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/countyCode
209	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/city
209	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/cityCode
209	BDT00000035	.. 200	0 .. 1	Cross street	1 .. 200	0 .. 1	crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Cross street			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/crossStreet
209	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/pOBoxNumber
209	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Postal code	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/postalCode
209	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/ Organisation legal information/Official address/Province identity			organisationDetails/officialAddress/provinceCode
209	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/state
209	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Street address one	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressOne
209	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressTwo

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
210	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/streetAddressThree
210	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Country code/Country code content	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/countryCode
210	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/countryCode/ @codeListVersion
210	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Geographical coordinates information/Latitude			orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/ geographicalCoordinates/latitude
210	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Official address/Geographical coordinates information/Longitude	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/officialAddress/ geographicalCoordinates/longitude
210	BDT00000655		1 .. 1	Issued capital content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Issued capital/Issued capital content		0 .. 1	issuedCapital <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/issuedCapital
210	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment	1 .. 80		currencyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/ Organisation legal information/Issued capital/Currency code/Currency code content			organisationDetails/issuedCapital/ @currencyCode
210	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Issued capital/Currency code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/issuedCapital/ @codeListVersion
210	BDT000000659	.. 70	1 .. 1	Legal structure description content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Legal structure description/Legal structure description content	1 .. 80	0 .. 1	legalStructure <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure
210	BDT000000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ organisationDetails/legalStructure/ @languageCode

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Organisation legal information/Legal structure description/Language code/Language code content			
211	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/Legal structure description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalStructure/@codeListVersion
211	BDT00000087	.. 80	1 .. 1	Legal registration number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/ Registered legal information/Legal registration number	1 .. 80	1 .. 1	legalRegistrationNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationNumber
211	BDT00000086	.. 200	0 .. 1	Legal registration additional information <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/ Organisation legal information/	1 .. 200	0 .. 1	legalRegistrationAdditionalInformation <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationAdditionalInformation

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
211	BDT00000658	.. 80	1 .. 1	Registered legal information/Legal registration additional information Legal registration type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration type code/Legal registration type code content	1 .. 80	1 .. 1	legalRegistrationType <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationType
211	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Organisation legal information/Registered legal information/Legal registration type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/organisationDetails/legalRegistration/legalRegistrationType/@codeListVersion
211	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account	1 .. 80	0 .. 1	financialInstitutionName <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialInstitutionName

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
211	BDT00000060	.. 80	0 .. 1	information/Financial institution name Financial institution division name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution division name	1 .. 80	0 .. 1	financialInstitutionBranchName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/ financialInstitutionBranchName
211	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account name	1 .. 80	0 .. 1	financialAccountName <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/ financialAccountName
211	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number	1 .. 80	1 .. 1	financialAccountNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/financialAccount/ financialAccountNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
211	BDT00000645	.. 80	1 .. 1	Financial account number type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number type code/Financial account number type code content	1 .. 80	1 .. 1	financialAccountNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode
212	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial account information/Financial account number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialAccount/financialAccountNumberTypeCode/@codeListVersion
212	BDT00000062	.. 80	1 .. 1	Financial routing number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial	1 .. 80	1 .. 1	financialRoutingNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumber

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				institution and financial account information/Financial institution routing number information/Financial routing number			
212	BDT00000644	.. 80	1 .. 1	Financial routing number type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Financial routing number type code content	1 .. 80	1 .. 1	financialRoutingNumberTypeCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode
212	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Financial institution routing number information/Financial routing number type code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/financialRoutingNumber/financialRoutingNumberTypeCode/@codeListVersion
212	BDT00000521	.. 70	1 .. 1	Additional financial institution description content <i>Path:</i> Order response/Order response line/	1 .. 70	1 .. unbounded	description <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Additional financial institution description content			orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description
212	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Language code/ Language code content	1 .. 80		languageCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description/@languageCode
212	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Additional financial institution description/Language code/ Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/additionalFinancialInformation/description/@codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
212	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/City name	1 .. 200	0 .. 1	city <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/city
212	BDT00000019	.. 80	0 .. 1	City code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/City code	1 .. 80	0 .. 1	cityCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/cityCode
212	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/County code	1 .. 80	0 .. 1	countyCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/countyCode
213	BDT00000035	.. 200	0 .. 1	Cross street	1 .. 200	0 .. 1	crossStreet

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Cross street			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/crossStreet
213	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Party name	1 .. 200	0 .. 1	name <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/name
213	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Post office box number	1 .. 80	0 .. 1	pOBoxNumber <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ orderLogisticalInformation/ shipmentTransportationInformation/freightForwarder/ financialInstitutionInformation/address/pOBoxNumber
213	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/	1 .. 80	0 .. 1	postalCode <i>Path:</i> orderResponseMessage/orderResponse/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Postal code			orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/postalCode
213	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Province identity	1 .. 80	0 .. 1	provinceCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/provinceCode
213	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/State	1 .. 80	0 .. 1	state <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/state
213	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item	1 .. 200	0 .. 1	streetAddressOne <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address one			shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressOne
213	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address two	1 .. 200	0 .. 1	streetAddressTwo <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressTwo
213	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Street address three	1 .. 200	0 .. 1	streetAddressThree <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/streetAddressThree
213	BDT00000774		1 .. 1	Country code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment	1 .. 80	0 .. 1	countryCode <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Country code/Country code content			financialInstitutionInformation/address/countryCode
214	BDT00000028	.. 35	0 .. 1	Code list version <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Country code/Code list version	1 .. 35		codeListVersion <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/countryCode/@codeListVersion
214	BDT00000085	.. 80	1 .. 1	Latitude <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Geographical coordinates information/Latitude	1 .. 80	1 .. 1	latitude <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/financialInstitutionInformation/address/geographicalCoordinates/latitude
214	BDT00000089	.. 80	1 .. 1	Longitude <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment	1 .. 80	1 .. 1	longitude <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/orderLogisticalInformation/shipmentTransportationInformation/freightForwarder/

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft
Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide
Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				transportation information/Freight forwarder party information/Financial institution and financial account information/Address information/Geographical coordinates information/Longitude			financialInstitutionInformation/address/geographicalCoordinates/longitude
214	BDT000000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase conditions information/Entity identification	1 .. 80	1 .. 1	entityIdentification <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/purchaseConditions/entityIdentification
214	BDT000000047		0 .. 1	Business document creation date time <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase conditions information/Business document creation date time		0 .. 1	creationDateTime <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/purchaseConditions/creationDateTime
214	BDT000000119		0 .. 1	Revision number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase conditions information/Revision number		0 .. 1	revisionNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/purchaseConditions/revisionNumber
214	BDT000000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase conditions information/Document line number		0 .. 1	lineItemNumber <i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/purchaseConditions/lineItemNumber
214	BDT000000118	.. 200	0 .. 1	Referenced document external location	1 .. 200	0 .. 1	referencedDocumentUrl

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft

Root Element: **Order response**

Schema: Order Response; GS1 3.5 Guide

Root Element: **orderResponseMessage**

No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Referenced purchase conditions information/Referenced document external location			<i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ purchaseConditions/referencedDocumentUrl
214	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Referenced purchase conditions information/Document content owner/Global location number GLN		0 .. 1	gln <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ purchaseConditions/contentOwner/gln
214	BDT00000578	.. 80	1 .. 1	Additional party identification content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Referenced purchase conditions information/Document content owner/Additional party identification information/Additional party identification content	1 .. 80	0 .. unbounded	additionalPartyIdentification <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ purchaseConditions/contentOwner/ additionalPartyIdentification
215	BDT00000570	.. 80	1 .. 1	Additional party identification type code content <i>Path:</i> Order response/Order response line/ Order response line item shipping detail information/Referenced purchase conditions information/Document content owner/Additional party identification information/Additional party identification type code/Additional party identification type code content	1 .. 80		additionalPartyIdentificationTypeCode <i>Path:</i> orderResponseMessage/orderResponse/ orderResponseLineItem/orderResponseLineItemDetail/ purchaseConditions/contentOwner/ additionalPartyIdentification/ @additionalPartyIdentificationTypeCode
215	BDT00000028	.. 35	0 .. 1	Code list version	1 .. 35		codeListVersion

Legend: No = Consecutive Number



Mapping

Model: Order Response model guide; 0.1; Draft					Schema: Order Response; GS1 3.5 Guide		
Root Element: Order response					Root Element: orderResponseMessage		
No	SDD-ID	Length	Occurrence	Element	Length	Occurrence	Element
				<i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase conditions information/Document content owner/Additional party identification information/Additional party identification type code/Code list version			<i>Path:</i> orderResponseMessage/orderResponse/orderResponseLineItem/orderResponseLineItemDetail/purchaseConditions/contentOwner/additionalPartyIdentification/@codeListVersion

Legend: No = Consecutive Number