



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
001	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order response/Business document creation date time	5	DTM	C507	2380	R	an..35	19930830 <i>Path:</i> ORDRSP.DTM.C507.2380(0030:010:02)
002	BDT00000050		0 .. 1	Business document status code <i>Path:</i> Order response/Business document status code	4	BGM		1225	R	an..3	4 <i>Path:</i> ORDRSP.BGM.1225(0020:030)
003	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order response/Revision number	4	BGM	C106	1060	O	an..6	X <i>Path:</i> ORDRSP.BGM.C106.1060(0020:020:03)
004	BDT00000056	.. 80	0 .. 1	Entity identification <i>Path:</i> Order response/Business document identification information/Entity identification	4	BGM	C106	1004	R	an..35	1 <i>Path:</i> ORDRSP.BGM.C106.1004(0020:020:01)
005	BDT00000698	.. 80	1 .. 1	Received order document status code content <i>Path:</i> Order response/Received order document status code/Received order document status code content	4	BGM		1225	R	an..3	4 <i>Path:</i> ORDRSP.BGM.1225(0020:030)
006	BDTG00000332		0 .. 1	Total monetary net amount <i>Path:</i> Order response/Total monetary net amount	96	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.MOA.C516.5004(2210:010:02)
007	BDTG00000331		0 .. 1	Total monetary amount <i>Path:</i> Order response/Total monetary amount	96	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.MOA.C516.5004(2210:010:02)
008	BDTG00000333		0 .. 1	Total tax monetary amount <i>Path:</i> Order response/Total tax monetary amount	96	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.MOA.C516.5004(2210:010:02)
009	BDT00000670	.. 70	1 .. 1	Notation content <i>Path:</i> Order response/Notation/Notation content	8	FTX	C108	4440	M	an..512	A <i>Path:</i> ORDRSP.FTX.C108.4440(0070:040:01)
010	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Notation/Language code/ Language code content	8	FTX		3453	D	an..3	EN <i>Path:</i> ORDRSP.FTX.3453(0070:050)
011	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order response/Buyer party information/Global location number, GLN	11	NAD	C082	3039	M	an..35	4012345500000 <i>Path:</i> ORDRSP.SG3.NAD.C082.3039(0160:020:01)
012	BDTG00000577		0 .. unbounded	Additional party identification information <i>Path:</i> Order response/Buyer party information/	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
013	BDT00000786	.. 70	1 .. 1	Additional party identification information Electronic address identification scheme <i>Path:</i> Order response/Buyer party information/ Electronic address information/Electronic address identification scheme	16	COM	C076	3155	M	an..3	TE <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3155(0270:010:02)
014	BDT00000785	.. 70	1 .. 1	Electronic address identification <i>Path:</i> Order response/Buyer party information/ Electronic address information/Electronic address identification	16	COM	C076	3148	M	an..512	0044715326652 <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3148(0270:010:01)
015	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Buyer party information/Address information/City name	11	NAD		3164	D	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.3164(0160:060)
016	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Buyer party information/Address information/County code	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
017	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Buyer party information/Address information/Party name	11	NAD	C080	3036	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C080.3036(0160:040:01)
018	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Buyer party information/Address information/Post office box number	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042(0160:050:01)
019	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Buyer party information/Address information/Postal code	11	NAD		3251	D	an..17	A <i>Path:</i> ORDRSP.SG3.NAD.3251(0160:080)
020	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Buyer party information/Address information/Province identity	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
021	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Buyer party information/Address information/State	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
022	BDT00000128				11						

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
		.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Buyer party information/Address information/Street address one		NAD	C059	3042	M	an..35	A
											<i>Path:</i> ORDRSP.SG3.NAD.C059.3042(0160:050:01)
023	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Buyer party information/Address information/Street address two	11	NAD	C059	3042	O	an..35	A
											<i>Path:</i> ORDRSP.SG3.NAD.C059.3042#2(0160:050:02)
024	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Buyer party information/Address information/Street address three	11	NAD	C059	3042	O	an..35	A
											<i>Path:</i> ORDRSP.SG3.NAD.C059.3042#3(0160:050:03)
025	BDTG00000179		0 .. 1	Country code <i>Path:</i> Order response/Buyer party information/Address information/Country code	11	NAD		3207	D	an..3	GB
											<i>Path:</i> ORDRSP.SG3.NAD.3207(0160:090)
026	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Buyer party information/Business contact information/Person name	15	CTA	C056	3412	O	an..35	P FORGET
											<i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
027	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order response/Buyer party information/Business contact information/Department name	15	CTA	C056	3412	O	an..35	P FORGET
											<i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
028	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Buyer party information/Business contact information/Contact type code/Contact type code content	15	CTA		3139	R	an..3	OC
											<i>Path:</i> ORDRSP.SG3.SG6.CTA.3139(0260:010)
029	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Order response/Buyer party information/Business contact information/Communication information/Communication channel code	16	COM	C076	3155	M	an..3	TE
											<i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3155(0270:010:02)
030	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Buyer party information/Business contact information/Communication information/Communication channel identification	16	COM	C076	3148	M	an..512	0044715326652
											<i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3148(0270:010:01)
031	BDTG00000585		1 .. 1	Tax registration identification information	14	RFF		RFF	M		

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Buyer party information/Tax registration information/Tax registration identification information							<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
032	BDTG00000375		0 .. unbounded	Customs duty registration information <i>Path:</i> Order response/Buyer party information/Customs duty registration information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
033	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial institution name	13	FII	C088	3432	O	an..70	L <i>Path:</i> ORDRSP.SG3.FII.C088.3432(0180:030:07)
034	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial institution division name	13	FII	C088	3436	O	an..70	15 <i>Path:</i> ORDRSP.SG3.FII.C088.3436(0180:030:08)
035	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial account information/Financial account name	13	FII	C078	3192	O	an..35	L <i>Path:</i> ORDRSP.SG3.FII.C078.3192(0180:020:02)
036	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order response/Buyer party information/Financial institution and financial account information/Financial account information/Financial account number	13	FII	C078	3194	R	an..35	L <i>Path:</i> ORDRSP.SG3.FII.C078.3194(0180:020:01)
037	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order response/Seller party information/Global location number, GLN	11	NAD	C082	3039	M	an..35	4012345500000 <i>Path:</i> ORDRSP.SG3.NAD.C082.3039(0160:020:01)
038	BDTG00000577		0 .. unbounded	Additional party identification information <i>Path:</i> Order response/Seller party information/Additional party identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
039	BDT00000020	.. 200	0 .. 1	City name	11	NAD		3164	D	an..35	A

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Seller party information/Address information/City name							<i>Path:</i> ORDRSP.SG3.NAD.3164(0160:060)
040	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Seller party information/Address information/County code	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
041	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Seller party information/Address information/Party name	11	NAD	C080	3036	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C080.3036(0160:040:01)
042	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Seller party information/Address information/Post office box number	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042(0160:050:01)
043	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Seller party information/Address information/Postal code	11	NAD		3251	D	an..17	A <i>Path:</i> ORDRSP.SG3.NAD.3251(0160:080)
044	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Seller party information/Address information/Province identity	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
045	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Seller party information/Address information/State	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
046	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Seller party information/Address information/Street address one	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042(0160:050:01)
047	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Seller party information/Address information/Street address two	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042#2(0160:050:02)
048	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Seller party information/Address information/Street address three	11	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042#3(0160:050:03)
049	BDTG00000179		0 .. 1	Country code	11	NAD		3207	D	an..3	GB

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Seller party information/Address information/Country code							<i>Path:</i> ORDRSP.SG3.NAD.3207(0160:090)
050	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Seller party information/Business contact information/Person name	15	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
051	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order response/Seller party information/Business contact information/Department name	15	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
052	BDTG00000178		0 .. 1	Contact type code <i>Path:</i> Order response/Seller party information/Business contact information/Contact type code	15	CTA		3139	R	an..3	OC <i>Path:</i> ORDRSP.SG3.SG6.CTA.3139(0260:010)
053	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Order response/Seller party information/Business contact information/Communication information/Communication channel code	16	COM	C076	3155	M	an..3	TE <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3155(0270:010:02)
054	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Seller party information/Business contact information/Communication information/Communication channel identification	16	COM	C076	3148	M	an..512	0044715326652 <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3148(0270:010:01)
055	BDTG00000585		1 .. 1	Tax registration identification information <i>Path:</i> Order response/Seller party information/Tax registration information/Tax registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
056	BDTG00000621		1 .. 1	Customs registration identification information <i>Path:</i> Order response/Seller party information/Customs duty registration information/Customs registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
057	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial institution name	13	FII	C088	3432	O	an..70	L <i>Path:</i> ORDRSP.SG3.FII.C088.3432(0180:030:07)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
058	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial institution division name	13	FII	C088	3436	O	an..70	15 <i>Path:</i> ORDRSP.SG3.FII.C088.3436(0180:030:08)
059	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial account information/Financial account name	13	FII	C078	3192	O	an..35	L <i>Path:</i> ORDRSP.SG3.FII.C078.3192(0180:020:02)
060	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order response/Seller party information/Financial institution and financial account information/Financial account information/Financial account number	13	FII	C078	3194	R	an..35	L <i>Path:</i> ORDRSP.SG3.FII.C078.3194(0180:020:01)
061	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order response/Bill to party information/Global location number GLN	11	NAD	C082	3039	M	an..35	4012345500000 <i>Path:</i> ORDRSP.SG3.NAD.C082.3039(0160:020:01)
062	BDTG00000577		0 .. unbounded	Additional party identification <i>Path:</i> Order response/Bill to party information/Additional party identification	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
063	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Bill to party information/Address information/City name	11	NAD		3164	D	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.3164(0160:060)
064	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Bill to party information/Address information/County code	11	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
065	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Bill to party information/Address information/Party name	11	NAD	C080	3036	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C080.3036(0160:040:01)
066	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Bill to party information/Address	11	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDRSP.SG3.NAD.C059.3042(0160:050:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
067	BDT00000114	.. 80	0 .. 1	information/Post office box number Postal code <i>Path:</i> Order response/Bill to party information/Address information/Postal code	11	NAD		3251	D	an..17	A
											<i>Path:</i> ORDRSP.SG3.NAD.3251(0160:080)
068	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Bill to party information/Address information/Province identity	11	NAD	C819	3229	O	an..9	A
											<i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
069	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Bill to party information/Address information/State	11	NAD	C819	3229	O	an..9	A
											<i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
070	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Bill to party information/Address information/Street address one	11	NAD	C059	3042	M	an..35	A
											<i>Path:</i> ORDRSP.SG3.NAD.C059.3042(0160:050:01)
071	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Bill to party information/Address information/Street address two	11	NAD	C059	3042	O	an..35	A
											<i>Path:</i> ORDRSP.SG3.NAD.C059.3042#2(0160:050:02)
072	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Bill to party information/Address information/Street address three	11	NAD	C059	3042	O	an..35	A
											<i>Path:</i> ORDRSP.SG3.NAD.C059.3042#3(0160:050:03)
073	BDTG00000179		0 .. 1	Country code <i>Path:</i> Order response/Bill to party information/Address information/Country code	11	NAD		3207	D	an..3	GB
											<i>Path:</i> ORDRSP.SG3.NAD.3207(0160:090)
074	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Bill to party information/Business contact information/Person name	15	CTA	C056	3412	O	an..35	P FORGET
											<i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
075	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order response/Bill to party information/Business contact information/Department name	15	CTA	C056	3412	O	an..35	P FORGET
											<i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
076	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Bill to party information/Business	15	CTA		3139	R	an..3	OC
											<i>Path:</i> ORDRSP.SG3.SG6.CTA.3139(0260:010)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
077	BDT00000525		1 .. 1	contact information/Contact type code/Contact type code content Communication channel code content <i>Path:</i> Order response/Bill to party information/Business contact information/Communication information/Communication channel code/Communication channel code content	16	COM	C076	3155	M	an..3	TE <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3155(0270:010:02)
078	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Bill to party information/Business contact information/Communication information/Communication channel identification	16	COM	C076	3148	M	an..512	0044715326652 <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3148(0270:010:01)
079	BDTG00000585		1 .. 1	Tax registration identification information <i>Path:</i> Order response/Bill to party information/Tax registration information/Tax registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
080	BDTG00000621		1 .. 1	Customs registration identification information <i>Path:</i> Order response/Bill to party information/Customs duty registration information/Customs registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
081	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial institution name	13	FII	C088	3432	O	an..70	L <i>Path:</i> ORDRSP.SG3.FII.C088.3432(0180:030:07)
082	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial institution division name	13	FII	C088	3436	O	an..70	15 <i>Path:</i> ORDRSP.SG3.FII.C088.3436(0180:030:08)
083	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial account information/Financial account	13	FII	C078	3192	O	an..35	L <i>Path:</i> ORDRSP.SG3.FII.C078.3192(0180:020:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
084	BDT00000059	.. 80	1 .. 1	name Financial account number <i>Path:</i> Order response/Bill to party information/Financial institution and financial account information/Financial account information/Financial account number	13	FII	C078	3194	R	an..35	L
											<i>Path:</i> ORDRSP.SG3.FII.C078.3194(0180:020:01)
085	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order response/Pick up from party information/Global location number GLN	11	NAD	C082	3039	M	an..35	4012345500000
											<i>Path:</i> ORDRSP.SG3.NAD.C082.3039(0160:020:01)
086	BDTG00000577		0 .. unbounded	Additional party identification <i>Path:</i> Order response/Pick up from party information/Additional party identification	14	RFF		RFF	M		
											<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
087	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Pick up from party information/Address information/City name	11	NAD		3164	D	an..35	A
											<i>Path:</i> ORDRSP.SG3.NAD.3164(0160:060)
088	BDT00000034	.. 80	0 .. 1	County code <i>Path:</i> Order response/Pick up from party information/Address information/County code	11	NAD	C819	3229	O	an..9	A
											<i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
089	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Pick up from party information/Address information/Party name	11	NAD	C080	3036	M	an..35	A
											<i>Path:</i> ORDRSP.SG3.NAD.C080.3036(0160:040:01)
090	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Pick up from party information/Address information/Post office box number	11	NAD	C059	3042	M	an..35	A
											<i>Path:</i> ORDRSP.SG3.NAD.C059.3042(0160:050:01)
091	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Pick up from party information/Address information/Postal code	11	NAD		3251	D	an..17	A
											<i>Path:</i> ORDRSP.SG3.NAD.3251(0160:080)
092	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Pick up from party information/Address information/Province identity	11	NAD	C819	3229	O	an..9	A
											<i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
093	BDT00000127				11						

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
		.. 80	0 .. 1	State <i>Path:</i> Order response/Pick up from party information/ Address information/State		NAD	C819	3229	O	an..9	A
											<i>Path:</i> ORDRSP.SG3.NAD.C819.3229(0160:070:01)
094	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Pick up from party information/ Address information/Street address one	11	NAD	C059	3042	M	an..35	A
											<i>Path:</i> ORDRSP.SG3.NAD.C059.3042(0160:050:01)
095	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Pick up from party information/ Address information/Street address two	11	NAD	C059	3042	O	an..35	A
											<i>Path:</i> ORDRSP.SG3.NAD.C059.3042#2(0160:050:02)
096	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Pick up from party information/ Address information/Street address three	11	NAD	C059	3042	O	an..35	A
											<i>Path:</i> ORDRSP.SG3.NAD.C059.3042#3(0160:050:03)
097	BDTG00000179		0 .. 1	Country code <i>Path:</i> Order response/Pick up from party information/ Address information/Country code	11	NAD		3207	D	an..3	GB
											<i>Path:</i> ORDRSP.SG3.NAD.3207(0160:090)
098	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Pick up from party information/ Business contact information/Person name	15	CTA	C056	3412	O	an..35	P FORGET
											<i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
099	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order response/Pick up from party information/ Business contact information/Department name	15	CTA	C056	3412	O	an..35	P FORGET
											<i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
100	BDTG00000178		0 .. 1	Contact type code <i>Path:</i> Order response/Pick up from party information/ Business contact information/Contact type code	15	CTA		3139	R	an..3	OC
											<i>Path:</i> ORDRSP.SG3.SG6.CTA.3139(0260:010)
101	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Order response/Pick up from party information/ Business contact information/Communication information/Communication channel code	16	COM	C076	3155	M	an..3	TE
											<i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3155(0270:010:02)
102	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Pick up from party information/ Business contact information/Communication	16	COM	C076	3148	M	an..512	0044715326652
											<i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3148(0270:010:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
103	BDTG00000585		1 .. 1	information/Communication channel identification Tax registration identification information <i>Path:</i> Order response/Pick up from party information/ Tax registration information/Tax registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
104	BDTG00000621		1 .. 1	Customs registration identification information <i>Path:</i> Order response/Pick up from party information/ Customs duty registration information/Customs registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
105	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order response/Pick up from party information/ Financial institution and financial account information/Financial institution name	13	FII	C088	3432	O	an..70	L <i>Path:</i> ORDRSP.SG3.FII.C088.3432(0180:030:07)
106	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order response/Pick up from party information/ Financial institution and financial account information/Financial institution division name	13	FII	C088	3436	O	an..70	15 <i>Path:</i> ORDRSP.SG3.FII.C088.3436(0180:030:08)
107	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order response/Pick up from party information/ Financial institution and financial account information/Financial account information/ Financial account name	13	FII	C078	3192	O	an..35	L <i>Path:</i> ORDRSP.SG3.FII.C078.3192(0180:020:02)
108	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order response/Pick up from party information/ Financial institution and financial account information/Financial account information/ Financial account number	13	FII	C078	3194	R	an..35	L <i>Path:</i> ORDRSP.SG3.FII.C078.3194(0180:020:01)
109	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order response/Ship to party information/Global location number GLN	11	NAD	C082	3039	M	an..35	4012345500000 <i>Path:</i> ORDRSP.SG3.NAD.C082.3039(0160:020:01)
110	BDTG00000577		0 .. unbounded	Additional party identification information	14	RFF		RFF	M		

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path: Order response/Ship to party information/ Additional party identification information</i>							<i>Path: ORDRSP.SG3.SG4.RFF(0200)</i>
111	BDT00000020	.. 200	0 .. 1	City name <i>Path: Order response/Ship to party information/ Address information/City name</i>	11	NAD	3164	D	an..35	A	<i>Path: ORDRSP.SG3.NAD.3164(0160:060)</i>
112	BDT00000034	.. 80	0 .. 1	County code <i>Path: Order response/Ship to party information/ Address information/County code</i>	11	NAD	C819 3229	O	an..9	A	<i>Path: ORDRSP.SG3.NAD.C819.3229(0160:070:01)</i>
113	BDT00000106	.. 200	0 .. 1	Party name <i>Path: Order response/Ship to party information/ Address information/Party name</i>	11	NAD	C080 3036	M	an..35	A	<i>Path: ORDRSP.SG3.NAD.C080.3036(0160:040:01)</i>
114	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path: Order response/Ship to party information/ Address information/Post office box number</i>	11	NAD	C059 3042	M	an..35	A	<i>Path: ORDRSP.SG3.NAD.C059.3042(0160:050:01)</i>
115	BDT00000114	.. 80	0 .. 1	Postal code <i>Path: Order response/Ship to party information/ Address information/Postal code</i>	11	NAD	3251	D	an..17	A	<i>Path: ORDRSP.SG3.NAD.3251(0160:080)</i>
116	BDT00000117	80 ..	0 .. 1	Province identity <i>Path: Order response/Ship to party information/ Address information/Province identity</i>	11	NAD	C819 3229	O	an..9	A	<i>Path: ORDRSP.SG3.NAD.C819.3229(0160:070:01)</i>
117	BDT00000127	.. 80	0 .. 1	State <i>Path: Order response/Ship to party information/ Address information/State</i>	11	NAD	C819 3229	O	an..9	A	<i>Path: ORDRSP.SG3.NAD.C819.3229(0160:070:01)</i>
118	BDT00000128	.. 200	0 .. 1	Street address one <i>Path: Order response/Ship to party information/ Address information/Street address one</i>	11	NAD	C059 3042	M	an..35	A	<i>Path: ORDRSP.SG3.NAD.C059.3042(0160:050:01)</i>
119	BDT00000130	.. 200	0 .. 1	Street address two <i>Path: Order response/Ship to party information/ Address information/Street address two</i>	11	NAD	C059 3042	O	an..35	A	<i>Path: ORDRSP.SG3.NAD.C059.3042#2(0160:050:02)</i>
120	BDT00000129	.. 200	0 .. 1	Street address three	11	NAD	C059 3042	O	an..35	A	

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Ship to party information/ Address information/Street address three							<i>Path:</i> ORDRSP.SG3.NAD.C059.3042#3(0160:050:03)
121	BDTG00000179		0 .. 1	Country code <i>Path:</i> Order response/Ship to party information/ Address information/Country code	11	NAD		3207	D	an..3	GB <i>Path:</i> ORDRSP.SG3.NAD.3207(0160:090)
122	BDT00000112	.. 70	0 .. 1	Person name <i>Path:</i> Order response/Ship to party information/ Business contact information/Person name	15	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
123	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order response/Ship to party information/ Business contact information/Department name	15	CTA	C056	3412	O	an..35	P FORGET <i>Path:</i> ORDRSP.SG3.SG6.CTA.C056.3412(0260:020:02)
124	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Ship to party information/ Business contact information/Contact type code/Contact type code content	15	CTA		3139	R	an..3	OC <i>Path:</i> ORDRSP.SG3.SG6.CTA.3139(0260:010)
125	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Order response/Ship to party information/ Business contact information/Communication information/Communication channel code	16	COM	C076	3155	M	an..3	TE <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3155(0270:010:02)
126	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Ship to party information/ Business contact information/Communication information/Communication channel identification	16	COM	C076	3148	M	an..512	0044715326652 <i>Path:</i> ORDRSP.SG3.SG6.COM.C076.3148(0270:010:01)
127	BDTG00000585		1 .. 1	Tax registration identification information <i>Path:</i> Order response/Ship to party information/Tax registration information/Tax registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)
128	BDTG00000621		1 .. 1	Customs registration identification information <i>Path:</i> Order response/Ship to party information/ Customs duty registration information/Customs registration identification information	14	RFF		RFF	M		<i>Path:</i> ORDRSP.SG3.SG4.RFF(0200)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
129	BDT00000061	.. 80	0 .. 1	Financial institution name <i>Path:</i> Order response/Ship to party information/ Financial institution and financial account information/Financial institution name	13	FII	C088	3432	O	an..70	L <i>Path:</i> ORDRSP.SG3.FII.C088.3432(0180:030:07)
130	BDT00000060	.. 80	0 .. 1	Financial institution division name <i>Path:</i> Order response/Ship to party information/ Financial institution and financial account information/Financial institution division name	13	FII	C088	3436	O	an..70	15 <i>Path:</i> ORDRSP.SG3.FII.C088.3436(0180:030:08)
131	BDT00000058	.. 80	0 .. 1	Financial account name <i>Path:</i> Order response/Ship to party information/ Financial institution and financial account information/Financial account information/ Financial account name	13	FII	C078	3192	O	an..35	L <i>Path:</i> ORDRSP.SG3.FII.C078.3192(0180:020:02)
132	BDT00000059	.. 80	1 .. 1	Financial account number <i>Path:</i> Order response/Ship to party information/ Financial institution and financial account information/Financial account information/ Financial account number	13	FII	C078	3194	R	an..35	L <i>Path:</i> ORDRSP.SG3.FII.C078.3194(0180:020:01)
133	BDTG00000291		0 .. 1	Requested delivery date time <i>Path:</i> Order response/Requested modification of delivery date information/Requested delivery date time	5	DTM	C507	2380	R	an..35	19930830 <i>Path:</i> ORDRSP.DTM.C507.2380(0030:010:02)
134	BDTG00000297		0 .. 1	Requested ship date time <i>Path:</i> Order response/Requested modification of delivery date information/Requested ship date time	5	DTM	C507	2380	R	an..35	19930830 <i>Path:</i> ORDRSP.DTM.C507.2380(0030:010:02)
135	BDTG00000290		0 .. 1	Requested date time for pick up <i>Path:</i> Order response/Requested modification of delivery date information/Requested date time for pick up	5	DTM	C507	2380	R	an..35	19930830 <i>Path:</i> ORDRSP.DTM.C507.2380(0030:010:02)
136	BDTG00000309		1 .. 1	Settlement charge code	37	ALC		4471	O	an..3	1

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Charge information/Settlement charge code							<i>Path:</i> ORDRSP.SG19.ALC.4471(0740:030)
137	BDT00000018		0 .. 1	Charge percentage <i>Path:</i> Order response/Charge information/Charge percentage	42	PCD	C501	5482	R	n..10	1 <i>Path:</i> ORDRSP.SG19.SG21.PCD.C501.5482(0810:010:02)
138	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Order response/Charge information/Calculation sequence number	37	ALC		1227	D	an..3	1 <i>Path:</i> ORDRSP.SG19.ALC.1227(0740:040)
139	BDT00000620		1 .. 1	Charge monetary amount per unit content <i>Path:</i> Order response/Charge information/Charge monetary amount per unit/Charge monetary amount per unit content	46	RTE	C128	5420	M	n..15	1 <i>Path:</i> ORDRSP.SG19.SG23.RTE.C128.5420(0870:010:02)
140	BDT00000618	.. 80	1 .. 1	Charge type code content <i>Path:</i> Order response/Charge information/Charge type code/Charge type code content	37	ALC	C552	5189	O	an..3	1 <i>Path:</i> ORDRSP.SG19.ALC.C552.5189(0740:020:02)
141	BDT00000617	.. 80	1 .. 1	Settlement charge code content <i>Path:</i> Order response/Charge information/Settlement charge code/Settlement charge code content	37	ALC		4471	O	an..3	1 <i>Path:</i> ORDRSP.SG19.ALC.4471(0740:030)
142	BDT00000619		0 .. 1	Charge monetary amount content <i>Path:</i> Order response/Charge information/Charge monetary amount/Charge monetary amount content	44	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG19.SG22.MOA.C516.5004(0840:010:02)
143	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Charge information/Charge monetary amount/Currency code/Currency code content	44	MOA	C516	6345	O	an..3	EUR <i>Path:</i> ORDRSP.SG19.SG22.MOA.C516.6345(0840:010:03)
144	BDT00000614		1 .. 1	Charge basis monetary amount content <i>Path:</i> Order response/Charge information/Charge basis monetary amount/Charge basis monetary amount content	44	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG19.SG22.MOA.C516.5004(0840:010:02)
145	BDT00000589	.. 80	1 .. 1	Currency code content	44	MOA	C516	6345	O	an..3	EUR

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Charge information/Charge basis monetary amount/Currency code/Currency code content							<i>Path:</i> ORDRSP.SG19.SG22.MOA.C516.6345(0840:010:03)
146	BDT00000534	.. 80	1 .. 1	Special service type code content <i>Path:</i> Order response/Charge information/Special service type code/Special service type code content	37	ALC	C214	7161	R	an..3	1 <i>Path:</i> ORDRSP.SG19.ALC.C214.7161(0740:050:01)
147	BDT00000537	.. 80	1 .. 1	Tax category code content <i>Path:</i> Order response/Charge information/Applicable tax information/Tax category code/Tax category code content	48	TAX		5305	D	an..3	A <i>Path:</i> ORDRSP.SG19.SG24.TAX.5305(0900:060)
148	BDT00000371		0 .. 1	Tax rate <i>Path:</i> Order response/Charge information/Applicable tax information/Tax rate	48	TAX	C243	5278	O	an..17	1 <i>Path:</i> ORDRSP.SG19.SG24.TAX.C243.5278(0900:050:04)
149	BDT00000377		0 .. 1	Tax point date <i>Path:</i> Order response/Charge information/Applicable tax information/Tax point date	39	DTM	C507	2380	R	an..35	1 <i>Path:</i> ORDRSP.SG19.DTM.C507.2380(0760:010:02)
150	BDT00000559		1 .. 1	Taxable monetary amount content <i>Path:</i> Order response/Charge information/Applicable tax information/Taxable monetary amount/Taxable monetary amount content	49	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG19.SG24.MOA.C516.5004(0910:010:02)
151	BDT00000562		1 .. 1	Tax monetary amount content <i>Path:</i> Order response/Charge information/Applicable tax information/Tax monetary amount/Tax monetary amount content	49	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG19.SG24.MOA.C516.5004(0910:010:02)
152	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Charge information/Applicable tax information/Tax description/Tax description content	48	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDRSP.SG19.SG24.TAX.C241.5152(0900:020:04)
153	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Charge information/Applicable	48	TAX	C241	5153	O	an..3	GST <i>Path:</i> ORDRSP.SG19.SG24.TAX.C241.5153(0900:020:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				tax information/Tax type code/Tax type code content							
154	BDT00000006		0 .. 1	Allowance percentage <i>Path:</i> Order response/Allowance information/Allowance percentage	42	PCD	C501	5482	R	n..10	1 <i>Path:</i> ORDRSP.SG19.SG21.PCD.C501.5482(0810:010:02)
155	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Order response/Allowance information/Calculation sequence number	37	ALC		1227	D	an..3	1 <i>Path:</i> ORDRSP.SG19.ALC.1227(0740:040)
156	BDT00000531	.. 80	1 .. 1	Allowance type code content <i>Path:</i> Order response/Allowance information/Allowance type code/Allowance type code content	37	ALC	C552	5189	O	an..3	1 <i>Path:</i> ORDRSP.SG19.ALC.C552.5189(0740:020:02)
157	BDT00000532	.. 80	1 .. 1	Settlement allowance code content <i>Path:</i> Order response/Allowance information/Settlement allowance code/Settlement allowance code content	37	ALC		4471	O	an..3	1 <i>Path:</i> ORDRSP.SG19.ALC.4471(0740:030)
158	BDT00000528		1 .. 1	Allowance monetary amount content <i>Path:</i> Order response/Allowance information/Allowance monetary amount/Allowance monetary amount content	44	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG19.SG22.MOA.C516.5004(0840:010:02)
159	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Allowance information/Allowance monetary amount/Currency code/Currency code content	44	MOA	C516	6345	O	an..3	EUR <i>Path:</i> ORDRSP.SG19.SG22.MOA.C516.6345(0840:010:03)
160	BDT00000529		1 .. 1	Allowance monetary amount per unit content <i>Path:</i> Order response/Allowance information/Allowance monetary amount per unit/Allowance monetary amount per unit content	46	RTE	C128	5420	M	n..15	1 <i>Path:</i> ORDRSP.SG19.SG23.RTE.C128.5420(0870:010:02)
161	BDT00000526		1 .. 1	Allowance basis monetary amount content <i>Path:</i> Order response/Allowance information/Allowance basis monetary amount/Allowance basis monetary amount content	44	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG19.SG22.MOA.C516.5004(0840:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
162	BDT00000534	.. 80	1 .. 1	Special service type code content <i>Path:</i> Order response/Allowance information/Special service type code/Special service type code content	37	ALC	C214	7161	R	an..3	1 <i>Path:</i> ORDRSP.SG19.ALC.C214.7161(0740:050:01)
163	BDT00000537	.. 80	1 .. 1	Tax category code content <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax category code/Tax category code content	48	TAX		5305	D	an..3	A <i>Path:</i> ORDRSP.SG19.SG24.TAX.5305(0900:060)
164	BDT00000371		0 .. 1	Tax rate <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax rate	48	TAX	C243	5278	O	an..17	1 <i>Path:</i> ORDRSP.SG19.SG24.TAX.C243.5278(0900:050:04)
165	BDT00000377		0 .. 1	Tax point date <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax point date	39	DTM	C507	2380	R	an..35	1 <i>Path:</i> ORDRSP.SG19.DTM.C507.2380(0760:010:02)
166	BDT00000559		1 .. 1	Taxable monetary amount content <i>Path:</i> Order response/Allowance information/Applicable tax information/Taxable monetary amount/Taxable monetary amount content	49	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG19.SG24.MOA.C516.5004(0910:010:02)
167	BDT00000562		1 .. 1	Tax monetary amount content <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax monetary amount/Tax monetary amount content	49	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG19.SG24.MOA.C516.5004(0910:010:02)
168	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax description/Tax description content	48	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDRSP.SG19.SG24.TAX.C241.5152(0900:020:04)
169	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Allowance information/Applicable tax information/Tax type code/Tax type code content	48	TAX	C241	5153	O	an..3	GST <i>Path:</i> ORDRSP.SG19.SG24.TAX.C241.5153(0900:020:01)
170	BDT00000056	.. 80	1 .. 1	Entity identification	9	RFF	C506	1154	R	an..70	12

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Referenced order document information/Entity identification							<i>Path:</i> ORDRSP.SG1.RFF.C506.1154(0100:010:02)
171	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order response/Referenced order document information/Business document creation date time	10	DTM	C507	2380	R	an..35	19930825 <i>Path:</i> ORDRSP.SG1.DTM.C507.2380(0110:010:02)
172	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order response/Referenced order document information/Revision number	9	RFF	C506	1060	O	an..6	X <i>Path:</i> ORDRSP.SG1.RFF.C506.1060(0100:010:05)
173	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order response/Referenced sales order document information/Entity identification	9	RFF	C506	1154	R	an..70	12 <i>Path:</i> ORDRSP.SG1.RFF.C506.1154(0100:010:02)
174	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order response/Referenced sales order document information/Business document creation date time	10	DTM	C507	2380	R	an..35	19930825 <i>Path:</i> ORDRSP.SG1.DTM.C507.2380(0110:010:02)
175	BDT00000119		0 .. 1	Revision number <i>Path:</i> Order response/Referenced sales order document information/Revision number	9	RFF	C506	1060	O	an..6	X <i>Path:</i> ORDRSP.SG1.RFF.C506.1060(0100:010:05)
176	BDT000000649		1 .. 1	Incoterms code content <i>Path:</i> Order response/Delivery terms information/Incoterms code/Incoterms code content	28	TOD	C100	4053	O	an..3	CFR <i>Path:</i> ORDRSP.SG12.TOD.C100.4053(0470:030:01)
177	BDT00000535	.. 80	1 .. 1	Alternative delivery terms code content <i>Path:</i> Order response/Delivery terms information/Alternative delivery terms code/Alternative delivery terms code content	28	TOD	C100	4053	O	an..3	CFR <i>Path:</i> ORDRSP.SG12.TOD.C100.4053(0470:030:01)
178	BDT00000641	.. 70	1 .. 1	Delivery instructions description content <i>Path:</i> Order response/Delivery terms information/Delivery instructions description/Delivery instructions description content	28	TOD	C100	4052	O	an..70	A <i>Path:</i> ORDRSP.SG12.TOD.C100.4052(0470:030:04)
179	BDT00000701	.. 80	1 .. 1	Transport cost payment code content	28	TOD		4215	O	an..3	CC

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Delivery terms information/ Transport cost payment code/Transport cost payment code content							<i>Path:</i> ORDRSP.SG12.TOD.4215(0470:020)
180	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order response/Delivery terms information/ Delivery terms for location information/Global location number GLN	12	LOC	C517	3225	A	an..25	1 <i>Path:</i> ORDRSP.SG3.LOC.C517.3225(0170:020:01)
181	BDT00000088	.. 80	0 .. 1	Logistics location name <i>Path:</i> Order response/Delivery terms information/ Delivery terms for location information/Logistics location name	12	LOC	C517	3224	O	an..256	1 <i>Path:</i> ORDRSP.SG3.LOC.C517.3224(0170:020:04)
182			1 .. 1	Document line number <i>Path:</i> Order response/Order response line/Document line number	50	LIN		1082	R	an..6	1 <i>Path:</i> ORDRSP.SG26.LIN.1082(0980:010)
183	BDT00000105	.. 6	0 .. 1	Parent line item number <i>Path:</i> Order response/Order response line/Parent line item number	50	LIN	C829	1082	R	an..6	X <i>Path:</i> ORDRSP.SG26.LIN.C829.1082(0980:040:02)
184	BDT00000388		0 .. 1	Confirmed trade item delivery date time <i>Path:</i> Order response/Order response line/Confirmed trade item delivery date time	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
185	BDT00000388		0 .. 1	Confirmed trade item delivery date time <i>Path:</i> Order response/Order response line/Confirmed trade item delivery date time	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
186	BDT00000683		1 .. 1	Confirmed quantity content <i>Path:</i> Order response/Order response line/Confirmed quantity/Confirmed quantity content	54	QTY	C186	6060	M	an..35	48 <i>Path:</i> ORDRSP.SG26.QTY.C186.6060(1020:010:02)
187	BDTG00000608		0 .. 1	Measurement unit code <i>Path:</i> Order response/Order response line/Confirmed quantity/Measurement unit code	54	QTY	C186	6411	D	an..3	KGM <i>Path:</i> ORDRSP.SG26.QTY.C186.6411(1020:010:03)
188	BDTG00000786		0 .. 1	First delivery date and time <i>Path:</i> Order response/Order response line/First	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
189	BDT00000581	.. 80	1 .. 1	delivery date and time Business document line action code content <i>Path:</i> Order response/Order response line/Business document line action code/Business document line action code content	50	LIN		1229	R	an..3	1
190	BDT00000696	.. 80	1 .. 1	Reason for status of business document code content <i>Path:</i> Order response/Order response line/Reason for status of business document code/Reason for status of business document code content	59	QVR	C960	4295	O	an..3	AA
191			0 .. 1	Order line instruction description <i>Path:</i> Order response/Order response line/Order line instruction description	60	FTX	C107	4441	M	an..17	1E
192			0 .. 1	Order line instruction description <i>Path:</i> Order response/Order response line/Order line instruction description	60	FTX	C108	4440	M	an..512	1
193	BDT00000606		1 .. 1	Trade item net price content <i>Path:</i> Order response/Order response line/Trade item net price/Trade item net price content	61	PRI	C509	5118	R	n..15	14.58
194	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/Trade item net price/Currency code/Currency code content	62	CUX	C504	6345	R	an..3	GBP
195	BDT00000660		1 .. 1	Line item net monetary amount content <i>Path:</i> Order response/Order response line/Line item net monetary amount/Line item net monetary amount content	57	MOA	C516	5004	R	n..35	1253.42
196	BDT00000667		1 .. 1	Monetary amount excluding all taxes content <i>Path:</i> Order response/Order response line/Monetary amount excluding all taxes/Monetary amount excluding all taxes content	57	MOA	C516	5004	R	n..35	1253.42
197	BDT00000668		1 .. 1	Monetary amount including all taxes content	57	MOA	C516	5004	R	n..35	1253.42

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Order response line/Monetary amount including all taxes/Monetary amount including all taxes content							<i>Path:</i> ORDRSP.SG26.MOA.C516.5004(1060:010:02)
198	BDT00000670	.. 70	1 .. 1	Notation content <i>Path:</i> Order response/Order response line/Notation/Notation content	60	FTX	C108	4440	M	an..512	1 <i>Path:</i> ORDRSP.SG26.FTX.C108.4440(1140:040:01)
199	BDT00000066	14 .. 14	0 .. 1	Global trade item number, GTIN <i>Path:</i> Order response/Order response line/Responded trade item information/Global trade item number, GTIN	50	LIN	C212	7140	R	an..35	4000862141404 <i>Path:</i> ORDRSP.SG26.LIN.C212.7140(0980:030:01)
200	BDT00000516	.. 80	1 .. 1	Additional trade item identification content <i>Path:</i> Order response/Order response line/Responded trade item information/Additional trade item identification/Additional trade item identification content	51	PIA	C212	7140	R	an..35	ABC <i>Path:</i> ORDRSP.SG26.PIA.C212.7140(0990:020:01)
201	BDTG00000519		0 .. unbounded	Additional trade item identification type code <i>Path:</i> Order response/Order response line/Responded trade item information/Additional trade item identification/Additional trade item identification type code	51	PIA	C212	7143	R	an..3	IN <i>Path:</i> ORDRSP.SG26.PIA.C212.7143(0990:020:02)
202	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Order response/Order response line/Responded trade item information/Trade item quantity/Trade item quantity content	54	QTY	C186	6060	M	an..35	48 <i>Path:</i> ORDRSP.SG26.QTY.C186.6060(1020:010:02)
203	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/Responded trade item information/Trade item quantity/Measurement unit code/Measurement unit code content	54	QTY	C186	6411	D	an..3	KGM <i>Path:</i> ORDRSP.SG26.QTY.C186.6411(1020:010:03)
204	BDT00000684	.. 70	1 .. 1	Trade item description content <i>Path:</i> Order response/Order response line/Responded	52	IMD	C273	7008	O	an..256	OXO <i>Path:</i> ORDRSP.SG26.IMD.C273.7008(1000:030:04)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				trade item information/Trade item description/ Trade item description content							
205	BDT00000524	.. 80	1 .. 1	Language code content <i>Path:</i> Order response/Order response line/Responded trade item information/Trade item description/ Language code/Language code content	52	IMD	C273	3453	O	an..3	AA <i>Path:</i> ORDRSP.SG26.IMD.C273.3453(1000:030:06)
206	BDT00000656	.. 80	1 .. 1	Item type code content <i>Path:</i> Order response/Order response line/Responded trade item information/Item type code/Item type code content	52	IMD	C273	7009	O	an..17	CU <i>Path:</i> ORDRSP.SG26.IMD.C273.7009(1000:030:01)
207	BDT00000007		0 .. 1	Available for sale date <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Available for sale date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
208	BDT00000008	.. 80	0 .. 1	Batch number <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Batch number	58	GIN	C208	7402	M	an..35	1 <i>Path:</i> ORDRSP.SG26.GIN.C208.7402(1080:020:01)
209	BDT00000011		0 .. 1	Best before date <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Best before date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
210	BDT00000572		1 .. 1	Country of origin code content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Country of origin/Country of origin code content	55	ALI		3239	O	an..3	AD <i>Path:</i> ORDRSP.SG26.ALI.3239(1040:010)
211	BDT00000057		0 .. 1	Expiration date <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Expiration date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
212	BDT00000104		0 .. 1	Packaging date <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Packaging date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
213	BDT00000116		0 .. 1	Production date <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Production date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
214	BDT00000120		0 .. 1	Sell by date <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Sell by date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
215	BDT00000121	.. 20	0 .. unbounded	Serial number <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Serial number	58	GIN	C208	7402	M	an..35	1 <i>Path:</i> ORDRSP.SG26.GIN.C208.7402(1080:020:01)
216	BDT00000122	.. 80	0 .. 1	Shelf life <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Shelf life	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
217	BDT00000663	.. 80	1 .. 1	Packaging terms and conditions code content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Packaging terms and conditions code/Packaging terms and conditions code content	66	PAC	C532	8395	O	an..3	1 <i>Path:</i> ORDRSP.SG26.SG32.PAC.C532.8395(1370:050:01)
218	BDT00000664	.. 80	1 .. 1	Package type code content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Logistic unit packaging pattern	66	PAC	C202	7065	A	an..17	CS <i>Path:</i> ORDRSP.SG26.SG32.PAC.C202.7065(1370:030:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
219	BDT00000665	.. 80	1 .. 1	information/Package type code/Package type code content Returnable package return transport payment code content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Logistic unit packaging pattern information/Returnable package return transport payment code/Returnable package return transport payment code content	66	PAC	C532	8395	O	an..3	1 <i>Path:</i> ORDRSP.SG26.SG32.PAC.C532.8395(1370:050:01)
220	BDT00000678		1 .. 1	Trade item quantity content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item quantity/Trade item quantity content	54	QTY	C186	6060	M	an..35	48 <i>Path:</i> ORDRSP.SG26.QTY.C186.6060(1020:010:02)
221	BDT00000728		1 .. 1	Trade item weight content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item weight information/Trade item weight content	53	MEA	C174	6314	O	an..18	1 <i>Path:</i> ORDRSP.SG26.MEA.C174.6314(1010:030:02)
222	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item weight information/Measurement unit code/Measurement unit code content	53	MEA	C174	6411	M	an..3	KGM <i>Path:</i> ORDRSP.SG26.MEA.C174.6411(1010:030:01)
223	BDTG00000237		1 .. 1	Measurement type code <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item weight information/Measurement type code	53	MEA	C502	6313	A	an..3	A <i>Path:</i> ORDRSP.SG26.MEA.C502.6313(1010:020:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
224	BDT00000666	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item weight information/Measurement type code/Measurement type code content	53	MEA	C502	6313	A	an..3	A <i>Path:</i> ORDRSP.SG26.MEA.C502.6313(1010:020:01)
225	BDT00000752		1 .. 1	Trade item volume content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item volume information/Trade item volume content	53	MEA	C174	6314	O	an..18	1 <i>Path:</i> ORDRSP.SG26.MEA.C174.6314(1010:030:02)
226	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item volume information/Measurement unit code/Measurement unit code content	53	MEA	C174	6411	M	an..3	KGM <i>Path:</i> ORDRSP.SG26.MEA.C174.6411(1010:030:01)
227	BDT00000666	.. 80	1 .. 1	Measurement type code content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item volume information/Measurement type code/Measurement type code content	53	MEA	C502	6313	A	an..3	A <i>Path:</i> ORDRSP.SG26.MEA.C502.6313(1010:020:01)
228	BDT00000092		0 .. 1	Maximum value <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Serial number range/Maximum value	58	GIN	C208	7402	M	an..35	1 <i>Path:</i> ORDRSP.SG26.GIN.C208.7402(1080:020:01)
229	BDT00000094		0 .. 1	Minimum value <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Serial number range/Minimum value	58	GIN	C208	7402	M	an..35	1 <i>Path:</i> ORDRSP.SG26.GIN.C208.7402(1080:020:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
230	BDT00000661		1 .. 1	Depth measurement content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item measurements information/Depth measurement/Depth measurement content	53	MEA	C174	6314	O	an..18	1 <i>Path:</i> ORDRSP.SG26.MEA.C174.6314(1010:030:02)
231	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item measurements information/Depth measurement/Measurement unit code/Measurement unit code content	53	MEA	C174	6411	M	an..3	KGM <i>Path:</i> ORDRSP.SG26.MEA.C174.6411(1010:030:01)
232	BDT00000650		1 .. 1	Height measurement content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/Height measurement content	53	MEA	C174	6314	O	an..18	1 <i>Path:</i> ORDRSP.SG26.MEA.C174.6314(1010:030:02)
233	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item measurements information/Height measurement/Measurement unit code/Measurement unit code content	53	MEA	C174	6411	M	an..3	KGM <i>Path:</i> ORDRSP.SG26.MEA.C174.6411(1010:030:01)
234	BDT00000662		1 .. 1	Width measurement content <i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Width measurement content	53	MEA	C174	6314	O	an..18	1 <i>Path:</i> ORDRSP.SG26.MEA.C174.6314(1010:030:02)
235	BDT00000607	.. 80	1 .. 1	Measurement unit code content	53	MEA	C174	6411	M	an..3	KGM

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Order response line/Responded trade item information/Dynamic trade item information/Trade item measurements information/Width measurement/Measurement unit code/Measurement unit code content							<i>Path:</i> ORDRSP.SG26.MEA.C174.6411(1010:030:01)
236	BDT000000066	14 .. 14	0 .. 1	Global trade item number, GTIN <i>Path:</i> Order response/Order response line/Replaced trade item information/Global trade item number, GTIN	51	PIA	C212	7140	R	an..35	ABC <i>Path:</i> ORDRSP.SG26.PIA.C212.7140(0990:020:01)
237	BDT000000006		0 .. 1	Allowance percentage <i>Path:</i> Order response/Order response line/Allowance information/Allowance percentage	86	PCD	C501	5482	R	n..10	1 <i>Path:</i> ORDRSP.SG26.SG41.SG43.PCD.C501.5482(1790:010:02)
238	BDT000000014		0 .. 1	Calculation sequence number <i>Path:</i> Order response/Order response line/Allowance information/Calculation sequence number	81	ALC		1227	D	an..3	1 <i>Path:</i> ORDRSP.SG26.SG41.ALC.1227(1720:040)
239	BDT000000531	.. 80	1 .. 1	Allowance type code content <i>Path:</i> Order response/Order response line/Allowance information/Allowance type code/Allowance type code content	81	ALC	C552	5189	O	an..3	1 <i>Path:</i> ORDRSP.SG26.SG41.ALC.C552.5189(1720:020:02)
240	BDT000000532	.. 80	1 .. 1	Settlement allowance code content <i>Path:</i> Order response/Order response line/Allowance information/Settlement allowance code/Settlement allowance code content	81	ALC		4471	O	an..3	1 <i>Path:</i> ORDRSP.SG26.SG41.ALC.4471(1720:030)
241	BDT000000528		1 .. 1	Allowance monetary amount content <i>Path:</i> Order response/Order response line/Allowance information/Allowance monetary amount/Allowance monetary amount content	88	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG44.MOA.C516.5004(1820:010:02)
242	BDT000000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/Allowance information/Allowance monetary amount/Currency code/Currency code content	88	MOA	C516	6345	O	an..3	GBP <i>Path:</i> ORDRSP.SG26.SG41.SG44.MOA.C516.6345(1820:010:03)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
243	BDT00000529		1 .. 1	Allowance monetary amount per unit content <i>Path:</i> Order response/Order response line/Allowance information/Allowance monetary amount per unit/Allowance monetary amount per unit content	88	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG44.MOA.C516.5004(1820:010:02)
244	BDT00000589	.. 80	1 .. 1	Currency code content <i>Path:</i> Order response/Order response line/Allowance information/Allowance monetary amount per unit/Currency code/Currency code content	88	MOA	C516	6345	O	an..3	GBP <i>Path:</i> ORDRSP.SG26.SG41.SG44.MOA.C516.6345(1820:010:03)
245	BDTG00000146		0 .. 1	Allowance basis monetary amount <i>Path:</i> Order response/Order response line/Allowance information/Allowance basis monetary amount	88	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG44.MOA.C516.5004(1820:010:02)
246	BDT00000534	.. 80	1 .. 1	Special service type code content <i>Path:</i> Order response/Order response line/Allowance information/Special service type code/Special service type code content	81	ALC	C214	7161	R	an..3	DDA <i>Path:</i> ORDRSP.SG26.SG41.ALC.C214.7161(1720:050:01)
247	BDT00000537	.. 80	1 .. 1	Tax category code content <i>Path:</i> Order response/Order response line/Allowance information/Applicable tax information/Tax category code/Tax category code content	92	TAX		5305	D	an..3	A <i>Path:</i> ORDRSP.SG26.SG41.SG46.TAX.5305(1880:060)
248	BDT00000371		0 .. 1	Tax rate <i>Path:</i> Order response/Order response line/Allowance information/Applicable tax information/Tax rate	92	TAX	C243	5278	R	an..17	1 <i>Path:</i> ORDRSP.SG26.SG41.SG46.TAX.C243.5278(1880:050:04)
249	BDT00000377		0 .. 1	Tax point date <i>Path:</i> Order response/Order response line/Allowance information/Applicable tax information/Tax point date	83	DTM	C507	2380	R	an..35	1990101 <i>Path:</i> ORDRSP.SG26.SG41.DTM.C507.2380(1740:010:02)
250	BDT00000559		1 .. 1	Taxable monetary amount content <i>Path:</i> Order response/Order response line/Allowance information/Applicable tax information/Taxable monetary amount/Taxable monetary amount content	93	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG46.MOA.C516.5004(1890:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
251	BDT00000562		1 .. 1	Tax monetary amount content <i>Path:</i> Order response/Order response line/Allowance information/Applicable tax information/Tax monetary amount/Tax monetary amount content	93	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG46.MOA.C516.5004(1890:010:02)
252	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Order response line/Allowance information/Applicable tax information/Tax description/Tax description content	92	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG46.TAX.C241.5152(1880:020:04)
253	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Order response line/Allowance information/Applicable tax information/Tax type code/Tax type code content	92	TAX	C241	5153	O	an..3	GST <i>Path:</i> ORDRSP.SG26.SG41.SG46.TAX.C241.5153(1880:020:01)
254	BDT00000617	.. 80	1 .. 1	Settlement charge code content <i>Path:</i> Order response/Order response line/Charge information/Settlement charge code/Settlement charge code content	81	ALC		4471	O	an..3	1 <i>Path:</i> ORDRSP.SG26.SG41.ALC.4471(1720:030)
255	BDT00000018		0 .. 1	Charge percentage <i>Path:</i> Order response/Order response line/Charge information/Charge percentage	86	PCD	C501	5482	R	n..10	1 <i>Path:</i> ORDRSP.SG26.SG41.SG43.PCD.C501.5482(1790:010:02)
256	BDT00000014		0 .. 1	Calculation sequence number <i>Path:</i> Order response/Order response line/Charge information/Calculation sequence number	81	ALC		1227	D	an..3	1 <i>Path:</i> ORDRSP.SG26.SG41.ALC.1227(1720:040)
257	BDT00000618	.. 80	1 .. 1	Charge type code content <i>Path:</i> Order response/Order response line/Charge information/Charge type code/Charge type code content	81	ALC	C552	5189	O	an..3	1 <i>Path:</i> ORDRSP.SG26.SG41.ALC.C552.5189(1720:020:02)
258	BDT00000619		0 .. 1	Charge monetary amount content <i>Path:</i> Order response/Order response line/Charge information/Charge monetary amount/Charge monetary amount content	88	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG44.MOA.C516.5004(1820:010:02)
259	BDT00000614		1 .. 1	Charge basis monetary amount content	88	MOA	C516	5004	R	n..35	1

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Order response line/Charge information/Charge basis monetary amount/Charge basis monetary amount content							<i>Path:</i> ORDRSP.SG26.SG41.SG44.MOA.C516.5004(1820:010:02)
260	BDT00000534	.. 80	1 .. 1	Special service type code content <i>Path:</i> Order response/Order response line/Charge information/Special service type code/Special service type code content	81	ALC	C214	7161	R	an..3	DDA <i>Path:</i> ORDRSP.SG26.SG41.ALC.C214.7161(1720:050:01)
261	BDT00000537	.. 80	1 .. 1	Tax category code content <i>Path:</i> Order response/Order response line/Charge information/Applicable tax information/Tax category code/Tax category code content	92	TAX		5305	D	an..3	A <i>Path:</i> ORDRSP.SG26.SG41.SG46.TAX.5305(1880:060)
262	BDT00000371		0 .. 1	Tax rate <i>Path:</i> Order response/Order response line/Charge information/Applicable tax information/Tax rate	92	TAX	C243	5278	R	an..17	1 <i>Path:</i> ORDRSP.SG26.SG41.SG46.TAX.C243.5278(1880:050:04)
263	BDT00000377		0 .. 1	Tax point date <i>Path:</i> Order response/Order response line/Charge information/Applicable tax information/Tax point date	83	DTM	C507	2380	R	an..35	1990101 <i>Path:</i> ORDRSP.SG26.SG41.DTM.C507.2380(1740:010:02)
264	BDT00000559		1 .. 1	Taxable monetary amount content <i>Path:</i> Order response/Order response line/Charge information/Applicable tax information/Taxable monetary amount/Taxable monetary amount content	93	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG46.MOA.C516.5004(1890:010:02)
265	BDT00000562		1 .. 1	Tax monetary amount content <i>Path:</i> Order response/Order response line/Charge information/Applicable tax information/Tax monetary amount/Tax monetary amount content	93	MOA	C516	5004	R	n..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG46.MOA.C516.5004(1890:010:02)
266	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Order response line/Charge information/Applicable tax information/Tax description/Tax description content	92	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDRSP.SG26.SG41.SG46.TAX.C241.5152(1880:020:04)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
267	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Order response line/Charge information/Applicable tax information/Tax type code/Tax type code content	92	TAX	C241	5153	O	an..3	GST <i>Path:</i> ORDRSP.SG26.SG41.SG46.TAX.C241.5153(1880:020:01)
268	BDT00000687	.. 80	1 .. 1	Transport means type code content <i>Path:</i> Order response/Order response line/Shipment transportation information/Transport means type code/Transport means type code content	94	TDT	C228	8179	D	an..8	1 <i>Path:</i> ORDRSP.SG26.SG47.TDT.C228.8179(1910:040:01)
269	BDT00000625	.. 80	0 .. 1	Transport means identification content <i>Path:</i> Order response/Order response line/Shipment transportation information/Transport means identification/Transport means identification content	94	TDT	C222	8213	O	an..9	A <i>Path:</i> ORDRSP.SG26.SG47.TDT.C222.8213(1910:080:01)
270	BDT00000688	.. 80	1 .. 1	Transport mode code content <i>Path:</i> Order response/Order response line/Shipment transportation information/Transport mode code/Transport mode code content	94	TDT	C220	8067	R	an..3	100 <i>Path:</i> ORDRSP.SG26.SG47.TDT.C220.8067(1910:030:01)
271	BDT00000626	.. 80	1 .. 1	Transport route identification content <i>Path:</i> Order response/Order response line/Shipment transportation information/Transport route identification/Transport route identification content	94	TDT		8028	O	an..17	1 <i>Path:</i> ORDRSP.SG26.SG47.TDT.8028(1910:020)
272	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order response/Order response line/Shipment transportation information/Carrier party information/Global location number, GLN	94	TDT	C040	3127	A	an..17	1 <i>Path:</i> ORDRSP.SG26.SG47.TDT.C040.3127(1910:050:01)
273	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/Shipment transportation information/Carrier party information/Address information/Party name	94	TDT	C040	3128	O	an..35	A <i>Path:</i> ORDRSP.SG26.SG47.TDT.C040.3128(1910:050:04)
274	BDT00000537	.. 80	1 .. 1	Tax category code content	76	TAX		5305	D	an..3	S

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Order response line/Applicable tax information/Tax category code/Tax category code content							<i>Path:</i> ORDRSP.SG26.SG36.TAX.5305(1550:060)
275	BDT00000371		0 .. 1	Tax rate <i>Path:</i> Order response/Order response line/Applicable tax information/Tax rate	76	TAX	C243	5278	R	an..17	12.5 <i>Path:</i> ORDRSP.SG26.SG36.TAX.C243.5278(1550:050:04)
276	BDT00000377		0 .. 1	Tax point date <i>Path:</i> Order response/Order response line/Applicable tax information/Tax point date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
277	BDT00000559		1 .. 1	Taxable monetary amount content <i>Path:</i> Order response/Order response line/Applicable tax information/Taxable monetary amount/Taxable monetary amount content	77	MOA	C516	5004	R	n..35	32.43 <i>Path:</i> ORDRSP.SG26.SG36.MOA.C516.5004(1560:010:02)
278	BDT00000562		1 .. 1	Tax monetary amount content <i>Path:</i> Order response/Order response line/Applicable tax information/Tax monetary amount/Tax monetary amount content	77	MOA	C516	5004	R	n..35	32.43 <i>Path:</i> ORDRSP.SG26.SG36.MOA.C516.5004(1560:010:02)
279	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Order response line/Applicable tax information/Tax description/Tax description content	76	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDRSP.SG26.SG36.TAX.C241.5152(1550:020:04)
280	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Order response line/Applicable tax information/Tax type code/Tax type code content	76	TAX	C241	5153	O	an..3	VAT <i>Path:</i> ORDRSP.SG26.SG36.TAX.C241.5153(1550:020:01)
281	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Order response line/Applicable customs duty information/Duty regime type code/Contact type code content	55	ALI		9213	O	an..3	1 <i>Path:</i> ORDRSP.SG26.ALI.9213(1040:020)
282	BDT00000537	.. 80	1 .. 1	Tax category code content <i>Path:</i> Order response/Order response line/Applicable	76	TAX		5305	D	an..3	S <i>Path:</i> ORDRSP.SG26.SG36.TAX.5305(1550:060)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				customs duty information/Tax category code/Tax category code content							
283	BDT00000374		0 .. 1	Customs duty rate <i>Path:</i> Order response/Order response line/Applicable customs duty information/Customs duty rate	76	TAX	C243	5278	R	an..17	12.5 <i>Path:</i> ORDRSP.SG26.SG36.TAX.C243.5278(1550:050:04)
284	BDT00000377		0 .. 1	Tax point date <i>Path:</i> Order response/Order response line/Applicable customs duty information/Tax point date	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
285	BDT00000559		1 .. 1	Taxable monetary amount content <i>Path:</i> Order response/Order response line/Applicable customs duty information/Taxable monetary amount/Taxable monetary amount content	77	MOA	C516	5004	R	n..35	32.43 <i>Path:</i> ORDRSP.SG26.SG36.MOA.C516.5004(1560:010:02)
286	BDT00000562		1 .. 1	Tax monetary amount content <i>Path:</i> Order response/Order response line/Applicable customs duty information/Tax monetary amount/Tax monetary amount content	77	MOA	C516	5004	R	n..35	32.43 <i>Path:</i> ORDRSP.SG26.SG36.MOA.C516.5004(1560:010:02)
287	BDT00000754	.. 70	1 .. 1	Tax description content <i>Path:</i> Order response/Order response line/Applicable customs duty information/Tax description/Tax description content	76	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDRSP.SG26.SG36.TAX.C241.5152(1550:020:04)
288	BDT00000563	.. 70	1 .. 1	Customs duty description content <i>Path:</i> Order response/Order response line/Applicable customs duty information/Customs duty description/Customs duty description content	76	TAX	C241	5152	O	an..35	1 <i>Path:</i> ORDRSP.SG26.SG36.TAX.C241.5152(1550:020:04)
289	BDT00000564		1 .. 1	Customs duty and import tax monetary amount content <i>Path:</i> Order response/Order response line/Applicable customs duty information/Customs duty and import tax monetary amount/Customs duty and import tax monetary amount content	77	MOA	C516	5004	R	n..35	32.43 <i>Path:</i> ORDRSP.SG26.SG36.MOA.C516.5004(1560:010:02)
290	BDT00000774		1 .. 1	Country code content	55	ALI		3239	O	an..3	AD

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Order response line/Applicable customs duty information/Country code/Country code content							<i>Path:</i> ORDRSP.SG26.ALI.3239(1040:010)
291	BDT00000576	.. 80	1 .. 1	Tax type code content <i>Path:</i> Order response/Order response line/Applicable customs duty information/Tax type code/Tax type code content	76	TAX	C241	5153	O	an..3	VAT <i>Path:</i> ORDRSP.SG26.SG36.TAX.C241.5153(1550:020:01)
292	BDT00000566		1 .. 1	Total requested quantity content <i>Path:</i> Order response/Order response line/Back order information/Total requested quantity/Total requested quantity content	59	QVR	C279	6064	M	n..15	1 <i>Path:</i> ORDRSP.SG26.QVR.C279.6064(1100:010:01)
293	BDT00000683		1 .. 1	Confirmed quantity content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Confirmed quantity/Confirmed quantity content	54	QTY	C186	6060	M	an..35	48 <i>Path:</i> ORDRSP.SG26.QTY.C186.6060(1020:010:02)
294	BDT00000607	.. 80	1 .. 1	Measurement unit code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Confirmed quantity/Measurement unit code/Measurement unit code content	54	QTY	C186	6411	D	an..3	KGM <i>Path:</i> ORDRSP.SG26.QTY.C186.6411(1020:010:03)
295	BDT00000063	13 .. 13	0 .. 1	Global location number GLN <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Global location number GLN	78	NAD	C082	3039	M	an..35	5412345000013 <i>Path:</i> ORDRSP.SG26.SG37.NAD.C082.3039(1590:020:01)
296	BDT00000020	.. 200	0 .. 1	City name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address	78	NAD		3164	D	an..35	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.3164(1590:060)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
297	BDT00000034	.. 80	0 .. 1	information/City name County code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ulimate consignee party information/Address information/County code	78	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.C819.3229(1590:070:01)
298	BDT00000106	.. 200	0 .. 1	Party name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ulimate consignee party information/Address information/Party name	78	NAD	C080	3036	M	an..35	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.C080.3036(1590:040:01)
299	BDT00000113	.. 80	0 .. 1	Post office box number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ulimate consignee party information/Address information/Post office box number	78	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.C059.3042(1590:050:01)
300	BDT00000114	.. 80	0 .. 1	Postal code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ulimate consignee party information/Address information/Postal code	78	NAD		3251	D	an..17	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.3251(1590:080)
301	BDT00000117	80 ..	0 .. 1	Province identity <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ulimate consignee party information/Address information/Province identity	78	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.C819.3229(1590:070:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
302	BDT00000127	.. 80	0 .. 1	State <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/State	78	NAD	C819	3229	O	an..9	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.C819.3229(1590:070:01)
303	BDT00000128	.. 200	0 .. 1	Street address one <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address one	78	NAD	C059	3042	M	an..35	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.C059.3042(1590:050:01)
304	BDT00000130	.. 200	0 .. 1	Street address two <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address two	78	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.C059.3042#2(1590:050:02)
305	BDT00000129	.. 200	0 .. 1	Street address three <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Street address three	78	NAD	C059	3042	O	an..35	A <i>Path:</i> ORDRSP.SG26.SG37.NAD.C059.3042#3(1590:050:03)
306	BDTG00000179		0 .. 1	Country code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Address information/Country code	78	NAD		3207	D	an..3	GB <i>Path:</i> ORDRSP.SG26.SG37.NAD.3207(1590:090)
307	BDT00000112	.. 70	0 .. 1	Person name	79	CTA	C056	3412	O	an..35	1

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
				<i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Person name							<i>Path:</i> ORDRSP.SG26.SG37.SG40.CTA.C056.3412(1690:020:02)
308	BDT00000044	.. 70	0 .. 1	Department name <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Department name	79	CTA	C056	3412	O	an..35	1 <i>Path:</i> ORDRSP.SG26.SG37.SG40.CTA.C056.3412(1690:020:02)
309	BDT00000571	.. 80	1 .. 1	Contact type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Contact type code/Contact type code content	79	CTA		3139	R	an..3	IC <i>Path:</i> ORDRSP.SG26.SG37.SG40.CTA.3139(1690:010)
310	BDTG00000175		1 .. 1	Communication channel code <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/Communication channel code	80	COM	C076	3155	M	an..3	EM <i>Path:</i> ORDRSP.SG26.SG37.SG40.COM.C076.3155(1700:010:02)
311	BDT00000032	.. 200	1 .. 1	Communication channel identification <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Ultimate consignee party information/Business contact information/Communication information/	80	COM	C076	3148	M	an..512	1 <i>Path:</i> ORDRSP.SG26.SG37.SG40.COM.C076.3148(1700:010:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
 Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
312	BDTG00000291		0 .. 1	Communication channel identification Requested delivery date time <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested delivery date time	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
313	BDTG00000297		0 .. 1	Requested ship date time <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested ship date time	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
314	BDTG00000290		0 .. 1	Requested date time for pick up <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Requested delivery date time information/Requested date time for pick up	56	DTM	C507	2380	R	an..35	19930910 <i>Path:</i> ORDRSP.SG26.DTM.C507.2380(1050:010:02)
315	BDT00000687	.. 80	1 .. 1	Transport means type code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport means type code/Transport means type code content	94	TDT	C228	8179	D	an..8	1 <i>Path:</i> ORDRSP.SG26.SG47.TDT.C228.8179(1910:040:01)
316	BDT00000625	.. 80	0 .. 1	Transport means identification content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport	94	TDT	C222	8213	O	an..9	A <i>Path:</i> ORDRSP.SG26.SG47.TDT.C222.8213(1910:080:01)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016

Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
317	BDT00000688	.. 80	1 .. 1	means identification/Transport means identification content Transport mode code content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport mode code/Transport mode code content	94	TDT	C220	8067	R	an..3	100 <i>Path:</i> ORDRSP.SG26.SG47.TDT.C220.8067(1910:030:01)
318	BDT00000626	.. 80	1 .. 1	Transport route identification content <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Transport route identification/Transport route identification content	94	TDT		8028	O	an..17	1 <i>Path:</i> ORDRSP.SG26.SG47.TDT.8028(1910:020)
319	BDT00000063	13 .. 13	0 .. 1	Global location number, GLN <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Ordered trade item logistical information/Shipment transportation information/Carrier party information/Global location number, GLN	94	TDT	C040	3127	A	an..17	1 <i>Path:</i> ORDRSP.SG26.SG47.TDT.C040.3127(1910:050:01)
320	BDT00000056	.. 80	1 .. 1	Entity identification <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase conditions information/Entity identification	64	RFF	C506	1154	R	an..70	123 <i>Path:</i> ORDRSP.SG26.SG31.RFF.C506.1154(1340:010:02)
321	BDT00000047		0 .. 1	Business document creation date time <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase conditions information/Business document creation date time	65	DTM	C507	2380	R	an..35	19930831 <i>Path:</i> ORDRSP.SG26.SG31.DTM.C507.2380(1350:010:02)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used



Mapping

Model: Order response; 0.1; Draft
Root Element: **Order response**

Standard: EANCOM® 2002 S4; 2002 - Edition 2016
Guide: **ORDRSP (EAN009) S4**

No	SDD-ID	Length	Occurrence	Element	SeN	Se	CDE	DE	St	Format	Example
322	BDT00000049	.. 6	0 .. 1	Document line number <i>Path:</i> Order response/Order response line/Order response line item shipping detail information/Referenced purchase conditions information/Document line number	64	RFF	C506	1156	D	an..6	1 <i>Path:</i> ORDRSP.SG26.SG31.RFF.C506.1156(1340:010:03)

Legend: No=Consecutive Number, SeNo=Segment Number, Se=Segment, CDE=Composite Data Element, DE=Data Element, St=Status

Status indicators: M=Mandatory, C=Conditional, R=Required, O=Optional, D=Depending, A=Advised, N/X=Not used